THE JOURNAL OF PHYSIOLOGY



1997 ANNUAL INDEX

Volumes 498 – 505

A publication of The Physiological Society

THE JOURNAL OF PHYSIOLOGY

Volumes 498 – 505 1997

Annual Author and Subject Indexes

to Volumes 498 – 505

(January – December 1997)

CONTENTS

Author index: Papers 1

Author index: Proceedings 33

Subject index 83

CAMBRIDGE UNIVERSITY PRESS

Cover illustration composed from various *Journal of Physiology* covers published during 1997.

The Journal of Physiology

The Journal of Physiology (ISSN 0022 3751) is published semi-monthly for The Physiological Society by Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK and 40 West 20th Street, New York, NY 10011-4211, USA.

Eight volumes (506–513) of three issues will be published in 1998 at regular intervals, along with five issues of *Proceedings* published in February, March, June, September and November and an additional index volume in February. Each issue is bound in laminated soft covers. The 1998 annual subscription price (which includes postage, but excludes VAT) is £1156·00 net (US $1976·00 in the USA, Canada and Mexico). Copies of the journal for subscribers in the USA, Canada and Mexico are sent by air to New York. Individual issues may be purchased at £41·00 (US $70·00 in the USA, Canada and Mexico), plus postage. Orders, which must be accompanied by payment, may be placed with a bookseller or directly with the publisher. POSTMASTER: send address changes in USA, Canada and Mexico to *The Journal of Physiology*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573-9864. Periodicals postage paid at New York, NY, and at additional mailing offices. EU subscribers (outside the UK) who are not registered for VAT should add VAT at their country's rate. VAT registered subscribers should provide their VAT registration number. Japanese prices for institutions (including ASP delivery) are available from Kinokuniya Company Ltd, PO Box 55, Chitose, Tokyo 156, Japan.

Back Volumes

Volumes 61–120, 168–169, 180, 181, 184 and 210 were published in four parts.

Volumes 382–473 (1987–1994) at £70 ($130) net each, are available from the publisher.

Volumes 474–505 (1994–1997) are available from the publisher at £125 ($252) net each.

Indexes

A cumulative index to the following volumes is available from the publisher:

432–473 (1994) at £55 ($120) net.

Annual indexes for 1994, 1995, 1996 and 1997 are available from the publisher at £38 ($67) net.

Copying

This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of $12·50. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0022–3751/98 $12·50 + 0·00.

Published by the Press Syndicate of the University of Cambridge
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Physiological Society 1998

JPHYA INDEX 1–140 (1998)
ISSN 0022 3751

Typeset by The Physiological Society
Printed in the United Kingdom by the University Press, Cambridge

Author Index: Papers

The Journal of Physiology
Volumes 498 – 505

(January – December 1997)

ABBOUD F. M. *see* LI Z., LEE H.-C., BIELEFELDT K., CHAPLEAU M. W. & ABBOUD F. M. **501**, 275, 1997

ABDUL-GHANI M. A. *see* VALIANTE T. A., ABDUL-GHANI M. A., CARLEN P. L. & PENNEFATHER P. **499**, 121, 1997

ABE I. *see* SETOGUCHI M., OHYA Y., ABE I. & FUJISHIMA M. **501**, 343, 1997

ACCILI E. A.

ACCILI E. A., REDAELLI G. & DIFRANCESCO D. Differential control of the hyperpolarization-activated current (i_f) by cAMP gating and phosphatase inhibition in rabbit sino-atrial node myocytes **500**, 643, 1997

ACUÑA C. *see* CUDEIRO J., RIVADULLA C., RODRÍGUEZ R., GRIEVE K. L., MARTÍNEZ-CONDE S. & ACUÑA C. **504**, 467, 1997

AGGARWAL R.

AGGARWAL R., SHOROFSKY S. R., GOLDMAN L. & BALKE C. W. Tetrodotoxin-blockable calcium currents in rat ventricular myocytes; a third type of cardiac cell sodium current **505**, 353, 1997

AICARDI G. *see* CARBONE E., LUX H. D., CARABELLI V., AICARDI G. & ZUCKER H. **504**, 1, 1997

AKAIKE N. *see* HARATA N., WU J., ISHIBASHI H., ONO K. & AKAIKE N. **500**, 673, 1997

AKAIKE N. & RHEE J.-S. Age-related functional changes of the glutamate receptor channels in rat Meynert neurones **504**, 665, 1997

AKINOLA A. *see* PUVI-RAJASINGHAM S., SMITH G. D. P., AKINOLA A. & MATHIAS C. J. **505**, 841, 1997

ALDERSBERG M. *see* MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H. **502**, 31, 1997

ALFORD S. *see* COCHILLA A. J. & ALFORD S. **499**, 443, 1997

ALGER B. E. *see* MORISHITA W. & ALGER B. E. **505**, 307, 1997

ALLARD B.

ALLARD B. & ROUGIER O. Similarity of ATP-dependent K^+ channels in skeletal muscle fibres from normal and mutant *mdx* mice **498**, 319, 1997

ALLEN C. N. *see* JIANG Z., YANG Y., LIU Z. & ALLEN C. N. **499**, 141, 1997

ALLEN D. G. *see* CHIN E. R. & ALLEN D. G. **498**, 17, 1997

ALLEN D. G., LÄNNERGREN J. & WESTERBLAD H. The role of ATP in the regulation of intracellular Ca^{2+} release in single fibres of mouse skeletal muscle **498**, 587, 1997

see BALNAVE C. D., DAVEY D. F. & ALLEN D. G. **502**, 649, 1997

ALPER S. *see* CAROPPO R., DEBELLIS L., VALENTI G., ALPER S., FRÖMTER E. & CURCI S. **499**, 763, 1997

ALROY G. *see* AZOUZ R., ALROY G. & YAARI Y. **502**, 175, 1997

ALTENBERG G. A. *see* VANOYE C. G., ALTENBERG G. A. & REUSS L. **502**, 249, 1997

ALVARADO F. *see* TOUZANI K., ALVARADO F. & VASSEUR M. **500**, 385, 1997

ALVAREZ O. *see* ISMAILOV I. I., SHLYONSKY V. GH., ALVAREZ O. & BENOS D. J. **504**, 287, 1997

AMASHEH S.

AMASHEH S., WENZEL U., WEBER W.-M., CLAUSS W. & DANIEL H. Electrophysiological analysis of the function of the mammalian renal peptide transporter expressed in *Xenopus laevis* oocytes **504**, 169, 1997

AMÉDÉE T. *see* DESPEYROUX S., BEAUDU-LANGE C., COLES J. A. & AMÉDÉE T. **499**, 655, 1997

AMELLAL F. *see* PETRECCA K., AMELLAL F., LAIRD D. W., COHEN S. A. & SHRIER A. **501**, 263, 1997

AMIR R.

AMIR R. & DEVOR M. Spike-evoked suppression and burst patterning in dorsal root ganglion neurons of the rat **501**, 183, 1997

ÄMMÄLÄ C. *see* GRIBBLE F. M., ASHFIELD R., ÄMMÄLÄ C. & ASHCROFT F. M. **498**, 87, 1997

ANDERSON C. M. *see* TURNER J. P., ANDERSON C. M., WILLIAMS S. R. & CRUNELLI V. **505**, 707, 1997

ANDJUS P. R.

ANDJUS P. R., STEVIC-MARINKOVIC Z. & CHERUBINI E. Immunoglobulins from motoneurone disease patients enhance glutamate release from rat hippocampal neurones in culture **504**, 103, 1997

ANDREU E.

ANDREU E., SORIA B. & SANCHEZ-ANDRES J. V. Oscillation of gap junction electrical coupling in the mouse pancreatic islets of Langerhans **498**, 753, 1997

ANIKSZTEJN L.

ANIKSZTEJN L., CATARSI S. & DRAPEAU P. Channel modulation by tyrosine phosphorylation in an identified leech neuron **498**, 135, 1997

ANTONUTTO G. *see* FERRETTI G., ANTONUTTO G., DENIS C., HOPPELER H., MINETTI A. E., NARICI M. V. & DESPLANCHES D. **501**, 677, 1997

APERIA A. *see* YASUI M., SERLACHIUS E., LÖFGREN M., BELUSA R., NIELSEN S. & APERIA A. **505**, 3, 1997

APPS R.

APPS R., ATKINS M. J. & GARWICZ M. Gating of cutaneous input to cerebellar climbing fibres during a reaching task in the cat **502**, 203, 1997

ARCANGELI A. *see* CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. **501**, 313, 1997

see CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **501**, 313–318 (1997) **502**, 715, 1997

see FARAVELLI L., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **496**, 13–23 (1996) **502**, 715, 1997

ARITA M. *see* SATO T., OBATA T., YAMANAKA Y. & ARITA M. **503**, 119, 1997

ARMSTRONG W. E. *see* STERN J. E. & ARMSTRONG W. E. **500**, 497, 1997

ARNETT T. R.

ARNETT T. R. & KING B. F. ATP as an osteoclast regulator? **503**, 236, 1997

ARVANOV V. L. *see* KEELE N. B., ARVANOV V. L. & SHINNICK-GALLAGHER P. **499**, 87, 1997

ASHCROFT F. M. *see* GRIBBLE F. M., ASHFIELD R., ÄMMÄLÄ C. & ASHCROFT F. M. **498**, 87, 1997

see SMITH P. A., SAKURA H., COLES B., GUMMERSON N., PROKS P. & ASHCROFT F. M. **499**, 625, 1997

see GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M. **504**, 35, 1997

ASHFIELD R. *see* GRIBBLE F. M., ASHFIELD R., ÄMMÄLÄ C. & ASHCROFT F. M. **498**, 87, 1997

ASHFORD M. L. J. *see* HERSON P. S. & ASHFORD M. L. J. **501**, 59, 1997

see HARVEY J., MCKENNA F., HERSON P. S., SPANSWICK D. & ASHFORD M. L. J. **504**, 527, 1997

see HERSON P. S., DULOCK K. A. & ASHFORD M. L. J. **505**, 65, 1997

ASTILL D. ST J. *see* RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L. **501**, 355, 1997

ATKINS M. J. *see* APPS R., ATKINS M. J. & GARWICZ M. **502**, 203, 1997

AYAJIKI K. *see* TODA N., AYAJIKI K. & OKAMURA T. **498**, 453, 1997

AYMARD C.

AYMARD C., DECCHI B., KATZ R., LAFITTE C., PÉNICAUD A., RAOUL S. & ROSSI A. Recurrent inhibition between motor nuclei innervating opposing wrist muscles in the human upper limb **499**, 267, 1997

AZOUZ R.

AZOUZ R., ALROY G. & YAARI Y. Modulation of endogenous firing patterns by osmolarity in rat hippocampal neurones **502**, 175, 1997

AZPIROZ F. *see* VILLANOVA N., AZPIROZ F. & MALAGELADA J.-R. **502**, 215, 1997

BACKX P. H. *see* WICKENDEN A. D., KAPRIELIAN R., PARKER T. G., JONES O. T. & BACKX P. H. **504**, 271, 1997

BÄHRING R.

BÄHRING R., BOWIE D., BENVENISTE M. & MAYER M. L. Permeation and block of rat GluR6 glutamate receptor channels by internal and external polyamines **502**, 575, 1997

BAILLY C. *see* DE JESUS FERREIRA M. C. & BAILLY C. **505**, 749, 1997

BAIMBRIDGE K. G. *see* SIDKY A. O. & BAIMBRIDGE K. G. **504**, 579, 1997

BAINS J. S.

BAINS J. S. & FERGUSON A. V. Nitric oxide regulates NMDA-driven GABAergic inputs to type I neurones of the rat paraventricular nucleus **499**, 733, 1997

BAKER S. N.

BAKER S. N., OLIVIER E. & LEMON R. N. Coherent oscillations in monkey motor cortex and hand muscle EMG show task-dependent modulation **501**, 225, 1997

BALDO G. J. *see* GAO J., MATHIAS R. T., COHEN I. S. & BALDO G. J. **501**, 527, 1997

BALDWIN S. A. *see* BARROS L. F., YOUNG M., SAKLATVALA J. & BALDWIN S. A. **504**, 517, 1997

BALKE C. W. *see* AGGARWAL R., SHOROFSKY S. R., GOLDMAN L. & BALKE C. W. **505**, 353, 1997

BALL S. G. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **500**, 551, 1997

BALLANYI K. *see* VOIPIO J. & BALLANYI K. **499**, 527, 1997

BALLANYI K., LALLEY P. M., HOCH B. & RICHTER D. W. cAMP-dependent reversal of opioid- and prostaglandin-mediated depression of the isolated respiratory network in newborn rats **504**, 127, 1997

BALMFORTH A. J. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **500**, 551, 1997

BALNAVE C. D.

BALNAVE C. D., DAVEY D. F. & ALLEN D. G. Distribution of sarcomere length and intracellular calcium in mouse skeletal muscle following stretch-induced injury **502**, 649, 1997

BAND D. M.
BAND D. M., LINTON R. A. F., O'BRIEN T. K., JONAS M. M. & LINTON N. W. F. The shape of indicator dilution curves used for cardiac output measurement in man **498**, 225, 1997

BANGALORE R. *see COHEN A. S., MOORE K. A., BANGALORE R., JAFRI M. S., WEINREICH D. & KAO J. P. Y.* **499**, 315, 1997

BANGSBO J.
BANGSBO J., JUEL C., HELLSTEN Y. & SALTIN B. Dissociation between lactate and proton exchange in muscle during intense exercise in man **504**, 489, 1997

BANKS R. W.
BANKS R. W., HULLIGER M., SCHEEPSTRA K. A. & OTTEN E. Pacemaker activity in a sensory ending with multiple encoding sites: the cat muscle spindle primary ending **498**, 177, 1997

BARABAN S. C.
BARABAN S. C., BELLINGHAM M. C., BERGER A. J. & SCHWARTZKROIN P. A. Osmolarity modulates K^+ channel function on rat hippocampal interneurons but not CA1 pyramidal neurons **498**, 679, 1997

BARANYI A. *see BRINGUIER V., FRÉGNAC Y., BARANYI A., DEBANNE D. & SHULZ D. E.* **500**, 751, 1997

BARBERA J. *see WEIDEMA A. F., BARBERA J., DIXON S. J. & SIMS S. M.* **503**, 303, 1997

BARBOUR B. *see CLARK B. A. & BARBOUR B.* **502**, 335, 1997

BARCLAY C. J. *see CONSTABLE J. K., BARCLAY C. J. & GIBBS C. L.* **505**, 205, 1997

BARON A.
BARON A., FRIEDEN M. & BÉNY J.-L. Epoxyeicosatrienoic acids activate a high-conductance, Ca^{2+}-dependent K^+ channel on pig coronary artery endothelial cells **504**, 537, 1997

BARR S. C. *see HAN W., BARR S. C., PACIORETTY L. M. & GILMOUR R. F. JR* **500**, 75, 1997

BARRETT E. F. *see DAVID G., BARRETT J. N. & BARRETT E. F.* **498**, 295, 1997
see DAVID G., BARRETT J. N. & BARRETT E. F. **504**, 83, 1997

BARRETT J. N. *see DAVID G., BARRETT J. N. & BARRETT E. F.* **498**, 295, 1997
see DAVID G., BARRETT J. N. & BARRETT E. F. **504**, 83, 1997

BARRIGA C. *see ORTEGA E., FORNER M. A. & BARRIGA C.* **498**, 729, 1997

BARROS L. F.
BARROS L. F., YOUNG M., SAKLATVALA J. & BALDWIN S. A. Evidence of two mechanisms for the activation of the glucose transporter GLUT1 by anisomycin: p38(MAP kinase) activation and protein synthesis inhibition in mammalian cells **504**, 517, 1997

BARTOLOMEI L. *see DAY B. L., CAUQUIL A. S., BARTOLOMEI L., PASTOR M. A. & LYON I. N.* **500**, 661, 1997

BARTON M. *see BRANDES R. P., BARTON M., PHILIPPENS K. M. H., SCHWEITZER G. & MÜGGE A.* **500**, 331, 1997

BARUSCOTTI M.
BARUSCOTTI M., WESTENBROEK R., CATTERALL W. A., DIFRANCESCO D. & ROBINSON R. B. The newborn rabbit sino-atrial node expresses a neuronal type I-like Na^+ channel **498**, 641, 1997
see BOIS P., RENAUDON B., BARUSCOTTI M., LENFANT J. & DIFRANCESCO D. **501**, 565, 1997

BASCHNEGGER H. *see CHRIST F., GAMBLE J., BASCHNEGGER H. & GARTSIDE I. B.* **503**, 463, 1997

BATE G. W. *see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J.* **502**, 409, 1997

BAUER V. *see REKALOV V., JURÁNEK I., MÁLEKOVÁ L. & BAUER V.* **505**, 107, 1997

BAUMANN K. I. *see SENOK S. S. & BAUMANN K. I.* **500**, 29, 1997

BAYGUINOV J. R. *see WARD S. M., HARNEY S. C., BAYGUINOV J. R., MCLAREN G. J. & SANDERS K. M.* **505**, 241, 1997

BEAUDU-LANGE C. *see DESPEYROUX S., BEAUDU-LANGE C., COLES J. A. & AMÉDÉE T.* **499**, 655, 1997

BECK F.-X. *see KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G.* **499**, 391, 1997

BECK H.
BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E. Potassium currents in acutely isolated human hippocampal dentate granule cells **498**, 73, 1997

BEECH D. J. *see MCHUGH D. & BEECH D. J.* **500**, 311, 1997

BELLINGHAM M. C. *see BARABAN S. C., BELLINGHAM M. C., BERGER A. J. & SCHWARTZKROIN P. A.* **498**, 679, 1997

BELOUSOV A. B.
BELOUSOV A. B. & VAN DEN POL A. N. Local synaptic release of glutamate from neurons in the rat hypothalamic arcuate nucleus **499**, 747, 1997

BELUSA R. *see YASUI M., SERLACHIUS E., LÖFGREN M., BELUSA R., NIELSEN S. & APERIA A.* **505**, 3, 1997

BEN-ARI Y. *see KHAZIPOV R., LEINEKUGEL X., KHALILOV I., GAIARSA J.-L. & BEN-ARI Y.* **498**, 763, 1997

BENFENATI F. *see STEFANI G., ONOFRI F., VALTORTA F., VACCARO P., GREENGARD P. & BENFENATI F.* **504**, 501, 1997

BENNDORF K. *see DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K.* **500**, 85, 1997

BENNETT M. R. *see BRAIN K. L. & BENNETT M. R.* **502**, 521, 1997

BENNETTS B. *see RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L.* **501**, 355, 1997

BENOS D. J. *see ISMAILOV I. I., SHLYONSKY V. GH., ALVAREZ O. & BENOS D. J.* **504**, 287, 1997

BENVENISTE M. *see BÄHRING R., BOWIE D., BENVENISTE M. & MAYER M. L.* **502**, 575, 1997

BÉNY J.-L. *see BARON A., FRIEDEN M. & BÉNY J.-L.* **504**, 537, 1997

BERGER A. J. *see BARABAN S. C., BELLINGHAM M. C., BERGER A. J. & SCHWARTZKROIN P. A.* **498**, 679, 1997

BERGER P. J. *see WILKINSON M. H., BERGER P. J., BLANCH N., BRODECKY V. & JONES C. A.* **504**, 199, 1997

BERLIN J. R. *see PELUFFO R. D. & BERLIN J. R.* **501**, 33, 1997
see SPENCER C. I. & BERLIN J. R. **504**, 565, 1997

BERRIDGE M. *see BOOTMAN M., NIGGLI E., BERRIDGE M. & LIPP P.* **499**, 307, 1997

BERRIDGE M. J.
BERRIDGE M. J. Annual Review Prize Lecture. Elementary and global aspects of calcium signalling **499**, 291, 1997

BERROW N. S. *see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C.* **502**, 307, 1997
see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

BERS D. M. *see LI L., SATOH H., GINSBURG K. S. & BERS D. M.* **501**, 17, 1997

BERTHOZ A. *see IVANENKO Y. P., GRASSO R., ISRAËL I. & BERTHOZ A.* **502**, 223, 1997

BEST L. *see MILEY H. E., SHEADER E. A., BROWN P. D. & BEST L.* **504**, 191, 1997

BETZ H. *see BOEHM S., HARVEY R. J., VON HOLST A., ROHRER H. & BETZ H.* **504**, 683, 1997

BIELEFELDT K. *see LI Z., LEE H.-C., BIELEFELDT K., CHAPLEAU M. W. & ABBOUD F. M.* **501**, 275, 1997

BIELLA G. *see BUDDE T., BIELLA G., MUNSCH T. & PAPE H.-C.* **503**, 79, 1997

BILJAN M. M. *see GREEVES J. P., CABLE N. T., LUCKAS M. J. M., REILLY T. & BILJAN M. M.* **500**, 265, 1997

BINDER M. D. *see POLIAKOV A. V., POWERS R. K. & BINDER M. D.* **504**, 401, 1997

BINNS K. E.
BINNS K. E. & SALT T. E. Different roles for $GABA_A$ and $GABA_B$ receptors in visual processing in the rat superior colliculus **504**, 629, 1997

BISCHOFBERGER J.
BISCHOFBERGER J. & JONAS P. Action potential propagation into the presynaptic dendrites of rat mitral cells **504**, 359, 1997

BISCHOFF A. M. *see PIERREFICHE O., BISCHOFF A. M., RICHTER D. W. & SPYER K. M.* **505**, 785, 1997

BISSONNETTE J. M.
BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J. Non-NMDA receptors modulate respiratory drive in fetal sheep **501**, 415, 1997

BLACK C. *see JOHNSTON A. R., BLACK C., FRASER J. & MACLEOD N.* **500**, 1, 1997

BLANCH N. *see WILKINSON M. H., BERGER P. J., BLANCH N., BRODECKY V. & JONES C. A.* **504**, 199, 1997

BLASIG I. E. *see GRUNE T., MÜLLER K., ZÖLLNER S., HASELOFF R., BLASIG I. E., DAVID H. & SIEMS W.* **498**, 511, 1997

BLAUSTEIN M. P. *see MATTESON D. R. & BLAUSTEIN M. P.* **503**, 285, 1997

BLICKLE B. *see KISSLING G., BLICKLE B., ROSS C., PASCHT U. & GULBINS E.* **499**, 195, 1997

BLISS T. V. P. *see MURPHY K. P. S. J., REID G. P., TRENTHAM D. R. & BLISS T. V. P.* **504**, 379, 1997

BLOCK B. M.
BLOCK B. M. & JONES S. W. Delayed rectifier current of bullfrog sympathetic neurons: ion–ion competition, asymmetrical block and effects of ions on gating **499**, 403, 1997

BLOMSTRAND E.

BLOMSTRAND E., RÅDEGRAN G. & SALTIN B. Maximum rate of oxygen uptake by human skeletal muscle in relation to maximal activities of enzymes in the Krebs cycle **501**, 455, 1997

BLUMENSTEIN I. *see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M.* **505**, 411, 1997

BODEN P. R. *see LEE K. & BODEN P. R.* **504**, 649, 1997

BOEHM S.

BOEHM S., HARVEY R. J., VON HOLST A., ROHRER H. & BETZ H. Glycine receptors in cultured chick sympathetic neurons are excitatory and trigger neurotransmitter release **504**, 683, 1997

BOGDANOV K. *see XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H.* **500**, 343, 1997

BÖHM T. *see MARKWARDT F., LÖHN M., BÖHM T. & KLAPPERSTÜCK M.* **498**, 143, 1997

BOIS P.

BOIS P., RENAUDON B., BARUSCOTTI M., LENFANT J. & DIFRANCESCO D. Activation of f-channels by cAMP analogues in macropatches from rabbit sino-atrial node myocytes **501**, 565, 1997

BOLDT W. *see WEIDELT T., BOLDT W. & MARKWARDT F.* **500**, 617, 1997

BÖLLERT P.

BÖLLERT P., PETERS T., VON ENGELHARDT W. & GROS G. Mass spectrometric determination of HCO_3^- permeability and carbonic anhydrase activity in intact guinea-pig colon epithelium **502**, 679, 1997

BONHAM A. C. *see JOAD J. P., KOTT K. S. & BONHAM A. C.* **503**, 635, 1997

see WILSON C. G. & BONHAM A. C. **504**, 453, 1997

BOOKCHIN R. M. *see RAFTOS J. E., BOOKCHIN R. M. & LEW V. L.* **499**, 17, 1997

BOOTMAN M.

BOOTMAN M., NIGGLI E., BERRIDGE M. & LIPP P. Imaging the hierarchical Ca^{2+} signalling system in HeLa cells **499**, 307, 1997

BOOTMAN M. D. *see LIPP P. & BOOTMAN M. D.* **502**, 1, 1997

BORON W. F. *see STEEL A., NUSSBERGER S., ROMERO M. F., BORON W. F., BOYD C. A. R. & HEDIGER M. A.* **498**, 563, 1997

BOSSU J.-L. *see GUÉRINEAU N. C., BOSSU J.-L., GÄHWILER B. H. & GERBER U.* **500**, 487, 1997

BOSTOCK H.

BOSTOCK H. & ROTHWELL J. C. Latent addition in motor and sensory fibres of human peripheral nerve **498**, 277, 1997

BOTTINELLI R. *see REGGIANI C., POTMA E. J., BOTTINELLI R., CANEPARI M., PELLEGRINO M. A. & STIENEN G. J. M.* **502**, 449, 1997

BOUTELLE M. *see DEMESTRE M., BOUTELLE M. & FILLENZ M.* **499**, 825, 1997

see FRAY A. E., BOUTELLE M. & FILLENZ M. **504**, 721, 1997

BOWIE D. *see BÄHRING R., BOWIE D., BENVENISTE M. & MAYER M. L.* **502**, 575, 1997

BOWMAN P. S. *see OBARA K., BOWMAN P. S., ISHIDA Y. & PAUL R. J.* **503**, 427, 1997

BOYD C. A. R. *see STEEL A., NUSSBERGER S., ROMERO M. F., BORON W. F., BOYD C. A. R. & HEDIGER M. A.* **498**, 563, 1997

BOYETT M. R. *see JANVIER N. C., HARRISON S. M. & BOYETT M. R.* **498**, 611, 1997

see JANVIER N. C., MCMORN S. O., HARRISON S. M., TAGGART P. & BOYETT M. R. **504**, 301, 1997

see SHUI Z., BOYETT M. R. & ZANG W.-J. **505**, 77, 1997

BRAIN K. L.

BRAIN K. L. & BENNETT M. R. Calcium in sympathetic varicosities of mouse vas deferens during facilitation, augmentation and autoinhibition **502**, 521, 1997

BRAMICH N. J. *see COUSINS H. M. & BRAMICH N. J.* **505**, 513, 1997

BRAND M. P. *see ROLFE V. E., BRAND M. P., HEALES S. J. R., LINDLEY K. J. & MILLA P. J.* **503**, 347, 1997

BRANDES R. P.

BRANDES R. P., BARTON M., PHILIPPENS K. M. H., SCHWEITZER G. & MÜGGE A. Endothelial-derived superoxide anions in pig coronary arteries: evidence from lucigenin chemiluminescence and histochemical techniques **500**, 331, 1997

BRANDTS B. *see BÜNEMANN M., BRANDTS B. & POTT L.* **501**, 549, 1997

BRAVO M. *see RAVI K., BRAVO M. & KAPPAGODA C. T.* **505**, 833, 1997

BRAY R. C. *see MCDOUGALL J. J., FERRELL W. R. & BRAY R. C.* **503**, 435, 1997

BRAYDEN J. E. *see NELSON M. T., CONWAY M. A., KNOT H. J. & BRAYDEN J. E.* **502**, 259, 1997

BRETAG A. H. *see RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L.* **501**, 355, 1997

BRICE N. L. *see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C.* **502**, 307, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

BRICHANT J. F.

BRICHANT J. F. & DE TROYER A. On the intercostal muscle compensation for diaphragmatic paralysis in the dog **500**, 245, 1997

BRICKLEY K. *see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C.* **502**, 307, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

BRINGUIER V.

BRINGUIER V., FRÉGNAC Y., BARANYI A., DEBANNE D. & SHULZ D. E. Synaptic origin and stimulus dependency of neuronal oscillatory activity in the primary visual cortex of the cat **500**, 751, 1997

BRIOSCHI A. *see ZAZA A., MICHELETTI M., BRIOSCHI A. & ROCCHETTI M.* **505**, 677, 1997

BROCK J. A. *see CROWE M. J., VON DER WEID P.-Y., BROCK J. A. & VAN HELDEN D. F.* **500**, 235, 1997

BRODBECK J. *see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C.* **502**, 307, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

BRODECKY V. *see WILKINSON M. H., BERGER P. J., BLANCH N., BRODECKY V. & JONES C. A.* **504**, 199, 1997

BRODY D. L.

BRODY D. L., PATIL P. G., MULLE J. G., SNUTCH T. P. & YUE D. T. Bursts of action potential waveforms relieve G-protein inhibition of recombinant P/Q-type Ca^{2+} channels in HEK298 cells **499**, 637, 1997

BROOKES S. J. H. *see HENNIG G. W., BROOKES S. J. H. & COSTA M.* **501**, 197, 1997

BROOKES S. J. H., MEEDENIYA A. C. B., JOBLING P. & COSTA M. Orally projecting interneurones in the guinea-pig small intestine **505**, 473, 1997

BROWN C. H. *see LUDWIG M., BROWN C. H., RUSSELL J. A. & LENG G.* **505**, 145, 1997

BROWN D.

BROWN D. & MOOS F. Onset of bursting in oxytocin cells in suckled rats **503**, 625, 1997

BROWN D. A. *see LEANEY J. L., MARSH S. J. & BROWN D. A.* **501**, 555, 1997

BROWN E. R. *see INOUE I., TSUTSUI I. & BROWN E. R.* **500**, 355, 1997

BROWN P. D. *see KAJITA H. & BROWN P. D.* **498**, 703, 1997

see MILEY H. E., SHEADER E. A., BROWN P. D. & BEST L. **504**, 191, 1997

BRUNE M. *see HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A.* **501**, 125, 1997

BRUTON J. D. *see WESTERBLAD H., BRUTON J. D. & LÄNNERGREN J.* **500**, 193, 1997

BRUUNSGAARD H.

BRUUNSGAARD H., GALBO H., HALKJAER-KRISTENSEN J., JOHANSEN T. L., MACLEAN D. A. & PEDERSEN B. K. Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage **499**, 833, 1997

BUCK H. S. *see LINDSEY C. J., BUCK H. S., FIOR-CHADI D. R. & LAPA R. C. R. S.* **502**, 119, 1997

BUCKLER K. J. *see DASSO L. L. T., BUCKLER K. J. & VAUGHAN-JONES R. D.* **498**, 327, 1997

BUCKLER K. J. A novel oxygen-sensitive potassium current in rat carotid body type I cells **498**, 649, 1997

BUDDE T.

BUDDE T., BIELLA G., MUNSCH T. & PAPE H.-C. Lack of regulation by intracellular Ca^{2+} of the hyperpolarization-activated cation current in rat thalamic neurones **503**, 79, 1997

BUHL E. H.

BUHL E. H., TAMÁS G., SZILÁGYI T., STRICKER C., PAULSEN O. & SOMOGYI P. Effect, number and location of synapses made by single pyramidal cells onto aspiny interneurones of cat visual cortex **500**, 689, 1997

see TAMÁS G., BUHL E. H. & SOMOGYI P. **500**, 715, 1997

Buisson A. *see* Yu S. P., Sensi S. L., Canzoniero L. M. T., Buisson A. & Choi D. W. **499**, 721, 1997

Bukauskas F. F.
Bukauskas F. F., Vogel R. & Weingart R. Biophysical properties of heterotypic gap junctions newly formed between two types of insect cells **499**, 701, 1997

Buldakova S. L. *see* Magazanik L. G., Buldakova S. L., Samoilova M. V., Gmiro V. E., Mellor I. R. & Usherwood P. N. R. **505**, 655, 1997

Bullock A. J. *see* Naderali E. K., Buttell N., Taggart M. J., Bullock A. J., Eisner D. A. & Wray S. **505**, 329, 1997

Bülow J. *see* Stallknecht B., Bülow J., Franidsen E. & Galbo H. **500**, 271, 1997

Bünemann M.
Bünemann M., Brandts B. & Pott L. *In vivo* downregulation of M_2 receptors revealed by measurement of muscarinic K^+ current in cultured guinea-pig atrial myocytes **501**, 549, 1997

Burke D. *see* Kiernan M. C., Mogyoros I., Hales J. P., Gracies J.-M. & Burke D. **500**, 255, 1997
see Kiernan M. C., Hales J. P., Gracies J.-M., Mogyoros I. & Burke D. **501**, 461, 1997
see Wilson L. R., Gandevia S. C. & Burke D. **504**, 221, 1997
see Gandevia S. C., Wilson L. R., Inglis J. T. & Burke D. **505**, 259, 1997

Burrone J.
Burrone J. & Lagnado L. Electrical resonance and Ca^{2+} influx in the synaptic terminal of depolarizing bipolar cells from the goldfish retina **505**, 571, 1997

Burton T. J. *see* Ferguson D. R., Kennedy I. & Burton T. J. **505**, 503, 1997

Butler J. E. *see* Hodges P. W., Butler J. E., McKenzie D. K. & Gandevia S. C. **505**, 539, 1997

Buttell N. *see* Naderali E. K., Buttell N., Taggart M. J., Bullock A. J., Eisner D. A. & Wray S. **505**, 329, 1997

Butterfield I.
Butterfield I., Warhurst G., Jones M. N. & Sandle G. I. Characterization of apical potassium channels induced in rat distal colon during potassium adaptation **501**, 537, 1997

Buus C. *see* Prieto D., Buus C., Mulvany M. J. & Nilsson H. **502**, 281, 1997

Cable N. T. *see* Greeves J. P., Cable N. T., Luckas M. J. M., Reilly T. & Biljan M. M. **500**, 265, 1997

Calbet J. A. L.
Calbet J. A. L. & MacLean D. A. Role of caloric content on gastric emptying in humans **498**, 553, 1997

Calder N. A.
Calder N. A., Kumar P. & Hanson M. A. Development of carotid chemoreceptor dynamic and steady-state sensitivity to CO_2 in the newborn lamb **503**, 187, 1997

Callister R. J.
Callister R. J., Keast J. R. & Sah P. Ca^{2+}-activated K^+ channels in rat otic ganglion cells: role of Ca^{2+} entry via Ca^{2+} channels and nicotinic receptors **500**, 571, 1997
Callister R. J. & Sah P. The removal of acetylcholine by diffusion at nicotinic synapses in the rat otic ganglion **505**, 165, 1997

Campbell V. *see* Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C. **502**, 307, 1997
see Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C. **503**, 699, 1997

Canepari M. *see* Reggiani C., Potma E. J., Bottinelli R., Canepari M., Pellegrino M. A. & Stienen G. J. M. **502**, 449, 1997

Canzoniero L. M. T. *see* Yu S. P., Sensi S. L., Canzoniero L. M. T., Buisson A. & Choi D. W. **499**, 721, 1997

Capron B. *see* Ris L., Capron B., de Waele C., Vidal P.-P. & Godaux E. **500**, 509, 1997

Caputo C. *see* Llano I., Tan Y. P. & Caputo C. **502**, 509, 1997
see Edman K. A. P., Månsson A. & Caputo C. **503**, 141, 1997
see Edman K. A. P., Månsson A. & Caputo C. Erratum: *Journal of Physiology* **503**, 141–156 (1997) **504**, 763, 1997

Carabelli V. *see* Carbone E., Lux H. D., Carabelli V., Aicardi G. & Zucker H. **504**, 1, 1997

Carbone E.
Carbone E., Lux H. D., Carabelli V., Aicardi G. & Zucker H. Ca^{2+} and Na^+ permeability of high-threshold Ca^{2+} channels and their voltage-dependent block by Mg^{2+} ions in chick sensory neurones **504**, 1, 1997

Carlen P. L. *see* Valiante T. A., Abdul-Ghani M. A., Carlen P. L. & Pennefather P. **499**, 121, 1997

Carmignoto G.
Carmignoto G., Pizzorusso T., Tia S. & Vicini S. Brain-derived neurotrophic factor and nerve growth factor potentiate excitatory synaptic transmission in the rat visual cortex **498**, 153, 1997

Caroppo R.
Caroppo R., Debellis L., Valenti G., Alper S., Frömter E. & Curci S. Is resting state HCO_3^- secretion in frog gastric fundus mucosa mediated by apical $Cl^- - HCO_3^-$ exchange? **499**, 763, 1997

Carpenter E. *see* Hatton C. J., Carpenter E., Pepper D. R., Kumar P. & Peers C. **501**, 49, 1997
Carpenter E. & Peers C. Swelling- and cAMP-activated Cl^- currents in isolated rat carotid body type I cells **503**, 497, 1997

Carranza M. L. *see* Féraille E., Carranza M. L., Rousselot M. & Favre H. **498**, 99, 1997

Carroll A. P. *see* Purewal A., Fox M. T., Shivalkar P., Carroll A. P., Uche U. E., Vaillant C. & Watkinson A. **498**, 809, 1997

Carroll S. L.
Carroll S. L., Klein M. G. & Schneider M. F. Decay of calcium transients after electrical stimulation in rat fast- and slow-twitch skeletal muscle fibres **501**, 573, 1997

Carter T. D.
Carter T. D. & Ogden D. Kinetics of Ca^{2+} release by $InsP_3$ in pig single aortic endothelial cells: evidence for an inhibitory role of cytosolic Ca^{2+} in regulating hormonally evoked Ca^{2+} spikes **504**, 17, 1997

Castel H. *see* Le Foll F., Castel H., Louiset E., Vaudry H. & Cazin L. **504**, 387, 1997

Castellano A. G. *see* Molina A., Castellano A. G. & López-Barneo J. **499**, 361, 1997

Catarsi S. *see* Aniksztejn L., Catarsi S. & Drapeau P. **498**, 135, 1997

Cathala L.
Cathala L. & Paupardin-Tritsch D. Neurotensin inhibition of the hyperpolarization-activated cation current (I_h) in the rat substantia nigra pars compacta implicates the protein kinase C pathway **503**, 87, 1997

Catterall W. A. *see* Baruscotti M., Westenbroek R., Catterall W. A., DiFrancesco D. & Robinson R. B. **498**, 641, 1997

Cauquil A. S. *see* Day B. L., Cauquil A. S., Bartolomei L., Pastor M. A. & Lyon I. N. **500**, 661, 1997

Cazin L. *see* Le Foll F., Castel H., Louiset E., Vaudry H. & Cazin L. **504**, 387, 1997

Chan H. C.
Chan H. C., Fong S. K., So S. C., Chung Y. W. & Wong P. Y. D. Stimulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **501**, 517, 1997

Chan S. H. H. *see* Yen J. C. & Chan S. H. H. **504**, 611, 1997

Chaparro A. *see* Stromeyer III C. F., Chaparro A., Tolias A. S. & Kronauer R. E. **499**, 227, 1997

Chapleau M. W. *see* Li Z., Lee H.-C., Bielefeldt K., Chapleau M. W. & Abboud F. M. **501**, 275, 1997

Chapman R. A. *see* Mistry D. K., Tripathi O. & Chapman R. A. **500**, 39, 1997

Charlton M. P. *see* Robitaille R., Jahromi B. S. & Charlton M. P. **504**, 337, 1997

Chaturapanich G.
Chaturapanich G., Ishibashi H., Dinudom A., Young J. A. & Cook D. I. H^+ transporters in the main excretory duct of the mouse mandibular salivary gland **503**, 583, 1997

Chaytor A. T.
Chaytor A. T., Evans W. H. & Griffith T. M. Peptides homologous to extracellular loop motifs of connexin 43 reversibly abolish rhythmic contractile activity in rabbit arteries **503**, 99, 1997
Chaytor A. T., Evans W. H. & Griffith T. M. Erratum: *Journal of Physiology* **503**, 99–110 (1997) **503**, 699, 1997

Chen C.-C. *see* Tsai K.-L., Wang S.-M., Chen C.-C., Fong T.-H. & Wu M.-L. **502**, 161, 1997

Chen H.-S. V.
Chen H.-S. V. & Lipton S. A. Mechanism of memantine block of NMDA-activated channels in rat retinal ganglion cells: uncompetitive antagonism **499**, 27, 1997

CHEN L.-Q. *see* FROHNWIESER B., CHEN L.-Q., SCHREIBMAYER W. & KALLEN R. G. **498**, 309, 1997

CHEN M.-F.

CHEN M.-F., NIGGEWEG R., IAIZZO P. A., LEHMANN-HORN F. & JOCKUSCH H. Chloride conductance in mouse muscle is subject to post-transcriptional compensation of the functional Cl^- channel 1 gene dosage **504**, 75, 1997

CHEN W. *see* HUI C. S. & CHEN W. **503**, 563, 1997

CHEN X.-M. *see* ZHANG Y., HOSONO T., YANASE-FUJIWARA M., CHEN X.-M. & KANOSUE K. **503**, 177, 1997

CHEN Y. *see* TURNER D. A., CHEN Y., ISAAC J. T., WEST M. & WHEAL H. V. **500**, 441, 1997

CHENG H. *see* XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H. **500**, 343, 1997

see SONG L.-S., STERN M. D., LAKATTA E. G. & CHENG H. **505**, 665, 1997

CHERUBINI E. *see* ANDJUS P. R., STEVIC-MARINKOVIC Z. & CHERUBINI E. **504**, 103, 1997

CHIESA N.

CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. A novel role for HERG K^+ channels: spike-frequency adaptation **501**, 313, 1997

CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **501**, 313–318 (1997) **502**, 715, 1997

CHIHARA S. *see* NAKAYAMA S., CHIHARA S., CLARK J. F., HUANG S.-M., HORIUCHI T. & TOMITA T. **505**, 229, 1997

CHILDS G. V. *see* KURYSHEV Y. A., HAAK L., CHILDS G. V. & RITCHIE A. K. **502**, 265, 1997

CHILLINGWORTH R. K. *see* HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. **501**, 125, 1997

CHIN E. R.

CHIN E. R. & ALLEN D. G. Effects of reduced muscle glycogen concentration on force, Ca^{2+} release and contractile protein function in intact mouse skeletal muscle **498**, 17, 1997

CHOI D. W. *see* YU S. P., SENSI S. L., CANZONIERO L. M. T., BUISSON A. & CHOI D. W. **499**, 721, 1997

CHRIST F. *see* GAMBLE J., CHRIST F. & GARTSIDE I. B. **498**, 541, 1997

CHRIST F., GAMBLE J., BASCHNEGGER H. & GARTSIDE I. B. Relationship between venous pressure and tissue volume during venous congestion plethysmography in man **503**, 463, 1997

CHRISTENSEN K. L. *see* FENGER-GRON J., MULVANY M. J. & CHRISTENSEN K. L. **498**, 215, 1997

CHRISTIE M. J. *see* VAUGHAN C. W. & CHRISTIE M. J. **498**, 463, 1997

CHUNG Y. W. *see* CHAN H. C., FONG S. K., SO S. C., CHUNG Y. W. & WONG P. Y. D. **501**, 517, 1997

CLAFLIN D. R. *see* MORGAN D. L., CLAFLIN D. R. & JULIAN F. J. **500**, 177, 1997

CLARK B. A.

CLARK B. A. & BARBOUR B. Currents evoked in Bergmann glial cells by parallel fibre stimulation in rat cerebellar slices **502**, 335, 1997

CLARK J. F. *see* NAKAYAMA S., CHIHARA S., CLARK J. F., HUANG S.-M., HORIUCHI T. & TOMITA T. **505**, 229, 1997

CLARK R. B. *see* SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R. **500**, 65, 1997

see FISET C., CLARK R. B., SHIMONI Y. & GILES W. R. **500**, 51, 1997

see FISET C., CLARK R. B., LARSEN T. S. & GILES W. R. **504**, 557, 1997

CLAUSEN T. *see* NIELSEN O. B. & CLAUSEN T. **503**, 571, 1997

CLAUSS W. *see* AMASHEH S., WENZEL U., WEBER W.-M., CLAUSS W. & DANIEL H. **504**, 169, 1997

CLUSMANN H. *see* BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E. **498**, 73, 1997

COBBETT P. *see* HLUBEK M. D. & COBBETT P. **502**, 61, 1997

COCHILLA A. J.

COCHILLA A. J. & ALFORD S. Glutamate receptor-mediated synaptic excitation in axons of the lamprey **499**, 443, 1997

COHEN A. S.

COHEN A. S., MOORE K. A., BANGALORE R., JAFRI M. S., WEINREICH D. & KAO J. P. Y. Ca^{2+}-induced Ca^{2+} release mediates Ca^{2+} transients evoked by single action potentials in rabbit vagal afferent neurones **499**, 315, 1997

COHEN G.

COHEN G., MALCOLM G. & HENDERSON-SMART D. A comparison of the ventilatory response of sleeping newborn lambs to step and progressive hypoxaemia **503**, 203, 1997

COHEN I. S. *see* GAO J., MATHIAS R. T., COHEN I. S. & BALDO G. J. **501**, 527, 1997

COHEN S. A. *see* PETRECCA K., AMELLAL F., LAIRD D. W., COHEN S. A. & SHRIER A. **501**, 263, 1997

COLEMAN P. J.

COLEMAN P. J., SCOTT D., RAY J., MASON R. M. & LEVICK J. R. Hyaluronan secretion into the synovial cavity of rabbit knees and comparison with albumin turnover **503**, 645, 1997

COLES B. *see* SMITH P. A., SAKURA H., COLES B., GUMMERSON N., PROKS P. & ASHCROFT F. M. **499**, 625, 1997

COLES J. A. *see* DESPEYROUX S., BEAUDU-LANGE C., COLES J. A. & AMÉDÉE T. **499**, 655, 1997

COLLEDGE W. H. *see* MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W. **499**, 677, 1997

see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M. **505**, 411, 1997

COLLING S. B. *see* WHITTINGTON M. A., STANFORD I. M., COLLING S. B., JEFFERYS J. G. R. & TRAUB R. D. **502**, 591, 1997

COLOMO F.

COLOMO F., PIRODDI N., POGGESI C., TE KRONNIE G. & TESI C. Active and passive forces of isolated myofibrils from cardiac and fast skeletal muscle of the frog **500**, 535, 1997

COLQUHOUN D. *see* SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M. A., SCHOEPFER R. & COLQUHOUN D. **500**, 123, 1997

see LEWIS T. M., HARKNESS P. C., SIVILOTTI L. G., COLQUHOUN D. & MILLAR N. S. **505**, 299, 1997

COMBES D.

COMBES D., SIMMERS J. & MOULINS M. Conditional dendritic oscillators in a lobster mechanoreceptor neurone **499**, 161, 1997

CONFORTI L.

CONFORTI L. & MILLHORN D. E. Selective inhibition of a slow-inactivating voltage-dependent K^+ channel in rat PC12 cells by hypoxia **502**, 293, 1997

CONSTABLE J. K.

CONSTABLE J. K., BARCLAY C. J. & GIBBS C. L. Energetics of lengthening in mouse and toad skeletal muscles **505**, 205, 1997

CONTRERAS R.

CONTRERAS R., FUENTES O., MANN G. E. & SOBREVIA L. Diabetes and insulin-induced stimulation of L-arginine transport and nitric oxide synthesis in rabbit isolated gastric glands **498**, 787, 1997

CONWAY M. A. *see* NELSON M. T., CONWAY M. A., KNOT H. J. & BRAYDEN J. E. **502**, 259, 1997

COOK D. I. *see* CHATURAPANICH G., ISHIBASHI H., DINUDOM A., YOUNG J. A. & COOK D. I. **503**, 583, 1997

COOPER G. J.

COOPER G. J. & HUNTER M. Intracellular pH and calcium in frog early distal tubule: effects of transport inhibitors **498**, 49, 1997

CORRIE J. E. T. *see* HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. **501**, 125, 1997

COSTA M. *see* HENNIG G. W., BROOKES S. J. H. & COSTA M. **501**, 197, 1997

see BROOKES S. J. H., MEEDENIYA A. C. B., JOBLING P. & COSTA M. **505**, 473, 1997

COTSELL B. *see* GEE M. D., LYNN B. & COTSELL B. **503**, 31, 1997

COTTET-EMARD J. M. *see* SOULIER V., DALMAZ Y., COTTET-EMARD J. M., LAGERCRANTZ H. & PEQUIGNOT J. M. **498**, 523, 1997

COTTON K. D.

COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. Outward currents in smooth muscle cells isolated from sheep mesenteric lymphatics **503**, 1, 1997

see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **503**, 13, 1997

COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. Ca^{2+} current and Ca^{2+}-activated chloride current in isolated smooth muscle cells of the sheep urethra **505**, 121, 1997

COUSINS H. M.

COUSINS H. M. & BRAMICH N. J. Effects of sympathetic nerve stimulation on membrane potential, $[Ca^{2+}]_i$ and force in the arrested sinus venosus of the toad, *Bufo marinus* **505**, 513, 1997

CREPPS B. A. *see* LAWSON S. N., CREPPS B. A. & PERL E. R. **505**, 177, 1997

CRICHTON C. A. *see* MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MACKENZIE A. & SMITH G. L. **498**, 371, 1997

CROWE M. J.

CROWE M. J., VON DER WEID P.-Y., BROCK J. A. & VAN HELDEN D. F. Co-ordination of contractile activity in guinea-pig mesenteric lymphatics **500**, 235, 1997

Crunelli V. *see* Williams S. R., Tóth T. I., Turner J. P., Hughes S. W. & Crunelli V. **505**, 689, 1997

see Turner J. P., Anderson C. M., Williams S. R. & Crunelli V. **505**, 707, 1997

see Williams S. R., Turner J. P., Hughes S. W. & Crunelli V. **505**, 727, 1997

Csernoch L. *see* Szentesi P., Jacquemond V., Kovács L. & Csernoch L. **505**, 371, 1997

Cudeiro J.

Cudeiro J., Rivadulla C., Rodríguez R., Grieve K. L., Martínez-Conde S. & Acuña C. Actions of compounds manipulating the nitric oxide system in the cat primary visual cortex **504**, 467, 1997

Cui L.-N.

Cui L.-N., Saeb-Parsy K. & Dyball R. E. J. Neurones in the supraoptic nucleus of the rat are regulated by a projection from the suprachiasmatic nucleus **502**, 149, 1997

Cui Z. J.

Cui Z. J. & Kanno T. Photodynamic triggering of calcium oscillation in the isolated rat pancreatic acini **504**, 47, 1997

Cummins T. R. *see* O'Reilly J. P., Cummins T. R. & Haddad G. G. **503**, 479, 1997

Cunnane T. C. *see* Smith A. B. & Cunnane T. C. **499**, 341, 1997

Curci S. *see* Caroppo R., Debellis L., Valenti G., Alper S., Frömter E. & Curci S. **499**, 763, 1997

Curry F. E. *see* Kajimura M., O'Donnell M. E. & Curry F. E. **503**, 413, 1997

Cuthbert A. W. *see* MacVinish L. J., Gill D. R., Hyde S. C., Mofford K. A., Evans M. J., Higgins C. F., Colledge W. H., Huang L., Sorgi F., Ratcliff R. & Cuthbert A. W. **499**, 677, 1997

Czeisler C. A. *see* Dijk D.-J., Shanahan T. L., Duffy J. F., Ronda J. M. & Czeisler C. A. **505**, 851, 1997

Dalmaz Y. *see* Soulier V., Dalmaz Y., Cottet-Emard J. M., Lagercrantz H. & Pequignot J. M. **498**, 523, 1997

Daly M. de Burgh *see* Jones J. F. X. & Daly M. de Burgh **502**, 461, 1997

Daniel H.

Daniel H. First insights into the operational mode of epithelial peptide transporters **498**, 561, 1997

see Amasheh S., Wenzel U., Weber W.-M., Clauss W. & Daniel H. **504**, 169, 1997

Dascal N. *see* Luchian T., Dascal N., Dessauer C., Platzer D., Davidson N., Lester H. A. & Schreibmayer W. **505**, 13, 1997

Dasso L. L. T.

Dasso L. L. T., Buckler K. J. & Vaughan-Jones R. D. Muscarinic and nicotinic receptors raise intracellular Ca^{2+} levels in rat carotid body type I cells **498**, 327, 1997

Daut J. *see* Langheinrich U. & Daut J. **502**, 397, 1997

Daut J. Coming closer: structure and function of calcium-activated K^+ channels in coronary arteries **502**, 469, 1997

Davey D. F. *see* Balnave C. D., Davey D. F. & Allen D. G. **502**, 649, 1997

David G.

David G., Barrett J. N. & Barrett E. F. Spatiotemporal gradients of intra-axonal $[Na^+]$ after transection and resealing in lizard peripheral myelinated axons **498**, 295, 1997

David G., Barrett J. N. & Barrett E. F. Stimulation-induced changes in $[Ca^{2+}]$ in lizard motor nerve terminals **504**, 83, 1997

David H. *see* Grune T., Müller K., Zöllner S., Haseloff R., Blasig I. E., David H. & Siems W. **498**, 511, 1997

Davidson N. *see* Luchian T., Dascal N., Dessauer C., Platzer D., Davidson N., Lester H. A. & Schreibmayer W. **505**, 13, 1997

Davies C. H. *see* Morton R. A. & Davies C. H. **502**, 75, 1997

Davies P. J. *see* McLachlan E. M., Davies P. J., Häbler H.-J. & Jamieson J. **501**, 165, 1997

Day B. L.

Day B. L., Cauquil A. S., Bartolomei L., Pastor M. A. & Lyon I. N. Human body-segment tilts induced by galvanic stimulation: a vestibularly driven balance protection mechanism **500**, 661, 1997

Dayanithi G. *see* Wang G., Dayanithi G., Kim S., Hom D., Nadasdi L., Kristipati R., Ramachandran J., Stuenkel E. L., Nordmann J. J., Newcomb R. & Lemos J. R. **502**, 351, 1997

see Sabatier N., Richard P. & Dayanithi G. **503**, 253, 1997

Debanne D. *see* Bringuier V., Frégnac Y., Baranyi A., Debanne D. & Shulz D. E. **500**, 751, 1997

Debellis L. *see* Caroppo R., Debellis L., Valenti G., Alper S., Frömter E. & Curci S. **499**, 763, 1997

Debnam E. S. *see* O'Riordan D. K., Debnam E. S., Sharp P. A., Simpson R. J., Taylor E. M. & Srai S. K. S. **500**, 379, 1997

De Castro F.

De Castro F., Geijo-Barrientos E. & Gallego R. Calcium-activated chloride current in normal mouse sympathetic ganglion cells **498**, 397, 1997

Decchi B. *see* Aymard C., Decchi B., Katz R., Lafitte C., Pénicaud A., Raoul S. & Rossi A. **499**, 267, 1997

De Deyn P. P. *see* Levillain O., Marescau B. & De Deyn P. P. **499**, 561, 1997

de Groat W. C. *see* Somogyi G. T., Zernova G. V., Tanowitz M. & de Groat W. C. **499**, 645, 1997

see Yoshimura N. & de Groat W. C. **503**, 269, 1997

Degtiar V. E.

Degtiar V. E., Harhammer R. & Nürnberg B. Receptors couple to L-type calcium channels via distinct G_o proteins in rat neuroendocrine cell lines **502**, 321, 1997

de Jesus Ferreira M. C.

de Jesus Ferreira M. C. & Bailly C. Luminal and basolateral endothelin inhibit chloride reabsorption in the mouse thick ascending limb via a Ca^{2+}-independent pathway **505**, 749, 1997

Dela F. *see* Larsen J. J., Hansen J. M., Olsen N. V., Galbo H. & Dela F. **504**, 241, 1997

de la Fuente M.-T. *see* Michelena P., de la Fuente M.-T., Vega T., Lara B., López M. G., Gandía L. & García A. G. **502**, 481, 1997

Deleuze C. *see* Hussy N., Deleuze C., Pantaloni A., Desarménien M. G. & Moos F. **502**, 609, 1997

Delgado-Lezama R.

Delgado-Lezama R., Perrier J.-F., Nedergaard S., Svirskis G. & Hounsgaard J. Metabotropic synaptic regulation of intrinsic response properties of turtle spinal motoneurones **504**, 97, 1997

Delmas P.

Delmas P. & Gola M. Exotoxin-insensitive G proteins mediate synaptically evoked muscarinic sodium current in rabbit sympathetic neurones **498**, 627, 1997

del Pilar Gomez M.

del Pilar Gomez M. & Nasi E. Antagonists of the cGMP-gated conductance of vertebrate rods block the photocurrent in scallop ciliary photoreceptors **500**, 367, 1997

Demestre M.

Demestre M., Boutelle M. & Fillenz M. Stimulated release of lactate in freely moving rats is dependent on the uptake of glutamate **499**, 825, 1997

DeMont M. E. *see* McConnell C. J., DeMont M. E. & Wright G. M. **499**, 513, 1997

Denis C. *see* Ferretti G., Antonutto G., Denis C., Hoppeler H., Minetti A. E., Narici M. V. & Desplanches D. **501**, 677, 1997

Dennis R. G. *see* Macpherson P. C. D., Dennis R. G. & Faulkner J. A. **500**, 523, 1997

Dent J. *see* Sun W. M., Hebbard G. S., Malbert C.-H., Jones K. L., Doran S., Horowitz M. & Dent J. **503**, 455, 1997

Derks J. B.

Derks J. B., Giussani D. A., Jenkins S. L., Wentworth R. A., Visser G. H. A., Padbury J. F. & Nathanielsz P. W. A comparative study of cardiovascular, endocrine and behavioural effects of betamethasone and dexamethasone administration to fetal sheep **499**, 217, 1997

Desarménien M. G. *see* Hussy N., Deleuze C., Pantaloni A., Desarménien M. G. & Moos F. **502**, 609, 1997

Despeyroux S.

Despeyroux S., Beaudu-Lange C., Coles J. A. & Amédée T. Selective downregulation of an inactivating K^+ conductance by analogues of cAMP in mouse Schwann cells **499**, 655, 1997

Desplanches D. *see* Ferretti G., Antonutto G., Denis C., Hoppeler H., Minetti A. E., Narici M. V. & Desplanches D. **501**, 677, 1997

Dessauer C. *see* Luchian T., Dascal N., Dessauer C., Platzer D., Davidson N., Lester H. A. & Schreibmayer W. **505**, 13, 1997

De Troyer A. *see* Brichant J. F. & De Troyer A. **500**, 245, 1997

De Troyer A. Role of joint receptors in modulation of inspiratory intercostal activity by rib motion in dogs **503**, 445, 1997

Devor M. *see* Amir R. & Devor M. **501**, 183, 1997

de Waele C. *see* Ris L., Capron B., de Waele C., Vidal P.-P. & Godaux E. **500**, 509, 1997

Díaz M. E.

Díaz M. E., Trafford A. W., O'Neill S. C. & Eisner D. A. Measurement of sarcoplasmic reticulum Ca^{2+} content and sarcolemmal Ca^{2+} fluxes in isolated rat ventricular myocytes during spontaneous Ca^{2+} release **501**, 3, 1997

DIETZ N. M.

DIETZ N. M., ENGELKE K. A., SAMUEL T. T., FIX R. T. & JOYNER M. J. Evidence for nitric oxide-mediated sympathetic forearm vasodilatation in humans **498**, 531, 1997

see HALLIWILL J. R., LAWLER L. A., EICKHOFF T. J., DIETZ N. M., NAUSS L. A. & JOYNER M. J. **504**, 211, 1997

DIFRANCESCO D. *see BARUSCOTTI M., WESTENBROEK R., CATTERALL W. A., DIFRANCESCO D. & ROBINSON R. B.* **498**, 641, 1997

see ACCILI E. A., REDAELLI G. & DIFRANCESCO D. **500**, 643, 1997

see BOIS P., RENAUDON B., BARUSCOTTI M., LENFANT J. & DIFRANCESCO D. **501**, 565, 1997

DIGREGORIO D. A.

DIGREGORIO D. A. & VERGARA J. L. Localized detection of action potential-induced presynaptic calcium transients at a *Xenopus* neuromuscular junction **505**, 585, 1997

DIJK D.-J.

DIJK D.-J., SHANAHAN T. L., DUFFY J. F., RONDA J. M. & CZEISLER C. A. Variation of electroencephalographic activity during non-rapid eye movement and rapid eye movement sleep with phase of circadian melatonin rhythm in humans **505**, 851, 1997

DIMALINE R. *see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J.* **502**, 409, 1997

DING W.-G. *see ELIASSON L., RENSTRÖM E., DING W.-G., PROKS P. & RORSMAN P.* **503**, 399, 1997

DINUDOM A. *see CHATURAPANICH G., ISHIBASHI H., DINUDOM A., YOUNG J. A. & COOK D. I.* **503**, 583, 1997

DIXON J. E. *see SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R.* **500**, 65, 1997

DIXON S. J. *see WEIDEMA A. F., BARBERA J., DIXON S. J. & SIMS S. M.* **503**, 303, 1997

DOCKRAY G. J. *see VORONINA S., HENRY J., VAILLANT C., DOCKRAY G. J. & VARRO A.* **501**, 363, 1997

see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J. **502**, 409, 1997

see HIGHAM A., NOBLE P., THOMPSON D. G. & DOCKRAY G. J. **503**, 169, 1997

DOEPNER B.

DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K. 3-Hydroxybutyrate blocks the transient K^+ outward current in myocardial mouse cells in a stereoselective fashion **500**, 85, 1997

DOLPHIN A. C. *see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C.* **502**, 307, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

DONNER K. *see SAARIKOSKI J., RUUSUVUORI E., KOSKELAINEN A. & DONNER K.* **498**, 61, 1997

DORAN S. *see SUN W. M., HEBBARD G. S., MALBERT C.-H., JONES K. L., DORAN S., HOROWITZ M. & DENT J.* **503**, 455, 1997

DRAPEAU P. *see ANIKSZTEJN L., CATARSI S. & DRAPEAU P.* **498**, 135, 1997

DROOGMANS G. *see NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G.* **498**, 381, 1997

see KAMOUCHI M., VAN DEN BREMT K., EGGERMONT J., DROOGMANS G. & NILIUS B. **504**, 545, 1997

DRUMMOND R. M. *see UGUR M., DRUMMOND R. M., ZOU H., SHENG P., SINGER J. J. & WALSH J. V. JR* **498**, 427, 1997

DU X.

DU X. & SOROTA S. Modulation of dog atrial swelling-induced chloride current by cAMP: protein kinase A-dependent and -independent pathways **500**, 111, 1997

DUBELL W. H.

DUBELL W. H., WRIGHT P. A., LEDERER W. J. & ROGERS T. B. Effect of the immunosuppressant FK506 on excitation–contraction coupling and outward K^+ currents in rat ventricular myocytes **501**, 509, 1997

DUCHEN M. R. *see MOJET M. H., MILLS E. & DUCHEN M. R.* **504**, 175, 1997

DUFFY J. F. *see DIJK D.-J., SHANAHAN T. L., DUFFY J. F., RONDA J. M. & CZEISLER C. A.* **505**, 851, 1997

DULOCK K. A. *see HERSON P. S., DULOCK K. A. & ASHFORD M. L. J.* **505**, 65, 1997

DURBABA R. *see TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H.* **503**, 157, 1997

DVORAK A. M. *see FENG D., NAGY J. A., HIPP J., PYNE K., DVORAK H. F. & DVORAK A. M.* **504**, 747, 1997

DVORAK H. F. *see FENG D., NAGY J. A., HIPP J., PYNE K., DVORAK H. F. & DVORAK A. M.* **504**, 747, 1997

DYBALL R. E. J. *see CUI L.-N., SAEB-PARSY K. & DYBALL R. E. J.* **502**, 149, 1997

DZIEGIELEWSKA K. M. *see KNOTT G. W., DZIEGIELEWSKA K. M., HABGOOD M. D., LI Z. S. & SAUNDERS N. R.* **499**, 179, 1997

EASTON A. S.

EASTON A. S., SARKER M. H. & FRASER P. A. Two components of blood–brain barrier disruption in the rat **503**, 613, 1997

EDMAN K. A. P.

EDMAN K. A. P., MÅNSSON A. & CAPUTO C. The biphasic force–velocity relationship in frog muscle fibres and its evaluation in terms of cross-bridge function **503**, 141, 1997

EDMAN K. A. P., MÅNSSON A. & CAPUTO C. Erratum: *Journal of Physiology* **503**, 141–156 (1997) **504**, 763, 1997

EGÉE S.

EGÉE S., HARVEY B. J. & THOMAS S. Volume-activated DIDS-sensitive whole-cell chloride currents in trout red blood cells **504**, 57, 1997

EGGERMONT J. *see KAMOUCHI M., VAN DEN BREMT K., EGGERMONT J., DROOGMANS G. & NILIUS B.* **504**, 545, 1997

EHARA T. *see MATSUURA H. & EHARA T.* **503**, 45, 1997

see SAKAGUCHI M., MATSUURA H. & EHARA T. **505**, 41, 1997

EICKHOFF T. J. *see HALLIWILL J. R., LAWLER L. A., EICKHOFF T. J., DIETZ N. M., NAUSS L. A. & JOYNER M. J.* **504**, 211, 1997

EISNER D. A. *see DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A.* **501**, 3, 1997

see OVEREND C. L., EISNER D. A. & O'NEILL S. C. **502**, 471, 1997

see NADERALI E. K., BUTTELL N., TAGGART M. J., BULLOCK A. J., EISNER D. A. & WRAY S. **505**, 329, 1997

ELAM M. *see SKARPHEDINSSON J. O., ELAM M., JUNGERSTEN L. & WALLIN B. G.* **501**, 671, 1997

ELGER C. E. *see BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E.* **498**, 73, 1997

ELIASSON L. *see RENSTRÖM E., ELIASSON L. & RORSMAN P.* **502**, 105, 1997

ELIASSON L., RENSTRÖM E., DING W.-G., PROKS P. & RORSMAN P. Rapid ATP-dependent priming of secretory granules precedes Ca^{2+}-induced exocytosis in mouse pancreatic B-cells **503**, 399, 1997

ELLAWAY P. H. *see TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H.* **503**, 157, 1997

ELLIOTT A. *see YODOZAWA S., SPEAKE T. & ELLIOTT A.* **499**, 601, 1997

ENDLICH K. *see STEINHAUSEN M., ENDLICH K., NOBILING R., PAREKH N. & SCHÜTT F.* **505**, 493, 1997

ENDO M. *see IKEMOTO T., KOMAZAKI S., TAKESHIMA H., NISHI M., NODA T., IINO M. & ENDO M.* **501**, 305, 1997

ENGELKE K. A. *see DIETZ N. M., ENGELKE K. A., SAMUEL T. T., FIX R. T. & JOYNER M. J.* **498**, 531, 1997

EREMIN A. V. *see TARASENKO A. N., KOSTYUK P. G., EREMIN A. V. & ISAEV D. S.* **499**, 77, 1997

ESPOSITO F.

ESPOSITO F. & FERRETTI G. The effects of breathing He–O_2 mixtures on maximal oxygen consumption in normoxic and hypoxic men **503**, 215, 1997

EUGENÍN J.

EUGENÍN J. & NICHOLLS J. G. Chemosensory and cholinergic stimulation of fictive respiration in isolated CNS of neonatal opossum **501**, 425, 1997

EVANS M. *see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M.* **505**, 411, 1997

EVANS M. J. *see MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W.* **499**, 677, 1997

EVANS R. L.

EVANS R. L. & TURNER R. J. Upregulation of Na^+–K^+–$2Cl^-$ cotransporter activity in rat parotid acinar cells by muscarinic stimulation **499**, 351, 1997

EVANS W. H. *see CHAYTOR A. T., EVANS W. H. & GRIFFITH T. M.* **503**, 99, 1997

see CHAYTOR A. T., EVANS W. H. & GRIFFITH T. M. **503**, 699, 1997

FARAVELLI L.

FARAVELLI L., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **496**, 13–23 (1996) **502**, 715, 1997

FAULKNER J. A. *see MACPHERSON P. C. D., DENNIS R. G. & FAULKNER J. A.* **500**, 523, 1997

FAVRE H. *see* FÉRAILLE E., CARRANZA M. L., ROUSSELOT M. & FAVRE H. **498**, 99, 1997

FEARON I. M.
FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. Hypoxia inhibits the recombinant α_{1C} subunit of the human cardiac L-type Ca^{2+} channel **500**, 551, 1997

FEATHERSTONE D. E. *see* RICHMOND J. E., FEATHERSTONE D. E. & RUBEN P. C. **499**, 589, 1997

FEDIDA D.
FEDIDA D. Gating charge and ionic currents associated with quinidine block of human Kv1.5 delayed rectifier channels **499**, 661, 1997

FEDIRCHUK B. *see* NIELSEN J., PETERSEN N. & FEDIRCHUK B. **501**, 473, 1997

FEICK P. *see* SCHMID A., FEICK P. & SCHULZ I. **504**, 259, 1997

FELTZ P. *see* POISBEAU P., FELTZ P. & SCHLICHTER R. **500**, 475, 1997

FENG D.
FENG D., NAGY J. A., HIPP J., PYNE K., DVORAK H. F. & DVORAK A. M. Reinterpretation of endothelial cell gaps induced by vasoactive mediators in guinea-pig, mouse and rat: many are transcellular pores **504**, 747, 1997

FENGER-GRON J.
FENGER-GRON J., MULVANY M. J. & CHRISTENSEN K. L. Intestinal blood flow is controlled by both feed arteries and microcirculatory resistance vessels in freely moving rats **498**, 215, 1997

FÉRAILLE E.
FÉRAILLE E., CARRANZA M. L., ROUSSELOT M. & FAVRE H. Modulation of Na^+,K^+-ATPase activity by a tyrosine phosphorylation process in rat proximal convoluted tubule **498**, 99, 1997

FERENCZI M. A. *see* HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. **501**, 125, 1997

FERGUSON A. V. *see* BAINS J. S. & FERGUSON A. V. **499**, 733, 1997

FERGUSON D. R.
FERGUSON D. R., KENNEDY I. & BURTON T. J. ATP is released from rabbit urinary bladder epithelial cells by hydrostatic pressure changes – a possible sensory mechanism? **505**, 503, 1997

FERRELL W. R. *see* MCDOUGALL J. J., FERRELL W. R. & BRAY R. C. **503**, 435, 1997

FERRETTI G.
FERRETTI G., MOIA C., THOMET J.-M. & KAYSER B. The decrease of maximal oxygen consumption in hypoxia: a mirror image of the oxygen equilibrium curve **498**, 231, 1997
FERRETTI G., ANTONUTTO G., DENIS C., HOPPELER H., MINETTI A. E., NARICI M. V. & DESPLANCHES D. The interplay of central and peripheral factors in limiting maximal O_2 consumption in man after prolonged bed rest **501**, 677, 1997
see ESPOSITO F. & FERRETTI G. **503**, 215, 1997

FETTIPLACE R. *see* RICCI A. J. & FETTIPLACE R. **501**, 111, 1997

FEWELL J. E. *see* GRANT D. A., FEWELL J. E., WALKER A. M. & WILKINSON M. H. **503**, 195, 1997

FILLENZ M. *see* LOWRY J. P. & FILLENZ M. **498**, 497, 1997
see DEMESTRE M., BOUTELLE M. & FILLENZ M. **499**, 825, 1997
see FRAY A. E., BOUTELLE M. & FILLENZ M. **504**, 721, 1997

FINDLAY I. *see* THURINGER D. & FINDLAY I. **500**, 583, 1997

FINKBEINER W. E. *see* JIANG C., FINKBEINER W. E., WIDDICOMBE J. H. & MILLER S. S. **501**, 637, 1997

FIOR-CHADI D. R. *see* LINDSEY C. J., BUCK H. S., FIOR-CHADI D. R. & LAPA R. C. R. S. **502**, 119, 1997

FISCHMEISTER R. *see* JUREVIČIUS J. & FISCHMEISTER R. **503**, 471, 1997

FISET C.
FISET C., CLARK R. B., SHIMONI Y. & GILES W. R. *Shal*-type channels contribute to the Ca^{2+}-independent transient outward K^+ current in rat ventricle **500**, 51, 1997
see SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R. **500**, 65, 1997
FISET C., CLARK R. B., LARSEN T. S. & GILES W. R. A rapidly activating sustained K^+ current modulates repolarization and excitation–contraction coupling in adult mouse ventricle **504**, 557, 1997

FISHER J. L.
FISHER J. L. & MACDONALD R. L. Single channel properties of recombinant $GABA_A$ receptors containing $\gamma 2$ or δ subtypes expressed with $\alpha 1$ and $\beta 3$ subtypes in mouse L929 cells **505**, 283, 1997

FIX R. T. *see* DIETZ N. M., ENGELKE K. A., SAMUEL T. T., FIX R. T. & JOYNER M. J. **498**, 531, 1997

FLAMENG W. *see* MUBAGWA K., STENGL M. & FLAMENG W. **502**, 235, 1997

FLATEBØ T. *see* ONIZUKA M., FLATEBØ T. & NICOLAYSEN G. **503**, 223, 1997

FLEISCHHAUER R. *see* LERCHE H., PETER W., FLEISCHHAUER R., PIKA-HARTLAUB U., MALINA T., MITROVIC N. & LEHMANN-HORN F. **505**, 345, 1997

FONG S. K. *see* CHAN H. C., FONG S. K., SO S. C., CHUNG Y. W. & WONG P. Y. D. **501**, 517, 1997

FONG T.-H. *see* TSAI K.-L., WANG S.-M., CHEN C.-C., FONG T.-H. & WU M.-L. **502**, 161, 1997

FORD L. E. *see* SEOW C. Y., SHROFF S. G. & FORD L. E. **501**, 149, 1997

FORNER M. A. *see* ORTEGA E., FORNER M. A. & BARRIGA C. **498**, 729, 1997

FORSSMANN W.-G. *see* KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G. **499**, 391, 1997

FORTI M.
FORTI M. & MICHELSON H. B. Novel glutamate- and GABA-independent synaptic depolarization in granule cells of guinea-pig hippocampus **504**, 641, 1997

FOX M. T. *see* PUREWAL A., FOX M. T., SHIVALKAR P., CARROLL A. P., UCHE U. E., VAILLANT C. & WATKINSON A. **498**, 809, 1997

FRANDSEN E. *see* STALLKNECHT B., BÜLOW J., FRANDSEN E. & GALBO H. **500**, 271, 1997

FRANDSEN U. *see* HELLSTEN Y., FRANDSEN U., ØRTHENBLAD N., SJØDIN B. & RICHTER E. A. **498**, 239, 1997
see HELLSTEN Y. & FRANDSEN U. **504**, 695, 1997

FRASER J. *see* JOHNSTON A. R., BLACK C., FRASER J. & MACLEOD N. **500**, 1, 1997

FRASER P. A. *see* EASTON A. S., SARKER M. H. & FRASER P. A. **503**, 613, 1997

FRAY A. E.
FRAY A. E., BOUTELLE M. & FILLENZ M. Extracellular glucose turnover in the striatum of unanaesthetized rats measured by quantitative microdialysis **504**, 721, 1997

FRÉGNAC Y. *see* BRINGUIER V., FRÉGNAC Y., BARANYI A., DEBANNE D. & SHULZ D. E. **500**, 751, 1997

FREUND T. F. *see* TÓTH K., FREUND T. F. & MILES R. **500**, 463, 1997

FRIBERG L. *see* WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. **503**, 277, 1997
see WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

FRICKER D. *see* LE FEUVRE Y., FRICKER D. & LERESCHE N. **502**, 91, 1997

FRIEDEN M. *see* BARON A., FRIEDEN M. & BÉNY J.-L. **504**, 537, 1997

FROHNWIESER B.
FROHNWIESER B., CHEN L.-Q., SCHREIBMAYER W. & KALLEN R. G. Modulation of the human cardiac sodium channel α-subunit by cAMP-dependent protein kinase and the responsible sequence domain **498**, 309, 1997

FRÖMTER E. *see* CAROPPO R., DEBELLIS L., VALENTI G., ALPER S., FRÖMTER E. & CURCI S. **499**, 763, 1997

FROTSCHER M. *see* MARKRAM H., LÜBKE J., FROTSCHER M., ROTH A. & SAKMANN B. **500**, 409, 1997

FRYER M. W. *see* OWEN V. J., LAMB G. D., STEPHENSON D. G. & FRYER M. W. **498**, 571, 1997

FU W. *see* LIOU J.-C., YANG R.-S. & FU W.-M. **503**, 129, 1997

FUCHS M. *see* KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G. **499**, 391, 1997

FUENTES E.
FUENTES E., NADAL A., JACOB R. & MCNAUGHTON P. Actions of serum and plasma albumin on intracellular Ca^{2+} in human endothelial cells **504**, 315, 1997

FUENTES O. *see* CONTRERAS R., FUENTES O., MANN G. E. & SOBREVIA L. **498**, 787, 1997

FUJISHIMA M. *see* SETOGUCHI M., OHYA Y., ABE I. & FUJISHIMA M. **501**, 343, 1997

FUNAHASHI M.
FUNAHASHI M. & STEWART M. Presubicular and parasubicular cortical neurons of the rat: functional separation of deep and superficial neurons *in vitro* **501**, 387, 1997

FUTAI K. *see* ITO I., FUTAI K., KATAGIRI H., WATANABE M., SAKIMURA K., MISHINA M. & SUGIYAMA H. **500**, 401, 1997

GÄHWILER B. H. *see* GUÉRINEAU N. C., BOSSU J.-L., GÄHWILER B. H. & GERBER U. **500**, 487, 1997

GAIARSA J.-L. *see* KHAZIPOV R., LEINEKUGEL X., KHALILOV I., GAIARSA J.-L. & BEN-ARI Y. **498**, 763, 1997

GAILLY P.

GAILLY P., GONG M. C., SOMLYO A. V. & SOMLYO A. P. Possible role of atypical protein kinase C activated by arachidonic acid in Ca^{2+} sensitization of rabbit smooth muscle **500**, 95, 1997

GALBO H. *see BRUUNSGAARD H., GALBO H., HALKJAER-KRISTENSEN J., JOHANSEN T. L., MACLEAN D. A. & PEDERSEN B. K.* **499**, 833, 1997

see STALLKNECHT B., BÜLOW J., FRANDSEN E. & GALBO H. **500**, 271, 1997

see LARSEN J. J., HANSEN J. M., OLSEN N. V., GALBO H. & DELA F. **504**, 241, 1997

GALLEGO R. *see DE CASTRO F., GEIJO-BARRIENTOS E. & GALLEGO R.* **498**, 397, 1997

GAMBLE J.

GAMBLE J., CHRIST F. & GARTSIDE I. B. The effect of passive tilting on microvascular parameters in the human calf: a strain gauge plethysmography study **498**, 541, 1997

see CHRIST F., GAMBLE J., BASCHNEGGER H. & GARTSIDE I. B. **503**, 463, 1997

GANDEVIA S. C. *see WILSON L. R., GANDEVIA S. C. & BURKE D.* **504**, 221, 1997

GANDEVIA S. C., WILSON L. R., INGLIS J. T. & BURKE D. Mental rehearsal of motor tasks recruits α-motoneurones but fails to recruit human fusimotor neurones selectively **505**, 259, 1997

see HODGES P. W., BUTLER J. E., MCKENZIE D. K. & GANDEVIA S. C. **505**, 539, 1997

GANDÍA L. *see MICHELENA P., DE LA FUENTE M.-T., VEGA T., LARA B., LÓPEZ M. G., GANDÍA L. & GARCÍA A. G.* **502**, 481, 1997

GAO J.

GAO J., MATHIAS R. T., COHEN I. S. & BALDO G. J. Effects of acetylcholine on the Na^+–K^+ pump current in guinea-pig ventricular myocytes **501**, 527, 1997

GARASCHUK O. *see PLANT T., SCHIRRA C., GARASCHUK O., ROSSIER J. & KONNERTH A.* **499**, 47, 1997

GARASCHUK O., YAARI Y. & KONNERTH A. Release and sequestration of calcium by ryanodine-sensitive stores in rat hippocampal neurones **502**, 13, 1997

GARCÍA A. G. *see MICHELENA P., DE LA FUENTE M.-T., VEGA T., LARA B., LÓPEZ M. G., GANDÍA L. & GARCÍA A. G.* **502**, 481, 1997

GARCÍA-SANCHO J. *see VILLALOBOS C., NÚÑEZ. L. & GARCÍA-SANCHO J.* **502**, 421, 1997

GARDINER P. F.

GARDINER P. F. & SEBURN K. L. The effects of tetrodotoxin-induced muscle paralysis on the physiological properties of muscle units and their innervating motoneurons in rat **499**, 207, 1997

GARLAND S. J.

GARLAND S. J. & MILES T. S. Control of motor units in human flexor digitorum profundus under different proprioceptive conditions **502**, 693, 1997

GARTSIDE I. B. *see GAMBLE J., CHRIST F. & GARTSIDE I. B.* **498**, 541, 1997

see CHRIST F., GAMBLE J., BASCHNEGGER H. & GARTSIDE I. B. **503**, 463, 1997

GARWICZ M. *see APPS R., ATKINS M. J. & GARWICZ M.* **502**, 203, 1997

GAZNABI A. K. M. *see KITAZAWA T., HAMADA E., KITAZAWA K. & GAZNABI A. K. M.* **499**, 497, 1997

GEE M. D.

GEE M. D., LYNN B. & COTSELL B. The relationship between cutaneous C fibre type and antidromic vasodilatation in the rabbit and the rat **503**, 31, 1997

GEIJO-BARRIENTOS E. *see DE CASTRO F., GEIJO-BARRIENTOS E. & GALLEGO R.* **498**, 397, 1997

GERBER U. *see GUÉRINEAU N. C., BOSSU J.-L., GÄHWILER B. H. & GERBER U.* **500**, 487, 1997

GHOSH S. *see MURRAY G. M., TAUB D. R., MACKIE P. D., ZHANG H. Q., GHOSH S. & ROWE M. J.* **505**, 759, 1997

GIBALA M. J.

GIBALA M. J., MACLEAN D. A., GRAHAM T. E. & SALTIN B. Anaplerotic processes in human skeletal muscle during brief dynamic exercise **502**, 703, 1997

GIBB A. J.

GIBB A. J. & WYLLIE D. J. A. Single-cell RT-PCR reaches out to the NMDA receptor **499**, 1, 1997

GIBBS C. L. *see CONSTABLE J. K., BARCLAY C. J. & GIBBS C. L.* **505**, 205, 1997

GIBBS J.

GIBBS J., HARRISON L. M. & STEPHENS J. A. Cross-correlation analysis of motor unit activity recorded from two separate thumb muscles during development in man **499**, 255, 1997

GILES W. R. *see FISET C., CLARK R. B., SHIMONI Y. & GILES W. R.* **500**, 51, 1997

see SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R. **500**, 65, 1997

see WARD C. A. & GILES W. R. **500**, 631, 1997

see FISET C., CLARK R. B., LARSEN T. S. & GILES W. R. **504**, 557, 1997

GILL D. R. *see MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W.* **499**, 677, 1997

GILMOUR R. F. JR *see HAN W., BARR S. C., PACIORETTY L. M. & GILMOUR R. F. JR* **500**, 75, 1997

GILON P.

GILON P., YAKEL J., GROMADA J., ZHU Y., HENQUIN J.-C. & RORSMAN P. G protein-dependent inhibition of L-type Ca^{2+} currents by acetylcholine in mouse pancreatic B-cells **499**, 65, 1997

see MIURA Y., HENQUIN J.-C. & GILON P. **503**, 387, 1997

GINIATULLIN R. A.

GINIATULLIN R. A., TALANTOVA M. & VYSKOČIL F. Desensitization shortens the high-quantal-content endplate current time course in frog muscle with intact cholinesterase **502**, 641, 1997

GINSBURG K. S. *see LI L., SATOH H., GINSBURG K. S. & BERS D. M.* **501**, 17, 1997

GIOVANNUCCI D. R.

GIOVANNUCCI D. R. & STUENKEL E. L. Regulation of secretory granule recruitment and exocytosis at rat neurohypophysial nerve endings **498**, 735, 1997

GIUSSANI D. A. *see DERKS J. B., GIUSSANI D. A., JENKINS S. L., WENTWORTH R. A., VISSER G. H. A., PADBURY J. F. & NATHANIELSZ P. W.* **499**, 217, 1997

GMIRO V. E. *see MAGAZANIK L. G., BULDAKOVA S. L., SAMOILOVA M. V., GMIRO V. E., MELLOR I. R. & USHERWOOD P. N. R.* **505**, 655, 1997

GODAUX E. *see RIS L., CAPRON B., DE WAELE C., VIDAL P.-P. & GODAUX E.* **500**, 509, 1997

GOETZ A. E. *see KUEBLER W. M., KUHNLE G. E. H., GROH J. & GOETZ A. E.* **501**, 375, 1997

GOFFART L.

GOFFART L. & PÉLISSON D. Changes in initiation of orienting gaze shifts after muscimol inactivation of the caudal fastigial nucleus in the cat **503**, 657, 1997

GOGLIA F. *see MORENO M., LANNI A., LOMBARDI A. & GOGLIA F.* **505**, 529, 1997

GOLA M. *see DELMAS P. & GOLA M.* **498**, 627, 1997

GOLDMAN L. *see AGGARWAL R., SHOROFSKY S. R., GOLDMAN L. & BALKE C. W.* **505**, 353, 1997

GOMEZ-HERNANDEZ J.-M.

GOMEZ-HERNANDEZ J.-M., STÜHMER W. & PAREKH A. B. Calcium dependence and distribution of calcium-activated chloride channels in *Xenopus* oocytes **502**, 569, 1997

GÓMEZ-LAGUNAS F.

GÓMEZ-LAGUNAS F. Shaker B K^+ conductance in Na^+ solutions lacking K^+ ions: a remarkably stable non-conducting state produced by membrane depolarizations **499**, 3, 1997

GONG M. C. *see GAILLY P., GONG M. C., SOMLYO A. V. & SOMLYO A. P.* **500**, 95, 1997

GONZÁLEZ C. *see LÓPEZ-LÓPEZ J. R., GONZÁLEZ C. & PÉREZ-GARCÍA M. T.* **499**, 429, 1997

GORDON T. *see RAFUSE V. F., PATTULLO M. C. & GORDON T.* **499**, 809, 1997

GOTO A. *see IWASAWA K., NAKAJIMA T., HAZAMA H., GOTO A., SHIN W. S., TOYO-OKA T. & OMATA M.* **503**, 237, 1997

GOULD D. J. *see HILL C. E. & GOULD D. J.* **505**, 797, 1997

GOYAL R. K. *see VOGALIS F. & GOYAL R. K.* **502**, 497, 1997

GRACIES J.-M. *see KIERNAN M. C., MOGYOROS I., HALES J. P., GRACIES J.-M. & BURKE D.* **500**, 255, 1997

see KIERNAN M. C., HALES J. P., GRACIES J.-M., MOGYOROS I. & BURKE D. **501**, 461, 1997

GRAHAM T. E. *see GIBALA M. J., MACLEAN D. A., GRAHAM T. E. & SALTIN B.* **502**, 703, 1997

GRANT D. A.

GRANT D. A., FEWELL J. E., WALKER A. M. & WILKINSON M. H. Oxygen transport and utilization during feeding in the young lamb **503**, 195, 1997

GRASSO R. *see IVANENKO Y. P., GRASSO R., ISRAËL I. & BERTHOZ A.* **502**, 223, 1997

GREEN R. *see WILSON R. W., WAREING M. & GREEN R.* **500**, 155, 1997

GREENGARD P. *see STEFANI G., ONOFRI F., VALTORTA F., VACCARO P., GREENGARD P. & BENFENATI F.* **504**, 501, 1997

GREENWOOD I. A.

GREENWOOD I. A., HELLIWELL R. M. & LARGE W. A. Modulation of Ca^{2+}-activated Cl^- currents in rabbit portal vein smooth muscle by an inhibitor of mitochondrial Ca^{2+} uptake **505**, 53, 1997

GREEVES J. P.

GREEVES J. P., CABLE N. T., LUCKAS M. J. M., REILLY T. & BILJAN M. M. Effects of acute changes in oestrogen on muscle function of the first dorsal interosseus muscle in humans **500**, 265, 1997

GREGOR M. *see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M.* **505**, 411, 1997

GRIBBLE F. M.

GRIBBLE F. M., ASHFIELD R., ÄMMÄLÄ C. & ASHCROFT F. M. Properties of cloned ATP-sensitive K^+ currents expressed in *Xenopus* oocytes **498**, 87, 1997

GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M. The interaction of nucleotides with the tolbutamide block of cloned ATP-sensitive K^+ channel currents expressed in *Xenopus* oocytes: a reinterpretation **504**, 35, 1997

GRIEVE K. L. *see CUDEIRO J., RIVADULLA C., RODRÍGUEZ R., GRIEVE K. L., MARTÍNEZ-CONDE S. & ACUÑA C.* **504**, 467, 1997

GRIFFITH T. M. *see CHAYTOR A. T., EVANS W. H. & GRIFFITH T. M.* **503**, 99, 1997

see CHAYTOR A. T., EVANS W. H. & GRIFFITH T. M. **503**, 699, 1997

GRISSMER S. *see STEINERT M. & GRISSMER S.* **500**, 653, 1997

GROH J. *see KUEBLER W. M., KUHNLE G. E. H., GROH J. & GOETZ A. E.* **501**, 375, 1997

GROMADA J. *see GILON P., YAKEL J., GROMADA J., ZHU Y., HENQUIN J.-C. & RORSMAN P.* **499**, 65, 1997

GROS G. *see BÖLLERT P., PETERS T., VON ENGELHARDT W. & GROS G.* **502**, 679, 1997

GRUNE T.

GRUNE T., MÜLLER K., ZÖLLNER S., HASELOFF R., BLASIG I. E., DAVID H. & SIEMS W. Evaluation of purine nucleotide loss, lipid peroxidation and ultrastructural alterations in post-hypoxic hepatocytes **498**, 511, 1997

GUALIX J. *see PINTOR J., PUCHE J. A., GUALIX J., HOYLE C. H. V. & MIRAS-PORTUGAL M. T.* **504**, 327, 1997

GUÉRINEAU N. C.

GUÉRINEAU N. C., BOSSU J.-L., GÄHWILER B. H. & GERBER U. G-protein-mediated desensitization of metabotropic glutamatergic and muscarinic responses in CA3 cells in rat hippocampus **500**, 487, 1997

GULBINS E. *see KISSLING G., BLICKLE B., ROSS C., PASCHT U. & GULBINS E.* **499**, 195, 1997

GUMMERSON N. *see SMITH P. A., SAKURA H., COLES B., GUMMERSON N., PROKS P. & ASHCROFT F. M.* **499**, 625, 1997

GYÖRKE I. *see GYÖRKE S., LUKYANENKO V. & GYÖRKE I.* **500**, 297, 1997

GYÖRKE S.

GYÖRKE S., LUKYANENKO V. & GYÖRKE I. Dual effects of tetracaine on spontaneous calcium release in rat ventricular myocytes **500**, 297, 1997

HAAK L. *see KURYSHEV Y. A., HAAK L., CHILDS G. V. & RITCHIE A. K.* **502**, 265, 1997

HABGOOD M. D. *see KNOTT G. W., DZIEGIELEWSKA K. M., HABGOOD M. D., LI Z. S. & SAUNDERS N. R.* **499**, 179, 1997

HÄBLER H.-J. *see MCLACHLAN E. M., DAVIES P. J., HÄBLER H.-J. & JAMIESON J.* **501**, 165, 1997

HADDAD G. G. *see O'REILLY J. P., CUMMINS T. R. & HADDAD G. G.* **503**, 479, 1997

HALES J. P. *see KIERNAN M. C., MOGYOROS I., HALES J. P., GRACIES J.-M. & BURKE D.* **500**, 255, 1997

see KIERNAN M. C., HALES J. P., GRACIES J.-M., MOGYOROS I. & BURKE D. **501**, 461, 1997

HALKJAER-KRISTENSEN J. *see BRUUNSGAARD H., GALBO H., HALKJAER-KRISTENSEN J., JOHANSEN T. L., MACLEAN D. A. & PEDERSEN B. K.* **499**, 833, 1997

HALLIWILL J. R.

HALLIWILL J. R., LAWLER L. A., EICKHOFF T. J., DIETZ N. M., NAUSS L. A. & JOYNER M. J. Forearm sympathetic withdrawal and vasodilatation during mental stress in humans **504**, 211, 1997

HAMADA E. *see KITAZAWA T., HAMADA E., KITAZAWA K. & GAZNABI A. K. M.* **499**, 497, 1997

HAMADA N. *see SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N.* **505**, 133, 1997

HAMAKAWA N. *see YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y.* **505**, 319, 1997

HAMMOND C. *see KWIECIEN R., TSEEB V., KURCHIKOV A., KORDON C. & HAMMOND C.* **499**, 613, 1997

HAN W.

HAN W., BARR S. C., PACIORETTY L. M. & GILMOUR R. F. JR Restoration of the transient outward potassium current by noradrenaline in chagasic canine epicardium **500**, 75, 1997

HANNELORE D.

HANNELORE D. First insights into the operational mode of epithelial peptide transporters **498**, 561, 1997

HANSEN J. M. *see LARSEN J. J., HANSEN J. M., OLSEN N. V., GALBO H. & DELA F.* **504**, 241, 1997

HANSON M. A. *see CALDER N. A., KUMAR P. & HANSON M. A.* **503**, 187, 1997

HARATA N.

HARATA N., WU J., ISHIBASHI H., ONO K. & AKAIKE N. Run-down of the $GABA_A$ response under experimental ischaemia in acutely dissociated CA1 pyramidal neurones of the rat **500**, 673, 1997

HARDWICK J. C.

HARDWICK J. C., MAWE G. M. & PARSONS R. L. Tachykinin-induced activation of non-specific cation conductance via NK_3 neurokinin receptors in guinea-pig intracardiac neurones **504**, 65, 1997

HARHAMMER R. *see DEGTIAR V. E., HARHAMMER R. & NÜRNBERG B.* **502**, 321, 1997

HARKNESS P. C. *see LEWIS T. M., HARKNESS P. C., SIVILOTTI L. G., COLQUHOUN D. & MILLAR N. S.* **505**, 299, 1997

HARNEY S. C. *see WARD S. M., HARNEY S. C., BAYGUINOV J. R., MCLAREN G. J. & SANDERS K. M.* **505**, 241, 1997

HARRISON L. M. *see GIBBS J., HARRISON L. M. & STEPHENS J. A.* **499**, 255, 1997

HARRISON S. M. *see JANVIER N. C., HARRISON S. M. & BOYETT M. R.* **498**, 611, 1997

see JANVIER N. C., MCMORN S. O., HARRISON S. M., TAGGART P. & BOYETT M. R. **504**, 301, 1997

HARVEY B. J. *see EGÉE S., HARVEY B. J. & THOMAS S.* **504**, 57, 1997

HARVEY J.

HARVEY J., MCKENNA F., HERSON P. S., SPANSWICK D. & ASHFORD M. L. J. Leptin activates ATP-sensitive potassium channels in the rat insulin-secreting cell line, CRI-G1 **504**, 527, 1997

HARVEY R. D. *see ZAKHAROV S. I. & HARVEY R. D.* **499**, 105, 1997

HARVEY R. J. *see BOEHM S., HARVEY R. J., VON HOLST A., ROHRER H. & BETZ H.* **504**, 683, 1997

HASELOFF R. *see GRUNE T., MÜLLER K., ZÖLLNER S., HASELOFF R., BLASIG I. E., DAVID H. & SIEMS W.* **498**, 511, 1997

HASHITANI H.

HASHITANI H. & SUZUKI H. K^+ channels which contribute to the acetylcholine-induced hyperpolarization in smooth muscle of the guinea-pig submucosal arteriole **501**, 319, 1997

HATTON C. J.

HATTON C. J., CARPENTER E., PEPPER D. R., KUMAR P. & PEERS C. Developmental changes in isolated rat type I carotid body cell K^+ currents and their modulation by hypoxia **501**, 49, 1997

HATTON G. I. *see LI Z. & HATTON G. I.* **498**, 339, 1997

HATTON G. I. Oxytocin and vasopressin neurones: vive la différence! **500**, 284, 1997

see LI Z. & HATTON G. I. **505**, 95, 1997

HÄUSSER M.

HÄUSSER M. & ROTH A. Dendritic and somatic glutamate receptor channels in rat cerebellar Purkinje cells **501**, 77, 1997

HAVAS E.

HAVAS E., PARVIAINEN T., VUORELA J., TOIVANEN J., NIKULA T. & VIHKO V. Lymph flow dynamics in exercising human skeletal muscle as detected by scintography **504**, 233, 1997

HAZAMA H. *see IWASAWA K., NAKAJIMA T., HAZAMA H., GOTO A., SHIN W. S., TOYO-OKA T. & OMATA M.* **503**, 237, 1997

HE Z.-H.

HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. ATPase kinetics on activation of rabbit and frog permeabilized isometric muscle fibres: a real time phosphate assay **501**, 125, 1997

HEALES S. J. R. *see ROLFE V. E., BRAND M. P., HEALES S. J. R., LINDLEY K. J. & MILLA P. J.* **503**, 347, 1997

HEATH M. J. S. *see MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H.* **502**, 31, 1997

HEBBARD G. S. *see SUN W. M., HEBBARD G. S., MALBERT C.-H., JONES K. L., DORAN S., HOROWITZ M. & DENT J.* **503**, 455, 1997

HEDIGER M. A. *see* *STEEL A., NUSSBERGER S., ROMERO M. F., BORON W. F., BOYD C. A. R. & HEDIGER M. A.* **498**, 563, 1997

HEIGENHAUSER G. J. F. *see* *MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., MACDOUGALL J. D. & JONES N. L.* **501**, 687, 1997

see *MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., OBMINSKI G., MACDOUGALL J. D. & JONES N. L.* **501**, 703, 1997

HEINEMANN S. H. *see* *TERLAU H., HEINEMANN S. H., STÜHMER W., PONGS O. & LUDWIG J.* **502**, 537, 1997

HEINEMANN U. *see* *BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E.* **498**, 73, 1997

HEINY J. A. *see* *JONG D.-S., STROFFEKOVA K. & HEINY J. A.* **499**, 787, 1997

HELLIWELL R. M. *HELLIWELL R. M. & LARGE W. A.* α_1-Adrenoceptor activation of a non-selective cation current in rabbit portal vein by 1,2-diacyl-*sn*-glycerol **499**, 417, 1997

see *GREENWOOD I. A., HELLIWELL R. M. & LARGE W. A.* **505**, 53, 1997

HELLSTEN Y.

HELLSTEN Y., FRANDSEN U., ØRTHENBLAD N., SJØDIN B. & RICHTER E. A. Xanthine oxidase in human skeletal muscle following eccentric exercise: a role in inflammation **498**, 239, 1997

see *BANGSBO J., JUEL C., HELLSTEN Y. & SALTIN B.* **504**, 489, 1997

HELLSTEN Y. & FRANDSEN U. Adenosine formation in contracting primary rat skeletal muscle cells and endothelial cells in culture **504**, 695, 1997

HENDERSON G. *see* *KHAKH B. S., HUMPHREY P. P. A. & HENDERSON G.* **498**, 709, 1997

HENDERSON-SMART D. *see* *COHEN G., MALCOLM G. & HENDERSON-SMART D.* **503**, 203, 1997

HENNIG G. W.

HENNIG G. W., BROOKES S. J. H. & COSTA M. Excitatory and inhibitory motor reflexes in the isolated guinea-pig stomach **501**, 197, 1997

HENQUIN J.-C. *see* *GILON P., YAKEL J., GROMADA J., ZHU Y., HENQUIN J.-C. & RORSMAN P.* **499**, 65, 1997

see *MIURA Y., HENQUIN J.-C. & GILON P.* **503**, 387, 1997

HENRY J. *see* *VORONINA S., HENRY J., VAILLANT C., DOCKRAY G. J. & VARRO A.* **501**, 363, 1997

HERMANN G. E. *see* *MCTIGUE D. M., HERMANN G. E. & ROGERS R. C.* **499**, 475, 1997

HERSON P. S.

HERSON P. S. & ASHFORD M. L. J. Activation of a novel non-selective cation channel by alloxan and H_2O_2 in the rat insulin-secreting cell line CRI-G1 **501**, 59, 1997

see *HARVEY J., MCKENNA F., HERSON P. S., SPANSWICK D. & ASHFORD M. L. J.* **504**, 527, 1997

HERSON P. S., DULOCK K. A. & ASHFORD M. L. J. Characterization of a nicotinamide-adenine dinucleotide-dependent cation channel in the CRI-G1 rat insulinoma cell line **505**, 65, 1997

HESSLOW G. *see* *IVARSSON M., SVENSSON P. & HESSLOW G.* **502**, 189, 1997

HIDAKA O. *see* *TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H.* **503**, 157, 1997

HIGGINS C. F. *see* *MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W.* **499**, 677, 1997

HIGHAM A.

HIGHAM A., NOBLE P., THOMPSON D. G. & DOCKRAY G. J. Increased sensitivity of gastrin cells to gastric distension following antral denervation in the rat **503**, 169, 1997

HILL C. E.

HILL C. E. & GOULD D. J. Pathway-specific effects of calcitonin gene-related peptide on irideal arterioles of the rat **505**, 797, 1997

HIPP J. *see* *FENG D., NAGY J. A., HIPP J., PYNE K., DVORAK H. F. & DVORAK A. M.* **504**, 747, 1997

HIRCHE H. *see* *DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K.* **500**, 85, 1997

HIRSH J. K. *see* *REDMAN R. S., SEARL T. J., HIRSH J. K. & SILINSKY E. M.* **501**, 41, 1997

HLUBEK M. D.

HLUBEK M. D. & COBBETT P. Outward potassium currents of supraoptic magnocellular neurosecretory cells isolated from the adult guinea-pig **502**, 61, 1997

HO I. H. M. *see* *STEVENS E. B., WOODWARD R., HO I. H. M. & MURRELL-LAGNADO R.* **503**, 547, 1997

HO S. M.

HO S. M. Rhythmic motor activity and interlimb co-ordination in the developing pouch young of a wallaby (*Macropus eugenii*) **501**, 623, 1997

HOCH B. *see* *BALLANYI K., LALLEY P. M., HOCH B. & RICHTER D. W.* **504**, 127, 1997

HODGES P. W.

HODGES P. W., BUTLER J. E., MCKENZIE D. K. & GANDEVIA S. C. Contraction of the human diaphragm during rapid postural adjustments **505**, 539, 1997

HOH J. F. Y. *see* *ROSSMANITH G. H., HOH J. F. Y., TURNBULL L. & LUDOWYKE R. I.* **505**, 217, 1997

HOHIMER A. R. *see* *BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J.* **501**, 415, 1997

HOLLYWOOD M. A. *see* *COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D.* **503**, 1, 1997

HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. Tetrodotoxin-sensitive sodium current in sheep lymphatic smooth muscle **503**, 13, 1997

see *COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D.* **505**, 121, 1997

HOM D. *see* *WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R.* **502**, 351, 1997

HONG J.-L.

HONG J.-L., KWONG K. & LEE L.-Y. Stimulation of pulmonary C fibres by lactic acid in rats: contributions of H^+ and lactate ions **500**, 319, 1997

HOPPELER H. *see* *FERRETTI G., ANTONUTTO G., DENIS C., HOPPELER H., MINETTI A. E., NARICI M. V. & DESPLANCHES D.* **501**, 677, 1997

HORIO Y. *see* *YAMADA M., ISOMOTO S., MATSUMOTO S., KONDO C., SHINDO T., HORIO Y. & KURACHI Y.* **499**, 715, 1997

HORIUCHI T. *see* *NAKAYAMA S., CHIHARA S., CLARK J. F., HUANG S.-M., HORIUCHI T. & TOMITA T.* **505**, 229, 1997

HORIUTI K.

HORIUTI K., YAGI N. & TAKEMORI S. Mechanical study of rat soleus muscle using caged ATP and X-ray diffraction: high ADP affinity of slow cross-bridges **502**, 433, 1997

HORN J. P. *see* *THORNE R. & HORN J. P.* **498**, 201, 1997

HOROWITZ M. *see* *SUN W. M., HEBBARD G. S., MALBERT C.-H., JONES K. L., DORAN S., HOROWITZ M. & DENT J.* **503**, 455, 1997

HOSOMI H. *see* *MORI M., HOSOMI H., NISHIZAKI T., KAWAHARA K. & OKADA Y.* **502**, 365, 1997

HOSONO T. *see* *ZHANG Y., HOSONO T., YANASE-FUJIWARA M., CHEN X.-M. & KANOSUE K.* **503**, 177, 1997

HOUNSGAARD J. *see* *RUSSO R. E., NAGY F. & HOUNSGAARD J.* **499**, 459, 1997

see *DELGADO-LEZAMA R., PERRIER J.-F., NEDERGAARD S., SVIRSKIS G. & HOUNSGAARD J.* **504**, 97, 1997

HOUSLEY G. D. *see* *RAYBOULD N. P. & HOUSLEY G. D.* **498**, 717, 1997

HOYLE C. H. V. *see* *PINTOR J., PUCHE J. A., GUALIX J., HOYLE C. H. V. & MIRAS-PORTUGAL M. T.* **504**, 327, 1997

HSUING S.-C. *see* *MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H.* **502**, 31, 1997

HU B. *see* *SENATOROV V. V., MOONEY D. & HU B.* **502**, 375, 1997

see *SENATOROV V. V. & HU B.* **502**, 387, 1997

HU H.-Z.

HU H.-Z. & LI Z.-W. Modulation by adenosine of GABA-activated current in rat dorsal root ganglion neurons **501**, 67, 1997

HU X.

HU X. & ZHANG L. Chronic hypoxia suppresses pharmacomechanical coupling of the uterine artery in near-term pregnant sheep **499**, 551, 1997

HUANG C. L.-H.

HUANG C. L.-H. Dual actions of tetracaine on intramembrane charge in amphibian striated muscle **501**, 589, 1997

HUANG L. *see* *MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W.* **499**, 677, 1997

HUANG S.-M. *see* *NAKAYAMA S., CHIHARA S., CLARK J. F., HUANG S.-M., HORIUCHI T. & TOMITA T.* **505**, 229, 1997

HUGHES B. P. *see* *RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L.* **501**, 355, 1997

HUGHES S. W. *see* *WILLIAMS S. R., TÓTH T. I., TURNER J. P., HUGHES S. W. & CRUNELLI V.* **505**, 689, 1997

see *WILLIAMS S. R., TURNER J. P., HUGHES S. W. & CRUNELLI V.* **505**, 727, 1997

HUI C. S.

HUI C. S. & CHEN W. Charge movement in cut twitch fibres of *Rana temporaria* containing 0·1 mM EGTA **503**, 563, 1997

HULLIGER M. *see* BANKS R. W., HULLIGER M., SCHEEPSTRA K. A. & OTTEN E. **498**, 177, 1997

HUMPHREY P. P. A. *see* KHAKH B. S., HUMPHREY P. P. A. & HENDERSON G. **498**, 709, 1997

HUNTER M. *see* COOPER G. J. & HUNTER M. **498**, 49, 1997

see ROBSON L. & HUNTER M. **498**, 409, 1997

see ROBSON L. & HUNTER M. **500**, 605, 1997

HUSSAIN M.

HUSSAIN M. & ORCHARD C. H. Sarcoplasmic reticulum Ca^{2+} content, L-type Ca^{2+} current and the Ca^{2+} transient in rat myocytes during β-adrenergic stimulation **505**, 385, 1997

HUSSY N.

HUSSY N., DELEUZE C., PANTALONI A., DESARMÉNIEN M. G. & MOOS F. Agonist action of taurine on glycine receptors in rat supraoptic magnocellular neurones: possible role in osmoregulation **502**, 609, 1997

HYDE S. C. *see* MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W. **499**, 677, 1997

IAIZZO P. A. *see* CHEN M.-F., NIGGEWEG R., IAIZZO P. A., LEHMANN-HORN F. & JOCKUSCH H. **504**, 75, 1997

IBRAHIM N. *see* KABASHIMA N., SHIBUYA I., IBRAHIM N., UETA Y. & YAMASHITA H. **504**, 113, 1997

IINO M. *see* IKEMOTO T., KOMAZAKI S., TAKESHIMA H., NISHI M., NODA T., IINO M. & ENDO M. **501**, 305, 1997

see KASAI Y., YAMAZAWA T., SAKURAI T., TAKETANI Y. & IINO M. **504**, 349, 1997

IKARI A. *see* SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N. **505**, 133, 1997

IKEMOTO T.

IKEMOTO T., KOMAZAKI S., TAKESHIMA H., NISHI M., NODA T., IINO M. & ENDO M. Functional and morphological features of skeletal muscle from mutant mice lacking both type 1 and type 3 ryanodine receptors **501**, 305, 1997

ILOUZ N. *see* LINIAL M., ILOUZ N. & PARNAS H. **504**, 251, 1997

INAISHI S. *see* TAKANO N., INAISHI S. & ZHANG Y. **499**, 843, 1997

INGLIS J. T. *see* GANDEVIA S. C., WILSON L. R., INGLIS J. T. & BURKE D. **505**, 259, 1997

INOUE I.

INOUE I., TSUTSUI I. & BROWN E. R. K^+ accumulation and K^+ conductance inactivation during action potential trains in giant axons of the squid *Sepioteuthis* **500**, 355, 1997

IRINTCHEV A.

IRINTCHEV A., LANGER M., ZWEYER M., THEISEN R. & WERNIG A. Functional improvement of damaged adult mouse muscle by implantation of primary myoblasts **500**, 775, 1997

ISAAC J. T. *see* TURNER D. A., CHEN Y., ISAAC J. T., WEST M. & WHEAL H. V. **500**, 441, 1997

ISAEV D. S. *see* TARASENKO A. N., KOSTYUK P. G., EREMIN A. V. & ISAEV D. S. **499**, 77, 1997

ISHIBASHI H. *see* HARATA N., WU J., ISHIBASHI H., ONO K. & AKAIKE N. **500**, 673, 1997

see CHATURAPANICH G., ISHIBASHI H., DINUDOM A., YOUNG J. A. & COOK D. I. **503**, 583, 1997

ISHIDA Y. *see* OBARA K., BOWMAN P. S., ISHIDA Y. & PAUL R. J. **503**, 427, 1997

ISHIHARA H. *see* YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y. **505**, 319, 1997

ISMAILOV I. I.

ISMAILOV I. I., SHLYONSKY V. GH., ALVAREZ O. & BENOS D. J. Cation permeability of a cloned rat epithelial amiloride-sensitive Na^+ channel **504**, 287, 1997

ISOMOTO S. *see* YAMADA M., ISOMOTO S., MATSUMOTO S., KONDO C., SHINDO T., HORIO Y. & KURACHI Y. **499**, 715, 1997

ISRAËL I. *see* IVANENKO Y. P., GRASSO R., ISRAËL I. & BERTHOZ A. **502**, 223, 1997

ITO I.

ITO I., FUTAI K., KATAGIRI H., WATANABE M., SAKIMURA K., MISHINA M. & SUGIYAMA H. Synapse-selective impairment of NMDA receptor functions in mice lacking NMDA receptor ϵ1 or ϵ2 subunit **500**, 401, 1997

IVANENKO Y. P.

IVANENKO Y. P., GRASSO R., ISRAËL I. & BERTHOZ A. The contribution of otoliths and semicircular canals to the perception of two-dimensional passive whole-body motion in humans **502**, 223, 1997

IVARSSON M.

IVARSSON M., SVENSSON P. & HESSLOW G. Bilateral disruption of conditioned responses after unilateral blockade of cerebellar output in the decerebrate ferret **502**, 189, 1997

IWASAWA K.

IWASAWA K., NAKAJIMA T., HAZAMA H., GOTO A., SHIN W. S., TOYO-OKA T. & OMATA M. Effects of extracellular pH on receptor-mediated Ca^{2+} influx in A7r5 rat smooth muscle cells: involvement of two different types of channel **503**, 237, 1997

JACK J. J. B. *see* STRATFORD K. J., JACK J. J. B. & LARKMAN A. U. **505**, 425, 1997

see LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. **505**, 443, 1997

see LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. **505**, 457, 1997

JACKSON A. *see* THOMPSON R. J., JACKSON A. & NURSE C. A. **498**, 503, 1997

JACOB R. *see* FUENTES E., NADAL A., JACOB R. & MCNAUGHTON P. **504**, 315, 1997

JACOB T. J. C. *see* ZHANG J. J. & JACOB T. J. C. **499**, 379, 1997

JACQUEMOND V. *see* SZENTESI P., JACQUEMOND V., KOVÁCS L. & CSERNOCH L. **505**, 371, 1997

JAFRI M. S. *see* COHEN A. S., MOORE K. A., BANGALORE R., JAFRI M. S., WEINREICH D. & KAO J. P. Y. **499**, 315, 1997

JAFRI M. S., MOORE K. A., TAYLOR G. E. & WEINREICH D. Histamine H_1 receptor activation blocks two classes of potassium current, $I_{K(rest)}$ and I_{AHP}, to excite ferret vagal afferents **503**, 533, 1997

JÄHNE J. *see* KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G. **499**, 391, 1997

JAHROMI B. S. *see* ROBITAILLE R., JAHROMI B. S. & CHARLTON M. P. **504**, 337, 1997

JAMIESON J. *see* MCLACHLAN E. M., DAVIES P. J., HÄBLER H.-J. & JAMIESON J. **501**, 165, 1997

JAN L. Y.

JAN L. Y. & JAN Y. N. Annual Review Prize Lecture. Voltage-gated and inwardly rectifying potassium channels **505**, 267, 1997

JAN Y. N. *see* JAN L. Y. & JAN Y. N. **505**, 267, 1997

JÄNIG W. *see* MIAO F. J.-P., JÄNIG W. & LEVINE J. D. **498**, 473, 1997

JANVIER N. C.

JANVIER N. C., HARRISON S. M. & BOYETT M. R. The role of inward Na^+–Ca^{2+} exchange current in the ferret ventricular action potential **498**, 611, 1997

JANVIER N. C., MCMORN S. O., HARRISON S. M., TAGGART P. & BOYETT M. R. The role of Na^+–Ca^{2+} exchange current in electrical restitution in ferret ventricular cells **504**, 301, 1997

JAROLIMEK W. *see* ROHRBACHER J., JAROLIMEK W., LEWEN A. & MISGELD U. **500**, 739, 1997

JEFFERYS J. G. R. *see* WHITTINGTON M. A., STANFORD I. M., COLLING S. B., JEFFERYS J. G. R. & TRAUB R. D. **502**, 591, 1997

JENKINS S. L. *see* DERKS J. B., GIUSSANI D. A., JENKINS S. L., WENTWORTH R. A., VISSER G. H. A., PADBURY J. F. & NATHANIELSZ P. W. **499**, 217, 1997

JENTSCH T. J. *see* LUDEWIG U., JENTSCH T. J. & PUSCH M. **498**, 691, 1997

JIANG C.

JIANG C., FINKBEINER W. E., WIDDICOMBE J. H. & MILLER S. S. Fluid transport across cultures of human tracheal glands is altered in cystic fibrosis **501**, 637, 1997

JIANG Z.

JIANG Z., YANG Y., LIU Z. & ALLEN C. N. Membrane properties and synaptic inputs of suprachiasmatic nucleus neurons in rat brain slices **499**, 141, 1997

JOAD J. P.

JOAD J. P., KOTT K. S. & BONHAM A. C. Nitric oxide contributes to substance P-induced increases in lung rapidly adapting receptor activity in guinea-pigs **503**, 635, 1997

JOBLING P. *see* BROOKES S. J. H., MEEDENIYA A. C. B., JOBLING P. & COSTA M. **505**, 473, 1997

JOCKUSCH H. *see* CHEN M.-F., NIGGEWEG R., IAIZZO P. A., LEHMANN-HORN F. & JOCKUSCH H. **504**, 75, 1997

JOHANSEN T. L. *see* BRUUNSGAARD H., GALBO H., HALKJAER-KRISTENSEN J., JOHANSEN T. L., MACLEAN D. A. & PEDERSEN B. K. **499**, 833, 1997

JOHNS E. J. *see* NEYLON M., MARSHALL J. M. & JOHNS E. J. **501**, 243, 1997

JOHNSON S. W. *see* SHEN K.-Z. & JOHNSON S. W. **505**, 153, 1997

JOHNSTON A. R.

JOHNSTON A. R., BLACK C., FRASER J. & MACLEOD N. Scrapie infection alters the membrane and synaptic properties of mouse hippocampal CA1 pyramidal neurones **500**, 1, 1997

Jonas M. M. *see Band D. M., Linton R. A. F., O'Brien T. K., Jonas M. M. & Linton N. W. F.* **498**, 225, 1997

Jonas P. *see Bischofberger J. & Jonas P.* **504**, 359, 1997
see Martina M. & Jonas P. **505**, 593, 1997

Jones C. A. *see Wilkinson M. H., Berger P. J., Blanch N., Brodecky V. & Jones C. A.* **504**, 199, 1997

Jones J. F. X.
Jones J. F. X. & Daly M. de Burgh Reflex cardiac dromotropic responses to stimulation of the carotid and aortic chemoreceptors in the anaesthetized cat **502**, 461, 1997

Jones K. L. *see Sun W. M., Hebbard G. S., Malbert C.-H., Jones K. L., Doran S., Horowitz M. & Dent J.* **503**, 455, 1997

Jones L. P.
Jones L. P., Patil P. G., Snutch T. P. & Yue D. T. G-protein modulation of N-type calcium channel gating current in human embryonic kidney cells (HEK 293) **498**, 601, 1997

Jones M. N. *see Butterfield I., Warhurst G., Jones M. N. & Sandle G. I.* **501**, 537, 1997

Jones N. L. *see McKenna M. J., Heigenhauser G. J. F., McKelvie R. S., MacDougall J. D. & Jones N. L.* **501**, 687, 1997
see McKenna M. J., Heigenhauser G. J. F., McKelvie R. S., Obminski G., MacDougall J. D. & Jones N. L. **501**, 703, 1997

Jones O. T. *see Wickenden A. D., Kaprielian R., Parker T. G., Jones O. T. & Backx P. H.* **504**, 271, 1997

Jones S.
Jones S. & Yakel J. L. Functional nicotinic ACh receptors on interneurones in the rat hippocampus **504**, 603, 1997

Jones S. W. *see Block B. M. & Jones S. W.* **499**, 403, 1997

Jong D.-S.
Jong D.-S., Stroffekova K. & Heiny J. A. A surface potential change in the membranes of frog skeletal muscle is associated with excitation–contraction coupling **499**, 787, 1997

Joyner M. J. *see Dietz N. M., Engelke K. A., Samuel T. T., Fix R. T. & Joyner M. J.* **498**, 531, 1997
see Halliwill J. R., Lawler L. A., Eickhoff T. J., Dietz N. M., Nauss L. A. & Joyner M. J. **504**, 211, 1997
Joyner M. J. & Wieling W. Sympathetic nerves continue to regulate blood flow in exercising muscles **505**, 549, 1997

Juel C. *see Bangsbo J., Juel C., Hellsten Y. & Saltin B.* **504**, 489, 1997

Julian F. J. *see Morgan D. L., Claflin D. R. & Julian F. J.* **500**, 177, 1997

Jungersten L. *see Skarphedinsson J. O., Elam M., Jungersten L. & Wallin B. G.* **501**, 671, 1997

Juránek I. *see Rekalov V., Juránek I., Máleková L. & Bauer V.* **505**, 107, 1997

Jurevičius J.
Jurevičius J. & Fischmeister R. Longitudinal distribution of Na^+ and Ca^{2+} channels and β-adrenoceptors on the sarcolemmal membrane of frog cardiomyocytes **503**, 471, 1997

Kabashima N.
Kabashima N., Shibuya I., Ibrahim N., Ueta Y. & Yamashita H. Inhibition of spontaneous EPSCs and IPSCs by presynaptic $GABA_B$ receptors on rat supraoptic magnocellular neurons **504**, 113, 1997

Kaever V. *see Kuhn M., Fuchs M., Beck F.-X., Martin S., Jähne J., Klempnauer J., Kaever V., Rechkemmer G. & Forssmann W.-G.* **499**, 391, 1997

Kajimura M.
Kajimura M., O'Donnell M. E. & Curry F. E. Effect of cell shrinkage on permeability of cultured bovine aortic endothelia and frog mesenteric capillaries **503**, 413, 1997

Kajita H.
Kajita H. & Brown P. D. Inhibition of the inward-rectifying Cl^- channel in rat choroid plexus by a decrease in extracellular pH **498**, 703, 1997

Kakinoki B. *see Sakai H., Sato T., Hamada N., Yasue M., Ikari A., Kakinoki B. & Takeguchi N.* **505**, 133, 1997

Kallen R. G. *see Frohnwieser B., Chen L.-Q., Schreibmayer W. & Kallen R. G.* **498**, 309, 1997

Kamishima T.
Kamishima T. & McCarron J. G. Regulation of the cytosolic Ca^{2+} concentration by Ca^{2+} stores in single smooth muscle cells from rat cerebral arteries **501**, 497, 1997

Kamouchi M.
Kamouchi M., Van Den Bremt K., Eggermont J., Droogmans G. & Nilius B. Modulation of inwardly rectifying potassium channels in cultured bovine pulmonary artery endothelial cells **504**, 545, 1997

Kanno T. *see Cui Z. J. & Kanno T.* **504**, 47, 1997

Kanosue K. *see Zhang Y., Hosono T., Yanase-Fujiwara M., Chen X.-M. & Kanosue K.* **503**, 177, 1997

Kao J. P. Y. *see Cohen A. S., Moore K. A., Bangalore R., Jafri M. S., Weinreich D. & Kao J. P. Y.* **499**, 315, 1997

Kappagoda C. T. *see Ravi K., Bravo M. & Kappagoda C. T.* **505**, 833, 1997

Kaprielian R. *see Wickenden A. D., Kaprielian R., Parker T. G., Jones O. T. & Backx P. H.* **504**, 271, 1997

Karmazyn M. *see Thomas G. P., Sims S. M. & Karmazyn M.* **503**, 55, 1997

Karschin A. *see Wischmeyer E. & Karschin A.* **504**, 591, 1997

Kasai Y.
Kasai Y., Yamazawa T., Sakurai T., Taketani Y. & Iino M. Endothelium-dependent frequency modulation of Ca^{2+} signalling in individual vascular smooth muscle cells of the rat **504**, 349, 1997

Katagiri H. *see Ito I., Futai K., Katagiri H., Watanabe M., Sakimura K., Mishina M. & Sugiyama H.* **500**, 401, 1997

Katz R. *see Aymard C., Decchi B., Katz R., Lafitte C., Pénicaud A., Raoul S. & Rossi A.* **499**, 267, 1997

Kawaguchi Y. *see Nakamura H., Kitagawa H., Kawaguchi Y. & Tsuji H.* **498**, 817, 1997

Kawahara K. *see Mori M., Hosomi H., Nishizaki T., Kawahara K. & Okada Y.* **502**, 365, 1997

Kayser B. *see Ferretti G., Moia C., Thomet J.-M. & Kayser B.* **498**, 231, 1997

Keast J. R. *see Callister R. J., Keast J. R. & Sah P.* **500**, 571, 1997

Keef K. D.
Keef K. D., Murray D. C., Sanders K. M. & Smith T. K. Basal release of nitric oxide induces an oscillatory motor pattern in canine colon **499**, 773, 1997

Keele N. B.
Keele N. B., Arvanov V. L. & Shinnick-Gallagher P. Quisqualate-preferring metabotropic glutamate receptor activates Na^+–Ca^{2+} exchange in rat basolateral amygdala neurones **499**, 87, 1997

Kendall S. *see Michel C. C. & Kendall S.* **501**, 657, 1997

Kennedy I. *see Ferguson D. R., Kennedy I. & Burton T. J.* **505**, 503, 1997

Khakh B. S.
Khakh B. S., Humphrey P. P. A. & Henderson G. ATP-gated cation channels (P2X purinoceptors) in trigeminal mesencephalic nucleus neurones of the rat **498**, 709, 1997

Khalilov I. *see Khazipov R., Leinekugel X., Khalilov I., Gaiarsa J.-L. & Ben-Ari Y.* **498**, 763, 1997

Khazipov R.
Khazipov R., Leinekugel X., Khalilov I., Gaiarsa J.-L. & Ben-Ari Y. Synchronization of GABAergic interneuronal network in CA3 subfield of neonatal rat hippocampal slices **498**, 763, 1997

Kiernan M. C.
Kiernan M. C., Mogyoros I., Hales J. P., Gracies J.-M. & Burke D. Excitability changes in human cutaneous afferents induced by prolonged repetitive axonal activity **500**, 255, 1997
Kiernan M. C., Hales J. P., Gracies J.-M., Mogyoros I. & Burke D. Paraesthesiae induced by prolonged high frequency stimulation of human cutaneous afferents **501**, 461, 1997

Kikuchi M. *see Yada T., Sakurada M., Ishihara H., Nakata M., Shioda S., Yaekura K., Hamakawa N., Yanagida K., Kikuchi M. & Oka Y.* **505**, 319, 1997

Kim S. *see Wang G., Dayanithi G., Kim S., Hom D., Nadasdi L., Kristipati R., Ramachandran J., Stuenkel E. L., Nordmann J. J., Newcomb R. & Lemos J. R.* **502**, 351, 1997

Kimura S. *see Shibuki K. & Kimura S.* **498**, 443, 1997

King B. F. *see Arnett T. R. & King B. F.* **503**, 236, 1997

Kirkwood P. A. *see Vaughan C. W. & Kirkwood P. A.* **503**, 673, 1997

Kissling G.
Kissling G., Blickle B., Ross C., Pascht U. & Gulbins E. α_1-Adrenoceptor-mediated negative inotropy of adrenaline in rat myocardium **499**, 195, 1997

Kitagawa H. *see Nakamura H., Kitagawa H., Kawaguchi Y. & Tsuji H.* **498**, 817, 1997

Kitazawa K. *see Kitazawa T., Hamada E., Kitazawa K. & Gaznabi A. K. M.* **499**, 497, 1997

KITAZAWA T.

KITAZAWA T., HAMADA E., KITAZAWA K. & GAZNABI A. K. M. Non-genomic mechanism of 17β-oestradiol-induced inhibition of contraction in mammalian vascular smooth muscle **499**, 497, 1997

KLAPPERSTÜCK M. *see MARKWARDT F., LÖHN M., BÖHM T. & KLAPPERSTÜCK M.* **498**, 143, 1997

KLEIN M. G. *see CARROLL S. L., KLEIN M. G. & SCHNEIDER M. F.* **501**, 573, 1997

KLEMPNAUER J. *see KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G.* **499**, 391, 1997

KNAUS H. *see TANAKA Y., MEERA P., SONG M., KNAUS H. & TORO L.* **502**, 545, 1997

KNOPP S. J. *see BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J.* **501**, 415, 1997

KNOT H. J. *see NELSON M. T., CONWAY M. A., KNOT H. J. & BRAYDEN J. E.* **502**, 259, 1997

KNOTT G. W.

KNOTT G. W., DZIEGIELEWSKA K. M., HABGOOD M. D., LI Z. S. & SAUNDERS N. R. Albumin transfer across the choroid plexus of South American opossum (*Monodelphis domestica*) **499**, 179, 1997

KOMAZAKI S. *see IKEMOTO T., KOMAZAKI S., TAKESHIMA H., NISHI M., NODA T., IINO M. & ENDO M.* **501**, 305, 1997

KONDO C. *see YAMADA M., ISOMOTO S., MATSUMOTO S., KONDO C., SHINDO T., HORIO Y. & KURACHI Y.* **499**, 715, 1997

KONDO S.

KONDO S. & MARTY A. Protein kinase A-mediated enhancement of miniature IPSC frequency by noradrenaline in rat cerebellar stellate cells **498**, 165, 1997

KONNERTH A. *see PLANT T., SCHIRRA C., GARASCHUK O., ROSSIER J. & KONNERTH A.* **499**, 47, 1997

see GARASCHUK O., YAARI Y. & KONNERTH A. **502**, 13, 1997

KORBMACHER C. *see LETZ B., SCHOMERUS C., MARONDE E., KORF H.-W. & KORBMACHER C.* **499**, 329, 1997

KORDON C. *see KWIECIEN R., TSEEB V., KURCHIKOV A., KORDON C. & HAMMOND C.* **499**, 613, 1997

KORF H.-W. *see LETZ B., SCHOMERUS C., MARONDE E., KORF H.-W. & KORBMACHER C.* **499**, 329, 1997

KORN H. *see VERHEUGEN J. A. H. & KORN H.* **503**, 317, 1997

KOSKELAINEN A. *see SAARIKOSKI J., RUUSUVUORI E., KOSKELAINEN A. & DONNER K.* **498**, 61, 1997

KOSTYUK P. G. *see TARASENKO A. N., KOSTYUK P. G., EREMIN A. V. & ISAEV D. S.* **499**, 77, 1997

KOTT K. S. *see JOAD J. P., KOTT K. S. & BONHAM A. C.* **503**, 635, 1997

KOVÁCS L. *see SZENTESI P., JACQUEMOND V., KOVÁCS L. & CSERNOCH L.* **505**, 371, 1997

KOZASA T. *see TAKANO K., YASUFUKU-TAKANO J., KOZASA T., NAKAJIMA S. & NAKAJIMA Y.* **502**, 559, 1997

KRAL T. *see BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E.* **498**, 73, 1997

KRANIAS E. G. *see SANTANA L. F., KRANIAS E. G. & LEDERER W. J.* **503**, 21, 1997

KRESS M. *see ZEILHOFER H. U., KRESS M. & SWANDULLA D.* **503**, 67, 1997

KRETZ A. *see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M.* **505**, 411, 1997

KRISTIPATI R. *see WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R.* **502**, 351, 1997

KRONAUER R. E. *see STROMEYER III C. F., CHAPARRO A., TOLIAS A. S. & KRONAUER R. E.* **499**, 227, 1997

KUBO M.

KUBO M., QUAYLE J. M. & STANDEN N. B. Angiotensin II inhibition of ATP-sensitive K^+ currents in rat arterial smooth muscle cells through protein kinase C **503**, 489, 1997

KUEBLER W. M.

KUEBLER W. M., KUHNLE G. E. H., GROH J. & GOETZ A. E. Contribution of selectins to leucocyte sequestration in pulmonary microvessels by intravital microscopy in rabbits **501**, 375, 1997

KUHN M.

KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G. Endothelin-1 potently stimulates chloride secretion and inhibits Na^+–glucose absorption in human intestine *in vitro* **499**, 391, 1997

KUHNLE G. E. H. *see KUEBLER W. M., KUHNLE G. E. H., GROH J. & GOETZ A. E.* **501**, 375, 1997

KUKITA F.

KUKITA F. Solvent-dependent rate-limiting steps in the conformational change of sodium channel gating in squid giant axon **498**, 109, 1997

KUKITA F. Erratum: *Journal of Physiology* **498**, 109–133 (1997) **499**, 849, 1997

KUMAR P.

see HATTON C. J., CARPENTER E., PEPPER D. R., KUMAR P. & PEERS C. **501**, 49, 1997

see CALDER N. A., KUMAR P. & HANSON M. A. **503**, 187, 1997

KUMAR P. A more cultured approach to peripheral chemotransduction **503**, 470, 1997

KURACHI Y. *see YAMADA M., ISOMOTO S., MATSUMOTO S., KONDO C., SHINDO T., HORIO Y. & KURACHI Y.* **499**, 715, 1997

KURCHIKOV A. *see KWIECIEN R., TSEEB V., KURCHIKOV A., KORDON C. & HAMMOND C.* **499**, 613, 1997

KURYSHEV Y. A.

KURYSHEV Y. A., HAAK L., CHILDS G. V. & RITCHIE A. K. Corticotropin releasing hormone inhibits an inwardly rectifying potassium current in rat corticotropes **502**, 265, 1997

KUSAKA S.

KUSAKA S. & PURO D. G. Intracellular ATP activates inwardly rectifying K^+ channels in human and monkey retinal Müller (glial) cells **500**, 593, 1997

KWIECIEN R.

KWIECIEN R., TSEEB V., KURCHIKOV A., KORDON C. & HAMMOND C. Growth hormone-releasing hormone triggers pacemaker activity and persistent Ca^{2+} oscillations in rat somatotrophs **499**, 613, 1997

KWONG K. *see HONG J.-L., KWONG K. & LEE L.-Y.* **500**, 319, 1997

LACROIX J. S. *see REVINGTON M., LACROIX J. S. & POTTER E. K.* **505**, 823, 1997

LAFITTE C. *see AYMARD C., DECCHI B., KATZ R., LAFITTE C., PÉNICAUD A., RAOUL S. & ROSSI A.* **499**, 267, 1997

LAGERCRANTZ H. *see SOULIER V., DALMAZ Y., COTTET-EMARD J. M., LAGERCRANTZ H. & PEQUIGNOT J. M.* **498**, 523, 1997

LAGNADO L. *see BURRONE J. & LAGNADO L.* **505**, 571, 1997

LAIRD D. W. *see PETRECCA K., AMELLAL F., LAIRD D. W., COHEN S. A. & SHRIER A.* **501**, 263, 1997

LAKATTA E. G. *see XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H.* **500**, 343, 1997

see SONG L.-S., STERN M. D., LAKATTA E. G. & CHENG H. **505**, 665, 1997

LALLEY P. M. *see BALLANYI K., LALLEY P. M., HOCH B. & RICHTER D. W.* **504**, 127, 1997

LAMB G. D. *see OWEN V. J., LAMB G. D., STEPHENSON D. G. & FRYER M. W.* **498**, 571, 1997

LAMB T. D. *see LEIBROCK C. S. & LAMB T. D.* **501**, 97, 1997

LANGER M. *see IRINTCHEV A., LANGER M., ZWEYER M., THEISEN R. & WERNIG A.* **500**, 775, 1997

LANGHEINRICH U.

LANGHEINRICH U. & DAUT J. Hyperpolarization of isolated capillaries from guinea-pig heart induced by K^+ channel openers and glucose deprivation **502**, 397, 1997

LANGTON P. D. *see MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MACKENZIE A. & SMITH G. L.* **498**, 371, 1997

LÄNNERGREN J. *see ALLEN D. G., LÄNNERGREN J. & WESTERBLAD H.* **498**, 587, 1997

see WESTERBLAD H., BRUTON J. D. & LÄNNERGREN J. **500**, 193, 1997

LANNI A. *see MORENO M., LANNI A., LOMBARDI A. & GOGLIA F.* **505**, 529, 1997

LAPA R. C. R. S. *see LINDSEY C. J., BUCK H. S., FIOR-CHADI D. R. & LAPA R. C. R. S.* **502**, 119, 1997

LARA B. *see MICHELENA P., DE LA FUENTE M.-T., VEGA T., LARA B., LÓPEZ M. G., GANDÍA L. & GARCÍA A. G.* **502**, 481, 1997

LARGE W. A. *see HELLIWELL R. M. & LARGE W. A.* **499**, 417, 1997

see GREENWOOD I. A., HELLIWELL R. M. & LARGE W. A. **505**, 53, 1997

LARKMAN A. U. *see STRATFORD K. J., JACK J. J. B. & LARKMAN A. U.* **505**, 425, 1997

LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. Assessment of the reliability of amplitude histograms from excitatory synapses in rat hippocampal CA1 *in vitro* **505**, 443, 1997

LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. Quantal analysis of excitatory synapses in rat hippocampal CA1 *in vitro* during low-frequency depression **505**, 457, 1997

LARSEN E. H. *see THOMSEN L., PEARSON G. T., LARSEN E. H. & SKADHAUGE E.* **498**, 773, 1997

LARSEN J. J.

LARSEN J. J., HANSEN J. M., OLSEN N. V., GALBO H. & DELA F. The effect of altitude hypoxia on glucose homeostasis in men **504**, 241, 1997

LARSEN P. J. *see LUCKMAN S. M. & LARSEN P. J.* **501**, 649, 1997

LARSEN T. S. *see FISET C., CLARK R. B., LARSEN T. S. & GILES W. R.* **504**, 557, 1997

LAUNIKONIS B. S.

LAUNIKONIS B. S. & STEPHENSON D. G. Effect of saponin treatment on the sarcoplasmic reticulum of rat, cane toad and crustacean (yabby) skeletal muscle **504**, 425, 1997

LAWLER L. A. *see HALLIWILL J. R., LAWLER L. A., EICKHOFF T. J., DIETZ N. M., NAUSS L. A. & JOYNER M. J.* **504**, 211, 1997

LAWSON S. N.

LAWSON S. N., CREPPS B. A. & PERL E. R. Relationship of substance P to afferent characteristics of dorsal root ganglion neurones in guinea-pig **505**, 177, 1997

LEANEY J. L.

LEANEY J. L., MARSH S. J. & BROWN D. A. A swelling-activated chloride current in rat sympathetic neurones **501**, 555, 1997

LEDERER W. J. *see DUBELL W. H., WRIGHT P. A., LEDERER W. J. & ROGERS T. B.* **501**, 509, 1997

see SANTANA L. F., KRANIAS E. G. & LEDERER W. J. **503**, 21, 1997

LEE A. K.

LEE A. K. & TSE A. Mechanism underlying corticotropin-releasing hormone (CRH) triggered cytosolic Ca^{2+} rise in identified rat corticotrophs **504**, 367, 1997

LEE H.-C. *see LI Z., LEE H.-C., BIELEFELDT K., CHAPLEAU M. W. & ABBOUD F. M.* **501**, 275, 1997

LEE K.

LEE K. & BODEN P. R. Characterization of the inward current induced by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **504**, 649, 1997

LEE L.-Y. *see HONG J.-L., KWONG K. & LEE L.-Y.* **500**, 319, 1997

LE FEUVRE Y.

LE FEUVRE Y., FRICKER D. & LERESCHE N. $GABA_A$ receptor-mediated IPSCs in rat thalamic sensory nuclei: patterns of discharge and tonic modulation by $GABA_B$ autoreceptors **502**, 91, 1997

LE FOLL F.

LE FOLL F., CASTEL H., LOUISET E., VAUDRY H. & CAZIN L. Multiple modulatory effects of the neuroactive steroid pregnanolone on $GABA_A$ receptor in frog pituitary melanotrophs **504**, 387, 1997

LEHMANN-HORN F. *see CHEN M.-F., NIGGEWEG R., IAIZZO P. A., LEHMANN-HORN F. & JOCKUSCH H.* **504**, 75, 1997

see LERCHE H., PETER W., FLEISCHHAUER R., PIKA-HARTLAUB U., MALINA T., MITROVIC N. & LEHMANN-HORN F. **505**, 345, 1997

LEIBROCK C. S.

LEIBROCK C. S. & LAMB T. D. Effect of hydroxylamine on photon-like events during dark adaptation in toad rod photoreceptors **501**, 97, 1997

LEINEKUGEL X. *see KHAZIPOV R., LEINEKUGEL X., KHALILOV I., GAIARSA J.-L. & BEN-ARI Y.* **498**, 763, 1997

LEMON R. N. *see BAKER S. N., OLIVIER E. & LEMON R. N.* **501**, 225, 1997

LEMOS J. R. *see WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R.* **502**, 351, 1997

LENFANT J. *see BOIS P., RENAUDON B., BARUSCOTTI M., LENFANT J. & DIFRANCESCO D.* **501**, 565, 1997

LENG G. *see LUDWIG M., BROWN C. H., RUSSELL J. A. & LENG G.* **505**, 145, 1997

LERCHE H.

LERCHE H., PETER W., FLEISCHHAUER R., PIKA-HARTLAUB U., MALINA T., MITROVIC N. & LEHMANN-HORN F. Role in fast inactivation of the IV/S4–S5 loop of the human muscle Na^+ channel probed by cysteine mutagenesis **505**, 345, 1997

LERESCHE N. *see LE FEUVRE Y., FRICKER D. & LERESCHE N.* **502**, 91, 1997

LESTER H. A. *see LUCHIAN T., DASCAL N., DESSAUER C., PLATZER D., DAVIDSON N., LESTER H. A. & SCHREIBMAYER W.* **505**, 13, 1997

LETZ B.

LETZ B., SCHOMERUS C., MARONDE E., KORF H.-W. & KORBMACHER C. Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca^{2+} channels in rat pinealocytes **499**, 329, 1997

LEVICK J. R. *see COLEMAN P. J., SCOTT D., RAY J., MASON R. M. & LEVICK J. R.* **503**, 645, 1997

LEVILLAIN O.

LEVILLAIN O., MARESCAU B. & DE DEYN P. P. Renal handling of guanidino compounds in rat and rabbit **499**, 561, 1997

LEVINE J. D. *see MIAO F. J.-P., JÄNIG W. & LEVINE J. D.* **498**, 473, 1997

LEW V. L. *see RAFTOS J. E., BOOKCHIN R. M. & LEW V. L.* **499**, 17, 1997

see TIFFERT T. & LEW V. L. **500**, 139, 1997

see TIFFERT T. & LEW V. L. **505**, 403, 1997

LEWEN A. *see ROHRBACHER J., JAROLIMEK W., LEWEN A. & MISGELD U.* **500**, 739, 1997

LEWIS T. M. *see SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M. A., SCHOEPFER R. & COLQUHOUN D.* **500**, 123, 1997

LEWIS T. M., HARKNESS P. C., SIVILOTTI L. G., COLQUHOUN D. & MILLAR N. S. The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type **505**, 299, 1997

LI C.

LI C., PEOPLES R. W. & WEIGHT F. F. Inhibition of ATP-activated current by zinc in dorsal root ganglion neurones of bullfrog **505**, 641, 1997

LI L.

LI L., SATOH H., GINSBURG K. S. & BERS D. M. The effect of Ca^{2+}–calmodulin-dependent protein kinase II on cardiac excitation–contraction coupling in ferret ventricular myocytes **501**, 17, 1997

LI Z.

LI Z. & HATTON G. I. Ca^{2+} release from internal stores: role in generating depolarizing after-potentials in rat supraoptic neurones **498**, 339, 1997

LI Z., LEE H.-C., BIELEFELDT K., CHAPLEAU M. W. & ABBOUD F. M. The prostacyclin analogue carbacyclin inhibits Ca^{2+}-activated K^+ current in aortic baroreceptor neurones of rats **501**, 275, 1997

LI Z. & HATTON G. I. Reduced outward K^+ conductances generate depolarizing after-potentials in rat supraoptic nucleus neurones **505**, 95, 1997

LI Z. S. *see KNOTT G. W., DZIEGIELEWSKA K. M., HABGOOD M. D., LI Z. S. & SAUNDERS N. R.* **499**, 179, 1997

LI Z.-W.

see HU H.-Z. & LI Z.-W. **501**, 67, 1997

LINARI M. *see PIAZZESI G., LINARI M., RECONDITI M., VANZI F. & LOMBARDI V.* **498**, 3, 1997

LINDLEY K. J. *see ROLFE V. E., BRAND M. P., HEALES S. J. R., LINDLEY K. J. & MILLA P. J.* **503**, 347, 1997

LINDSEY C. J.

LINDSEY C. J., BUCK H. S., FIOR-CHADI D. R. & LAPA R. C. R. S. Pressor effect mediated by bradykinin in the paratrigeminal nucleus of the rat **502**, 119, 1997

LING L.

LING L., OLSON E. B. JR, VIDRUK E. H. & MITCHELL G. S. Integrated phrenic responses to carotid afferent stimulation in adult rats following perinatal hyperoxia **500**, 787, 1997

LINIAL M.

LINIAL M., ILOUZ N. & PARNAS H. Voltage-dependent interaction between the muscarinic ACh receptor and proteins of the exocytic machinery **504**, 251, 1997

LINTON N. W. F. *see BAND D. M., LINTON R. A. F., O'BRIEN T. K., JONAS M. M. & LINTON N. W. F.* **498**, 225, 1997

LINTON R. A. F. *see BAND D. M., LINTON R. A. F., O'BRIEN T. K., JONAS M. M. & LINTON N. W. F.* **498**, 225, 1997

LIOU J.

LIOU J.-C., YANG R.-S. & FU W.-M. Regulation of quantal secretion by neurotrophic factors at developing motoneurons in *Xenopus* cell cultures **503**, 129, 1997

LIPP P. *see BOOTMAN M., NIGGLI E., BERRIDGE M. & LIPP P.* **499**, 307, 1997

LIPP P. & BOOTMAN M. D. To quark or to spark, that is the question **502**, 1, 1997

LIPTON S. A. *see CHEN H.-S. V. & LIPTON S. A.* **499**, 27, 1997

LIU K.-P. *see MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H.* **502**, 31, 1997

LIU S. *see WANG S., LIU S., MORALES M. J., STRAUSS H. C. & RASMUSSON R. L.* **502**, 45, 1997

LIU Z. *see JIANG Z., YANG Y., LIU Z. & ALLEN C. N.* **499**, 141, 1997

LLANO I.

LLANO I., TAN Y. P. & CAPUTO C. Spatial heterogeneity of intracellular Ca^{2+} signals in axons of basket cells from rat cerebellar slices **502**, 509, 1997

LÖFGREN M. *see YASUI M., SERLACHIUS E., LÖFGREN M., BELUSA R., NIELSEN S. & APERIA A.* **505**, 3, 1997

LÖHN M. *see MARKWARDT F., LÖHN M., BÖHM T. & KLAPPERSTÜCK M.* **498**, 143, 1997

LOMBARDI A. *see* MORENO M., LANNI A., LOMBARDI A. & GOGLIA F. **505**, 529, 1997

LOMBARDI V. *see* PIAZZESI G., LINARI M., RECONDITI M., VANZI F. & LOMBARDI V. **498**, 3, 1997

LÓPEZ M. G. *see* MICHELENA P., DE LA FUENTE M.-T., VEGA T., LARA B., LÓPEZ M. G., GANDÍA L. & GARCÍA A. G. **502**, 481, 1997

LÓPEZ-BARNEO J.
see MOLINA A., CASTELLANO A. G. & LÓPEZ-BARNEO J. **499**, 361, 1997
LÓPEZ-BARNEO J. Recombinant Ca^{2+} channels get O_2 sensitive **500**, 549, 1997

LÓPEZ-LÓPEZ J. R.
LÓPEZ-LÓPEZ J. R., GONZÁLEZ C. & PÉREZ-GARCÍA M. T. Properties of ionic currents from isolated adult rat carotid body chemoreceptor cells: effect of hypoxia **499**, 429, 1997

LOUISET E. *see* LE FOLL F., CASTEL H., LOUISET E., VAUDRY H. & CAZIN L. **504**, 387, 1997

LOWRY J. P.
LOWRY J. P. & FILLENZ M. Evidence for uncoupling of oxygen and glucose utilization during neuronal activation in rat striatum **498**, 497, 1997

LU C.
LU C. & MCMAHON D. G. Modulation of hybrid bass retinal gap junctional channel gating by nitric oxide **499**, 689, 1997

LÜBKE J. *see* MARKRAM H., LÜBKE J., FROTSCHER M., ROTH A. & SAKMANN B. **500**, 409, 1997

LUCHIAN T.
LUCHIAN T., DASCAL N., DESSAUER C., PLATZER D., DAVIDSON N., LESTER H. A. & SCHREIBMAYER W. A C-terminal peptide of the GIRK1 subunit directly blocks the G protein-activated K^+ channel (GIRK) expressed in *Xenopus* oocytes **505**, 13, 1997

LUCKAS M. J. M. *see* GREEVES J. P., CABLE N. T., LUCKAS M. J. M., REILLY T. & BILJAN M. M. **500**, 265, 1997

LUCKMAN S. M.
LUCKMAN S. M. & LARSEN P. J. Evidence for the involvement of histaminergic neurones in the regulation of the rat oxytocinergic system during pregnancy and parturition **501**, 649, 1997

LUDEWIG U.
LUDEWIG U., JENTSCH T. J. & PUSCH M. Analysis of a protein region involved in permeation and gating of the voltage-gated *Torpedo* chloride channel ClC-0 **498**, 691, 1997

LUDOWYKE R. I. *see* ROSSMANITH G. H., HOH J. F. Y., TURNBULL L. & LUDOWYKE R. I. **505**, 217, 1997

LUDWIG J. *see* TERLAU H., HEINEMANN S. H., STÜHMER W., PONGS O. & LUDWIG J. **502**, 537, 1997

LUDWIG M.
LUDWIG M., BROWN C. H., RUSSELL J. A. & LENG G. Local opioid inhibition and morphine dependence of supraoptic nucleus oxytocin neurones in the rat *in vivo* **505**, 145, 1997

LUKYANENKO V. *see* GYÖRKE S., LUKYANENKO V. & GYÖRKE I. **500**, 297, 1997

LUX H. D. *see* CARBONE E., LUX H. D., CARABELLI V., AICARDI G. & ZUCKER H. **504**, 1, 1997

LYNN B. *see* GEE M. D., LYNN B. & COTSELL B. **503**, 31, 1997
LYNN B. Substance P and nociceptive afferent neurones **505**, 1, 1997

LYON I. N. *see* DAY B. L., CAUQUIL A. S., BARTOLOMEI L., PASTOR M. A. & LYON I. N. **500**, 661, 1997

MCCARRON J. G.
MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MACKENZIE A. & SMITH G. L. Myogenic contraction by modulation of voltage-dependent calcium currents in isolated rat cerebral arteries **498**, 371, 1997
see KAMISHIMA T. & MCCARRON J. G. **501**, 497, 1997

MCCARTHY S. T. *see* VU T. Q., MCCARTHY S. T. & OWEN W. G. **505**, 193, 1997

MCCOLL R. *see* WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. **503**, 277, 1997
see WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

MCCONNELL C. J.
MCCONNELL C. J., DEMONT M. E. & WRIGHT G. M. Microfibrils provide non-linear elastic behaviour in the abdominal artery of the lobster *Homarus americanus* **499**, 513, 1997

MCDEARMID J. R.
MCDEARMID J. R., SCRYMGEOUR-WEDDERBURN J. F. & SILLAR K. T. Aminergic modulation of glycine release in a spinal network controlling swimming in *Xenopus laevis* **503**, 111, 1997

MCDONALD B. J. *see* WOOLTORTON J. R. A., MCDONALD B. J., MOSS S. J. & SMART T. G. **505**, 633, 1997

MACDONALD J. F.
MACDONALD J. F. Phosphorylation targets the functional gating of a glutamate channel **503**, 469, 1997

MCDONALD K. S.
MCDONALD K. S., WOLFF M. R. & MOSS R. L. Sarcomere length dependence of the rate of tension redevelopment and submaximal tension in rat and rabbit skinned skeletal muscle fibres **501**, 607, 1997

MACDONALD R. L. *see* FISHER J. L. & MACDONALD R. L. **505**, 283, 1997

MCDONALD T. F. *see* OGURA T., YOU Y. & MCDONALD T. F. **504**, 135, 1997
see SHUBA L. M. & MCDONALD T. F. **505**, 23, 1997

MACDOUGALL J. D. *see* MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., MACDOUGALL J. D. & JONES N. L. **501**, 687, 1997
see MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., OBMINSKI G., MACDOUGALL J. D. & JONES N. L. **501**, 703, 1997

MCDOUGALL J. J.
MCDOUGALL J. J., FERRELL W. R. & BRAY R. C. Spatial variation in sympathetic influences on the vasculature of the synovium and medial collateral ligament of the rabbit knee joint **503**, 435, 1997

MCGEHEE D. S.
MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H. Mechanism of extracellular Ca^{2+} receptor-stimulated hormone release from sheep thyroid parafollicular cells **502**, 31, 1997

MCHALE N. G. *see* COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **503**, 1, 1997
see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **503**, 13, 1997
see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **505**, 121, 1997

MCHUGH D.
MCHUGH D. & BEECH D. J. Protein kinase C requirement of Ca^{2+} channel stimulation by intracellular ATP in guinea-pig basilar artery smooth muscle cells **500**, 311, 1997

MCKELVIE R. S. *see* MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., MACDOUGALL J. D. & JONES N. L. **501**, 687, 1997
see MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., OBMINSKI G., MACDOUGALL J. D. & JONES N. L. **501**, 703, 1997

MCKENNA F. *see* HARVEY J., MCKENNA F., HERSON P. S., SPANSWICK D. & ASHFORD M. L. J. **504**, 527, 1997

MCKENNA M. J.
MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., MACDOUGALL J. D. & JONES N. L. Sprint training enhances ionic regulation during intense exercise in men **501**, 687, 1997
MCKENNA M. J., HEIGENHAUSER G. J. F., MCKELVIE R. S., OBMINSKI G., MACDOUGALL J. D. & JONES N. L. Enhanced pulmonary and active skeletal muscle gas exchange during intense exercise after sprint training in men **501**, 703, 1997

MACKENZIE A. *see* MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MACKENZIE A. & SMITH G. L. **498**, 371, 1997

MCKENZIE D. K. *see* HODGES P. W., BUTLER J. E., MCKENZIE D. K. & GANDEVIA S. C. **505**, 539, 1997

MACKIE P. D. *see* MURRAY G. M., TAUB D. R., MACKIE P. D., ZHANG H. Q., GHOSH S. & ROWE M. J. **505**, 759, 1997

MCKINNON D. *see* SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R. **500**, 65, 1997

MCLACHLAN E. M.
MCLACHLAN E. M., DAVIES P. J., HÄBLER H.-J. & JAMIESON J. On-going and reflex synaptic events in rat superior cervical ganglion cells **501**, 165, 1997

MCLAREN G. J. *see* WARD S. M., HARNEY S. C., BAYGUINOV J. R., MCLAREN G. J. & SANDERS K. M. **505**, 241, 1997

MACLEAN D. A. *see* CALBET J. A. L. & MACLEAN D. A. **498**, 553, 1997
see BRUUNSGAARD H., GALBO H., HALKJAER-KRISTENSEN J., JOHANSEN T. L., MACLEAN D. A. & PEDERSEN B. K. **499**, 833, 1997
see GIBALA M. J., MACLEAN D. A., GRAHAM T. E. & SALTIN B. **502**, 703, 1997

MACLEOD K. T. *see* TERRACCIANO C. M. N. & MACLEOD K. T. **500**, 557, 1997
see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **502**, 307, 1997
see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

MacLeod N. *see Johnston A. R., Black C., Fraser J. & MacLeod N.* **500**, 1, 1997

McMahon D. G. *see Lu C. & McMahon D. G.* **499**, 689, 1997

McMorn S. O. *see Janvier N. C., McMorn S. O., Harrison S. M., Taggart P. & Boyett M. R.* **504**, 301, 1997

McNaughton P. *see Fuentes E., Nadal A., Jacob R. & McNaughton P.* **504**, 315, 1997

McNeil D. K. *see Sivilotti L. G., McNeil D. K., Lewis T. M., Nassar M. A., Schoepfer R. & Colquhoun D.* **500**, 123, 1997

Macpherson P. C. D.
Macpherson P. C. D., Dennis R. G. & Faulkner J. A. Sarcomere dynamics and contraction-induced injury to maximally activated single muscle fibres from soleus muscles of rats **500**, 523, 1997

Macro J. A.
Macro J. A., Bate G. W., Varro A., Vaillant C., Seidah N. G., Dimaline R. & Dockray G. J. Regulation by gastric acid of the processing of progastrin-derived peptides in rat antral mucosa **502**, 409, 1997

McTigue D. M.
McTigue D. M., Hermann G. E. & Rogers R. C. Effect of pancreatic polypeptide on rat dorsal vagal complex neurons **499**, 475, 1997

MacVicar B. A.
MacVicar B. A. Disinhibition and brain rhythms **500**, 283, 1997

MacVinish L. J.
MacVinish L. J., Gill D. R., Hyde S. C., Mofford K. A., Evans M. J., Higgins C. F., Colledge W. H., Huang L., Sorgi F., Ratcliff R. & Cuthbert A. W. Chloride secretion in the trachea of null cystic fibrosis mice: the effects of transfection with pTrial10–CFTR2 **499**, 677, 1997

Madge L.
Madge L., Marshall I. C. B. & Taylor C. W. Delayed autoregulation of the Ca^{2+} signals resulting from capacitative Ca^{2+} entry in bovine pulmonary artery endothelial cells **498**, 351, 1997

Magazanik L. G.
Magazanik L. G., Buldakova S. L., Samoilova M. V., Gmiro V. E., Mellor I. R. & Usherwood P. N. R. Block of open channels of recombinant AMPA receptors and native AMPA/kainate receptors by adamantane derivatives **505**, 655, 1997

Magleby K. L. *see Silberberg S. D. & Magleby K. L.* **505**, 551, 1997

Mahaut-Smith M. P. *see Somasundaram B., Mason M. J. & Mahaut-Smith M. P.* **501**, 485, 1997

Malagelada J.-R. *see Villanova N., Azpiroz F. & Malagelada J.-R.* **502**, 215, 1997

Malbert C.-H. *see Sun W. M., Hebbard G. S., Malbert C.-H., Jones K. L., Doran S., Horowitz M. & Dent J.* **503**, 455, 1997

Malcolm G. *see Cohen G., Malcolm G. & Henderson-Smart D.* **503**, 203, 1997

Máleková L. *see Rekalov V., Juránek I., Máleková L. & Bauer V.* **505**, 107, 1997

Malina T. *see Lerche H., Peter W., Fleischhauer R., Pika-Hartlaub U., Malina T., Mitrovic N. & Lehmann-Horn F.* **505**, 345, 1997

Mann G. E. *see Contreras R., Fuentes O., Mann G. E. & Sobrevia L.* **498**, 787, 1997
see Sobrevia L., Yudilevich D. L. & Mann G. E. **499**, 135, 1997

Månsson A. *see Edman K. A. P., Månsson A. & Caputo C.* **503**, 141, 1997
see Edman K. A. P., Månsson A. & Caputo C. Erratum: *Journal of Physiology* **503**, 141–156 (1997) **504**, 763, 1997

Marchenko S. M.
Marchenko S. M. & Sage S. O. A novel mechanosensitive cationic channel from the endothelium of rat aorta **498**, 419, 1997

Marescau B. *see Levillain O., Marescau B. & De Deyn P. P.* **499**, 561, 1997

Markram H.
Markram H., Lübke J., Frotscher M., Roth A. & Sakmann B. Physiology and anatomy of synaptic connections between thick tufted pyramidal neurones in the developing rat neocortex **500**, 409, 1997

Markwardt F.
Markwardt F., Löhn M., Böhm T. & Klapperstück M. Purinoceptor-operated cationic channels in human B lymphocytes **498**, 143, 1997
see Weidelt T., Boldt W. & Markwardt F. **500**, 617, 1997

Maronde E. *see Letz B., Schomerus C., Maronde E., Korf H.-W. & Korbmacher C.* **499**, 329, 1997

Marsh S. J. *see Leaney J. L., Marsh S. J. & Brown D. A.* **501**, 555, 1997

Marshall I. C. B. *see Madge L., Marshall I. C. B. & Taylor C. W.* **498**, 351, 1997

Marshall J. M. *see Neylon M., Marshall J. M. & Johns E. J.* **501**, 243, 1997
see Thomas T. & Marshall J. M. **501**, 439, 1997

Martin S. *see Kuhn M., Fuchs M., Beck F.-X., Martin S., Jähne J., Klempnauer J., Kaever V., Rechkemmer G. & Forssmann W.-G.* **499**, 391, 1997

Martina M.
Martina M. & Jonas P. Functional differences in Na^+ channel gating between fast-spiking interneurones and principal neurones of rat hippocampus **505**, 593, 1997

Martínez-Conde S. *see Cudeiro J., Rivadulla C., Rodríguez R., Grieve K. L., Martínez-Conde S. & Acuña C.* **504**, 467, 1997

Marty A. *see Kondo S. & Marty A.* **498**, 165, 1997

Mason M. J. *see Somasundaram B., Mason M. J. & Mahaut-Smith M. P.* **501**, 485, 1997

Mason R. M. *see Coleman P. J., Scott D., Ray J., Mason R. M. & Levick J. R.* **503**, 645, 1997

Mathews D. *see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H.* **503**, 277, 1997
see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

Mathias C. J. *see Puvi-Rajasingham S., Smith G. D. P., Akinola A. & Mathias C. J.* **505**, 841, 1997

Mathias R. T. *see Gao J., Mathias R. T., Cohen I. S. & Baldo G. J.* **501**, 527, 1997

Matsuda H. *see Omori K., Oishi K. & Matsuda H.* **499**, 369, 1997

Matsukawa K.
Matsukawa K., Shindo T., Shirai M. & Ninomiya I. Direct observations of sympathetic cholinergic vasodilatation of skeletal muscle small arteries in the cat **500**, 213, 1997

Matsumoto S. *see Yamada M., Isomoto S., Matsumoto S., Kondo C., Shindo T., Horio Y. & Kurachi Y.* **499**, 715, 1997

Matsuo R.
Matsuo R., Yamauchi Y. & Morimoto T. Role of submandibular and sublingual saliva in maintenance of taste sensitivity recorded in the chorda tympani of rats **498**, 797, 1997

Matsuura H.
Matsuura H. & Ehara T. Selective enhancement of the slow component of delayed rectifier K^+ current in guinea-pig atrial cells by external ATP **503**, 45, 1997
see Sakaguchi M., Matsuura H. & Ehara T. **505**, 41, 1997

Matteson D. R.
Matteson D. R. & Blaustein M. P. Scorpion toxin block of the early K^+ current (I_{Kf}) in rat dorsal root ganglion neurones **503**, 285, 1997

Matthews P. B. C.
Matthews P. B. C. Spindle and motoneuronal contributions to the phase advance of the human stretch reflex and the reduction of tremor **498**, 249, 1997

Mawe G. M. *see Hardwick J. C., Mawe G. M. & Parsons R. L.* **504**, 65, 1997

Mayer M. L. *see Bähring R., Bowie D., Benveniste M. & Mayer M. L.* **502**, 575, 1997

Meedeniya A. C. B. *see Brookes S. J. H., Meedeniya A. C. B., Jobling P. & Costa M.* **505**, 473, 1997

Meera P. *see Tanaka Y., Meera P., Song M., Knaus H. & Toro L.* **502**, 545, 1997

Mellor I. R. *see Magazanik L. G., Buldakova S. L., Samoilova M. V., Gmiro V. E., Mellor I. R. & Usherwood P. N. R.* **505**, 655, 1997

Mellor J. R.
Mellor J. R. & Randall A. D. Frequency-dependent actions of benzodiazepines on $GABA_A$ receptors in cultured murine cerebellar granule cells **503**, 353, 1997

Menaker M. *see Refinetti R. & Menaker M.* **501**, 449, 1997

Menice C. B. *see Taggart M. J., Menice C. B., Morgan K. G. & Wray S.* **499**, 485, 1997

Miao F. J.-P.
Miao F. J.-P., Jänig W. & Levine J. D. Vagal branches involved in inhibition of bradykinin-induced synovial plasma extravasation by intrathecal nicotine and noxious stimulation in the rat **498**, 473, 1997

Michel C. C.
Michel C. C. & Kendall S. Differing effects of histamine and serotonin on microvascular permeability in anaesthetized rats **501**, 657, 1997

Michelena P.
Michelena P., de la Fuente M.-T., Vega T., Lara B., López M. G., Gandía L. & García A. G. Drastic facilitation by α-latrotoxin of bovine chromaffin cell exocytosis without measurable enhancement of Ca^{2+} entry or $[Ca^{2+}]_i$ **502**, 481, 1997

Micheletti M. *see Zaza A., Micheletti M., Brioschi A. & Rocchetti M.* **505**, 677, 1997

Michelson H. B. *see Forti M. & Michelson H. B.* **504**, 641, 1997

Mikala G. *see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C.* **500**, 551, 1997

Miles R. *see Tóth K., Freund T. F. & Miles R.* **500**, 463, 1997

Miles T. S. *see Garland S. J. & Miles T. S.* **502**, 693, 1997

Miley H. E.
Miley H. E., Sheader E. A., Brown P. D. & Best L. Glucose-induced swelling in rat pancreatic β-cells **504**, 191, 1997

Milla P. J. *see Rolfe V. E., Brand M. P., Heales S. J. R., Lindley K. J. & Milla P. J.* **503**, 347, 1997

Millar N. S. *see Lewis T. M., Harkness P. C., Sivilotti L. G., Colquhoun D. & Millar N. S.* **505**, 299, 1997

Miller S. S. *see Jiang C., Finkbeiner W. E., Widdicombe J. H. & Miller S. S.* **501**, 637, 1997

Millhorn D. E. *see Conforti L. & Millhorn D. E.* **502**, 293, 1997

Mills E. *see Mojet M. H., Mills E. & Duchen M. R.* **504**, 175, 1997

Minetti A. E. *see Ferretti G., Antonutto G., Denis C., Hoppeler H., Minetti A. E., Narici M. V. & Desplanches D.* **501**, 677, 1997

Miras-Portugal M. T. *see Pintor J., Puche J. A., Gualix J., Hoyle C. H. V. & Miras-Portugal M. T.* **504**, 327, 1997

Misgeld U. *see Rohrbacher J., Jarolimek W., Lewen A. & Misgeld U.* **500**, 739, 1997

Mishina M. *see Ito I., Futai K., Katagiri H., Watanabe M., Sakimura K., Mishina M. & Sugiyama H.* **500**, 401, 1997

Mistry D. K.
Mistry D. K., Tripathi O. & Chapman R. A. Kinetic properties of unitary Na^+-dependent K^+ channels in inside-out patches from isolated guinea-pig ventricular myocytes **500**, 39, 1997

Mitchell G. S. *see Turner D. L. & Mitchell G. S.* **499**, 543, 1997
see Ling L., Olson E. B. Jr, Vidruk E. H. & Mitchell G. S. **500**, 787, 1997

Mitchell J. H. *see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H.* **503**, 277, 1997
see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

Mitrovic N. *see Lerche H., Peter W., Fleischhauer R., Pika-Hartlaub U., Malina T., Mitrovic N. & Lehmann-Horn F.* **505**, 345, 1997

Miura M. *see Stuyvers B. D. M. Y., Miura M. & ter Keurs H. E. D. J.* **502**, 661, 1997

Miura Y.
Miura Y., Henquin J.-C. & Gilon P. Emptying of intracellular Ca^{2+} stores stimulates Ca^{2+} entry in mouse pancreatic β-cells by both direct and indirect mechanisms **503**, 387, 1997

Mofford K. A. *see MacVinish L. J., Gill D. R., Hyde S. C., Mofford K. A., Evans M. J., Higgins C. F., Colledge W. H., Huang L., Sorgi F., Ratcliff R. & Cuthbert A. W.* **499**, 677, 1997

Mogyoros I. *see Kiernan M. C., Mogyoros I., Hales J. P., Gracies J.-M. & Burke D.* **500**, 255, 1997
see Kiernan M. C., Hales J. P., Gracies J.-M., Mogyoros I. & Burke D. **501**, 461, 1997

Moia C. *see Ferretti G., Moia C., Thomet J.-M. & Kayser B.* **498**, 231, 1997

Mojet M. H.
Mojet M. H., Mills E. & Duchen M. R. Hypoxia-induced catecholamine secretion in isolated newborn rat adrenal chromaffin cells is mimicked by inhibition of mitochondrial respiration **504**, 175, 1997

Molina A.
Molina A., Castellano A. G. & López-Barneo J. Pore mutations in *Shaker* K^+ channels distinguish between the sites of tetraethylammonium blockade and C-type inactivation **499**, 361, 1997

Mooney D. *see Senatorov V. V., Mooney D. & Hu B.* **502**, 375, 1997

Moore K. A. *see Cohen A. S., Moore K. A., Bangalore R., Jafri M. S., Weinreich D. & Kao J. P. Y.* **499**, 315, 1997
see Jafri M. S., Moore K. A., Taylor G. E. & Weinreich D. **503**, 533, 1997

Moos F. *see Hussy N., Deleuze C., Pantaloni A., Desarménien M. G. & Moos F.* **502**, 609, 1997
see Brown D. & Moos F. **503**, 625, 1997

Morales M. J. *see Wang S., Liu S., Morales M. J., Strauss H. C. & Rasmusson R. L.* **502**, 45, 1997

Moreno M.
Moreno M., Lanni A., Lombardi A. & Goglia F. How the thyroid controls metabolism in the rat: different roles for triiodothyronine and diiodothyronines **505**, 529, 1997

Morgan D. L.
Morgan D. L., Claflin D. R. & Julian F. J. The relationship between tension and slowly varying intracellular calcium concentration in intact frog skeletal muscle **500**, 177, 1997

Morgan K. G. *see Taggart M. J., Menice C. B., Morgan K. G. & Wray S.* **499**, 485, 1997

Mori M.
Mori M., Hosomi H., Nishizaki T., Kawahara K. & Okada Y. Calcium release from intracellular stores evoked by extracellular ATP in a *Xenopus* renal epithelial cell line **502**, 365, 1997

Morimoto T. *see Matsuo R., Yamauchi Y. & Morimoto T.* **498**, 797, 1997

Morishita W.
Morishita W. & Alger B. E. Sr^{2+} supports depolarization-induced suppression of inhibition and provides new evidence for a presynaptic expression mechanism in rat hippocampal slices **505**, 307, 1997

Morley J. W.
Morley J. W. & Vickery R. M. Spatial and temporal frequency selectivity of cells in area 21a of the cat **501**, 405, 1997

Morton R. A.
Morton R. A. & Davies C. H. Regulation of muscarinic acetylcholine receptor-mediated synaptic responses by adenosine receptors in the rat hippocampus **502**, 75, 1997

Moss R. L.
Moss R. L. Force generation in muscle: time-resolved measurements of ATPase activity using a phosphate-sensitive fluorophore **501**, 1, 1997
see McDonald K. S., Wolff M. R. & Moss R. L. **501**, 607, 1997

Moss S. J. *see Wooltorton J. R. A., McDonald B. J., Moss S. J. & Smart T. G.* **505**, 633, 1997

Moulins M. *see Combes D., Simmers J. & Moulins M.* **499**, 161, 1997

Mubagwa K.
Mubagwa K., Stengl M. & Flameng W. Extracellular divalent cations block a cation non-selective conductance unrelated to calcium channels in rat cardiac muscle **502**, 235, 1997

Mügge A. *see Brandes R. P., Barton M., Philippens K. M. H., Schweitzer G. & Mügge A.* **500**, 331, 1997

Mulle J. G. *see Brody D. L., Patil P. G., Mulle J. G., Snutch T. P. & Yue D. T.* **499**, 637, 1997

Müller K. *see Grune T., Müller K., Zöllner S., Haseloff R., Blasig I. E., David H. & Siems W.* **498**, 511, 1997

Mulvany M. J. *see Fenger-Gron J., Mulvany M. J. & Christensen K. L.* **498**, 215, 1997
see Prieto D., Buus C., Mulvany M. J. & Nilsson H. **502**, 281, 1997

Munsch T. *see Budde T., Biella G., Munsch T. & Pape H.-C.* **503**, 79, 1997

Murphy K. P. S. J.
Murphy K. P. S. J., Reid G. P., Trentham D. R. & Bliss T. V. P. Activation of NMDA receptors is necessary for the induction of associative long-term potentiation in area CA1 of the rat hippocampal slice **504**, 379, 1997

Murphy R. A. *see Wingard C. J., Paul R. J. & Murphy R. A.* **501**, 213, 1997

Murray D. C. *see Keef K. D., Murray D. C., Sanders K. M. & Smith T. K.* **499**, 773, 1997

Murray G. M.
Murray G. M., Taub D. R., Mackie P. D., Zhang H. Q., Ghosh S. & Rowe M. J. The effects of neonatal median nerve injury on the responsiveness of tactile neurones within the cuneate nucleus of the cat **505**, 759, 1997

Murrell-Lagnado R. *see Stevens E. B., Woodward R., Ho I. H. M. & Murrell-Lagnado R.* **503**, 547, 1997

Nadal A. *see Fuentes E., Nadal A., Jacob R. & McNaughton P.* **504**, 315, 1997

Nadasdi L. *see Wang G., Dayanithi G., Kim S., Hom D., Nadasdi L., Kristipati R., Ramachandran J., Stuenkel E. L., Nordmann J. J., Newcomb R. & Lemos J. R.* **502**, 351, 1997

Naderali E. K.

Naderali E. K., Buttell N., Taggart M. J., Bullock A. J., Eisner D. A. & Wray S. The role of the sarcolemmal Ca^{2+}-ATPase in the pH transients associated with contraction in rat smooth muscle **505**, 329, 1997

Nagy F. *see Russo R. E., Nagy F. & Hounsgaard J.* **499**, 459, 1997

Nagy J. A. *see Feng D., Nagy J. A., Hipp J., Pyne K., Dvorak H. F. & Dvorak A. M.* **504**, 747, 1997

Nakajima S. *see Takano K., Yasufuku-Takano J., Kozasa T., Nakajima S. & Nakajima Y.* **502**, 559, 1997

Nakajima T. *see Iwasawa K., Nakajima T., Hazama H., Goto A., Shin W. S., Toyo-oka T. & Omata M.* **503**, 237, 1997

Nakajima Y. *see Takano K., Yasufuku-Takano J., Kozasa T., Nakajima S. & Nakajima Y.* **502**, 559, 1997

Nakamura H.

Nakamura H., Kitagawa H., Kawaguchi Y. & Tsuji H. Intracortical facilitation and inhibition after transcranial magnetic stimulation in conscious humans **498**, 817, 1997

Nakata M. *see Yada T., Sakurada M., Ishihara H., Nakata M., Shioda S., Yaekura K., Hamakawa N., Yanagida K., Kikuchi M. & Oka Y.* **505**, 319, 1997

Nakayama S.

Nakayama S., Chihara S., Clark J. F., Huang S.-M., Horiuchi T. & Tomita T. Consequences of metabolic inhibition in smooth muscle isolated from guinea-pig stomach **505**, 229, 1997

Naqvi R. U. *see Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C.* **502**, 307, 1997

see Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C. **503**, 699, 1997

Nardone A. *see Schieppati M. & Nardone A.* **503**, 691, 1997

Narici M. V. *see Ferretti G., Antonutto G., Denis C., Hoppeler H., Minetti A. E., Narici M. V. & Desplanches D.* **501**, 677, 1997

Nasi E. *see del Pilar Gomez M. & Nasi E.* **500**, 367, 1997

Nassar M. A. *see Sivilotti L. G., McNeil D. K., Lewis T. M., Nassar M. A., Schoepfer R. & Colquhoun D.* **500**, 123, 1997

Nathanielsz P. W. *see Derks J. B., Giussani D. A., Jenkins S. L., Wentworth R. A., Visser G. H. A., Padbury J. F. & Nathanielsz P. W.* **499**, 217, 1997

Nauss L. A. *see Halliwill J. R., Lawler L. A., Eickhoff T. J., Dietz N. M., Nauss L. A. & Joyner M. J.* **504**, 211, 1997

Navarro-Polanco R. A.

Navarro-Polanco R. A. & Sánchez-Chapula J. A. 4-Aminopyridine activates potassium currents by activation of a muscarinic receptor in feline atrial myocytes **498**, 663, 1997

Nedergaard S. *see Delgado-Lezama R., Perrier J.-F., Nedergaard S., Svirskis G. & Hounsgaard J.* **504**, 97, 1997

Nelson M. T.

Nelson M. T., Conway M. A., Knot H. J. & Brayden J. E. Chloride channel blockers inhibit myogenic tone in rat cerebral arteries **502**, 259, 1997

Newcomb R. *see Wang G., Dayanithi G., Kim S., Hom D., Nadasdi L., Kristipati R., Ramachandran J., Stuenkel E. L., Nordmann J. J., Newcomb R. & Lemos J. R.* **502**, 351, 1997

Neylon M.

Neylon M., Marshall J. M. & Johns E. J. The effects of chronic hypoxia on renal function in the rat **501**, 243, 1997

Nicholls J. G. *see Eugenín J. & Nicholls J. G.* **501**, 425, 1997

Nicolaysen G. *see Onizuka M., Flatebø T. & Nicolaysen G.* **503**, 223, 1997

Nielsen J.

Nielsen J., Petersen N. & Fedirchuk B. Evidence suggesting a transcortical pathway from cutaneous foot afferents to tibialis anterior motoneurones in man **501**, 473, 1997

Nielsen O. B.

Nielsen O. B. & Clausen T. Regulation of Na^+–K^+ pump activity in contracting rat muscle **503**, 571, 1997

Nielsen S. *see Yasui M., Serlachius E., Löfgren M., Belusa R., Nielsen S. & Aperia A.* **505**, 3, 1997

Niggeweg R. *see Chen M.-F., Niggeweg R., Iaizzo P. A., Lehmann-Horn F. & Jockusch H.* **504**, 75, 1997

Niggli E. *see Bootman M., Niggli E., Berridge M. & Lipp P.* **499**, 307, 1997

Nikula T. *see Havas E., Parviainen T., Vuorela J., Toivanen J., Nikula T. & Vihko V.* **504**, 233, 1997

Nilius B.

Nilius B., Prenen J., Szücs G., Wei L., Tanzi F., Voets T. & Droogmans G. Calcium-activated chloride channels in bovine pulmonary artery endothelial cells **498**, 381, 1997

see Kamouchi M., Van Den Bremt K., Eggermont J., Droogmans G. & Nilius B. **504**, 545, 1997

Nilsson H. *see Prieto D., Buus C., Mulvany M. J. & Nilsson H.* **502**, 281, 1997

Ninomiya I. *see Matsukawa K., Shindo T., Shirai M. & Ninomiya I.* **500**, 213, 1997

Nishi M. *see Ikemoto T., Komazaki S., Takeshima H., Nishi M., Noda T., Iino M. & Endo M.* **501**, 305, 1997

Nishizaki T. *see Mori M., Hosomi H., Nishizaki T., Kawahara K. & Okada Y.* **502**, 365, 1997

Nobiling R. *see Steinhausen M., Endlich K., Nobiling R., Parekh N. & Schütt F.* **505**, 493, 1997

Noble P. *see Higham A., Noble P., Thompson D. G. & Dockray G. J.* **503**, 169, 1997

Nobrega A. C. L. *see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H.* **503**, 277, 1997

see Williamson J. W., Nobrega A. C. L., McColl R., Mathews D., Winchester P., Friberg L. & Mitchell J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

Noda T. *see Ikemoto T., Komazaki S., Takeshima H., Nishi M., Noda T., Iino M. & Endo M.* **501**, 305, 1997

Nordmann J. J. *see Wang G., Dayanithi G., Kim S., Hom D., Nadasdi L., Kristipati R., Ramachandran J., Stuenkel E. L., Nordmann J. J., Newcomb R. & Lemos J. R.* **502**, 351, 1997

Núñez. L. *see Villalobos C., Núñez. L. & García-Sancho J.* **502**, 421, 1997

Nürnberg B. *see Degtiar V. E., Harhammer R. & Nürnberg B.* **502**, 321, 1997

Nurse C. A. *see Thompson R. J., Jackson A. & Nurse C. A.* **498**, 503, 1997

see Zhong H., Zhang M. & Nurse C. A. **503**, 599, 1997

Nussberger S. *see Steel A., Nussberger S., Romero M. F., Boron W. F., Boyd C. A. R. & Hediger M. A.* **498**, 563, 1997

Obara K.

Obara K., Bowman P. S., Ishida Y. & Paul R. J. Effects of hypoxia on $[Ca^{2+}]_i$, pH_i and myosin light chain phosphorylation in guinea-pig taenia caeci **503**, 427, 1997

Obata T. *see Sato T., Obata T., Yamanaka Y. & Arita M.* **503**, 119, 1997

Obminski G. *see McKenna M. J., Heigenhauser G. J. F., McKelvie R. S., Obminski G., MacDougall J. D. & Jones N. L.* **501**, 703, 1997

O'Brien T. K. *see Band D. M., Linton R. A. F., O'Brien T. K., Jonas M. M. & Linton N. W. F.* **498**, 225, 1997

O'Donnell M. E. *see Kajimura M., O'Donnell M. E. & Curry F. E.* **503**, 413, 1997

Ogden D. *see Carter T. D. & Ogden D.* **504**, 17, 1997

Ogura T.

Ogura T., You Y. & McDonald T. F. Membrane currents underlying the modified electrical activity of guinea-pig ventricular myocytes exposed to hyperosmotic solution **504**, 135, 1997

Ohya Y. *see Setoguchi M., Ohya Y., Abe I. & Fujishima M.* **501**, 343, 1997

Oishi K. *see Omori K., Oishi K. & Matsuda H.* **499**, 369, 1997

Oka Y. *see Yada T., Sakurada M., Ishihara H., Nakata M., Shioda S., Yaekura K., Hamakawa N., Yanagida K., Kikuchi M. & Oka Y.* **505**, 319, 1997

Okada Y. *see Mori M., Hosomi H., Nishizaki T., Kawahara K. & Okada Y.* **502**, 365, 1997

Okamura T. *see Toda N., Ayajiki K. & Okamura T.* **498**, 453, 1997

Olivier E. *see Baker S. N., Olivier E. & Lemon R. N.* **501**, 225, 1997

Olivotto M. *see Chiesa N., Rosati B., Arcangeli A., Olivotto M. & Wanke E.* **501**, 313, 1997

see Chiesa N., Rosati B., Arcangeli A., Olivotto M. & Wanke E. Erratum: *Journal of Physiology* **501**, 313–318 (1997) **502**, 715, 1997

see Faravelli L., Arcangeli A., Olivotto M. & Wanke E. Erratum: *Journal of Physiology* **496**, 13–23 (1996) **502**, 715, 1997

Olsen N. V. *see Larsen J. J., Hansen J. M., Olsen N. V., Galbo H. & Dela F.* **504**, 241, 1997

Olson E. B. Jr *see Ling L., Olson E. B. Jr, Vidruk E. H. & Mitchell G. S.* **500**, 787, 1997

Omata M. *see Iwasawa K., Nakajima T., Hazama H., Goto A., Shin W. S., Toyo-oka T. & Omata M.* **503**, 237, 1997

Omori K.
Omori K., Oishi K. & Matsuda H. Inwardly rectifying potassium channels expressed by gene transfection into the Green Monkey kidney cell line COS-1 **499**, 369, 1997

O'Neill S. C. *see Díaz M. E., Trafford A. W., O'Neill S. C. & Eisner D. A.* **501**, 3, 1997
see Overend C. L., Eisner D. A. & O'Neill S. C. **502**, 471, 1997

Onizuka M.
Onizuka M., Flatebø T. & Nicolaysen G. Lymph flow pattern in the intact thoracic duct in sheep **503**, 223, 1997

Ono K. *see Harata N., Wu J., Ishibashi H., Ono K. & Akaike N.* **500**, 673, 1997

Onofri F. *see Stefani G., Onofri F., Valtorta F., Vaccaro P., Greengard P. & Benfenati F.* **504**, 501, 1997

Orchard C. H. *see Hussain M. & Orchard C. H.* **505**, 385, 1997

O'Reilly J. P.
O'Reilly J. P., Cummins T. R. & Haddad G. G. Oxygen deprivation inhibits Na^+ current in rat hippocampal neurones via protein kinase C **503**, 479, 1997

O'Riordan D. K.
O'Riordan D. K., Debnam E. S., Sharp P. A., Simpson R. J., Taylor E. M. & Srai S. K. S. Mechanisms involved in increased iron uptake across rat duodenal brush-border membrane during hypoxia **500**, 379, 1997

Ortega E.
Ortega E., Forner M. A. & Barriga C. Exercise-induced stimulation of murine macrophage chemotaxis: role of corticosterone and prolactin as mediators **498**, 729, 1997

Ørthenblad N. *see Hellsten Y., Frandsen U., Ørthenblad N., Sjødin B. & Richter E. A.* **498**, 239, 1997

Otten E. *see Banks R. W., Hulliger M., Scheepstra K. A. & Otten E.* **498**, 177, 1997

Overend C. L.
Overend C. L., Eisner D. A. & O'Neill S. C. The effect of tetracaine on spontaneous Ca^{2+} release and sarcoplasmic reticulum calcium content in rat ventricular myocytes **502**, 471, 1997

Owen V. J.
Owen V. J., Lamb G. D., Stephenson D. G. & Fryer M. W. Relationship between depolarization-induced force responses and Cs^{2+} content in skeletal muscle fibres of rat and toad **498**, 571, 1997

Owen W. G. *see Vu T. Q., McCarthy S. T. & Owen W. G.* **505**, 193, 1997

Owyang C. *see Takahashi T. & Owyang C.* **504**, 479, 1997

Pacioretty L. M. *see Han W., Barr S. C., Pacioretty L. M. & Gilmour R. F. Jr* **500**, 75, 1997

Padbury J. F. *see Derks J. B., Giussani D. A., Jenkins S. L., Wentworth R. A., Visser G. H. A., Padbury J. F. & Nathanielsz P. W.* **499**, 217, 1997

Page K. M. *see Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C.* **502**, 307, 1997
see Wyatt C. N., Campbell V., Brodbeck J., Brice N. L., Page K. M., Berrow N. S., Brickley K., Terracciano C. M. N., Naqvi R. U., MacLeod K. T. & Dolphin A. C. **503**, 699, 1997

Pagni S. *see Sturm H., Schmied A., Vedel J.-P. & Pagni S.* **504**, 735, 1997

Palmer A. C. V. *see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C.* **500**, 551, 1997

Pantaloni A. *see Hussy N., Deleuze C., Pantaloni A., Desarménien M. G. & Moos F.* **502**, 609, 1997

Pape H.-C. *see Budde T., Biella G., Munsch T. & Pape H.-C.* **503**, 79, 1997

Parekh A. B. *see Gomez-Hernandez J.-M., Stühmer W. & Parekh A. B.* **502**, 569, 1997

Parekh N. *see Steinhausen M., Endlich K., Nobiling R., Parekh N. & Schütt F.* **505**, 493, 1997

Parker I.
Parker I. & Wier W. G. Variability in frequency and characteristics of Ca^{2+} sparks at different release sites in rat ventricular myocytes **505**, 337, 1997

Parker T. G. *see Wickenden A. D., Kaprielian R., Parker T. G., Jones O. T. & Backx P. H.* **504**, 271, 1997

Parnas H. *see Ravin R., Spira M. E., Parnas H. & Parnas I.* **501**, 251, 1997
see Linial M., Ilouz N. & Parnas H. **504**, 251, 1997

Parnas I. *see Ravin R., Spira M. E., Parnas H. & Parnas I.* **501**, 251, 1997

Parsons R. L. *see Hardwick J. C., Mawe G. M. & Parsons R. L.* **504**, 65, 1997

Parviainen T. *see Havas E., Parviainen T., Vuorela J., Toivanen J., Nikula T. & Vihko V.* **504**, 233, 1997

Pascht U. *see Kissling G., Blickle B., Ross C., Pascht U. & Gulbins E.* **499**, 195, 1997

Pastor M. A. *see Day B. L., Cauquil A. S., Bartolomei L., Pastor M. A. & Lyon I. N.* **500**, 661, 1997

Patil P. G. *see Jones L. P., Patil P. G., Snutch T. P. & Yue D. T.* **498**, 601, 1997
see Brody D. L., Patil P. G., Mulle J. G., Snutch T. P. & Yue D. T. **499**, 637, 1997

Paton J. F. R.
Paton J. F. R. Rhythmic bursting of pre- and post-inspiratory neurones during central apnoea in mature mice **502**, 623, 1997

Pattullo M. C. *see Rafuse V. F., Pattullo M. C. & Gordon T.* **499**, 809, 1997

Paul R. J. *see Wingard C. J., Paul R. J. & Murphy R. A.* **501**, 213, 1997
see Obara K., Bowman P. S., Ishida Y. & Paul R. J. **503**, 427, 1997

Paulsen O. *see Buhl E. H., Tamás G., Szilágyi T., Stricker C., Paulsen O. & Somogyi P.* **500**, 689, 1997

Paupardin-Tritsch D. *see Cathala L. & Paupardin-Tritsch D.* **503**, 87, 1997

Pearson G. T. *see Thomsen L., Pearson G. T., Larsen E. H. & Skadhauge E.* **498**, 773, 1997

Pedersen B. K. *see Bruunsgaard H., Galbo H., Halkjaer-Kristensen J., Johansen T. L., MacLean D. A. & Pedersen B. K.* **499**, 833, 1997

Peers C. *see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C.* **500**, 551, 1997
see Hatton C. J., Carpenter E., Pepper D. R., Kumar P. & Peers C. **501**, 49, 1997
see Carpenter E. & Peers C. **503**, 497, 1997

Pehl U.
Pehl U., Schmid H. A. & Simon E. Temperature sensitivity of neurones in slices of the rat spinal cord **498**, 483, 1997

Pélisson D. *see Goffart L. & Pélisson D.* **503**, 657, 1997

Pellegrino M. A. *see Reggiani C., Potma E. J., Bottinelli R., Canepari M., Pellegrino M. A. & Stienen G. J. M.* **502**, 449, 1997

Peluffo R. D.
Peluffo R. D. & Berlin J. R. Electrogenic K^+ transport by the Na^+–K^+ pump in rat cardiac ventricular myocytes **501**, 33, 1997

Pénicaud A. *see Aymard C., Decchi B., Katz R., Lafitte C., Pénicaud A., Raoul S. & Rossi A.* **499**, 267, 1997

Pennefather P. *see Valiante T. A., Abdul-Ghani M. A., Carlen P. L. & Pennefather P.* **499**, 121, 1997

Peoples R. W. *see Li C., Peoples R. W. & Weight F. F.* **505**, 641, 1997

Pepper D. R. *see Hatton C. J., Carpenter E., Pepper D. R., Kumar P. & Peers C.* **501**, 49, 1997

Pequignot J. M. *see Soulier V., Dalmaz Y., Cottet-Emard J. M., Lagercrantz H. & Pequignot J. M.* **498**, 523, 1997

Pérez-García M. T. *see López-López J. R., González C. & Pérez-García M. T.* **499**, 429, 1997

Perl E. R. *see Lawson S. N., Crepps B. A. & Perl E. R.* **505**, 177, 1997

Perrier J.-F. *see Delgado-Lezama R., Perrier J.-F., Nedergaard S., Svirskis G. & Hounsgaard J.* **504**, 97, 1997

Peter W. *see Lerche H., Peter W., Fleischhauer R., Pika-Hartlaub U., Malina T., Mitrovic N. & Lehmann-Horn F.* **505**, 345, 1997

Peters T. *see Böllert P., Peters T., von Engelhardt W. & Gros G.* **502**, 679, 1997

Petersen N. *see Nielsen J., Petersen N. & Fedirchuk B.* **501**, 473, 1997

Petit J.
Petit J., Scott J. J. A. & Reynolds K. J. Tendon organ sensitivity to steady-state isotonic contraction of in-series motor units in feline peroneus tertius muscle **500**, 227, 1997

Petrecca K.
Petrecca K., Amellal F., Laird D. W., Cohen S. A. & Shrier A. Sodium channel distribution within the rabbit atrioventricular node as analysed by confocal microscopy **501**, 263, 1997

Philippens K. M. H. *see Brandes R. P., Barton M., Philippens K. M. H., Schweitzer G. & Mügge A.* **500**, 331, 1997

Piazzesi G.
Piazzesi G., Linari M., Reconditi M., Vanzi F. & Lombardi V. Cross-bridge detachment and attachment following a step stretch imposed on active single frog muscle fibres **498**, 3, 1997

Pierrefiche O.
Pierrefiche O., Bischoff A. M., Richter D. W. & Spyer K. M. Hypoxic response of hypoglossal motoneurones in the *in vivo* cat **505**, 785, 1997

Pika-Hartlaub U. *see Lerche H., Peter W., Fleischhauer R., Pika-Hartlaub U., Malina T., Mitrovic N. & Lehmann-Horn F.* **505**, 345, 1997

PINTOR J.

PINTOR J., PUCHE J. A., GUALIX J., HOYLE C. H. V. & MIRAS-PORTUGAL M. T. Diadenosine polyphosphates evoke Ca^{2+} transients in guinea-pig brain via receptors distinct from those for ATP **504**, 327, 1997

PIRODDI N. *see COLOMO F., PIRODDI N., POGGESI C., TE KRONNIE G. & TESI C.* **500**, 535, 1997

PIZARRO G.

PIZARRO G., SHIROKOVA N., TSUGORKA A. & RÍOS E. 'Quantal' calcium release operated by membrane voltage in frog skeletal muscle **501**, 289, 1997

PIZZORUSSO T. *see CARMIGNOTO G., PIZZORUSSO T., TIA S. & VICINI S.* **498**, 153, 1997

PLANT T.

PLANT T., SCHIRRA C., GARASCHUK O., ROSSIER J. & KONNERTH A. Molecular determinants of NMDA receptor function in GABAergic neurones of rat forebrain **499**, 47, 1997

PLATZER D. *see LUCHIAN T., DASCAL N., DESSAUER C., PLATZER D., DAVIDSON N., LESTER H. A. & SCHREIBMAYER W.* **505**, 13, 1997

POGGESI C. *see COLOMO F., PIRODDI N., POGGESI C., TE KRONNIE G. & TESI C.* **500**, 535, 1997

POISBEAU P.

POISBEAU P., FELTZ P. & SCHLICHTER R. Modulation of $GABA_A$ receptor-mediated IPSCs by neuroactive steroids in a rat hypothalamo-hypophyseal coculture model **500**, 475, 1997

POLIAKOV A. V.

POLIAKOV A. V., POWERS R. K. & BINDER M. D. Functional identification of the input–output transforms of motoneurones in the rat and cat **504**, 401, 1997

PONGS O. *see TERLAU H., HEINEMANN S. H., STÜHMER W., PONGS O. & LUDWIG J.* **502**, 537, 1997

POTMA E. J. *see REGGIANI C., POTMA E. J., BOTTINELLI R., CANEPARI M., PELLEGRINO M. A. & STIENEN G. J. M.* **502**, 449, 1997

POTT L. *see BÜNEMANN M., BRANDTS B. & POTT L.* **501**, 549, 1997

POTTER E. K. *see REVINGTON M., LACROIX J. S. & POTTER E. K.* **505**, 823, 1997

POUCHER S. M.

POUCHER S. M. Ischaemic skeletal muscle hyperaemia in the anaesthetized cat: no contribution of A_{2A} adenosine receptors **500**, 205, 1997

POWERS R. K. *see POLIAKOV A. V., POWERS R. K. & BINDER M. D.* **504**, 401, 1997

PRENEN J. *see NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G.* **498**, 381, 1997

PRIETO D.

PRIETO D., BUUS C., MULVANY M. J. & NILSSON H. Interactions between neuropeptide Y and the adenylate cyclase pathway in rat mesenteric small arteries: role of membrane potential **502**, 281, 1997

PROCHAZKA A. *see ZEDKA M. & PROCHAZKA A.* **504**, 727, 1997

PROKS P. *see SMITH P. A., SAKURA H., COLES B., GUMMERSON N., PROKS P. & ASHCROFT F. M.* **499**, 625, 1997

see ELIASSON L., RENSTRÖM E., DING W., PROKS P. & RORSMAN P. **503**, 399, 1997

PUCHE J. A. *see PINTOR J., PUCHE J. A., GUALIX J., HOYLE C. H. V. & MIRAS-PORTUGAL M. T.* **504**, 327, 1997

PUREWAL A.

PUREWAL A., FOX M. T., SHIVALKAR P., CARROLL A. P., UCHE U. E., VAILLANT C. & WATKINSON A. Effects of *Ostertagia ostertagi* on gastrin gene expression and gastrin-related responses in the calf **498**, 809, 1997

PURO D. G. *see KUSAKA S. & PURO D. G.* **500**, 593, 1997

PUSCH M. *see LUDEWIG U., JENTSCH T. J. & PUSCH M.* **498**, 691, 1997

PUVI-RAJASINGHAM S.

PUVI-RAJASINGHAM S., SMITH G. D. P., AKINOLA A. & MATHIAS C. J. Abnormal regional blood flow responses during and after exercise in human sympathetic denervation **505**, 841, 1997

PYNE K. *see FENG D., NAGY J. A., HIPP J., PYNE K., DVORAK H. F. & DVORAK A. M.* **504**, 747, 1997

QUAYLE J. M. *see KUBO M., QUAYLE J. M. & STANDEN N. B.* **503**, 489, 1997

RÅDEGRAN G. *see BLOMSTRAND E., RÅDEGRAN G. & SALTIN B.* **501**, 455, 1997

RAFTOS J. E.

RAFTOS J. E., BOOKCHIN R. M. & LEW V. L. Measurement of the distribution of anion exchange function in normal human red cells **499**, 17, 1997

RAFUSE V. F.

RAFUSE V. F., PATTULLO M. C. & GORDON T. Innervation ratio and motor unit force in large muscles: a study of chronically stimulated cat medial gastrocnemius **499**, 809, 1997

RAMACHANDRAN J. *see WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R.* **502**, 351, 1997

RANDALL A. D. *see MELLOR J. R. & RANDALL A. D.* **503**, 353, 1997

RANSOM B. R. *see ROSE C. R. & RANSOM B. R.* **499**, 573, 1997

RAOUL S. *see AYMARD C., DECCHI B., KATZ R., LAFITTE C., PÉNICAUD A., RAOUL S. & ROSSI A.* **499**, 267, 1997

RASMUSSON R. L. *see WANG S., LIU S., MORALES M. J., STRAUSS H. C. & RASMUSSON R. L.* **502**, 45, 1997

RATCLIFF R. *see MACVINISH L. J., GILL D. R., HYDE S. C., MOFFORD K. A., EVANS M. J., HIGGINS C. F., COLLEDGE W. H., HUANG L., SORGI F., RATCLIFF R. & CUTHBERT A. W.* **499**, 677, 1997

see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M. **505**, 411, 1997

RAVI K.

RAVI K., BRAVO M. & KAPPAGODA C. T. Effect of pulmonary lymphatic obstruction on rabbit urine flow **505**, 833, 1997

RAVIN R.

RAVIN R., SPIRA M. E., PARNAS H. & PARNAS I. Simultaneous measurement of intracellular Ca^{2+} and asynchronous transmitter release from the same crayfish bouton **501**, 251, 1997

RAY J. *see COLEMAN P. J., SCOTT D., RAY J., MASON R. M. & LEVICK J. R.* **503**, 645, 1997

RAYBOULD N. P.

RAYBOULD N. P. & HOUSLEY G. D. Variation in expression of the outer hair cell P2X receptor conductance along the guinea-pig cochlea **498**, 717, 1997

RECHKEMMER G. *see KUHN M., FUCHS M., BECK F.-X., MARTIN S., JÄHNE J., KLEMPNAUER J., KAEVER V., RECHKEMMER G. & FORSSMANN W.-G.* **499**, 391, 1997

RECONDITI M. *see PIAZZESI G., LINARI M., RECONDITI M., VANZI F. & LOMBARDI V.* **498**, 3, 1997

REDAELLI G. *see ACCILI E. A., REDAELLI G. & DIFRANCESCO D.* **500**, 643, 1997

REDMAN R. S.

REDMAN R. S., SEARL T. J., HIRSH J. K. & SILINSKY E. M. Opposing effects of phorbol esters on transmitter release and calcium currents at frog motor nerve endings **501**, 41, 1997

REFINETTI R.

REFINETTI R. & MENAKER M. Is energy expenditure in the hamster primarily under homeostatic or circadian control? **501**, 449, 1997

REGGIANI C.

REGGIANI C., POTMA E. J., BOTTINELLI R., CANEPARI M., PELLEGRINO M. A. & STIENEN G. J. M. Chemo-mechanical energy transduction in relation to myosin isoform composition in skeletal muscle fibres of the rat **502**, 449, 1997

REID G. P. *see MURPHY K. P. S. J., REID G. P., TRENTHAM D. R. & BLISS T. V. P.* **504**, 379, 1997

REILLY T. *see GREEVES J. P., CABLE N. T., LUCKAS M. J. M., REILLY T. & BILJAN M. M.* **500**, 265, 1997

REKALOV V.

REKALOV V., JURÁNEK I., MÁLEKOVÁ L. & BAUER V. Hypoxia-induced inhibition of calcium channels in guinea-pig taenia caeci smooth muscle cells **505**, 107, 1997

RENAUDON B. *see BOIS P., RENAUDON B., BARUSCOTTI M., LENFANT J. & DIFRANCESCO D.* **501**, 565, 1997

RENSTRÖM E.

RENSTRÖM E., ELIASSON L. & RORSMAN P. Protein kinase A-dependent and -independent stimulation of exocytosis by cAMP in mouse pancreatic B-cells **502**, 105, 1997

see ELIASSON L., RENSTRÖM E., DING W., PROKS P. & RORSMAN P. **503**, 399, 1997

REUSS L. *see VANOYE C. G., ALTENBERG G. A. & REUSS L.* **502**, 249, 1997

REUVENY E.

REUVENY E. Inactivation of a G protein-coupled inwardly rectifying K^+ channel **505**, 2, 1997

REVINGTON M.

REVINGTON M., LACROIX J. S. & POTTER E. K. Sympathetic and parasympathetic interaction in vascular and secretory control of the nasal mucosa in anaesthetized dogs **505**, 823, 1997

REYNOLDS I. J. *see WHITE R. J. & REYNOLDS I. J.* **498**, 31, 1997

REYNOLDS K. J. *see PETIT J., SCOTT J. J. A. & REYNOLDS K. J.* **500**, 227, 1997

RHEE J.-S. *see AKAIKE N. & RHEE J.-S.* **504**, 665, 1997

RICCI A. J.

RICCI A. J. & FETTIPLACE R. The effects of calcium buffering and cyclic AMP on mechano-electrical transduction in turtle auditory hair cells **501**, 111, 1997

RICHARD P. *see SABATIER N., RICHARD P. & DAYANITHI G.* **503**, 253, 1997

RICHMOND J. E.

RICHMOND J. E., FEATHERSTONE D. E. & RUBEN P. C. Human Na^+ channel fast and slow inactivation in paramyotonia congenita mutants expressed in *Xenopus laevis* **499**, 589, 1997

RICHTER D. W. *see BALLANYI K., LALLEY P. M., HOCH B. & RICHTER D. W.* **504**, 127, 1997

see PIERREFICHE O., BISCHOFF A. M., RICHTER D. W. & SPYER K. M. **505**, 785, 1997

RICHTER E. A. *see HELLSTEN Y., FRANDSEN U., ØRTHENBLAD N., SJØDIN B. & RICHTER E. A.* **498**, 239, 1997

RÍOS E. *see PIZARRO G., SHIROKOVA N., TSUGORKA A. & RÍOS E.* **501**, 289, 1997

see SHIROKOVA N. & RÍOS E. **502**, 3, 1997

RIS L.

RIS L., CAPRON B., DE WAELE C., VIDAL P.-P. & GODAUX E. Dissociations between behavioural recovery and restoration of vestibular activity in the unilabyrinthectomized guinea-pig **500**, 509, 1997

RITCHIE A. K. *see KURYSHEV Y. A., HAAK L., CHILDS G. V. & RITCHIE A. K.* **502**, 265, 1997

RIVADULLA C. *see CUDEIRO J., RIVADULLA C., RODRÍGUEZ R., GRIEVE K. L., MARTÍNEZ-CONDE S. & ACUÑA C.* **504**, 467, 1997

ROBERTS M. L. *see RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L.* **501**, 355, 1997

ROBINSON K. A. *see SHEPPARD D. N. & ROBINSON K. A.* **503**, 333, 1997

ROBINSON R. B. *see BARUSCOTTI M., WESTENBROEK R., CATTERALL W. A., DIFRANCESCO D. & ROBINSON R. B.* **498**, 641, 1997

ROBITAILLE R.

ROBITAILLE R., JAHROMI B. S. & CHARLTON M. P. Muscarinic Ca^{2+} responses resistant to muscarinic antagonists at perisynaptic Schwann cells of the frog neuromuscular junction **504**, 337, 1997

ROBSON L.

ROBSON L. & HUNTER M. Regulation of an outwardly rectifying Cl^- conductance in single proximal tubule cells isolated from frog kidney **498**, 409, 1997

ROBSON L. & HUNTER M. Two K^+-selective conductances in single proximal tubule cells isolated from frog kidney are regulated by ATP **500**, 605, 1997

ROCCHETTI M. *see ZAZA A., MICHELETTI M., BRIOSCHI A. & ROCCHETTI M.* **505**, 677, 1997

RODRÍGUEZ R. *see CUDEIRO J., RIVADULLA C., RODRÍGUEZ R., GRIEVE K. L., MARTÍNEZ-CONDE S. & ACUÑA C.* **504**, 467, 1997

ROGERS R. C. *see MCTIGUE D. M., HERMANN G. E. & ROGERS R. C.* **499**, 475, 1997

ROGERS T. B. *see DUBELL W. H., WRIGHT P. A., LEDERER W. J. & ROGERS T. B.* **501**, 509, 1997

ROHRBACHER J.

ROHRBACHER J., JAROLIMEK W., LEWEN A. & MISGELD U. $GABA_B$ receptor-mediated inhibition of spontaneous inhibitory synaptic currents in rat midbrain culture **500**, 739, 1997

ROHRER H. *see BOEHM S., HARVEY R. J., VON HOLST A., ROHRER H. & BETZ H.* **504**, 683, 1997

ROLFE V. E.

ROLFE V. E., BRAND M. P., HEALES S. J. R., LINDLEY K. J. & MILLA P. J. Tetrahydrobiopterin regulates cyclic GMP-dependent electrogenic Cl^- secretion in mouse ileum *in vitro* **503**, 347, 1997

ROMERO M. F. *see STEEL A., NUSSBERGER S., ROMERO M. F., BORON W. F., BOYD C. A. R. & HEDIGER M. A.* **498**, 563, 1997

RONDA J. M. *see DIJK D.-J., SHANAHAN T. L., DUFFY J. F., RONDA J. M. & CZEISLER C. A.* **505**, 851, 1997

RORSMAN P. *see GILON P., YAKEL J., GROMADA J., ZHU Y., HENQUIN J.-C. & RORSMAN P.* **499**, 65, 1997

see RENSTRÖM E., ELIASSON L. & RORSMAN P. **502**, 105, 1997

see ELIASSON L., RENSTRÖM E., DING W., PROKS P. & RORSMAN P. **503**, 399, 1997

ROSATI B. *see CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E.* **501**, 313, 1997

see CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **501**, 313–318 (1997) **502**, 715, 1997

ROSE C. R.

ROSE C. R. & RANSOM B. R. Regulation of intracellular sodium in cultured rat hippocampal neurones **499**, 573, 1997

ROSS C. *see KISSLING G., BLICKLE B., ROSS C., PASCHT U. & GULBINS E.* **499**, 195, 1997

ROSSI A. *see AYMARD C., DECCHI B., KATZ R., LAFITTE C., PÉNICAUD A., RAOUL S. & ROSSI A.* **499**, 267, 1997

ROSSIER J. *see PLANT T., SCHIRRA C., GARASCHUK O., ROSSIER J. & KONNERTH A.* **499**, 47, 1997

ROSSMANITH G. H.

ROSSMANITH G. H., HOH J. F. Y., TURNBULL L. & LUDOWYKE R. I. Mechanism of action of endothelin in rat cardiac muscle: cross-bridge kinetics and myosin light chain phosphorylation **505**, 217, 1997

ROSSMANN H. *see SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M.* **505**, 411, 1997

ROTH A. *see HÄUSSER M. & ROTH A.* **501**, 77, 1997

see MARKRAM H., LÜBKE J., FROTSCHER M., ROTH A. & SAKMANN B. **500**, 409, 1997

ROTHWELL J. C. *see BOSTOCK H. & ROTHWELL J. C.* **498**, 277, 1997

ROUGIER O. *see ALLARD B. & ROUGIER O.* **498**, 319, 1997

ROUSSELOT M. *see FÉRAILLE E., CARRANZA M. L., ROUSSELOT M. & FAVRE H.* **498**, 99, 1997

ROWE M. J. *see MURRAY G. M., TAUB D. R., MACKIE P. D., ZHANG H. Q., GHOSH S. & ROWE M. J.* **505**, 759, 1997

see ZHANG S. P. & ROWE M. J. **505**, 769, 1997

RUBEN P. C. *see RICHMOND J. E., FEATHERSTONE D. E. & RUBEN P. C.* **499**, 589, 1997

RUFF R. L.

RUFF R. L. Alterations of Na^+ channel gating in myotonia **499**, 571, 1997

RUSSELL J. A. *see LUDWIG M., BROWN C. H., RUSSELL J. A. & LENG G.* **505**, 145, 1997

RUSSO R. E.

RUSSO R. E., NAGY F. & HOUNSGAARD J. Modulation of plateau properties in dorsal horn neurones in a slice preparation of the turtle spinal cord **499**, 459, 1997

RUUSUVUORI E. *see SAARIKOSKI J., RUUSUVUORI E., KOSKELAINEN A. & DONNER K.* **498**, 61, 1997

RYCHKOV G. Y.

RYCHKOV G. Y., ASTILL D. ST J., BENNETTS B., HUGHES B. P., BRETAG A. H. & ROBERTS M. L. pH-dependent interactions of Cd^{2+} and a carboxylate blocker with the rat ClC-1 chloride channel and its R304E mutant in the Sf-9 insect cell line **501**, 355, 1997

SAARIKOSKI J.

SAARIKOSKI J., RUUSUVUORI E., KOSKELAINEN A. & DONNER K. Regulation of intracellular pH in salamander retinal rods **498**, 61, 1997

SABATIER N.

SABATIER N., RICHARD P. & DAYANITHI G. L-, N- and T- but neither P- nor Q-type Ca^{2+} channels control vasopressin-induced Ca^{2+} influx in magnocellular vasopressin neurones isolated from the rat supraoptic nucleus **503**, 253, 1997

SAEB-PARSY K. *see CUI L.-N., SAEB-PARSY K. & DYBALL R. E. J.* **502**, 149, 1997

SAFRONOV B. V.

SAFRONOV B. V., WOLFF M. & VOGEL W. Functional distribution of three types of Na^+ channel on soma and processes of dorsal horn neurones of rat spinal cord **503**, 371, 1997

SAGE S. O. *see MARCHENKO S. M. & SAGE S. O.* **498**, 419, 1997

SAH P. *see CALLISTER R. J., KEAST J. R. & SAH P.* **500**, 571, 1997

see CALLISTER R. J. & SAH P. **505**, 165, 1997

SAKAGUCHI M.

SAKAGUCHI M., MATSUURA H. & EHARA T. Swelling-induced Cl^- current in guinea-pig atrial myocytes: inhibition by glibenclamide **505**, 41, 1997

SAKAI H.

SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N. Thromboxane A_2, released by the anti-tumour drug irinotecan, is a novel stimulator of Cl^- secretion in isolated rat colon **505**, 133, 1997

SAKIMURA K. *see ITO I., FUTAI K., KATAGIRI H., WATANABE M., SAKIMURA K., MISHINA M. & SUGIYAMA H.* **500**, 401, 1997

SAKLATVALA J. *see BARROS L. F., YOUNG M., SAKLATVALA J. & BALDWIN S. A.* **504**, 517, 1997

SAKMANN B. *see MARKRAM H., LÜBKE J., FROTSCHER M., ROTH A. & SAKMANN B.* **500**, 409, 1997

see SCHILLER J., SCHILLER Y., STUART G. & SAKMANN B. **505**, 605, 1997

see STUART G., SCHILLER J. & SAKMANN B. **505**, 617, 1997

SAKURA H. *see SMITH P. A., SAKURA H., COLES B., GUMMERSON N., PROKS P. & ASHCROFT F. M.* **499**, 625, 1997

SAKURADA M. *see YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y.* **505**, 319, 1997

SAKURAI T. *see KASAI Y., YAMAZAWA T., SAKURAI T., TAKETANI Y. & IINO M.* **504**, 349, 1997

SALT T. E. *see BINNS K. E. & SALT T. E.* **504**, 629, 1997

SALTIN B. *see BLOMSTRAND E., RÅDEGRAN G. & SALTIN B.* **501**, 455, 1997

see GIBALA M. J., MACLEAN D. A., GRAHAM T. E. & SALTIN B. **502**, 703, 1997

see BANGSBO J., JUEL C., HELLSTEN Y. & SALTIN B. **504**, 489, 1997

SAMOILOVA M. V. *see MAGAZANIK L. G., BULDAKOVA S. L., SAMOILOVA M. V., GMIRO V. E., MELLOR I. R. & USHERWOOD P. N. R.* **505**, 655, 1997

SAMUEL T. T. *see DIETZ N. M., ENGELKE K. A., SAMUEL T. T., FIX R. T. & JOYNER M. J.* **498**, 531, 1997

SANCHEZ-ANDRES J. V. *see ANDREU E., SORIA B. & SANCHEZ-ANDRES J. V.* **498**, 753, 1997

SÁNCHEZ-CHAPULA J. A. *see NAVARRO-POLANCO R. A. & SÁNCHEZ-CHAPULA J. A.* **498**, 663, 1997

SANDERS K. M. *see KEEF K. D., MURRAY D. C., SANDERS K. M. & SMITH T. K.* **499**, 773, 1997

see WARD S. M., HARNEY S. C., BAYGUINOV J. R., MCLAREN G. J. & SANDERS K. M. **505**, 241, 1997

SANDLE G. I. *see BUTTERFIELD I., WARHURST G., JONES M. N. & SANDLE G. I.* **501**, 537, 1997

SANTANA L. F.

SANTANA L. F., KRANIAS E. G. & LEDERER W. J. Calcium sparks and excitation–contraction coupling in phospholamban-deficient mouse ventricular myocytes **503**, 21, 1997

SARKER M. H. *see EASTON A. S., SARKER M. H. & FRASER P. A.* **503**, 613, 1997

SATO T.

SATO T., OBATA T., YAMANAKA Y. & ARITA M. Stimulation of α_1-adrenoceptors and protein kinase C-mediated activation of ecto-5′-nucleotidase in rat hearts *in vivo* **503**, 119, 1997

see SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N. **505**, 133, 1997

SATOH H. *see LI L., SATOH H., GINSBURG K. S. & BERS D. M.* **501**, 17, 1997

SAUNDERS N. R. *see KNOTT G. W., DZIEGIELEWSKA K. M., HABGOOD M. D., LI Z. S. & SAUNDERS N. R.* **499**, 179, 1997

SCHEEPSTRA K. A. *see BANKS R. W., HULLIGER M., SCHEEPSTRA K. A. & OTTEN E.* **498**, 177, 1997

SCHIEPPATI M.

SCHIEPPATI M. & NARDONE A. Medium-latency stretch reflexes of foot and leg muscles analysed by cooling the lower limb in standing humans **503**, 691, 1997

SCHILLER J.

SCHILLER J., SCHILLER Y., STUART G. & SAKMANN B. Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons **505**, 605, 1997

see STUART G., SCHILLER J. & SAKMANN B. **505**, 617, 1997

SCHILLER Y. *see SCHILLER J., SCHILLER Y., STUART G. & SAKMANN B.* **505**, 605, 1997

SCHIRRA C. *see PLANT T., SCHIRRA C., GARASCHUK O., ROSSIER J. & KONNERTH A.* **499**, 47, 1997

SCHLICHTER R. *see POISBEAU P., FELTZ P. & SCHLICHTER R.* **500**, 475, 1997

SCHMID A.

SCHMID A., FEICK P. & SCHULZ I. Inwardly rectifying, voltage-dependent and resting potassium currents in rat pancreatic acinar cells in primary culture **504**, 259, 1997

SCHMID H. A. *see PEHL U., SCHMID H. A. & SIMON E.* **498**, 483, 1997

SCHMIED A. *see STURM H., SCHMIED A., VEDEL J.-P. & PAGNI S.* **504**, 735, 1997

SCHNEIDER M. F. *see CARROLL S. L., KLEIN M. G. & SCHNEIDER M. F.* **501**, 573, 1997

SCHOEPFER R. *see SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M. A., SCHOEPFER R. & COLQUHOUN D.* **500**, 123, 1997

SCHOMERUS C. *see LETZ B., SCHOMERUS C., MARONDE E., KORF H.-W. & KORBMACHER C.* **499**, 329, 1997

SCHRAMM J. *see BECK H., CLUSMANN H., KRAL T., SCHRAMM J., HEINEMANN U. & ELGER C. E.* **498**, 73, 1997

SCHREIBMAYER W. *see FROHNWIESER B., CHEN L.-Q., SCHREIBMAYER W. & KALLEN R. G.* **498**, 309, 1997

see LUCHIAN T., DASCAL N., DESSAUER C., PLATZER D., DAVIDSON N., LESTER H. A. & SCHREIBMAYER W. **505**, 13, 1997

SCHULZ I. *see SCHMID A., FEICK P. & SCHULZ I.* **504**, 259, 1997

SCHÜTT F. *see STEINHAUSEN M., ENDLICH K., NOBILING R., PAREKH N. & SCHÜTT F.* **505**, 493, 1997

SCHWARTZ A. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C.* **500**, 551, 1997

SCHWARTZKROIN P. A. *see BARABAN S. C., BELLINGHAM M. C., BERGER A. J. & SCHWARTZKROIN P. A.* **498**, 679, 1997

SCHWEITZER G. *see BRANDES R. P., BARTON M., PHILIPPENS K. M. H., SCHWEITZER G. & MÜGGE A.* **500**, 331, 1997

SCOTT D. *see COLEMAN P. J., SCOTT D., RAY J., MASON R. M. & LEVICK J. R.* **503**, 645, 1997

SCOTT J. J. A. *see PETIT J., SCOTT J. J. A. & REYNOLDS K. J.* **500**, 227, 1997

SCRYMGEOUR-WEDDERBURN J. F. *see MCDEARMID J. R., SCRYMGEOUR-WEDDERBURN J. F. & SILLAR K. T.* **503**, 111, 1997

SEARL T. J. *see REDMAN R. S., SEARL T. J., HIRSH J. K. & SILINSKY E. M.* **501**, 41, 1997

SEBURN K. L. *see GARDINER P. F. & SEBURN K. L.* **499**, 207, 1997

SEIDAH N. G. *see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J.* **502**, 409, 1997

SEIDLER U.

SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M. A functional CFTR protein is required for mouse intestinal cAMP-, cGMP- and Ca^{2+}-dependent HCO_3^- secretion **505**, 411, 1997

SENATOROV V. V.

SENATOROV V. V., MOONEY D. & HU B. The electrogenic effects of Na^+–K^+-ATPase in rat auditory thalamus **502**, 375, 1997

SENATOROV V. V. & HU B. Differential Na^+–K^+-ATPase activity in rat lemniscal and non-lemniscal auditory thalami **502**, 387, 1997

SENOK S. S.

SENOK S. S. & BAUMANN K. I. Functional evidence for calcium-induced calcium release in isolated rat vibrissal Merkel cell mechanoreceptors **500**, 29, 1997

SENSI S. L. *see YU S. P., SENSI S. L., CANZONIERO L. M. T., BUISSON A. & CHOI D. W.* **499**, 721, 1997

SEOW C. Y.

SEOW C. Y., SHROFF S. G. & FORD L. E. Detachment of low-force bridges contributes to the rapid tension transients of skinned rabbit skeletal muscle fibres **501**, 149, 1997

SERLACHIUS E. *see YASUI M., SERLACHIUS E., LÖFGREN M., BELUSA R., NIELSEN S. & APERIA A.* **505**, 3, 1997

SETOGUCHI M.

SETOGUCHI M., OHYA Y., ABE I. & FUJISHIMA M. Stretch-activated whole-cell currents in smooth muscle cells from mesenteric resistance artery of guinea-pig **501**, 343, 1997

SHAM J. S. K.

SHAM J. S. K. Ca^{2+} release-induced inactivation of Ca^{2+} current in rat ventricular myocytes: evidence for local Ca^{2+} signalling **500**, 285, 1997

SHANAHAN T. L. *see DIJK D.-J., SHANAHAN T. L., DUFFY J. F., RONDA J. M. & CZEISLER C. A.* **505**, 851, 1997

SHARP P. A. *see O'RIORDAN D. K., DEBNAM E. S., SHARP P. A., SIMPSON R. J., TAYLOR E. M. & SRAI S. K. S.* **500**, 379, 1997

SHEADER E. A. *see MILEY H. E., SHEADER E. A., BROWN P. D. & BEST L.* **504**, 191, 1997

SHEN K.-Z.

SHEN K.-Z. & JOHNSON S. W. Presynaptic $GABA_B$ and adenosine A_1 receptors regulate synaptic transmission to rat substantia nigra reticulata neurones **505**, 153, 1997

SHENG P. *see UGUR M., DRUMMOND R. M., ZOU H., SHENG P., SINGER J. J. & WALSH J. V. JR* **498**, 427, 1997

SHEPPARD D. N.

SHEPPARD D. N. & ROBINSON K. A. Mechanism of glibenclamide inhibition of cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in a murine cell line **503**, 333, 1997

SHIBUKI K.

SHIBUKI K. & KIMURA S. Dynamic properties of nitric oxide release from parallel fibres in rat cerebellar slices **498**, 443, 1997

SHIBUYA I. *see KABASHIMA N., SHIBUYA I., IBRAHIM N., UETA Y. & YAMASHITA H.* **504**, 113, 1997

SHIMONI Y. *see FISET C., CLARK R. B., SHIMONI Y. & GILES W. R.* **500**, 51, 1997

SHIMONI Y., FISET C., CLARK R. B., DIXON J. E., MCKINNON D. & GILES W. R. Thyroid hormone regulates postnatal expression of transient K^+ channel isoforms in rat ventricle **500**, 65, 1997

Shin W. S. *see* Iwasawa K., Nakajima T., Hazama H., Goto A., Shin W. S., Toyo-oka T. & Omata M. **503**, 237, 1997

Shindo T. *see* Yamada M., Isomoto S., Matsumoto S., Kondo C., Shindo T., Horio Y. & Kurachi Y. **499**, 715, 1997

see Matsukawa K., Shindo T., Shirai M. & Ninomiya I. **500**, 213, 1997

Shinnick-Gallagher P. *see* Keele N. B., Arvanov V. L. & Shinnick-Gallagher P. **499**, 87, 1997

Shioda S. *see* Yada T., Sakurada M., Ishihara H., Nakata M., Shioda S., Yaekura K., Hamakawa N., Yanagida K., Kikuchi M. & Oka Y. **505**, 319, 1997

Shirai M. *see* Matsukawa K., Shindo T., Shirai M. & Ninomiya I. **500**, 213, 1997

Shirley D. G.

Shirley D. G. & Walter S. J. Renal tubular lithium reabsorption in potassium-depleted rats **501**, 663, 1997

Shirokova N. *see* Pizarro G., Shirokova N., Tsugorka A. & Ríos E. **501**, 289, 1997

Shirokova N. & Ríos E. Small event Ca^{2+} release: a probable precursor of Ca^{2+} sparks in frog skeletal muscle **502**, 3, 1997

Shivalkar P. *see* Purewal A., Fox M. T., Shivalkar P., Carroll A. P., Uche U. E., Vaillant C. & Watkinson A. **498**, 809, 1997

Shlyonsky V. G. *see* Ismailov I. I., Shlyonsky V. Gh., Alvarez O. & Benos D. J. **504**, 287, 1997

Shorofsky S. R. *see* Aggarwal R., Shorofsky S. R., Goldman L. & Balke C. W. **505**, 353, 1997

Shrier A. *see* Petrecca K., Amellal F., Laird D. W., Cohen S. A. & Shrier A. **501**, 263, 1997

Shroff S. G. *see* Seow C. Y., Shroff S. G. & Ford L. E. **501**, 149, 1997

Shuba L. M.

Shuba L. M. & McDonald T. F. Synergistic activation of guinea-pig cardiac cystic fibrosis transmembrane conductance regulator by the tyrosine kinase inhibitor genistein and cAMP **505**, 23, 1997

Shui Z.

Shui Z., Boyett M. R. & Zang W.-J. ATP-dependent desensitization of the muscarinic K^+ channel in rat atrial cells **505**, 77, 1997

Shulkes A. *see* Zavros Y. & Shulkes A. **505**, 811, 1997

Shulz D. E. *see* Bringuier V., Frégnac Y., Baranyi A., Debanne D. & Shulz D. E. **500**, 751, 1997

Sidky A. O.

Sidky A. O. & Baimbridge K. G. Calcium homeostatic mechanisms operating in cultured postnatal rat hippocampal neurones following flash photolysis of nitrophenyl-EGTA **504**, 579, 1997

Siems W. *see* Grune T., Müller K., Zöllner S., Haseloff R., Blasig I. E., David H. & Siems W. **498**, 511, 1997

Silberberg S. D.

Silberberg S. D. & Magleby K. L. Voltage-induced slow activation and deactivation of mechanosensitive channels in *Xenopus* oocytes **505**, 551, 1997

Silinsky E. M. *see* Redman R. S., Searl T. J., Hirsh J. K. & Silinsky E. M. **501**, 41, 1997

Sillar K. T. *see* McDearmid J. R., Scrymgeour-Wedderburn J. F. & Sillar K. T. **503**, 111, 1997

Simmers J. *see* Combes D., Simmers J. & Moulins M. **499**, 161, 1997

Simon E. *see* Pehl U., Schmid H. A. & Simon E. **498**, 483, 1997

Simpson R. J. *see* O'Riordan D. K., Debnam E. S., Sharp P. A., Simpson R. J., Taylor E. M. & Srai S. K. S. **500**, 379, 1997

Sims S. M. *see* Thomas G. P., Sims S. M. & Karmazyn M. **503**, 55, 1997

see Weidema A. F., Barbera J., Dixon S. J. & Sims S. M. **503**, 303, 1997

Singer J. J. *see* Ugur M., Drummond R. M., Zou H., Sheng P., Singer J. J. & Walsh J. V. Jr **498**, 427, 1997

Sivilotti L. G.

Sivilotti L. G., McNeil D. K., Lewis T. M., Nassar M. A., Schoepfer R. & Colquhoun D. Recombinant nicotinic receptors, expressed in *Xenopus* oocytes, do not resemble native rat sympathetic ganglion receptors in single-channel behaviour **500**, 123, 1997

see Lewis T. M., Harkness P. C., Sivilotti L. G., Colquhoun D. & Millar N. S. **505**, 299, 1997

Sjødin B. *see* Hellsten Y., Frandsen U., Ørthenblad N., Sjødin B. & Richter E. A. **498**, 239, 1997

Skadhauge E. *see* Thomsen L., Pearson G. T., Larsen E. H. & Skadhauge E. **498**, 773, 1997

Skarphedinsson J. O.

Skarphedinsson J. O., Elam M., Jungersten L. & Wallin B. G. Sympathetic nerve traffic correlates with the release of nitric oxide in humans: implications for blood pressure control **501**, 671, 1997

Slater C. R. *see* Wood S. J. & Slater C. R. **500**, 165, 1997

Smart T. G. *see* Wooltorton J. R. A., McDonald B. J., Moss S. J. & Smart T. G. **505**, 633, 1997

Smith A. B.

Smith A. B. & Cunnane T. C. Multiple calcium channels control neurotransmitter release from rat postganglionic sympathetic nerve terminals **499**, 341, 1997

Smith G. D. P. *see* Puvi-Rajasingham S., Smith G. D. P., Akinola A. & Mathias C. J. **505**, 841, 1997

Smith G. L. *see* McCarron J. G., Crichton C. A., Langton P. D., MacKenzie A. & Smith G. L. **498**, 371, 1997

Smith P. A.

Smith P. A., Sakura H., Coles B., Gummerson N., Proks P. & Ashcroft F. M. Electrogenic arginine transport mediates stimulus–secretion coupling in mouse pancreatic β-cells **499**, 625, 1997

Smith T. K. *see* Keef K. D., Murray D. C., Sanders K. M. & Smith T. K. **499**, 773, 1997

Snutch T. P. *see* Jones L. P., Patil P. G., Snutch T. P. & Yue D. T. **498**, 601, 1997

see Brody D. L., Patil P. G., Mulle J. G., Snutch T. P. & Yue D. T. **499**, 637, 1997

So S. C. *see* Chan H. C., Fong S. K., So S. C., Chung Y. W. & Wong P. Y. D. **501**, 517, 1997

Sobrevia L. *see* Contreras R., Fuentes O., Mann G. E. & Sobrevia L. **498**, 787, 1997

Sobrevia L., Yudilevich D. L. & Mann G. E. Activation of A_2-purinoceptors by adenosine stimulates L-arginine transport (system y^+) and nitric oxide synthesis in human fetal endothelial cells **499**, 135, 1997

Somasundaram B.

Somasundaram B., Mason M. J. & Mahaut-Smith M. P. Thrombin-dependent calcium signalling in single human erythroleukaemia cells **501**, 485, 1997

Somlyo A. P. *see* Gailly P., Gong M. C., Somlyo A. V. & Somlyo A. P. **500**, 95, 1997

Somlyo A. V. *see* Gailly P., Gong M. C., Somlyo A. V. & Somlyo A. P. **500**, 95, 1997

Somogyi G. T.

Somogyi G. T., Zernova G. V., Tanowitz M. & de Groat W. C. Role of L- and N-type Ca^{2+} channels in muscarinic receptor-mediated facilitation of ACh and noradrenaline release in the rat urinary bladder **499**, 645, 1997

Somogyi P. *see* Buhl E. H., Tamás G., Szilágyi T., Stricker C., Paulsen O. & Somogyi P. **500**, 689, 1997

see Tamás G., Buhl E. H. & Somogyi P. **500**, 715, 1997

Song L.-S.

Song L.-S., Stern M. D., Lakatta E. G. & Cheng H. Partial depletion of sarcoplasmic reticulum calcium does not prevent calcium sparks in rat ventricular myocytes **505**, 665, 1997

Song M. *see* Tanaka Y., Meera P., Song M., Knaus H. & Toro L. **502**, 545, 1997

Sorgi F. *see* MacVinish L. J., Gill D. R., Hyde S. C., Mofford K. A., Evans M. J., Higgins C. F., Colledge W. H., Huang L., Sorgi F., Ratcliff R. & Cuthbert A. W. **499**, 677, 1997

Soria B. *see* Andreu E., Soria B. & Sanchez-Andres J. V. **498**, 753, 1997

Sorota S. *see* Du X.-Y. & Sorota S. **500**, 111, 1997

Soulier V.

Soulier V., Dalmaz Y., Cottet-Emard J. M., Lagercrantz H. & Pequignot J. M. Long-term influence of neonatal hypoxia on catecholamine activity in carotid bodies and brainstem cell groups of the rat **498**, 523, 1997

Spanswick D. *see* Harvey J., McKenna F., Herson P. S., Spanswick D. & Ashford M. L. J. **504**, 527, 1997

Speake T. *see* Yodozawa S., Speake T. & Elliott A. **499**, 601, 1997

Spencer C. I.

Spencer C. I. & Berlin J. R. Calcium-induced release of strontium ions from the sarcoplasmic reticulum of rat cardiac ventricular myocytes **504**, 565, 1997

Spira M. E. *see* Ravin R., Spira M. E., Parnas H. & Parnas I. **501**, 251, 1997

Spyer K. M. *see* Pierrefiche O., Bischoff A. M., Richter D. W. & Spyer K. M. **505**, 785, 1997

Srai S. K. S. *see* O'Riordan D. K., Debnam E. S., Sharp P. A., Simpson R. J., Taylor E. M. & Srai S. K. S. **500**, 379, 1997

STALLKNECHT B.

STALLKNECHT B., BÜLOW J., FRANDSEN E. & GALBO H. Desensitization of human adipose tissue to adrenaline stimulation studied by microdialysis **500**, 271, 1997

STANDEN N. B. *see KUBO M., QUAYLE J. M. & STANDEN N. B.* **503**, 489, 1997

STANDEN N. B. Properties of cloned K_{ATP} channels mimic those of β-cells **498**, 1, 1997

STANFORD I. M. *see WHITTINGTON M. A., STANFORD I. M., COLLING S. B., JEFFERYS J. G. R. & TRAUB R. D.* **502**, 591, 1997

STEEL A.

STEEL A., NUSSBERGER S., ROMERO M. F., BORON W. F., BOYD C. A. R. & HEDIGER M. A. Stoichiometry and pH dependence of the rabbit proton-dependent oligopeptide transporter PepT1 **498**, 563, 1997

STEFANI G.

STEFANI G., ONOFRI F., VALTORTA F., VACCARO P., GREENGARD P. & BENFENATI F. Kinetic analysis of the phosphorylation-dependent interactions of synapsin I with rat brain synaptic vesicles **504**, 501, 1997

STEINERT M.

STEINERT M. & GRISSMER S. Novel activation stimulus of chloride channels by potassium in human osteoblasts and human leukaemic T lymphocytes **500**, 653, 1997

STEINHAUSEN M.

STEINHAUSEN M., ENDLICH K., NOBILING R., PAREKH N. & SCHÜTT F. Electrically induced vasomotor responses and their propagation in rat renal vessels *in vivo* **505**, 493, 1997

STENGL M. *see MUBAGWA K., STENGL M. & FLAMENG W.* **502**, 235, 1997

STEPHENS J. A. *see GIBBS J., HARRISON L. M. & STEPHENS J. A.* **499**, 255, 1997

STEPHENSON D. G. *see OWEN V. J., LAMB G. D., STEPHENSON D. G. & FRYER M. W.* **498**, 571, 1997

see LAUNIKONIS B. S. & STEPHENSON D. G. **504**, 425, 1997

STERIADE M. *see TIMOFEEV I. & STERIADE M.* **504**, 153, 1997

STERN J. E.

STERN J. E. & ARMSTRONG W. E. Sustained outward rectification of oxytocinergic neurones in the rat supraoptic nucleus: ionic dependence and pharmacology **500**, 497, 1997

STERN M. D. *see SONG L.-S., STERN M. D., LAKATTA E. G. & CHENG H.* **505**, 665, 1997

STEVENS E. B.

STEVENS E. B., WOODWARD R., HO I. H. M. & MURRELL-LAGNADO R. Identification of regions that regulate the expression and activity of G protein-gated inward rectifier K^+ channels in *Xenopus* oocytes **503**, 547, 1997

STEVIC-MARINKOVIC Z. *see ANDJUS P. R., STEVIC-MARINKOVIC Z. & CHERUBINI E.* **504**, 103, 1997

STEWART M. *see FUNAHASHI M. & STEWART M.* **501**, 387, 1997

STIENEN G. J. M. *see REGGIANI C., POTMA E. J., BOTTINELLI R., CANEPARI M., PELLEGRINO M. A. & STIENEN G. J. M.* **502**, 449, 1997

STRATFORD K. J.

STRATFORD K. J., JACK J. J. B. & LARKMAN A. U. Calibration of an autocorrelation-based method for determining amplitude histogram reliability and quantal size **505**, 425, 1997

see LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. **505**, 443, 1997

see LARKMAN A. U., JACK J. J. B. & STRATFORD K. J. **505**, 457, 1997

STRAUSS H. C. *see WANG S., LIU S., MORALES M. J., STRAUSS H. C. & RASMUSSON R. L.* **502**, 45, 1997

STRICKER C. *see BUHL E. H., TAMÁS G., SZILÁGYI T., STRICKER C., PAULSEN O. & SOMOGYI P.* **500**, 689, 1997

STROFFEKOVA K. *see JONG D.-S., STROFFEKOVA K. & HEINY J. A.* **499**, 787, 1997

STROMEYER III C. F.

STROMEYER III C. F., CHAPARRO A., TOLIAS A. S. & KRONAUER R. E. Colour adaptation modifies the long-wave *versus* middle-wave cone weights and temporal phases in human luminance (but not red–green) mechanism **499**, 227, 1997

STUART G.

see SCHILLER J., SCHILLER Y., STUART G. & SAKMANN B. **505**, 605, 1997

STUART G., SCHILLER J. & SAKMANN B. Action potential initiation and propagation in rat neocortical pyramidal neurons **505**, 617, 1997

STUENKEL E. L. *see GIOVANNUCCI D. R. & STUENKEL E. L.* **498**, 735, 1997

see WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R. **502**, 351, 1997

STÜHMER W. *see TERLAU H., HEINEMANN S. H., STÜHMER W., PONGS O. & LUDWIG J.* **502**, 537, 1997

see GOMEZ-HERNANDEZ J.-M., STÜHMER W. & PAREKH A. B. **502**, 569, 1997

STURM H.

STURM H., SCHMIED A., VEDEL J.-P. & PAGNI S. Firing pattern of type-identified wrist extensor motor units during wrist extension and hand clenching in humans **504**, 735, 1997

STUYVERS B. D. M. Y.

STUYVERS B. D. M. Y., MIURA M. & TER KEURS H. E. D. J. Dynamics of viscoelastic properties of rat cardiac sarcomeres during the diastolic interval: involvement of Ca^{2+} **502**, 661, 1997

SUGIYAMA H. *see ITO I., FUTAI K., KATAGIRI H., WATANABE M., SAKIMURA K., MISHINA M. & SUGIYAMA H.* **500**, 401, 1997

SUN W. M.

SUN W. M., HEBBARD G. S., MALBERT C.-H., JONES K. L., DORAN S., HOROWITZ M. & DENT J. Spatial patterns of fasting and fed antropyloric pressure waves in humans **503**, 455, 1997

SUZUKI H. *see HASHITANI H. & SUZUKI H.* **501**, 319, 1997

SVENSSON P. *see IVARSSON M., SVENSSON P. & HESSLOW G.* **502**, 189, 1997

SVIRSKIS G. *see DELGADO-LEZAMA R., PERRIER J.-F., NEDERGAARD S., SVIRSKIS G. & HOUNSGAARD J.* **504**, 97, 1997

SWANDULLA D. *see ZEILHOFER H. U., KRESS M. & SWANDULLA D.* **503**, 67, 1997

SZENTESI P.

SZENTESI P., JACQUEMOND V., KOVÁCS L. & CSERNOCH L. Intramembrane charge movement and sarcoplasmic calcium release in enzymatically isolated mammalian skeletal muscle fibres **505**, 371, 1997

SZILÁGYI T. *see BUHL E. H., TAMÁS G., SZILÁGYI T., STRICKER C., PAULSEN O. & SOMOGYI P.* **500**, 689, 1997

SZÜCS G. *see NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G.* **498**, 381, 1997

TAGGART M. J.

TAGGART M. J., MENICE C. B., MORGAN K. G. & WRAY S. Effect of metabolic inhibition on intracellular Ca^{2+}, phosphorylation of myosin regulatory light chain and force in rat smooth muscle **498**, 485, 1997

see NADERALI E. K., BUTTELL N., TAGGART M. J., BULLOCK A. J., EISNER D. A. & WRAY S. **505**, 329, 1997

TAGGART P. *see JANVIER N. C., MCMORN S. O., HARRISON S. M., TAGGART P. & BOYETT M. R.* **504**, 301, 1997

TAKAHASHI T.

TAKAHASHI T. & OWYANG C. Characterization of vagal pathways mediating gastric accommodation reflex in rats **504**, 479, 1997

TAKANO K.

TAKANO K., YASUFUKU-TAKANO J., KOZASA T., NAKAJIMA S. & NAKAJIMA Y. Different G proteins mediate somatostatin-induced inward rectifier K^+ currents in murine brain and endocrine cells **502**, 559, 1997

TAKANO N.

TAKANO N., INAISHI S. & ZHANG Y. Individual differences in breathlessness during exercise, as related to ventilatory chemosensitivities in humans **499**, 843, 1997

TAKEGUCHI N. *see SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N.* **505**, 133, 1997

TAKEMORI S. *see HORIUTI K., YAGI N. & TAKEMORI S.* **502**, 433, 1997

TAKESHIMA H. *see IKEMOTO T., KOMAZAKI S., TAKESHIMA H., NISHI M., NODA T., IINO M. & ENDO M.* **501**, 305, 1997

TAKETANI Y. *see KASAI Y., YAMAZAWA T., SAKURAI T., TAKETANI Y. & IINO M.* **504**, 349, 1997

TALANTOVA M. *see GINIATULLIN R. A., TALANTOVA M. & VYSKOČIL F.* **502**, 641, 1997

TAMÁS G. *see BUHL E. H., TAMÁS G., SZILÁGYI T., STRICKER C., PAULSEN O. & SOMOGYI P.* **500**, 689, 1997

TAMÁS G., BUHL E. H. & SOMOGYI P. Fast IPSPs elicited via multiple synaptic release sites by different types of GABAergic neurone in the cat visual cortex **500**, 715, 1997

TAMIR H. *see MCGEHEE D. S., ALDERSBERG M., LIU K.-P., HSUING S.-C., HEATH M. J. S. & TAMIR H.* **502**, 31, 1997

TAN Y. P. *see LLANO I., TAN Y. P. & CAPUTO C.* **502**, 509, 1997

TANAKA Y.

TANAKA Y., MEERA P., SONG M., KNAUS H. & TORO L. Molecular constituents of maxi K_{Ca} channels in human coronary smooth muscle: predominant $\alpha + \beta$ subunit complexes **502**, 545, 1997

TANOWITZ M. *see SOMOGYI G. T., ZERNOVA G. V., TANOWITZ M. & DE GROAT W. C.* **499**, 645, 1997

TANZI F. *see* NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G. **498**, 381, 1997

TARASENKO A. N.

TARASENKO A. N., KOSTYUK P. G., EREMIN A. V. & ISAEV D. S. Two types of low-voltage-activated Ca^{2+} channels in neurones of rat laterodorsal thalamic nucleus **499**, 77, 1997

TAUB D. R. *see* MURRAY G. M., TAUB D. R., MACKIE P. D., ZHANG H. Q., GHOSH S. & ROWE M. J. **505**, 759, 1997

TAYLOR A.

TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H. Fusimotor influence on jaw muscle spindle activity during swallowing-related movements in the cat **503**, 157, 1997

TAYLOR C. W. *see* MADGE L., MARSHALL I. C. B. & TAYLOR C. W. **498**, 351, 1997

TAYLOR E. M. *see* O'RIORDAN D. K., DEBNAM E. S., SHARP P. A., SIMPSON R. J., TAYLOR E. M. & SRAI S. K. S. **500**, 379, 1997

TAYLOR G. E. *see* JAFRI M. S., MOORE K. A., TAYLOR G. E. & WEINREICH D. **503**, 533, 1997

TE KRONNIE G. *see* COLOMO F., PIRODDI N., POGGESI C., TE KRONNIE G. & TESI C. **500**, 535, 1997

TER KEURS H. E. D. J. *see* STUYVERS B. D. M. Y., MIURA M. & TER KEURS H. E. D. J. **502**, 661, 1997

TERLAU H.

TERLAU H., HEINEMANN S. H., STÜHMER W., PONGS O. & LUDWIG J. Amino terminal-dependent gating of the potassium channel rat eag is compensated by a mutation in the S4 segment **502**, 537, 1997

TERRACCIANO C. M. N.

TERRACCIANO C. M. N. & MACLEOD K. T. Effects of lactate on the relative contribution of Ca^{2+} extrusion mechanisms to relaxation in guinea-pig ventricular myocytes **500**, 557, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **502**, 307, 1997

see WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. **503**, 699, 1997

TESI C. *see* COLOMO F., PIRODDI N., POGGESI C., TE KRONNIE G. & TESI C. **500**, 535, 1997

THEISEN R. *see* IRINTCHEV A., LANGER M., ZWEYER M., THEISEN R. & WERNIG A. **500**, 775, 1997

THIERFELDER S. *see* DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K. **500**, 85, 1997

THOMAS G. P.

THOMAS G. P., SIMS S. M. & KARMAZYN M. Differential effects of endothelin-1 on basal and isoprenaline-enhanced Ca^{2+} current in guinea-pig ventricular myocytes **503**, 55, 1997

THOMAS P.

THOMAS P. & WARING D. W. Modulation of stimulus–secretion coupling in single rat gonadotrophs **504**, 705, 1997

THOMAS S. *see* EGÉE S., HARVEY B. J. & THOMAS S. **504**, 57, 1997

THOMAS T.

THOMAS T. & MARSHALL J. M. The roles of adenosine in regulating the respiratory and cardiovascular systems in chronically hypoxic, adult rats **501**, 439, 1997

THOMET J.-M. *see* FERRETTI G., MOIA C., THOMET J.-M. & KAYSER B. **498**, 231, 1997

THOMPSON D. G. *see* HIGHAM A., NOBLE P., THOMPSON D. G. & DOCKRAY G. J. **503**, 169, 1997

THOMPSON R. J.

THOMPSON R. J., JACKSON A. & NURSE C. A. Developmental loss of hypoxic chemosensitivity in rat adrenomedullary chromaffin cells **498**, 503, 1997

THOMSEN L.

THOMSEN L., PEARSON G. T., LARSEN E. H. & SKADHAUGE E. Electrophysiological properties of neurones in the internal and external submucous plexuses of newborn pig small intestine **498**, 773, 1997

THOMSON A. M.

THOMSON A. M. Activity-dependent properties of synaptic transmission at two classes of connections made by rat neocortical pyramidal axons *in vitro* **502**, 131, 1997

THORNBURY K. D. *see* COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **503**, 1, 1997

see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **503**, 13, 1997

see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **505**, 121, 1997

THORNE R.

THORNE R. & HORN J. P. Role of ganglionic cotransmission in sympathetic control of the isolated bullfrog aorta **498**, 201, 1997

THURINGER D.

THURINGER D. & FINDLAY I. Contrasting effects of intracellular redox couples on the regulation of maxi-K channels in isolated myocytes from rabbit pulmonary artery **500**, 583, 1997

TIA S. *see* CARMIGNOTO G., PIZZORUSSO T., TIA S. & VICINI S. **498**, 153, 1997

TIFFERT T.

TIFFERT T. & LEW V. L. Cytoplasmic calcium buffers in intact human red cells **500**, 139, 1997

TIFFERT T. & LEW V. L. Apparent Ca^{2+} dissociation constant of Ca^{2+} chelators incorporated non-disruptively into intact human red cells **505**, 403, 1997

TIMOFEEV I.

TIMOFEEV I. & STERIADE M. Fast (mainly 30–100 Hz) oscillations in the cat cerebellothalamic pathway and their synchronization with cortical potentials **504**, 153, 1997

TODA N.

TODA N., AYAJIKI K. & OKAMURA T. Inhibition of nitroxidergic nerve function by neurogenic acetylcholine in monkey cerebral arteries **498**, 453, 1997

TOIVANEN J. *see* HAVAS E., PARVIAINEN T., VUORELA J., TOIVANEN J., NIKULA T. & VIHKO V. **504**, 233, 1997

TOLIAS A. S. *see* STROMEYER III C. F., CHAPARRO A., TOLIAS A. S. & KRONAUER R. E. **499**, 227, 1997

TOMITA T. *see* NAKAYAMA S., CHIHARA S., CLARK J. F., HUANG S.-M., HORIUCHI T. & TOMITA T. **505**, 229, 1997

TORO L. *see* TANAKA Y., MEERA P., SONG M., KNAUS H. & TORO L. **502**, 545, 1997

TÓTH K.

TÓTH K., FREUND T. F. & MILES R. Disinhibition of rat hippocampal pyramidal cells by GABAergic afferents from the septum **500**, 463, 1997

TÓTH T. I. *see* WILLIAMS S. R., TÓTH T. I., TURNER J. P., HUGHES S. W. & CRUNELLI V. **505**, 689, 1997

TOUZANI K.

TOUZANI K., ALVARADO F. & VASSEUR M. pH gradient effects on chloride transport across basolateral membrane vesicles from guinea-pig jejunum **500**, 385, 1997

TOYO-OKA T. *see* IWASAWA K., NAKAJIMA T., HAZAMA H., GOTO A., SHIN W. S., TOYO-OKA T. & OMATA M. **503**, 237, 1997

TRAFFORD A. W. *see* DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A. **501**, 3, 1997

TRAUB R. D. *see* WHITTINGTON M. A., STANFORD I. M., COLLING S. B., JEFFERYS J. G. R. & TRAUB R. D. **502**, 591, 1997

TRAYNELIS S. F.

TRAYNELIS S. F. & WAHL P. Control of rat GluR6 glutamate receptor open probability by protein kinase A and calcineurin **503**, 513, 1997

TRENTHAM D. R. *see* HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. **501**, 125, 1997

see MURPHY K. P. S. J., REID G. P., TRENTHAM D. R. & BLISS T. V. P. **504**, 379, 1997

TRIPATHI O. *see* MISTRY D. K., TRIPATHI O. & CHAPMAN R. A. **500**, 39, 1997

TSAI K.-L.

TSAI K.-L., WANG S.-M., CHEN C.-C., FONG T.-H. & WU M.-L. Mechanism of oxidative stress-induced intracellular acidosis in rat cerebellar astrocytes and C_6 glioma cells **502**, 161, 1997

TSE A. *see* LEE A. K. & TSE A. **504**, 367, 1997

TSEEB V. *see* KWIECIEN R., TSEEB V., KURCHIKOV A., KORDON C. & HAMMOND C. **499**, 613, 1997

TSUGORKA A. *see* PIZARRO G., SHIROKOVA N., TSUGORKA A. & RÍOS E. **501**, 289, 1997

TSUJI H. *see* NAKAMURA H., KITAGAWA H., KAWAGUCHI Y. & TSUJI H. **498**, 817, 1997

TSUTSUI I. *see* INOUE I., TSUTSUI I. & BROWN E. R. **500**, 355, 1997

TUCKER S. J. *see* GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M. **504**, 35, 1997

TURNBULL L. *see* ROSSMANITH G. H., HOH J. F. Y., TURNBULL L. & LUDOWYKE R. I. **505**, 217, 1997

TURNER D. A.
TURNER D. A., CHEN Y., ISAAC J. T., WEST M. & WHEAL H. V. Excitatory synaptic site heterogeneity during paired pulse plasticity in CA1 pyramidal cells in rat hippocampus *in vitro* **500**, 441, 1997

TURNER D. L.
TURNER D. L. & MITCHELL G. S. Long-term facilitation of ventilation following repeated hypoxic episodes in awake goats **499**, 543, 1997

TURNER J. P.
see WILLIAMS S. R., TÓTH T. I., TURNER J. P., HUGHES S. W. & CRUNELLI V. **505**, 689, 1997
TURNER J. P., ANDERSON C. M., WILLIAMS S. R. & CRUNELLI V. Morphology and membrane properties of neurones in the cat ventrobasal thalamus *in vitro* **505**, 707, 1997
see WILLIAMS S. R., TURNER J. P., HUGHES S. W. & CRUNELLI V. **505**, 727, 1997

TURNER R. J. *see* EVANS R. L. & TURNER R. J. **499**, 351, 1997

UCHE U. E. *see* PUREWAL A., FOX M. T., SHIVALKAR P., CARROLL A. P., UCHE U. E., VAILLANT C. & WATKINSON A. **498**, 809, 1997

UETA Y. *see* KABASHIMA N., SHIBUYA I., IBRAHIM N., UETA Y. & YAMASHITA H. **504**, 113, 1997

UGUR M.
UGUR M., DRUMMOND R. M., ZOU H., SHENG P., SINGER J. J. & WALSH J. V. JR An ATP-gated cation channel with some P2Z-like characteristics in gastric smooth muscle cells of toad **498**, 427, 1997

USHERWOOD P. N. R. *see* MAGAZANIK L. G., BULDAKOVA S. L., SAMOILOVA M. V., GMIRO V. E., MELLOR I. R. & USHERWOOD P. N. R. **505**, 655, 1997

VACCARO P. *see* STEFANI G., ONOFRI F., VALTORTA F., VACCARO P., GREENGARD P. & BENFENATI F. **504**, 501, 1997

VAILLANT C. *see* PUREWAL A., FOX M. T., SHIVALKAR P., CARROLL A. P., UCHE U. E., VAILLANT C. & WATKINSON A. **498**, 809, 1997
see VORONINA S., HENRY J., VAILLANT C., DOCKRAY G. J. & VARRO A. **501**, 363, 1997
see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J. **502**, 409, 1997

VALDIVIA C. *see* XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H. **500**, 343, 1997

VALDIVIA H. H. *see* XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H. **500**, 343, 1997

VALENTI G. *see* CAROPPO R., DEBELLIS L., VALENTI G., ALPER S., FRÖMTER E. & CURCI S. **499**, 763, 1997

VALIANTE T. A.
VALIANTE T. A., ABDUL-GHANI M. A., CARLEN P. L. & PENNEFATHER P. Analysis of current fluctuations during after-hyperpolarization current in dentate granule neurones of the rat hippocampus **499**, 121, 1997

VALTORTA F. *see* STEFANI G., ONOFRI F., VALTORTA F., VACCARO P., GREENGARD P. & BENFENATI F. **504**, 501, 1997

VAN DEN BREMT K. *see* KAMOUCHI M., VAN DEN BREMT K., EGGERMONT J., DROOGMANS G. & NILIUS B. **504**, 545, 1997

VAN DEN POL A. N. *see* BELOUSOV A. B. & VAN DEN POL A. N. **499**, 747, 1997

VAN DE VOORDE J. *see* VANHEEL B. & VAN DE VOORDE J. **501**, 331, 1997

VAN HELDEN D. F. *see* CROWE M. J., VON DER WEID P.-Y., BROCK J. A. & VAN HELDEN D. F. **500**, 235, 1997
see VON DER WEID P.-Y. & VAN HELDEN D. F. **504**, 439, 1997

VANHEEL B.
VANHEEL B. & VAN DE VOORDE J. Evidence against the involvement of cytochrome P450 metabolites in endothelium-dependent hyperpolarization of the rat main mesenteric artery **501**, 331, 1997

VANOYE C. G.
VANOYE C. G., ALTENBERG G. A. & REUSS L. P-glycoprotein is not a swelling-activated Cl^- channel; possible role as a Cl^- channel regulator **502**, 249, 1997

VANZI F. *see* PIAZZESI G., LINARI M., RECONDITI M., VANZI F. & LOMBARDI V. **498**, 3, 1997

VARRO A. *see* VORONINA S., HENRY J., VAILLANT C., DOCKRAY G. J. & VARRO A. **501**, 363, 1997
see MACRO J. A., BATE G. W., VARRO A., VAILLANT C., SEIDAH N. G., DIMALINE R. & DOCKRAY G. J. **502**, 409, 1997

VASSEUR M. *see* TOUZANI K., ALVARADO F. & VASSEUR M. **500**, 385, 1997

VAUDRY H. *see* LE FOLL F., CASTEL H., LOUISET E., VAUDRY H. & CAZIN L. **504**, 387, 1997

VAUGHAN C. W.
VAUGHAN C. W. & CHRISTIE M. J. Presynaptic inhibitory action of opioids on synaptic transmission in the rat periaqueductal grey *in vitro* **498**, 463, 1997
VAUGHAN C. W. & KIRKWOOD P. A. Evidence from motoneurone synchronization for disynaptic pathways in the control of inspiratory motoneurones in the cat **503**, 673, 1997

VAUGHAN-JONES R. D. *see* DASSO L. L. T., BUCKLER K. J. & VAUGHAN-JONES R. D. **498**, 327, 1997

VEDEL J.-P. *see* STURM H., SCHMIED A., VEDEL J.-P. & PAGNI S. **504**, 735, 1997

VEGA T. *see* MICHELENA P., DE LA FUENTE M.-T., VEGA T., LARA B., LÓPEZ M. G., GANDÍA L. & GARCÍA A. G. **502**, 481, 1997

VERGARA J. L. *see* DIGREGORIO D. A. & VERGARA J. L. **505**, 585, 1997

VERHEUGEN J. A. H.
VERHEUGEN J. A. H. & KORN H. A charybdotoxin-insensitive conductance in human T lymphocytes: T cell membrane potential is set by distinct K^+ channels **503**, 317, 1997

VICINI S. *see* CARMIGNOTO G., PIZZORUSSO T., TIA S. & VICINI S. **498**, 153, 1997

VICKERY R. M. *see* MORLEY J. W. & VICKERY R. M. **501**, 405, 1997

VIDAL P.-P. *see* RIS L., CAPRON B., DE WAELE C., VIDAL P.-P. & GODAUX E. **500**, 509, 1997

VIDRUK E. H. *see* LING L., OLSON E. B. JR, VIDRUK E. H. & MITCHELL G. S. **500**, 787, 1997

VIELLARD-BARON D. *see* SEIDLER U., BLUMENSTEIN I., KRETZ A., VIELLARD-BARON D., ROSSMANN H., COLLEDGE W. H., EVANS M., RATCLIFF R. & GREGOR M. **505**, 411, 1997

VIHKO V. *see* HAVAS E., PARVIAINEN T., VUORELA J., TOIVANEN J., NIKULA T. & VIHKO V. **504**, 233, 1997

VILLALOBOS C.
VILLALOBOS C., NÚÑEZ. L. & GARCÍA-SANCHO J. Mechanisms for stimulation of rat anterior pituitary cells by arginine and other amino acids **502**, 421, 1997

VILLANOVA N.
VILLANOVA N., AZPIROZ F. & MALAGELADA J.-R. Perception and gut reflexes induced by stimulation of gastrointestinal thermoreceptors in humans **502**, 215, 1997

VISSER G. H. A. *see* DERKS J. B., GIUSSANI D. A., JENKINS S. L., WENTWORTH R. A., VISSER G. H. A., PADBURY J. F. & NATHANIELSZ P. W. **499**, 217, 1997

VOETS T. *see* NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G. **498**, 381, 1997

VOGALIS F.
VOGALIS F. & GOYAL R. K. Activation of small conductance Ca^{2+}-dependent K^+ channels by purinergic agonists in smooth muscle cells of the mouse ileum **502**, 497, 1997

VOGEL R. *see* BUKAUSKAS F. F., VOGEL R. & WEINGART R. **499**, 701, 1997

VOGEL W. *see* SAFRONOV B. V., WOLFF M. & VOGEL W. **503**, 371, 1997

VOIPIO J.
VOIPIO J. & BALLANYI K. Interstitial P_{CO_2} and pH, and their role as chemostimulants in the isolated respiratory network of neonatal rats **499**, 527, 1997

VON ENGELHARDT W. *see* BÖLLERT P., PETERS T., VON ENGELHARDT W. & GROS G. **502**, 679, 1997

VON DER WEID P.-Y. *see* CROWE M. J., VON DER WEID P.-Y., BROCK J. A. & VAN HELDEN D. F. **500**, 235, 1997
VON DER WEID P.-Y. & VAN HELDEN D. F. Functional electrical properties of the endothelium in lymphatic vessels of the guinea-pig mesentery **504**, 439, 1997

VON HOLST A. *see* BOEHM S., HARVEY R. J., VON HOLST A., ROHRER H. & BETZ H. **504**, 683, 1997

VORONINA S.
VORONINA S., HENRY J., VAILLANT C., DOCKRAY G. J. & VARRO A. Amine precursor uptake and decarboxylation: significance for processing of the rat gastrin precursor **501**, 363, 1997

VU T. Q.
VU T. Q., MCCARTHY S. T. & OWEN W. G. Linear transduction of natural stimuli by dark-adapted and light-adapted rods of the salamander, *Ambystoma tigrinum* **505**, 193, 1997

VUORELA J. *see* HAVAS E., PARVIAINEN T., VUORELA J., TOIVANEN J., NIKULA T. & VIHKO V. **504**, 233, 1997

VYSKOČIL F. *see* GINIATULLIN R. A., TALANTOVA M. & VYSKOČIL F. **502**, 641, 1997

WAHL P. *see* TRAYNELIS S. F. & WAHL P. **503**, 513, 1997

WALKER A. M. *see* GRANT D. A., FEWELL J. E., WALKER A. M. & WILKINSON M. H. **503**, 195, 1997

WALLIN B.G. *see* SKARPHEDINSSON J. O., ELAM M., JUNGERSTEN L. & WALLIN B. G. **501**, 671, 1997

WALSH J. V. JR *see* UGUR M., DRUMMOND R. M., ZOU H., SHENG P., SINGER J. J. & WALSH J. V. JR **498**, 427, 1997

WALTER S. J. *see* SHIRLEY D. G. & WALTER S. J. **501**, 663, 1997

WALZ B. *see* ZIMMERMANN B. & WALZ B. **500**, 17, 1997

WANG G.

WANG G., DAYANITHI G., KIM S., HOM D., NADASDI L., KRISTIPATI R., RAMACHANDRAN J., STUENKEL E. L., NORDMANN J. J., NEWCOMB R. & LEMOS J. R. Role of Q-type Ca^{2+} channels in vasopressin secretion from neurohypophysial terminals of the rat **502**, 351, 1997

WANG S.

WANG S., LIU S., MORALES M. J., STRAUSS H. C. & RASMUSSON R. L. A quantitative analysis of the activation and inactivation kinetics of *HERG* expressed in *Xenopus* oocytes **502**, 45, 1997

WANG S.-M.

see TSAI K.-L., WANG S.-M., CHEN C.-C., FONG T.-H. & WU M.-L. **502**, 161, 1997

WANKE E. *see* CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. **501**, 313, 1997

see CHIESA N., ROSATI B., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **501**, 313–318 (1997) **502**, 715, 1997

see FARAVELLI L., ARCANGELI A., OLIVOTTO M. & WANKE E. Erratum: *Journal of Physiology* **496**, 13–23 (1996) **502**, 715, 1997

WARD C. A.

WARD C. A. & GILES W. R. Ionic mechanism of the effects of hydrogen peroxide in rat ventricular myocytes **500**, 631, 1997

WARD S. M.

WARD S. M., HARNEY S. C., BAYGUINOV J. R., MCLAREN G. J. & SANDERS K. M. Development of electrical rhythmicity in the murine gastrointestinal tract is specifically encoded in the tunica muscularis **505**, 241, 1997

WAREING M. *see* WILSON R. W., WAREING M. & GREEN R. **500**, 155, 1997

WARHURST G. *see* BUTTERFIELD I., WARHURST G., JONES M. N. & SANDLE G. I. **501**, 537, 1997

WARING D. W. *see* THOMAS P. & WARING D. W. **504**, 705, 1997

WATANABE M. *see* ITO I., FUTAI K., KATAGIRI H., WATANABE M., SAKIMURA K., MISHINA M. & SUGIYAMA H. **500**, 401, 1997

WATKINSON A. *see* PUREWAL A., FOX M. T., SHIVALKAR P., CARROLL A. P., UCHE U. E., VAILLANT C. & WATKINSON A. **498**, 809, 1997

WEBB M. R. *see* HE Z.-H., CHILLINGWORTH R. K., BRUNE M., CORRIE J. E. T., TRENTHAM D. R., WEBB M. R. & FERENCZI M. A. **501**, 125, 1997

WEBER W.-M. *see* AMASHEH S., WENZEL U., WEBER W.-M., CLAUSS W. & DANIEL H. **504**, 169, 1997

WEI L. *see* NILIUS B., PRENEN J., SZÜCS G., WEI L., TANZI F., VOETS T. & DROOGMANS G. **498**, 381, 1997

WEIDELT T.

WEIDELT T., BOLDT W. & MARKWARDT F. Acetylcholine-induced K^+ currents in smooth muscle cells of intact rat small arteries **500**, 617, 1997

WEIDEMA A. F.

WEIDEMA A. F., BARBERA J., DIXON S. J. & SIMS S. M. Extracellular nucleotides activate non-selective cation and Ca^{2+}-dependent K^+ channels in rat osteoclasts **503**, 303, 1997

WEIGHT F. F. *see* LI C., PEOPLES R. W. & WEIGHT F. F. **505**, 641, 1997

WEINGART R. *see* BUKAUSKAS F. F., VOGEL R. & WEINGART R. **499**, 701, 1997

WEINREICH D. *see* COHEN A. S., MOORE K. A., BANGALORE R., JAFRI M. S., WEINREICH D. & KAO J. P. Y. **499**, 315, 1997

see JAFRI M. S., MOORE K. A., TAYLOR G. E. & WEINREICH D. **503**, 533, 1997

WENTWORTH R. A. *see* DERKS J. B., GIUSSANI D. A., JENKINS S. L., WENTWORTH R. A., VISSER G. H. A., PADBURY J. F. & NATHANIELSZ P. W. **499**, 217, 1997

WENZEL U. *see* AMASHEH S., WENZEL U., WEBER W.-M., CLAUSS W. & DANIEL H. **504**, 169, 1997

WERNIG A. *see* IRINTCHEV A., LANGER M., ZWEYER M., THEISEN R. & WERNIG A. **500**, 775, 1997

WEST M. *see* TURNER D. A., CHEN Y., ISAAC J. T., WEST M. & WHEAL H. V. **500**, 441, 1997

WESTENBROEK R. *see* BARUSCOTTI M., WESTENBROEK R., CATTERALL W. A., DIFRANCESCO D. & ROBINSON R. B. **498**, 641, 1997

WESTERBLAD H. *see* ALLEN D. G., LÄNNERGREN J. & WESTERBLAD H. **498**, 587, 1997

WESTERBLAD H., BRUTON J. D. & LÄNNERGREN J. The effect of intracellular pH on contractile function of intact, single fibres of mouse muscle declines with increasing temperature **500**, 193, 1997

WHEAL H. V. *see* TURNER D. A., CHEN Y., ISAAC J. T., WEST M. & WHEAL H. V. **500**, 441, 1997

WHITE R. J.

WHITE R. J. & REYNOLDS I. J. Mitochondria accumulate Ca^{2+} following intense glutamate stimulation of cultured rat forebrain neurones **498**, 31, 1997

WHITTINGTON M. A.

WHITTINGTON M. A., STANFORD I. M., COLLING S. B., JEFFERYS J. G. R. & TRAUB R. D. Spatiotemporal patterns of γ frequency oscillations tetanically induced in the rat hippocampal slice **502**, 591, 1997

WICKENDEN A. D.

WICKENDEN A. D., KAPRIELIAN R., PARKER T. G., JONES O. T. & BACKX P. H. Effects of development and thyroid hormone on K^+ currents and K^+ channel gene expression in rat ventricle **504**, 271, 1997

WIDDICOMBE J. H. *see* JIANG C., FINKBEINER W. E., WIDDICOMBE J. H. & MILLER S. S. **501**, 637, 1997

WIELING W. *see* JOYNER M. J. & WIELING W. **505**, 549, 1997

WIER W. G. *see* PARKER I. & WIER W. G. **505**, 337, 1997

WILKINSON M. H. *see* GRANT D. A., FEWELL J. E., WALKER A. M. & WILKINSON M. H. **503**, 195, 1997

WILKINSON M. H., BERGER P. J., BLANCH N., BRODECKY V. & JONES C. A. Paradoxical effect of oxygen administration on breathing stability following post-hyperventilation apnoea in lambs **504**, 199, 1997

WILLIAMS S. R.

WILLIAMS S. R., TÓTH T. I., TURNER J. P., HUGHES S. W. & CRUNELLI V. The 'window' component of the low threshold Ca^{2+} current produces input signal amplification and bistability in cat and rat thalamocortical neurones **505**, 689, 1997

see TURNER J. P., ANDERSON C. M., WILLIAMS S. R. & CRUNELLI V. **505**, 707, 1997

WILLIAMS S. R., TURNER J. P., HUGHES S. W. & CRUNELLI V. On the nature of anomalous rectification in thalamocortical neurones of the cat ventrobasal thalamus *in vitro* **505**, 727, 1997

WILLIAMSON J. W.

WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. Activation of the insular cortex during dynamic exercise in humans **503**, 277, 1997

WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

WILSON C. G.

WILSON C. G. & BONHAM A. C. Effect of cardiopulmonary C fibre activation on the firing activity of ventral respiratory group neurones in the rat **504**, 453, 1997

WILSON L. R.

WILSON L. R., GANDEVIA S. C. & BURKE D. Discharge of human muscle spindle afferents innervating ankle dorsiflexors during target isometric contractions **504**, 221, 1997

see GANDEVIA S. C., WILSON L. R., INGLIS J. T. & BURKE D. **505**, 259, 1997

WILSON R. W.

WILSON R. W., WAREING M. & GREEN R. The role of active transport in potassium reabsorption in the proximal convoluted tubule of the anaesthetized rat **500**, 155, 1997

WINCHESTER P. *see* WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. **503**, 277, 1997

see WILLIAMSON J. W., NOBREGA A. C. L., MCCOLL R., MATHEWS D., WINCHESTER P., FRIBERG L. & MITCHELL J. H. Erratum: *Journal of Physiology* **503**, 277–283 (1997) **504**, 764, 1997

WINGARD C. J.

WINGARD C. J., PAUL R. J. & MURPHY R. A. Energetic cost of activation processes during contraction of swine arterial smooth muscle **501**, 213, 1997

WISCHMEYER E.

WISCHMEYER E. & KARSCHIN A. A novel slow hyperpolarization-activated potassium current ($I_{K(SHA)}$) from a mouse hippocampal cell line **504**, 591, 1997

WOLFF M. *see* SAFRONOV B. V., WOLFF M. & VOGEL W. **503**, 371, 1997

WOLFF M. R. *see* MCDONALD K. S., WOLFF M. R. & MOSS R. L. **501**, 607, 1997

WONG P. Y. D. *see* CHAN H. C., FONG S. K., SO S. C., CHUNG Y. W. & WONG P. Y. D. **501**, 517, 1997

WOOD S. J.

WOOD S. J. & SLATER C. R. The contribution of postsynaptic folds to the safety factor for neuromuscular transmission in rat fast- and slow-twitch muscles **500**, 165, 1997

WOODWARD R. *see STEVENS E. B., WOODWARD R., HO I. H. M. & MURRELL-LAGNADO R.* **503**, 547, 1997

WOOLTORTON J. R. A.

WOOLTORTON J. R. A., MCDONALD B. J., MOSS S. J. & SMART T. G. Identification of a Zn^{2+} binding site on the murine $GABA_A$ receptor complex: dependence on the second transmembrane domain of β subunits **505**, 633, 1997

WRAY S. *see TAGGART M. J., MENICE C. B., MORGAN K. G. & WRAY S.* **499**, 485, 1997

WRAY S. The outside-in story of pH, Ca^{2+} and vascular tone **503**, 235, 1997

see NADERALI E. K., BUTTELL N., TAGGART M. J., BULLOCK A. J., EISNER D. A. & WRAY S. **505**, 329, 1997

WRIGHT G. M. *see MCCONNELL C. J., DEMONT M. E. & WRIGHT G. M.* **499**, 513, 1997

WRIGHT P. A. *see DUBELL W. H., WRIGHT P. A., LEDERER W. J. & ROGERS T. B.* **501**, 509, 1997

WU J. *see HARATA N., WU J., ISHIBASHI H., ONO K. & AKAIKE N.* **500**, 673, 1997

WU M.-L. *see TSAI K.-L., WANG S.-M., CHEN C.-C., FONG T.-H. & WU M.-L.* **502**, 161, 1997

WYATT C. N.

WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. Voltage-dependent binding and calcium channel current inhibition by an anti-α_{1D} subunit antibody in rat dorsal root ganglion neurones and guinea-pig myocytes **502**, 307, 1997

WYATT C. N., CAMPBELL V., BRODBECK J., BRICE N. L., PAGE K. M., BERROW N. S., BRICKLEY K., TERRACCIANO C. M. N., NAQVI R. U., MACLEOD K. T. & DOLPHIN A. C. Erratum: *Journal of Physiology* **502**, 307–319 (1997) **503**, 699, 1997

WYLLIE D. J. A. *see GIBB A. J. & WYLLIE D. J. A.* **499**, 1, 1997

XIAO R.-P.

XIAO R.-P., VALDIVIA H. H., BOGDANOV K., VALDIVIA C., LAKATTA E. G. & CHENG H. The immunophilin FK506-binding protein modulates Ca^{2+} release channel closure in rat heart **500**, 343, 1997

YAARI Y. *see AZOUZ R., ALROY G. & YAARI Y.* **502**, 175, 1997

see GARASCHUK O., YAARI Y. & KONNERTH A. **502**, 13, 1997

YADA T.

YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y. Pituitary adenylate cyclase-activating polypeptide (PACAP) is an islet substance serving as an intra-islet amplifier of glucose-induced insulin secretion in rats **505**, 319, 1997

YAEKURA K. *see YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y.* **505**, 319, 1997

YAGI N. *see HORIUTI K., YAGI N. & TAKEMORI S.* **502**, 433, 1997

YAKEL J. *see GILON P., YAKEL J., GROMADA J., ZHU Y., HENQUIN J.-C. & RORSMAN P.* **499**, 65, 1997

YAKEL J. L. *see JONES S. & YAKEL J. L.* **504**, 603, 1997

YAMADA M.

YAMADA M., ISOMOTO S., MATSUMOTO S., KONDO C., SHINDO T., HORIO Y. & KURACHI Y. Sulphonylurea receptor 2B and Kir6.1 form a sulphonylurea-sensitive but ATP-insensitive K^+ channel **499**, 715, 1997

YAMANAKA Y. *see SATO T., OBATA T., YAMANAKA Y. & ARITA M.* **503**, 119, 1997

YAMASHITA H. *see KABASHIMA N., SHIBUYA I., IBRAHIM N., UETA Y. & YAMASHITA H.* **504**, 113, 1997

YAMAUCHI Y. *see MATSUO R., YAMAUCHI Y. & MORIMOTO T.* **498**, 797, 1997

YAMAZAWA T. *see KASAI Y., YAMAZAWA T., SAKURAI T., TAKETANI Y. & IINO M.* **504**, 349, 1997

YANAGIDA K. *see YADA T., SAKURADA M., ISHIHARA H., NAKATA M., SHIODA S., YAEKURA K., HAMAKAWA N., YANAGIDA K., KIKUCHI M. & OKA Y.* **505**, 319, 1997

YANASE-FUJIWARA M. *see ZHANG Y., HOSONO T., YANASE-FUJIWARA M., CHEN X.-M. & KANOSUE K.* **503**, 177, 1997

YANG R. *see LIOU J.-C., YANG R.-S. & FU W.-M.* **503**, 129, 1997

YANG Y. *see JIANG Z., YANG Y., LIU Z. & ALLEN C. N.* **499**, 141, 1997

YASUE M. *see SAKAI H., SATO T., HAMADA N., YASUE M., IKARI A., KAKINOKI B. & TAKEGUCHI N.* **505**, 133, 1997

YASUFUKU-TAKANO J. *see TAKANO K., YASUFUKU-TAKANO J., KOZASA T., NAKAJIMA S. & NAKAJIMA Y.* **502**, 559, 1997

YASUI M.

YASUI M., SERLACHIUS E., LÖFGREN M., BELUSA R., NIELSEN S. & APERIA A. Perinatal changes in expression of aquaporin-4 and other water and ion transporters in rat lung **505**, 3, 1997

YEN J. C.

YEN J. C. & CHAN S. H. H. Interchangeable discharge patterns of neurons in caudal nucleus tractus solitarii in rat slices: role of GABA and NMDA **504**, 611, 1997

YODOZAWA S.

YODOZAWA S., SPEAKE T. & ELLIOTT A. Intracellular alkalinization mobilizes calcium from agonist-sensitive pools in rat lacrimal acinar cells **499**, 601, 1997

YOSHIMURA N.

YOSHIMURA N. & DE GROAT W. C. Plasticity of Na^+ channels in afferent neurones innervating rat urinary bladder following spinal cord injury **503**, 269, 1997

YOU Y. *see OGURA T., YOU Y. & MCDONALD T. F.* **504**, 135, 1997

YOUNG J. A. *see CHATURAPANICH G., ISHIBASHI H., DINUDOM A., YOUNG J. A. & COOK D. I.* **503**, 583, 1997

YOUNG M. *see BARROS L. F., YOUNG M., SAKLATVALA J. & BALDWIN S. A.* **504**, 517, 1997

YU S. P.

YU S. P., SENSI S. L., CANZONIERO L. M. T., BUISSON A. & CHOI D. W. Membrane-delimited modulation of NMDA currents by metabotropic glutamate receptor subtypes 1/5 in cultured mouse cortical neurons **499**, 721, 1997

YUDILEVICH D. L. *see SOBREVIA L., YUDILEVICH D. L. & MANN G. E.* **499**, 135, 1997

YUE D. T. *see JONES L. P., PATIL P. G., SNUTCH T. P. & YUE D. T.* **498**, 601, 1997

see BRODY D. L., PATIL P. G., MULLE J. G., SNUTCH T. P. & YUE D. T. **499**, 637, 1997

ZAKHAROV S. I.

ZAKHAROV S. I. & HARVEY R. D. Rebound stimulation of the cAMP-regulated Cl^- current by acetylcholine in guinea-pig ventricular myocytes **499**, 105, 1997

ZANG W.-J. *see SHUI Z., BOYETT M. R. & ZANG W.-J.* **505**, 77, 1997

ZAVROS Y.

ZAVROS Y. & SHULKES A. Cholecystokinin (CCK) regulates somatostatin secretion through both the CCK-A and CCK-B/gastrin receptors in sheep **505**, 811, 1997

ZAZA A.

ZAZA A., MICHELETTI M., BRIOSCHI A. & ROCCHETTI M. Ionic currents during sustained pacemaker activity in rabbit sino-atrial myocytes **505**, 677, 1997

ZEDKA M.

ZEDKA M. & PROCHAZKA A. Phasic activity in the human erector spinae during repetitive hand movements **504**, 727, 1997

ZEILHOFER H. U.

ZEILHOFER H. U., KRESS M. & SWANDULLA D. Fractional Ca^{2+} currents through capsaicin- and proton-activated ion channels in rat dorsal root ganglion neurones **503**, 67, 1997

ZERNOVA G. V. *see SOMOGYI G. T., ZERNOVA G. V., TANOWITZ M. & DE GROAT W. C.* **499**, 645, 1997

ZHANG H. Q. *see MURRAY G. M., TAUB D. R., MACKIE P. D., ZHANG H. Q., GHOSH S. & ROWE M. J.* **505**, 759, 1997

ZHANG J. J.

ZHANG J. J. & JACOB T. J. C. Three different Cl^- channels in the bovine ciliary epithelium activated by hypotonic stress **499**, 379, 1997

ZHANG L. *see HU X. & ZHANG L.* **499**, 551, 1997

ZHANG M. *see ZHONG H., ZHANG M. & NURSE C. A.* **503**, 599, 1997

ZHANG S. P.

ZHANG S. P. & ROWE M. J. Quantitative analysis of cuneate neurone responsiveness in the cat in association with reversible, partial deafferentation **505**, 769, 1997

ZHANG Y. *see TAKANO N., INAISHI S. & ZHANG Y.* **499**, 843, 1997

ZHANG Y., HOSONO T., YANASE-FUJIWARA M., CHEN X. & KANOSUE K. Effect of midbrain stimulations on thermoregulatory vasomotor responses in rats **503**, 177, 1997

ZHONG H.

ZHONG H., ZHANG M. & NURSE C. A. Synapse formation and hypoxic signalling in co-cultures of rat petrosal neurones and carotid body type 1 cells **503**, 599, 1997

Zhu Y. *see* Gilon P., Yakel J., Gromada J., Zhu Y., Henquin J.-C. & Rorsman P. **499**, 65, 1997

Zimmermann B.

Zimmermann B. & Walz B. Serotonin-induced intercellular calcium waves in salivary glands of the blowfly *Calliphora erythrocephala* **500**, 17, 1997

Zöllner S. *see* Grune T., Müller K., Zöllner S., Haseloff R., Blasig I. E., David H. & Siems W. **498**, 511, 1997

Zou H. *see* Ugur M., Drummond R. M., Zou H., Sheng P., Singer J. J. & Walsh J. V. Jr **498**, 427, 1997

Zucker H. *see* Carbone E., Lux H. D., Carabelli V., Aicardi G. & Zucker H. **504**, 1, 1997

Zweyer M. *see* Irintchev A., Langer M., Zweyer M., Theisen R. & Wernig A. **500**, 775, 1997

Author Index: Proceedings

Proceedings of The Physiological Society
Volumes 499.P – 505.P

(February – December 1997)

ABBOTT N. J. *see* REICHEL A., BEGLEY D. J. & ABBOTT N. J. **501.P**, 30*P*, 1997
see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **501.P**, 31*P*, 1997
see REICHEL A., CHISHTY M., BEGLEY D. J., NUNN P. & ABBOTT N. J. **505.P**, 48*P*, 1997
see EASTON A. S. & ABBOTT N. J. **505.P**, 49*P*, 1997
see HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J. **505.P**, 49*P*, 1997
see ROLLINSON C. & ABBOTT N. J. **505.P**, 54*P*, 1997
see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **505.P**, 55*P*, 1997
see REEVE-CHEN Z. D. & ABBOTT N. J. **505.P**, 55*P*, 1997
see DOLMAN D. E. M., ANDERSON P., ROLLINSON C. & ABBOTT N. J. **505.P**, 56*P*, 1997

ABDULLAH K. *see* CONNOLLY C., ABDULLAH K., CAWLEY T., RUIZ E. & DOCHERTY J. R. **501.P**, 107*P*, 1997

ABOGADIE F. C. *see* DELMAS P., ABOGADIE F. C., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. **504.P**, 176*P*, 1997
see HALEY J. E., DELMAS P., ABOGADIE F. C., DAYRELL M., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. **504.P**, 176*P*, 1997

ABOUD R.
ABOUD R., CONNOLLY C., MCCORMICK P. A. & DOCHERTY J. R. Vascular effects of octreotide in the portal hypertensive rat **501.P**, 108*P*, 1997

ABRAHAM M. *see* HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J. **505.P**, 49*P*, 1997

ADAMS D. J. *see* CUEVAS J. & ADAMS D. J. **501.P**, 70*P*, 1997

ADAMS L. *see* CORFIELD D. R., ROBERTS C. A., MORRELL M. J. & ADAMS L. **499.P**, 69*P*, 1997
see MORRELL M. J., BROWNE H. A. K. & ADAMS L. **505.P**, 32*P*, 1997
see CORFIELD D. R., MURPHY K., JOSEPHS O., FINK G. R., FRACKOWIAK R. S. J., ADAMS L. & TURNER R. **505.P**, 83*P*, 1997

ADAMS W.
ADAMS W., TRAFFORD A. W. & EISNER D. A. BDM stimulates Ca^{2+} release from the SR in intact, isolated rat ventricular myocytes **505.P**, 92*P*, 1997

ADCOCK C. *see* SMITH G. R., ADCOCK C. & SANSOM M. S. P. **504.P**, 158*P*, 1997

ADEGHATE E. A. *see* DRAPER C. E., SINGH J., PALLOT D. & ADEGHATE E. A. **501.P**, 155*P*, 1997
see JUMA L. M. O., SINGH J., SALIDO G. M., PARIENTE J. A., TAPIA J. A. & ADEGHATE E. **501.P**, 156*P*, 1997
ADEGHATE E. *see* JUMA L. M. O., SINGH J., ADEGHATE E., SALIDO G. M. & TAPIA J. A. **504.P**, 34*P*, 1997
see DRAPER C. E., SINGH J., BROWN J., LAWRENCE P. A. & ADEGHATE E. A. **504.P**, 34*P*, 1997

AGGELOPOULOS N. C.
AGGELOPOULOS N. C., BAKER M. R., JAVID M. & EDGLEY S. A. Activation of climbing fibre pathways to the rat cerebellar cortex by cerebral corticofugal pathways **504.P**, 113*P*, 1997

AHMAD N.
AHMAD N., LODGE J. P. A. & POTTS D. J. Ischaemic damage in the kidney: comparison of the effects of three flush preservation fluids in the prevention of warm ischaemic damage in a rat kidney ischaemia model **505.P**, 114*P*, 1997

AHSAN S. A.
AHSAN S. A., LACEY M. & WHITEHEAD S. A. Interleukin (IL)-1β induces nitric oxide (NO) and prostaglandin (PG)E_2 synthesis in cultures of rat ovarian cells and inhibits steroidogenesis: are ovarian macrophages target cells for IL-1β? **501.P**, 166*P*, 1997

AINSWORTH R. K.
AINSWORTH R. K., FERGUSON N. & SULEIMAN M.-S. Short warm crystalloid cardioplegic perfusion following cold cardioplegic arrest (hot shot) improves functional and metabolic recovery upon reperfusion in the Langendorff perfused guinea-pig hearts **504.P**, 86*P*, 1997

AKINOLA A. B.
AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J. Nitric oxide and exercise-induced hypotension in human sympathetic denervation **505.P**, 18*P*, 1997

AL-ANI M. *see* AL-KHALIDI A. H., AL-ANI M., TOWNEND J. N., BONSER R. & COOTE J. H. **501.P**, 80*P*, 1997

AL-ATTAR Z.
AL-ATTAR Z., O'BOYLE D. J. & CODY F. W. J. The influence of modality of metronome and modality of sensory feedback on human temporal-tracking performance **504.P**, 118*P*, 1997

ALEXANDER B.
see SMART K. A., SHERWOOD R., SEGAL M. B. & ALEXANDER B. **501.P**, 161*P*, 1997
ALEXANDER B. & FOSTER C. S. Hepatocellular maturation and maintenance of the blood–brain barrier in the rat **505.P**, 51*P*, 1997
see SMART K. A., SEGAL M. B. & ALEXANDER B. **505.P**, 52*P*, 1997

ALEXANDER C. M.
ALEXANDER C. M. & HARRISON P. J. Reflexes evoked in the trapezius muscle by electrical stimulation of the third and fourth cervical nerves in humans **505.P**, 82*P*, 1997

ALI A. B.
ALI A. B. & THOMSON A. M. Brief train depression and facilitation at pyramid–interneurone connections in slices of rat hippocampus; paired recordings with biocytin filling **501.P**, 9*P*, 1997
ALI A. B. & THOMSON A. M. Inhibitory connections made and received by a radial trilaminar interneurone in adult rat hippocampal slices **504.P**, 178*P*, 1997

AL-KHALIDI A. H.
AL-KHALIDI A. H., AL-ANI M., TOWNEND J. N., BONSER R. & COOTE J. H. Validation of the conductance catheter method for measuring volume changes in the human left ventricle **501.P**, 80*P*, 1997

ALLAN J. D. D.
ALLAN J. D. D., BULTITUDE M. I., BULTITUDE M. F., WALL P. D. & MCMAHON S. B. The effect of capsaicin on renal pain signalling systems in humans and Wistar rats **505.P**, 39*P*, 1997

ALLEN A. *see* JORDAN N., NEWTON J. L., PEARSON J. P. & ALLEN A. **499.P**, 103*P*, 1997

ALLEN J. M. *see* HARRISON P. T. & ALLEN J. M. **499.P**, 123*P*, 1997
see WALSH D. M., BAXTER G. D. & ALLEN J. M. **501.P**, 46*P*, 1997
see HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M. **505.P**, 88*P*, 1997

ALLEN P. D. *see* BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D. **504.P**, 11*S*, 1997

ALPER R. H. *see* KNOWLES I. D., ALPER R. H. & RAMAGE A. G. **501.P**, 71*P*, 1997

ALSOP S.
ALSOP S., BHATIA A. & PATON J. F. R. Characteristics of the respiratory network in an arterially perfused preparation of the neonatal rat **504.P**, 200*P*, 1997

AMASSIAN V. E.
AMASSIAN V. E., VERGARA M., SOMASUNDARAM M., MACCABEE P. J. & CRACCO R. Q. Temporary relief of induced pain by repetitive magnetic stimulation of human parietal lobe **499.P**, 88*P*, 1997
AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N., EBERLE L. & ROTHWELL J. C. Spatial facilitation of human motor responses by near-threshold magnetic stimulation of parietal and frontal areas **504.P**, 115*P*, 1997

AMBUDKAR I. S.
AMBUDKAR I. S., WU A. J. & MEEHAN S. IFN-γ-induced decrease in SERCA protein and depletion of intracellular calcium store(s) is associated with loss of cell growth and apoptosis in a human submandibular gland cell line **501.P**, 157*P*, 1997

AMENITSCH H.
AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J. Meridional X-ray diffraction intensity changes during sinusoidal length oscillations in skeletal muscle fibres of *Rana temporaria* **505.P**, 88*P*, 1997

AMOS W. B. *see* RANDALL A. D., MCNAUGHTON N. C. L. & AMOS W. B. **501.P**, 29*P*, 1997

ANDERSON C. *see* RAYNER D. V., ANDERSON C., DALGLIESH G., DUNCAN J. S., HARDIE L. J. & TRAYHURN P. **499.P**, 123*P*, 1997

ANDERSON P. *see* DOLMAN D. E. M., ANDERSON P., ROLLINSON C. & ABBOTT N. J. **505.P**, 56*P*, 1997

ANDERSON P. N. *see* HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G. **501.P**, 97*P*, 1997

ANDREWS J. F. *see* JAKOBSON M. E., ANDREWS J. F., KELLY A. & MCBENNETT S. M. **501.P**, 2*P*, 1997
see BOTHWELL S., DONNE B. & ANDREWS J. F. **501.P**, 6*P*, 1997

ANDREWS K. A.
ANDREWS K. A. & FITZGERALD M. A comparison of the mechanically and electrically evoked flexion reflex as a quantifiable measure of responses to innocuous and noxious skin stimulation in human neonates **501.P**, 98*P*, 1997

ANGEL A.

ANGEL A., FURNISS D., GOLDSTEIN D. J. & SEDDON A. B. A non-scanning, coherent fibre-optic microscope **499.P**, 46*P*, 1997

ANGEL A., LINKENS D. A. & TING C. H. A data acquisition and signal processing system for electrophysiology **499.P**, 46*P*, 1997

ANGEL A. & EVERILL N. M. CAL programs for teaching practical and theoretical neuroscience **499.P**, 47*P*, 1997

ANGEL A. & ARNOTT R. H. Effects of blockade of glycinergic synapses on sensory transmission and the action of halothane in the urethane-anaesthetized rat **499.P**, 92*P*, 1997

ANGEL A. & WOLSTENHOLME S. The effect of nitrous oxide on sensory transmission in the urethane-anaesthetized rat **499.P**, 92*P*, 1997

ANGELINI G. D. *see DASHWOOD M. R., JEREMY J., MEHTA D., BRYAN A. & ANGELINI G. D.* **501.P**, 107*P*, 1997

see GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S. **504.P**, 88*P*, 1997

ANGELO S. *see DEVÉS R., ANGELO S. & ROJAS A. M.* **499.P**, 20*S*, 1997

ANGELUCCI L.

ANGELUCCI L., CASOLINI P. & SCACCIANOCE S. Increased adrenocortical secretion in ageing: a conversion to its adaptive role **501.P**, 8*S*, 1997

ANTONI F. A.

ANTONI F. A. Ca^{2+} feedback inhibition of cAMP reponses induced by 41-residue corticotrophin releasing-factor in acutely dispersed rat anterior pituitary cells **499.P**, 19*P*, 1997

ANWYL R. *see WANG Y., ROWAN M. J. & ANWYL R.* **501.P**, 90*P*, 1997

see XU L., ANWYL R. & ROWAN M. J. **501.P**, 92*P*, 1997

see HÖLSCHER C., ANWYL R. & ROWAN M. J. **501.P**, 93*P*, 1997

see HUANG L., ROWAN M. J. & ANWYL R. **501.P**, 99*P*, 1997

see WU J., WANG Y., ANWYL R. & ROWAN M. J. **501.P**, 102*P*, 1997

APPENRODT P.

APPENRODT P. & KROS C. J. Single-channel recordings of large conductance Ca^{2+}-activated K^+ channels from guinea-pig inner hair cells **501.P**, 147*P*, 1997

APPLEBY L. *see WIGGLESWORTH M., APPLEBY L., OGILVIE J. & CLARKE R. W.* **504.P**, 104*P*, 1997

APPS A. *see LEE S. & APPS A.* **504.P**, 57*P*, 1997

APPS R. *see KING V. M., BROPHY V., ELLIS M. & APPS R.* **504.P**, 68*P*, 1997

APPS R. & LEE S. Movement-related gating of spino-olivocerebellar pathways in the awake cat **504.P**, 16*S*, 1997

ARABI Y. *see MORRELL M. J., ARABI Y., ZAHN B., DEMPSEY J. A. & BADR M. S.* **499.P**, 69*P*, 1997

ARAGON C. *see CHRISTIE G. R., WALKER D., ARAGON C. & HIRST B. H.* **504.P**, 147*P*, 1997

ARGANO V. *see BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F.* **504.P**, 77*P*, 1997

ARGENT B. E. *see SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E.* **499.P**, 31*P*, 1997

ARGIBAY J. A. *see MALÉCOT C. O., BOLAÑOS P. & ARGIBAY J. A.* **501.P**, 129*P*, 1997

ARMAND J. *see MAIER M. A., DAVIS J. N., ARMAND J., KIRKWOOD P. A. & LEMON R. N.* **505.P**, 84*P*, 1997

ARMSTRONG D. M. *see MARPLE-HORVAT D. E., GARWICZ M., HOLLANDS M. A., CRIADO J. M. & ARMSTRONG D. M.* **504.P**, 64*P*, 1997

ARMSTRONG-JAMES M. *see BARTLEY S. & ARMSTRONG-JAMES M.* **501.P**, 103*P*, 1997

see BARTLEY S. & ARMSTRONG-JAMES M. **504.P**, 215*P*, 1997

ARNOTT R. H. *see ANGEL A. & ARNOTT R. H.* **499.P**, 92*P*, 1997

ASBÓTH G.

ASBÓTH G., PHANEUF S. & LÓPEZ BERNAL A. Characterization of thromboxane (TP) receptors in cultured human myometrial cells **499.P**, 44*P*, 1997

ASHCROFT F. M. *see TRAPP S., SMITH P. A. & ASHCROFT F. M.* **499.P**, 11*P*, 1997

see GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M. **499.P**, 128*P*, 1997

see TRAPP S., TUCKER S. J. & ASHCROFT F. M. **499.P**, 129*P*, 1997

see PROKS P. & ASHCROFT F. M. **504.P**, 155*P*, 1997

ASHFORD M. L. J. *see SMITH M. A. & ASHFORD M. L. J.* **504.P**, 160*P*, 1997

ASHLEY C. C. *see AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J.* **505.P**, 88*P*, 1997

ASHLEY Z. *see NG Y., ASHLEY Z., COX V. & GOLDSPINK D.* **499.P**, 114*P*, 1997

ASHLEY Z., NG Y. & GOLDSPINK D. Transformation of the phenotypic properties of the rabbit latissimus dorsi muscle by dynamic training **504.P**, 228*P*, 1997

ASHMORE J. F. *see KILNER J. M. & ASHMORE J. F.* **504.P**, 30*P*, 1997

see GRIX N., JAGGER D. J., ASHMORE J. F. & HOLLEY M. C. **504.P**, 130*P*, 1997

see SPREADBURY I. C. & ASHMORE J. F. **504.P**, 130*P*, 1997

ASHTON N. *see GOULDSBOROUGH I. & ASHTON N.* **499.P**, 64*P*, 1997

ASHTON N., GOULDSBOROUGH I., MONKHOUSE R., ROSSITER S. & WILLIAMS B. C. Vascular reactivity of the *in vitro* mesenteric arterial bed of spontaneously hypertensive and Wistar-Kyoto rat strains after cross-fostering **505.P**, 100*P*, 1997

ASZTELY F.

ASZTELY F., MIN M.-Y. & KULLMANN D. M. Differences between medial and lateral perforant path synapses on dentate granule cells **504.P**, 181*P*, 1997

ATTWELL D. *see WARR O., TAKAHASHI M., BILLUPS B. & ATTWELL D.* **504.P**, 172*P*, 1997

see OSHIMA T., ROSSI D. & ATTWELL D. **504.P**, 173*P*, 1997

AUSTIN A. R. *see POMFRETT C. J. D. & AUSTIN A. R.* **501.P**, 69*P*, 1997

AU-YONG I. T. H.

AU-YONG I. T. H., CUI L.-N. & DYBALL R. E. J. Suprachiasmatic and retinal projections to the arcuate nucleus in the rat **505.P**, 12*P*, 1997

AVELLA M.

AVELLA M. & EHRENFELD J. Cl^- secretion by fish gill respiratory-like cells in culture and its hormonal control **499.P**, 17*P*, 1997

AWAD S. S. *see MORGAN J. M., AWAD S. S., LAMB H. K., DUNLOP W. & GILLESPIE J. I.* **499.P**, 37*P*, 1997

AYNSLEY-GREEN A. *see LINDLEY K. J., KNAFELZ D., ST LOUIS D., DUNNE M. J., AYNSLEY-GREEN A. & MILLA P. J.* **499.P**, 108*P*, 1997

AZIZ Q. *see HAMDY S., ROTHWELL J. C., AZIZ Q., SINGH K. D. & THOMPSON D. G.* **504.P**, 114*P*, 1997

BACIKOVI L. *see HERGET J., WILHELM J., NOVOTNI J. & BACIKOVI L.* **499.P**, 10*S*, 1997

BADR M. S. *see MORRELL M. J., ARABI Y., ZAHN B., DEMPSEY J. A. & BADR M. S.* **499.P**, 69*P*, 1997

BADZYŃSKA B. *see SADOWSKI J., KOMPANOWSKA-JEZIERSKA E., DOBROWOLSKI L., WALKOWSKA A. & BADZYŃSKA B.* **505.P**, 111*P*, 1997

BAGNI M. A. *see AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J.* **505.P**, 88*P*, 1997

BAILEY A. R. T. *see HONDA K., BAILEY A. R. T., BULL P. & LENG G.* **505.P**, 10*P*, 1997

BAILEY M. A.

BAILEY M. A., CAPASSO G., UNWIN R. J. & WALTER S. J. Effect of pH on reabsorptive fluxes during *in vivo* microperfusion of Henle's loop in anaesthetized rats **505.P**, 109*P*, 1997

BAINES D. L.

BAINES D. L., BINGLE C. D., YUAN H., KEMP P. J. & OLVER R. E. The fetal guinea-pig lung near term displays a rise in αENaC mRNA expression that is independent of labour **501.P**, 63*P*, 1997

BAKER G. E. *see THOMPSON I. D., BAKER G. E., SMYTH D., KRUG K. & TOLHURST D. J.* **501.P**, 120*P*, 1997

BAKER G. F. *see WIDDAS W. F. & BAKER G. F.* **499.P**, 23*P*, 1997

BAKER G. F., O'GORMAN R. & BAKER P. The effect of glucose transport inhibitors on vicinal dione produced potassium loss from human red cells **499.P**, 51*P*, 1997

see CHETWIN K., HAYWARD K. & BAKER G. F. **505.P**, 24*P*, 1997

see HAYWARD K., CHETWIN K. & BAKER G. F. **505.P**, 24*P*, 1997

BAKER G. F. & WIDDAS W. F. The shrinkage of human erythrocytes at high pH in media between 200 and 400 mosmol l^{-1}, and in the presence of 50 mM lactate **505.P**, 109*P*, 1997

BAKER M. D.

BAKER M. D. & BOSTOCK H. Block of persistent Na^+ current by protons over the physiological pH range in adult rat large sensory neurones in culture **504.P**, 49*P*, 1997

BAKER M. R. *see AGGELOPOULOS N. C., BAKER M. R., JAVID M. & EDGLEY S. A.* **504.P**, 113*P*, 1997

BAKER P. *see BAKER G. F., O'GORMAN R. & BAKER P.* **499.P**, 51*P*, 1997

BAKER S. N. *see COATES M. J., BAKER S. N. & FITZGERALD W. J.* **501.P**, 36*P*, 1997

see PINCHES E. M., BAKER S. N. & LEMON R. N. **501.P**, 36*P*, 1997

BAKER S. N. Quantification of the relative efficacies of asynchronous and oscillating inputs to a motoneurone pool using a computer model **504.P**, 116*P*, 1997

BAKHRAMOV A.

BAKHRAMOV A., HARTLEY S. A., SALTER K. J. & KOZLOWSKI R. Z. ATP and endothelin-1 preferentially activate a Ca^{2+}-activated Cl^- over K^+, current in rat pulmonary arterial myocytes **499.P**, 129*P*, 1997

BAKKER A. J. *see HEAD S. I., BAKKER A. J., WAREHAM A. C. & STEPHENSON D. G.* **504.P**, 226*P*, 1997

see HUSSAIN M., BAKKER A.J. & HEAD S. I. **504.P**, 233*P*, 1997

BAL R.

BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. Effect of calcium on transient outward current in *Helix aspersa* neurones *in vitro* **499.P**, 131*P*, 1997

BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. A new type of fast outward current in neurones of *Helix aspersa in vitro* **499.P**, 132*P*, 1997

see JANAHMADI M., BAL R., SANDERS D. J. & GREEN G. G. R. **499.P**, 132*P*, 1997

BALASUBRAMANYAM M.

BALASUBRAMANYAM M. & GARDNER J. P. Lymphocyte calcium homeostasis: a cellular model for studying physiology and pathophysiology **501.P**, 150*P*, 1997

BALDWIN S. A. *see HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A.* **499.P**, 50*P*, 1997

BALL D.

BALL D., BURROWS C. & SARGEANT A. J. Human power output and the effect of acute heat stress during repeated bouts of sprint exercise **499.P**, 75*P*, 1997

BALL S. G. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A.* **499.P**, 34*P*, 1997

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997

BALLANYI K.

BALLANYI K. Neuromodulator-mediated and metabolic adaptation of the isolated respiratory network of newborn rats **504.P**, 24*S*, 1997

BALMENT R. J. *see WINTER M. J., STENHOUSE A. A., HUBBARD P. C., MCCROHAN C. R. & BALMENT R. J.* **504.P**, 22*P*, 1997

BALMFORTH A. J. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A.* **499.P**, 34*P*, 1997

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997

BALSCHUN D. *see BEHNISCH T., WILSCH V., JAEGER T., REYMANN K. G. & BALSCHUN D.* **501.P**, 99*P*, 1997

BAND D. M.

BAND D. M., JONAS M. M., LINTON N. W. F., LINTON R. A. F. & O'BRIEN T. K. Measurement of cardiac output **505.P**, 5*P*, 1997

BANKS D.

BANKS D. & SEARS T. A. A simple technique for recording activity in primary afferent fibres in the anterior medullary velum of the anaesthetized cat **505.P**, 8*P*, 1997

BAO J.

BAO J., LI J. & PERL E. R. Different presynaptic Ca^{2+} channels influence evoked EPSCs and spontaneous, miniature EPSCs in rodent spinal lamina I and II neurones **504.P**, 175*P*, 1997

BARATTINI P. *see NARICI M. V., KAYSER B., BARATTINI P. & CERRETELLI P.* **499.P**, 81*P*, 1997

BARER G.

BARER G., EMERY C., LIU X. & LAUDE E. Haemodynamic, metabolic and growth consequences of sustained hypoxia in mature and perinatal rats, studied in isolated perfused lungs **499.P**, 10*S*, 1997

BARNES C. A.

BARNES C. A. Getting lost: synaptic mechanisms and network dynamics in the aged hippocampus **501.P**, 2*S*, 1997

BARNES G. R. *see WELLS S. G. & BARNES G. R.* **504.P**, 112*P*, 1997

see XIA R. & BARNES G. R. **504.P**, 112*P*, 1997

BARNES G. R., RATHBONE K. & SIRA M. Effects of a structured background on anticipatory ocular pursuit **504.P**, 113*P*, 1997

BARNES G. R. & DONELAN A. S. Evidence for segregation of timing and velocity storage in ocular pursuit **505.P**, 79*P*, 1997

BARNES-DAVIES M. *see FORSYTHE I. D., TSUJIMOTO T., BARNES-DAVIES M., CUTTLE M. F. & TAKAHASHI T.* **504.P**, 174*P*, 1997

BARSBY R. W. J. *see HEBLICH F., BARSBY R. W. J., HOUGHTON P. J. & MCFADZEAN I.* **501.P**, 24*P*, 1997

BARSEGOV V. A. *see KUROCHKIN I. N., NICOLOVA L. I., BARSEGOV V. A., SERGEEVA M. G. & SUKHOMLIN T. K.* **499.P**, 41*P*, 1997

BARTLEY S.

BARTLEY S. & ARMSTRONG-JAMES M. Use-dependent modification of receptive fields of neurones in ventral posterior medial nucleus (VPm) in the adult rat **501.P**, 103*P*, 1997

BARTLEY S. & ARMSTRONG-JAMES M. Intermediate and chronic experience-dependent modification of receptive fields of neurons in ventral posterior medial nucleus (VPm) in the adult rat **504.P**, 215*P*, 1997

BASHIR Z. I. *see ZIAKOPOULOS Z., BROWN M. W. & BASHIR Z. I.* **501.P**, 8*P*, 1997

see KEMP N. & BASHIR Z. I. **504.P**, 212*P*, 1997

BATE G. W.

BATE G. W., VARRO A. & DOCKRAY G. J. The effects of inhibiting gastric acid secretion on the post-translational processing of progastrin **499.P**, 104*P*, 1997

BATEMAN A. *see BUSH B. M. H., BUTLER D., REDMOND N. M., WESTPHELY H., WHITLOCK T. & BATEMAN A.* **504.P**, 63*P*, 1997

BATTEN T. F. C. *see CORBETT E. K. A., BATTEN T. F. C., SAHA S. & MCWILLIAM P. N.* **501.P**, 75*P*, 1997

BAXTER G. D. *see WALSH D. M., BAXTER G. D. & ALLEN J. M.* **501.P**, 46*P*, 1997

see HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M. **505.P**, 88*P*, 1997

BAYDOUN A. R. *see CANNON T. R., MANN G. E. & BAYDOUN A. R.* **499.P**, 21*P*, 1997

BEAM K. G.

BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D. Molecular machinery of excitation–contraction coupling in striated muscle **504.P**, 11*S*, 1997

BEATTIE R. E. *see GILLARD S. E., VOLSEN S. G., SMITH W., BEATTIE R. E., BLEAKMAN D. & LODGE D.* **504.P**, 50*P*, 1997

BECKER D. *see BONNESS V., WHITLEY K., BECKER D. & MOBBS P.* **504.P**, 170*P*, 1997

BEE D. *see MOORE E. & BEE D.* **499.P**, 70*P*, 1997

BEECH D. J. *see QUINN K. & BEECH D. J.* **501.P**, 109*P*, 1997

BEESLEY A. H.

BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. Na^+–K^+-ATPase activity in normal and cystic fibrosis (CF) intestine **499.P**, 106*P*, 1997

BEESLEY A. H., ORTEGA B., PARKER A. J., HORNBY D. & WHITE S. J. Quantification of ROMK mRNA expression in rat kidney by competitive polymerase chain reaction (PCR) **505.P**, 115*P*, 1997

BEGLEY D. J. *see REICHEL A., BEGLEY D. J. & ABBOTT N. J.* **501.P**, 30*P*, 1997

see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **501.P**, 31*P*, 1997

see REICHEL A., CHISHTY M., BEGLEY D. J., NUNN P. & ABBOTT N. J. **505.P**, 48*P*, 1997

see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **505.P**, 55*P*, 1997

BÉHÉ P. *see WYLLIE D., BÉHÉ P., EDMONDS B. & COLQUHOUN D.* **504.P**, 173*P*, 1997

BEHN E. G. *see MORGAN P. S., BEHN E. G. & IMMS F. J.* **505.P**, 28*P*, 1997

BEHNISCH T.

BEHNISCH T., WILSCH V., JAEGER T., REYMANN K. G. & BALSCHUN D. When are class I mGluRs necessary for hippocampal LTP in rats? **501.P**, 99*P*, 1997

see SZINYEI C., BEHNISCH T. & REYMANN K. G. **504.P**, 218*P*, 1997

BELCHER P. *see MANSARAY M., BELCHER P., WRIGHT Z., HYND J. & NOBLE M. I. M.* **501.P**, 124*P*, 1997

BELEVICH A. E.

BELEVICH A. E., ZIMA A. V. & SHUBA M. F. A regulation of L-type calcium channels in intestinal smooth muscle cells by protein kinases **501.P**, 118*P*, 1997

BELL C.

BELL C. & COMERFORD Q. Interactive case histories for teaching medical pathophysiology **501.P**, 2*P*, 1997

BENDAHHOU S. *see CADIOU H., THROWER E., BENDAHHOU S. & DUCLOHIER H.* **504.P**, 157*P*, 1997

BENJAMIN P. R.

BENJAMIN P. R. Multiple peptide modulators in small neural networks **504.P**, 2*S*, 1997

BENKE T. A. *see LÜTHI A., ISAAC J. T. R., BENKE T. A. & COLLINGRIDGE G. L.* **501.P**, 100*P*, 1997

BENNETT D. *see VERMA V., CARTER C., KEABLE S., BENNETT D. & THORN P.* **499.P**, 18*P*, 1997

BENNETT D. L. H. *see* BRADBURY E. J., BENNETT D. L. H., KING V., PRIESTLEY J. V. & MCMAHON S. B. **501.P**, 48*P*, 1997

BERARDINELLI P.
BERARDINELLI P., MARTELLI A., RADAELLI G., ROWLERSON A. & SCAPOLO P.-A. Number and diameter of axons innervating lateral muscle of the sea bream (*Sparus aurata*) during development **504.P**, 14*P*, 1997

BERGER W. *see* DUYSENS J., TOEBAK M., VAN WEZEL B. M. H. & BERGER W. **504.P**, 115*P*, 1997

BERLIN J. R. *see* COLLIER M. L., THOMAS A. P. & BERLIN J. R. **504.P**, 92*P*, 1997

BERNHARDT I.
see CULLIFORD S. J., BERNHARDT I. & ELLORY J. C. **501.P**, 155*P*, 1997
BERNHARDT I., RICHTER S., HAMANN J. & KUMMEROW D. Characterization of the ground state permeability of the red blood cell membrane to K^+ and Na^+ based on an electroneutral $K^+(Na^+)$–H^+ exchange process **504.P**, 135*P*, 1997

BERNSTORFF S. *see* AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J. **505.P**, 88*P*, 1997

BERRETTA N.
BERRETTA N., CHERUBINI E., ROSSOKHIN A. V. & VORONIN L. L. Intracellular tetanization of CA3 neurones induces long-term potentiation (LTP) of mossy fibre synapses in juvenile rat hippocampal slices **504.P**, 180*P*, 1997

BERROW N. S. *see* STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. **504.P**, 50*P*, 1997
see STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. **504.P**, 157*P*, 1997

BERRY M. *see* HORNBY M. F., IBRAHIM M., GRAHAM A., BERRY M. & BUTT A. M. **501.P**, 32*P*, 1997
see TRAN-DANG M.-A., HOWD A. G., BERRY M. & BUTT A. M. **505.P**, 43*P*, 1997
see GODDARD D. R., BERRY M. & BUTT A. M. **505.P**, 47*P*, 1997
see HORNBY M. F., BERRY M. & BUTT A. M. **505.P**, 47*P*, 1997

BERTASO F.
BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F. Outward currents in isolated human cardiac atrial myocytes **504.P**, 77*P*, 1997

BEST L. *see* SHEADER E. A., BEST L. & BROWN P. D. **504.P**, 138*P*, 1997
see MILEY H. E., GRINT R., HOLDEN D., BEST L. & BROWN P. D. **504.P**, 142*P*, 1997

BEWICK G. S. *see* REID B. & BEWICK G. S. **499.P**, 28*P*, 1997

BHANDARI R. N. B.
BHANDARI R. N. B., OGILVIE J. & CLARKE R. W. Naloxone enhancement of the expression of fos-like immunoreactivity in the spinal cord of decerebrated rabbits **504.P**, 107*P*, 1997

BHANDARI S.
BHANDARI S., NOBLE K. H. & HUNTER M. Ion permeation of thallium (Tl^+) in ROMK1 **504.P**, 144*P*, 1997

BHATIA A. *see* ALSOP S., BHATIA A. & PATON J. F. R. **504.P**, 200*P*, 1997

BICHET D. G.
BICHET D. G. Clinical and molecular insights into diabetes insipidus **505.P**, 3*S*, 1997

BILLARD J. M.
BILLARD J. M., JOUVENCEAU A., POTIER B., LAMOUR Y. & DUTAR P. Pharmacological properties of CA1 pyramidal cells in the aged rat **501.P**, 3*S*, 1997

BILLUPS B. *see* WARR O., TAKAHASHI M., BILLUPS B. & ATTWELL D. **504.P**, 172*P*, 1997

BINGLE C. D. *see* BAINES D. L., BINGLE C. D., YUAN H., KEMP P. J. & OLVER R. E. **501.P**, 63*P*, 1997

BINSHTOK A. M. *see* FLEIDERVISH I. A., BINSHTOK A. M. & GUTNICK M. J. **501.P**, 93*P*, 1997

BIRNS J. *see* FRY C. H., RELLE C., BIRNS J. & COOKLIN M. **501.P**, 113*P*, 1997

BISWAS P. *see* CONWAY B. A., BISWAS P., HALLIDAY D. M., FARMER S. F. & ROSENBERG J. R. **501.P**, 48*P*, 1997

BLACK C. *see* JOHNSTON A., BLACK C. & MACLEOD N. **501.P**, 23*P*, 1997

BLACKMORE C. G. *see* MILLS C. L., BLACKMORE C. G. & GALLACHER D. V. **499.P**, 3*P*, 1997

BLACKSHAW S. E. *see* BRECKENRIDGE L. J. & BLACKSHAW S. E. **501.P**, 101*P*, 1997

BLAKELY R. *see* LEBRAND C., UPTON L., CASES O., BLAKELY R., SEIF I. & GASPAR P. **501.P**, 94*P*, 1997

BLANCO C. E.
BLANCO C. E. Development of cardiovascular control in the chick embryo **504.P**, 22*S*, 1997

BLANNIN A. K. *see* WALSH N. P., BLANNIN A. K., CLARK A. M. & GLEESON M. **499.P**, 77*P*, 1997

BLEAKMAN D. *see* MCNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. **501.P**, 23*P*, 1997
see GILLARD S. E., VOLSEN S. G., SMITH W., BEATTIE R. E., BLEAKMAN D. & LODGE D. **504.P**, 50*P*, 1997
see MCNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. **504.P**, 161*P*, 1997

BLEAZARD L. *see* DJOUHRI L., BLEAZARD L. & LAWSON S. N. **504.P**, 100*P*, 1997

BLEUKX G. B. *see* FRANCAUX M., BLEUKX G. B. & MARÉCHAL G. **504.P**, 228*P*, 1997

BLISS T. V. P. *see* RICHARDS D. A., MURPHY K. P. S. J. & BLISS T. V. P. **499.P**, 26*P*, 1997
see EMPTAGE N. J., FINE A. & BLISS T. V. P. **501.P**, 3*P*, 1997
see MURPHY K. P. S. J., REID G. P., CHEPKOVA A., TRENTHAM D. R. & BLISS T. V. P. **501.P**, 89*P*, 1997

BLOW K. *see* RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W. **504.P**, 166*P*, 1997

BODEN A. G.
BODEN A. G., PARKES M. J. & HARRIS M. C. The CO_2 sensitivity of breathing at raised temperatures during hypocapnia in the rat **501.P**, 57*P*, 1997
BODEN A. G., PARKES M. J. & HARRIS M. C. Isolation of the hypothalamus raises the temperature at which warming restarts breathing during hypocapnic apnoea in the anaesthetized rat **504.P**, 203*P*, 1997

BODEN P. R. *see* IBBOTSON T., FIELD M. & BODEN P. R. **501.P**, 15*P*, 1997
see LEE K. & BODEN P. R. **501.P**, 27*P*, 1997

BOGGS D. F.
BOGGS D. F., BUTLER P. J. & WALLACE S. E. Paddling induced fluctuations in differential air sac pressure in diving Tufted ducks (*Aythya fuligula*) **501.P**, 62*P*, 1997

BOISSONADE F. M.
BOISSONADE F. M. & DAVISON J. S. Fos induced by emetic stimuli correlates with substance P immunoreactivity in the ferret brainstem **499.P**, 106*P*, 1997

BOLAÑOS P. *see* MALÉCOT C. O., BOLAÑOS P. & ARGIBAY J. A. **501.P**, 129*P*, 1997

BONE Q. *see* MILLIGAN B. J., CURTIN N. A. & BONE Q. **504.P**, 3*P*, 1997

BONEN A. *see* VAN DER VUSSE G. J., DUBELAAR M. L., SEYMOUR A.-M., BONEN A., DRAKE-HOLLAND A. J. & NOBLE M. I. M. **501.P**, 124*P*, 1997

BONNESS V.
BONNESS V., WHITLEY K., BECKER D. & MOBBS P. Gap-junctional communication in ganglion cells of the embryonic chick retina **504.P**, 170*P*, 1997

BONSER R. *see* AL-KHALIDI A. H., AL-ANI M., TOWNEND J. N., BONSER R. & COOTE J. H. **501.P**, 80*P*, 1997

BOOTMAN M.
BOOTMAN M. The functional structure of intracellular calcium stores **499.P**, 2*S*, 1997

BORMAN R. A. *see* JOHNSON C. D., HILLIER K., REID J. M., RUSHTON P. & BORMAN R. A. **499.P**, 107*P*, 1997

BOROK Z. *see* KEMP P. J., KIM K.-J., BOROK Z., LUBMAN R. L., DANTO S. I. & CRANDALL E. D. **505.P**, 65*P*, 1997

BORTHWICK A. C. *see* ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J. **499.P**, 44*P*, 1997

BORTOLOTTO S. K.
BORTOLOTTO S. K., STEPHENSON D. G. & STEPHENSON G. M. M. Partial correlation between Ca^{2+}- and Sr^{2+}-activation properties of the contractile apparatus and myosin expression in single soleus muscle fibres of the rat **505.P**, 89*P*, 1997

BORTOLOTTO Z. A.
BORTOLOTTO Z. A. & COLLINGRIDGE G. L. An involvement of calcium/calmodulin protein kinase II (CaM-KII) in the molecular switch activated by mGluRs in rat hippocampal slices *in vitro* **504.P**, 219*P*, 1997

BOSE D. *see* THOMAS A., WILSON J. A., BOSE D., OATRIDGE A., BYDDER G., HOLDCROFT A. & FORSLING M. **505.P**, 14*P*, 1997

BOSTOCK H. *see* BAKER M. D. & BOSTOCK H. **504.P**, 49*P*, 1997

BOTHWELL S.
BOTHWELL S., DONNE B. & ANDREWS J. F. Does heart rate or phase of cardiac cycle at triggering affect the performance of elite marksmen? **501.P**, 6*P*, 1997

BOULOS P. B. *see* PITT J., BOULOS P. B., HENRY M. M. & CRAGGS M. D. **499.P**, 78*P*, 1997

Bouryi V. A.

Bouryi V. A. & Lewis D. I. The ionic mechanisms underlying the regulation of the excitability of identified rat vagal motoneurones *in vitro* **501.P**, 77*P*, 1997

Bovell D. *see Litchfield S. J., Monaghan A. S., Kemp P. J., Bovell D., Murphie H. & Olver R. E.* **505.P**, 65*P*, 1997

Bovell D. L. *see McAlroy H. L., Bovell D. L. & Wilson S. M.* **505.P**, 64*P*, 1997

Bowden S. E. H.

Bowden S. E. H. & Robbins J. The nitric oxide/cGMP pathway is not involved in $I_{K(M)}$ inhibition by acetylcholine in M1 receptor-transformed rodent NG108-15 cells **499.P**, 13*P*, 1997

Bowtell G. *see Williams T. L., Bowtell G. & Curtin N. A.* **504.P**, 38*P*, 1997

Boyd C. A. R. *see Stewart A. K., Boyd C. A. R. & Vaughan-Jones R. D.* **499.P**, 105*P*, 1997

see Temple C. S., Meredith D. & Boyd C. A. R. **505.P**, 110*P*, 1997

Boyett M. R. *see Leach R., Quinn C., Owen J. M., Findlay J. B. C. & Boyett M. R.* **499.P**, 130*P*, 1997

see Shui Z., Khan I. A., Tsuga H., Haga T. & Boyett M. R. **499.P**, 131*P*, 1997

Boyett M. R., Kodama I., Honjo H., Yamamoto M., Uzzerman M., Nikmaram M. R. & Niwa R. A second line of defence for the sinoatrial node of the rabbit **504.P**, 70*P*, 1997

see Zhang H., Boyett M. R., Holden A. V., Honjo H. & Kodama I. **504.P**, 70*P*, 1997

see Davies L. A., Hamilton D. L., Harrison S. M., Boyett M. R. & Hopkins P. M. **504.P**, 75*P*, 1997

see Shui Z., Khan I. A., Tsuga H., Haga T., Dobrzynski H., Henderson Z. & Boyett M. R. **504.P**, 75*P*, 1997

see Owen J. M., Hulme J. T., Leach R., Findlay J. B. C., Hopkins P., Boyett M. R. & Orchard C. H. **504.P**, 77*P*, 1997

Boylan G. M.

Boylan G. M., Dobbs L. G. & McElroy M. C. Characterization of a novel monoclonal antibody raised against rat alveolar epithelial type II cells **501.P**, 61*P*, 1997

see McElroy M. C., Harty H. R., Boylan G. M., Marks P., Pittet J.-F. & Foster T. J. **501.P**, 61*P*, 1997

Brack K.

Brack K., Economides A. P., Fagbemi O. & Crisp D. M. The effects of ischaemic and hypoxic preconditioning on the paced-evoked response in the isolated rabbit heart **504.P**, 84*P*, 1997

Bradbury E. J.

Bradbury E. J., Bennett D. L. H., King V., Priestley J. V. & McMahon S. B. The creation of 'synaptic space' in the superficial dorsal horn by lesioning descending spinal pathways does not elicit sprouting of Aβ-primary afferent neurones in the adult rat **501.P**, 48*P*, 1997

Bradford A. *see Cantillon D. & Bradford A.* **501.P**, 62*P*, 1997

Bradley J. *see Moosavi S. H., Catley M., Ellaway P. H., Stokes M. J. & Bradley J.* **501.P**, 44*P*, 1997

Bradley K. J.

Bradley K. J. & Headley P. M. Effects of NOS inhibition on the spinal potency of a μ-opioid agonist in the anaesthetized rat **504.P**, 105*P*, 1997

Bradwell A. R. *see Lewis D. M., Bradwell A. R., Watts S. & Shore A. C.* **504.P**, 44*P*, 1997

Bray D. G. *see Shattock M. J., Miller J. I. A., Foreman M. A., Ford D. J., Bray D. G., Waldron C. B., Chambers D. J. & Warley A.* **505.P**, 3*P*, 1997

see Shattock M. J., Miller J. I. A., Bray D. G. & Waldron C. B. **505.P**, 4*P*, 1997

Breathnach C. S. *see Jones J. F. X. & Breathnach C. S.* **505.P**, 69*P*, 1997

Breckenridge L. J.

Breckenridge L. J. & Blackshaw S. E. Gradients of glial fibrillary acidic protein (GFAP) immunoreactivity in the developing spinal cord of the opossum *Monodelphis domestica* **501.P**, 101*P*, 1997

Brenchley P. *see Mylona P., Darvill A., Brenchley P., Czapla K. & Kibble J. D.* **504.P**, 142*P*, 1997

Brickley S.

Brickley S., Farrant M. & Cull-Candy S. CNQX increases the frequency of $GABA_A$ receptor-mediated synaptic currents in granule cells of the rat cerebellum **501.P**, 11*P*, 1997

Bristow G. D.

Bristow G. D., Zhang T. & Johns E. J. Angiotensin II (AII) receptor blockade and baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **504.P**, 195*P*, 1997

Bristow G. D., Huang C. L., Zhang T. & Johns E. J. Angiotensin II (AII) and the baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **505.P**, 110*P*, 1997

Broad L. M.

Broad L. M. & Taylor C. W. Regulation of a non-capacitative bivalent cation entry pathway by vasopressin in A7r5 rat smooth muscle cells **499.P**, 3*P*, 1997

Bronstein A. *see Gardner-Medwin A. R., Doshi M., Faldon M. & Bronstein A.* **505.P**, 78*P*, 1997

see Jáuregui-Renaud K., Bronstein A., Faldon M. & Gresty M. **505.P**, 78*P*, 1997

Bronstein A. M. *see Gianna C. C., Gresty M. A. & Bronstein A. M.* **499.P**, 87*P*, 1997

Brooks D. D.

Brooks D. D., Hill R. B. & Fort T. J. Structure–activity relationship of FMRFamide and related peptides on buccal muscle of *Busycon canaliculatum* **504.P**, 20*P*, 1997

Brooman J. E. *see Trim N., Brooman J. E., Holden-Dye L. & Walker R. J.* **504.P**, 11*P*, 1997

Brophy V. *see King V. M., Brophy V., Ellis M. & Apps R.* **504.P**, 68*P*, 1997

Brown C. D. A. *see Köse H., Simmons N. L. & Brown C. D. A.* **504.P**, 140*P*, 1997

Brown D. A. *see Delmas P., Abogadie F. C., Caulfield M. P., Buckley N. J. & Brown D. A.* **504.P**, 176*P*, 1997

see Haley J. E., Delmas P., Abogadie F. C., Dayrell M., Caulfield M. P., Buckley N. J. & Brown D. A. **504.P**, 176*P*, 1997

Brown E. R. *see Lima P. A., Messenger J. B. & Brown E. R.* **504.P**, 2*P*, 1997

see Rogers C. M., Milligan B., Nelson L. & Brown E. R. **504.P**, 15*P*, 1997

Brown J.

Brown J. & Zhao J. Exaggerated activity of the guanylate cyclase-coupled receptor of atrial natriuretic peptide (ANP) cosegregates with hypertension in F2 descendents of Wistar Kyoto (WKY) and spontaneously hypertensive (SHR) rats **501.P**, 165*P*, 1997

see Draper C. E., Singh J., Brown J., Lawrence P. A. & Adeghate E. A. **504.P**, 34*P*, 1997

see Hong G., Brown J. & Mahalekam M. **505.P**, 112*P*, 1997

see Mahalekam M., Brown J. & Hong G. **505.P**, 113*P*, 1997

Brown M.

Brown M., Williams M., Comerford J. C. & Sharp P. Up-regulation of SGLT1 by cyclic AMP in isolated rat jejunum **504.P**, 147*P*, 1997

Brown M. D. *see Jeal S., Brown M. D., Hudlická O. & Egginton S.* **499.P**, 39*P*, 1997

Brown M. W. *see Ziakopoulos Z., Brown M. W. & Bashir Z. I.* **501.P**, 8*P*, 1997

Brown P. D. *see Sheader E. A., Best L. & Brown P. D.* **504.P**, 138*P*, 1997

see Miley H. E., Grint R., Holden D., Best L. & Brown P. D. **504.P**, 142*P*, 1997

Browne H. A. K. *see Morrell M. J., Browne H. A. K. & Adams L.* **505.P**, 32*P*, 1997

Browne M.

Browne M. & Docherty J. R. Oestrogen and vascular responsiveness in rat small mesenteric artery **501.P**, 108*P*, 1997

Brownlee D. J.

Brownlee D. J., Holden-Dye L. & Walker R. J. The effect of FMRFamide-related peptides on the pharyngeal and somatic musculature of the nematode roundworm *Ascaris suum* **504.P**, 19*P*, 1997

Bruce J. I. E.

Bruce J. I. E. & Elliott A. C. Effects of cytochrome P450 inhibitors on calcium signalling in rat pancreatic acinar cells **499.P**, 105*P*, 1997

Bruce L.

Bruce L. & Nixon G. F. Calcium sensitization and calcium release in permeabilized neonatal rat portal vein **499.P**, 6*P*, 1997

Bruckdorfer K. R. *see Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Bruckdorfer K. R., Morgan R. J. & Dashwood M. R.* **501.P**, 106*P*, 1997

Brunsden A.

Brunsden A. & Levin R. J. Site of Cl^- hypersecretion in distal colon from fasted rats **499.P**, 15*P*, 1997

Brunsden A. & Levin R. J. Characterizing the Cl^- hypersecretion in rat distal colon *in vitro* induced by dietary deprivation: involvement of basolateral K^+ current **499.P**, 100*P*, 1997

Brunsden A. & Levin R. J. Do activators of Cl^- secretion show synergism in rat native distal colon *in vitro*? **504.P**, 149*P*, 1997

Bryan A. *see Dashwood M. R., Jeremy J., Mehta D., Bryan A. & Angelini G. D.* **501.P**, 107*P*, 1997

Bryan P.

Bryan P. & Marshall J. M. The role of K_{ATP} channels in adenosine-mediated vasodilatation in skeletal muscle **504.P**, 204*P*, 1997

Buckingham J. C. *see McKenzie D. N., Dyball R. E. J. & Buckingham J. C.* **504.P**, 222*P*, 1997

Buckley N. J. *see Delmas P., Abogadie F. C., Caulfield M. P., Buckley N. J. & Brown D. A.* **504.P**, 176*P*, 1997

see Haley J. E., Delmas P., Abogadie F. C., Dayrell M., Caulfield M. P., Buckley N. J. & Brown D. A. **504.P**, 176*P*, 1997

Buldakova S. A. *see Magazanik L. G., Buldakova S. A., Samoilova M. V., Mellor I. R. & Usherwood P. N. R.* **501.P**, 17*P*, 1997

Bull P. *see Honda K., Bailey A. R. T., Bull P. & Leng G.* **505.P**, 10*P*, 1997

Bultitude M. F. *see Allan J. D. D., Bultitude M. I., Bultitude M. F., Wall P. D. & McMahon S. B.* **505.P**, 39*P*, 1997

Bultitude M. I. *see Allan J. D. D., Bultitude M. I., Bultitude M. F., Wall P. D. & McMahon S. B.* **505.P**, 39*P*, 1997

Bund S. J.

Bund S. J. Endothelium-dependent, acetylcholine-mediated relaxation of rat coronary arteries. Influence of mode of contraction in Wistar–Kyoto and spontaneously hypertensive rats **504.P**, 191*P*, 1997

Burch D.

Burch D. Approaches to Osler **505.P**, 68*P*, 1997

Burdyga T. V.

Burdyga T. V., Lamont C., Eisner D. & Wray S. Intracellular Na^+ measurements in guinea-pig ureteric smooth muscle using SBFI **501.P**, 115*P*, 1997

Burger K. *see Postina R., Gimpl G., Burger K. & Fahrenholz F.* **505.P**, 2*S*, 1997

Burgers L. *see Duysens J., Burgers L., Plat F. M., Schillings A. M., van Wezel B. M. H. & Kremer H. P. H.* **504.P**, 188*S*, 1997

Burn-Murdoch R.

Burn-Murdoch R. The effect of the incisor teeth in one jaw of rats on the relationship between the difference in intraoral lengths and the difference in eruption rates of the two incisors in the opposite jaw **505.P**, 72*P*, 1997

Burnashev N. *see Rozov A., Zilberter Y., Wollmuth L. & Burnashev N.* **501.P**, 18*P*, 1997

Burnham M. *see Sullivan R., Burnham M., McCarthy K., Torok K. & Koffer A.* **499.P**, 19*P*, 1997

Burnstock G. *see Rocha I., Burnstock G. & Spyer K. M.* **504.P**, 110*P*, 1997

Burrows C. *see Ball D., Burrows C. & Sargeant A. J.* **499.P**, 75*P*, 1997

Bush B. M. H.

Bush B. M. H., Butler D., Redmond N. M., Westphely H., Whitlock T. & Bateman A. Monitoring of finger movements and hand muscle EMGs during mechanically perturbed writing tasks **504.P**, 63*P*, 1997

see Wareham K. V., Skorupski P. & Bush B. M. H. **504.P**, 64*P*, 1997

Bush E. R.

Bush E. R., Holden-Dye L. M., Foreman R. C. & Walker R. J. Characterization of nematode glutamate receptors **504.P**, 25*P*, 1997

Bushell T. J.

Bushell T. J., Collet V. J., van der Putten H. & Collingridge G. L. Altered high frequency synaptic transmission and short-term potentiation in mice lacking $mGlu_7$ receptors: studies in the hippocampus *in vitro* **501.P**, 8*P*, 1997

Butcher J. W.

Butcher J. W. & Paton J. F. R. Blockade of apamin- and charybdotoxin-sensitive K^+ currents in NTS neurones in rat produces opposite effects on two cardiorespiratory reflexes *in vivo* **501.P**, 73*P*, 1997

Butcher J. W., De Felipe C., Smith A. J. H., Hunt S. & Paton J. F. R. *In vivo* comparison of two cardiorespiratory reflexes in NK1 knockout, heterozygous and wild-type mice **504.P**, 200*P*, 1997

Butler D. *see Bush B. M. H., Butler D., Redmond N. M., Westphely H., Whitlock T. & Bateman A.* **504.P**, 63*P*, 1997

Butler P. J. *see Boggs D. F., Butler P. J. & Wallace S. E.* **501.P**, 62*P*, 1997

Butt A. M. *see Howd A. G., Kirvell S. L., Rattray M. & Butt A. M.* **501.P**, 22*P*, 1997

see Hornby M. F., Ibrahim M., Graham A., Berry M. & Butt A. M. **501.P**, 32*P*, 1997

see Tran-Dang M.-A., Howd A. G., Berry M. & Butt A. M. **505.P**, 43*P*, 1997

see Howd A. G., Rattray M. & Butt A. M. **505.P**, 46*P*, 1997

see Goddard D. R., Berry M. & Butt A. M. **505.P**, 47*P*, 1997

see Hornby M. F., Berry M. & Butt A. M. **505.P**, 47*P*, 1997

Butt S. J. B. *see Pitman R. M., David J. A., Prothero L. S. & Butt S. J. B.* **504.P**, 4*S*, 1997

Bydder G. *see Thomas A., Wilson J. A., Bose D., Oatridge A., Bydder G., Holdcroft A. & Forsling M.* **505.P**, 14*P*, 1997

Bydder G. M. *see Holdcroft A., Oatridge A., Hajnal J. V. & Bydder G. M.* **499.P**, 79*P*, 1997

Byrne D.E.

Byrne D.E., McGarrick J. & Ward J. P. T. UMDS Respiratory System Courseware: a computer-aided learning package for medical and dental undergraduate teaching **505.P**, 2*P*, 1997

Byrne N. G. *see Clark G. S., Economides A. P. & Byrne N. G.* **504.P**, 84*P*, 1997

Cable N. T. *see Greeves J. P., Cable N. T., Nevill A. M. & Kingsland C.* **501.P**, 170*P*, 1997

Cadiou H.

Cadiou H., Thrower E., Bendahhou S. & Duclohier H. The $InsP_3$ receptor from olfactory cilia fused to planar lipid bilayers: conductance properties and recovery by ATP **504.P**, 157*P*, 1997

Calder N. A. *see Hawkins P., Crowe C., Calder N. A., Saito T., Ozaki T., Stratford L. L., Noakes D. E. & Hanson M. A.* **505.P**, 18*P*, 1997

Calders P. *see Vanheel B. & Calders P.* **505.P**, 104*P*, 1997

Callebert J. *see Vitalis T., Cases O., Callebert J., Price D., Seif I. & Gaspar P.* **501.P**, 104*P*, 1997

Cameron S. A.

Cameron S. A., Turner J. A., Maltwood D. M. R. & Dutia M. B. Circular walking as an index of behavioural recovery after unilateral labyrinthectomy in the rat **504.P**, 217*P*, 1997

Camm A. J. *see Grace A. A., Vandenberg J. I., Zinkin M. P., Lowe M. D., Taylor P. J., Ward D. E., Camm A. J. & Saumarez R. C.* **501.P**, 129*P*, 1997

Campa J. S. *see Simpkin J. C., Kermani F., Campa J. S., Linton E. A. & Poston L.* **499.P**, 8*P*, 1997

see Doyle C., Campa J. S., Tribe R. M., Mistry S. K., McLay J. S. & Poston L. **505.P**, 98*P*, 1997

Campbell E. H.

Campbell E. H. & Gibson J. S. Oxygenation and KCl cotransport in sheep red cells **501.P**, 154*P*, 1997

Campbell E. H. & Gibson J. S. Magnesium and the O_2 dependence of KCl cotransport in LK sheep red cells **504.P**, 136*P*, 1997

Campbell K. S. *see Lakie M., Kelly S. M. & Campbell K. S.* **501.P**, 42*P*, 1997

Campbell R.

Campbell R., Sear M. A., Wormald L. S., Kendrick A. H. & Laszlo G. Resistive load detection and perception of the magnitude of added inspiratory resistances during submaximal steady-state exercise in normal humans **504.P**, 209*P*, 1997

Campbell V.

Campbell V. & Lynch M. Enhanced G protein activation by interleukin-1β in frontal cortical membranes prepared from aged rats **501.P**, 170*P*, 1997

Camption D. P.

Camption D. P. & Leek B. F. Comparison of the effects of *E. coli* lipopolysaccharide given by intrajugular and intracoeliac routes in the sheep **501.P**, 160*P*, 1997

Candy S. M.

Candy S. M. & Szatkowski M. Altered excitability and conduction velocity in the rat hippocampus *in vitro* as a result of chronic hyperglycaemia **504.P**, 184*P*, 1997

Cannell M. B.

Cannell M. B. Local changes in $[Ca^{2+}]$ and their role in cardiac E–C coupling **499.P**, 5*S*, 1997

Cannon T. R.

Cannon T. R., Mann G. E. & Baydoun A. R. Acute vasodilator response to bacterial lipopolysaccharide in the rat isolated perfused heart: involvement of lipoxygenase but not cyclo-oxygenase metabolites **499.P**, 21*P*, 1997

Cantillon D.

Cantillon D. & Bradford A. Effect of ageing on rat geniohyoid and sternohyoid muscle contractile properties *in vitro* **501.P**, 62*P*, 1997

CAO C. Q.

CAO C. Q., EVANS R. H. & HEADLEY P. M. Simultaneous recordings of whole-cell postsynaptic currents of motoneurones, of dorsal root-evoked ventral root potentials and of dorsal root compound action potentials in rat hemisected spinal cord preparation *in vitro* **504.P**, 62*P*, 1997

CAPASSO G. *see BAILEY M. A., CAPASSO G., UNWIN R. J. & WALTER S. J.* **505.P**, 109*P*, 1997

CAPNER C. A.

CAPNER C. A., CHIZH B. A. & HEADLEY P. M. Supraspinal α_1-adrenoceptor activation enhances α_2-mediated reduction of spinal reflexes in anaesthetized rats **504.P**, 106*P*, 1997

CARDY T. J. A.

CARDY T. J. A., TRAYNOR D. & TAYLOR C. W. Differential effects of cytosolic Ca^{2+} on types 1 and 3 inositol 1,4,5-trisphosphate receptor over-expressed in insect Sf9 cells **499.P**, 2*P*, 1997

CAREY P. *see GRAY R. P., CAREY P., SHERIDAN D. J. & FRY C. H.* **504.P**, 72*P*, 1997

CAREY P. A.

CAREY P. A., COOKLIN M., SHERIDAN D. J. & FRY C. H. Estimation of gap-junction resistance in hypertrophied and hypoxic guinea-pig myocardium **504.P**, 96*P*, 1997

CARO C. G. *see SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L.* **504.P**, 44*P*, 1997

CARPENTER E.

CARPENTER E. & PEERS C. Chloride currents induced by hypotonic solutions in isolated rat carotid body type I cells **501.P**, 60*P*, 1997

CARRASCO G.

CARRASCO G., CRUZ M. A., GALLARDO V., MIGUEL P. & GONZÁLEZ C. Transport of serotonin and intracellular concentration in platelets of human normal and severe pre-eclamptic pregnancies **504.P**, 205*P*, 1997

CARRUTHERS A.

CARRUTHERS A. The kinetics of human erythrocyte sugar transport **499.P**, 19*S*, 1997

CARTER C. *see VERMA V., CARTER C., KEABLE S., BENNETT D. & THORN P.* **499.P**, 18*P*, 1997

CARTER T. D.

CARTER T. D., ZUPANCIC G., SMITH S. M. & WHEELER-JONES C. Calcium-dependent exocytosis in single patch-clamped human umbilical vein endothelial cells **504.P**, 206*P*, 1997

CASADEI B. *see MUSIALEK P., PATERSON D. J. & CASADEI B.* **501.P**, 125*P*, 1997

see MUSIALEK P., PATERSON D. J. & CASADEI B. **504.P**, 83*P*, 1997

see HOGAN N. A., CASADEI B. & PATERSON D. J. **505.P**, 19*P*, 1997

see THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J. **505.P**, 29*P*, 1997

CASE R. M. *see LANG T. F., STEWARD M. C. & CASE R. M.* **504.P**, 146*P*, 1997

CASES O. *see LEBRAND C., UPTON L., CASES O., BLAKELY R., SEIF I. & GASPAR P.* **501.P**, 94*P*, 1997

see VITALIS T., CASES O., CALLEBERT J., PRICE D., SEIF I. & GASPAR P. **501.P**, 104*P*, 1997

CASOLINI P. *see ANGELUCCI L., CASOLINI P. & SCACCIANOCE S.* **501.P**, 8*S*, 1997

CASS C. E. *see HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A.* **499.P**, 50*P*, 1997

CASTEELS R. *see DE SMEDT H., MISSIAEN L., SIENAERT I., PARYS J. B., SIPMA H., VANLINGEN S. & CASTEELS R.* **499.P**, 3*S*, 1997

CATLEY M. *see MOOSAVI S. H., CATLEY M., ELLAWAY P. H., STOKES M. J. & BRADLEY J.* **501.P**, 44*P*, 1997

CAULFIELD B. *see GARRETT M., VAN HEMELRIJK B. & CAULFIELD B.* **501.P**, 43*P*, 1997

CAULFIELD M. P. *see DELMAS P., ABOGADIE F. C., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A.* **504.P**, 176*P*, 1997

see HALEY J. E., DELMAS P., ABOGADIE F. C., DAYRELL M., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. **504.P**, 176*P*, 1997

CAVIERES J. D. *see WARD D. G., SCHONER W. & CAVIERES J. D.* **499.P**, 25*P*, 1997

see WARD D. G. & CAVIERES J. D. **504.P**, 35*P*, 1997

CAWLEY T. *see CONNOLLY C., ABDULLAH K., CAWLEY T., RUIZ E. & DOCHERTY J. R.* **501.P**, 107*P*, 1997

CAZORLA O. *see PASCAREL C., CAZORLA O., LE GUENNEC J.-Y., ORCHARD C. H. & WHITE E.* **501.P**, 130*P*, 1997

CAZORLA O., VASSORT G., GARNIER D. & LE GUENNEC J.-Y. The effects of mild trypsin digestion on resting tension and calcium sensitivity in skinned rat cardiac cells **501.P**, 140*P*, 1997

CECCHI G. *see AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J.* **505.P**, 88*P*, 1997

CENTER M. S. *see REGINA A., KOMAN A., CENTER M. S., COURAUD P. O. & ROUX F.* **505.P**, 57*P*, 1997

CERRETELLI P. *see NARICI M. V., KAYSER B., BARATTINI P. & CERRETELLI P.* **499.P**, 81*P*, 1997

CHAD J. E. *see JANE S. D., WALLACH L. P. M., FRANKS C. J., WALKER R. J., CHAD J. E. & HOLDEN-DYE L.* **504.P**, 26*P*, 1997

CHAKALOVA K. *see STERN P., CHAKALOVA K. & SINGER W.* **504.P**, 171*P*, 1997

CHAMBERS D. J. *see SHATTOCK M. J., MILLER J. I. A., FOREMAN M. A., FORD D. J., BRAY D. G., WALDRON C. B., CHAMBERS D. J. & WARLEY A.* **505.P**, 3*P*, 1997

CHAN E.

CHAN E., ULFENDAHL M. & SCARFONE E. Visualization of actin filaments and microtubules in non-fixed outer hair cells using laser scanning confocal microscopy **504.P**, 129*P*, 1997

CHAN H. C.

CHAN H. C., FONG S. K., KO W. H. & WONG P. Y. D. Regulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **499.P**, 16*P*, 1997

see KO W. H., FU W. O., LEUNG P. Y., CHEW S. B. C., CHAN H. C. & WONG P. Y. D. **499.P**, 16*P*, 1997

CHANDRA A.

CHANDRA A., ROY R., LANE J. M. & FITZSIMONS J. T. Effects of desoxycorticosterone corticosterone and glycyrrhetinic acid on sodium appetite and c-*fos* expression in rat **501.P**, 166*P*, 1997

CHAPMAN C. E.

CHAPMAN C. E., JIANG W. & TREMBLAY F. Movement-related modulation of tactile feedback **504.P**, 17*S*, 1997

CHAPMAN H. *see SMITHERAM B., CHAPMAN H., RICHARDS C. D. & WANN K. T.* **499.P**, 132*P*, 1997

CHAPMAN P. F.

CHAPMAN P. F., IRIZARRI M. C., NILSEN S., HYMAN B. T. & HSIAO K. K. Abnormal synaptic transmission in aged APP transgenic mice **501.P**, 95*P*, 1997

CHARLTON M. P.

CHARLTON M. P., GEORGIOU J., JAHROMI B. & ROBITAILLE R. Perisynaptic Schwann cells at the frog neuromuscular junction resemble astrocytes **504.P**, 5*S*, 1997

CHARLTON R. G.

CHARLTON R. G., MORLEY A. R., MASKREY P., NEAL D. E. & GILLESPIE J. I. Focal changes in nerve, muscle and connective tissue density in human idiopathic bladder **505.P**, 101*P*, 1997

CHATAMRA K. R.

CHATAMRA K. R. Influences of extracellular pH (pH_o) on the outward current induced by the return of Mg^{2+} to the Ca^{2+}-free medium of the calcium paradox in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997

CHEKULAEVA U.

CHEKULAEVA U. & NALIVAEVA N. The effect of hypoxia on 5′-nucleotidase activity in synaptosomes of the right and left rat brain hemispheres **499.P**, 41*P*, 1997

CHEN X.-H.

CHEN X.-H., HOLDEN-DYE L. & WALKER R. J. Inhibitory actions of dopamine in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 24*P*, 1997

CHEPKOVA A. *see MURPHY K. P. S. J., REID G. P., CHEPKOVA A., TRENTHAM D. R. & BLISS T. V. P.* **501.P**, 89*P*, 1997

CHERUBINI E. *see BERRETTA N., CHERUBINI E., ROSSOKHIN A. V. & VORONIN L. L.* **504.P**, 180*P*, 1997

CHETTIAR K. *see FAULKNER H. J., WHITTINGTON M. A., CHETTIAR K., TRAUB R. D. & JEFFERYS J. G. R.* **504.P**, 183*P*, 1997

CHETWIN K.

CHETWIN K., HAYWARD K. & BAKER G. F. Asthmatic nasal epithelial cells are refractory to nitric oxide **505.P**, 24*P*, 1997

see HAYWARD K., CHETWIN K. & BAKER G. F. **505.P**, 24*P*, 1997

CHEW S. B. C. *see KO W. H., FU W. O., LEUNG P. Y., CHEW S. B. C., CHAN H. C. & WONG P. Y. D.* **499.P**, 16*P*, 1997

CHIPPERFIELD A. R.

CHIPPERFIELD A. R., DAVIS J. P. L. & HARPER A. A. Activation of two inward chloride pumps in rat arterial smooth muscle by noradrenaline *in vitro* **501.P**, 116*P*, 1997

CHISHTY M.

CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. Characterization of nucleoside transporters in RBE4, an immortalized rat brain endothelial cell line **501.P**, 31*P*, 1997

see REICHEL A., CHISHTY M., BEGLEY D. J., NUNN P. & ABBOTT N. J. **505.P**, 48*P*, 1997

CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. Glial factors induce blood–brain barrier-like L-leucine transport in the non-brain endothelial cell line ECV304 **505.P**, 55*P*, 1997

CHIZH B. A.

CHIZH B. A., HEADLEY P. M. & PATON J. F. R. Spinal cord function in a novel arterially perfused trunk–hindquarters preparation of adult mouse **504.P**, 56*P*, 1997

see PROCTER M. J., CHIZH B. A., ORNSTEIN P., LODGE D. & HEADLEY P. M. **504.P**, 101*P*, 1997

see CAPNER C. A., CHIZH B. A. & HEADLEY P. M. **504.P**, 106*P*, 1997

CHIZH B. A., HEADLEY P. M. & PATON J. F. R. Co-ordinated activity in sympathetic and somatic motor outflows from the spinal cord in a novel trunk–hindquarters preparation of adult mouse **504.P**, 199*P*, 1997

CHOATE J. K. *see SEARS C. E., CHOATE J. K. & PATERSON D. J.* **501.P**, 126*P*, 1997

CHRACHRI A.

CHRACHRI A., ÖDBLOM M., FARLEY S. R. & WILLIAMSON R. Effects of FMRFamide on L-type and T-type calcium currents in isolated heart cells from the squid, *Loligo forbesii* **504.P**, 11*P*, 1997

CHRISTENSEN G. *see HOLT E., SJAASTAD I, CHRISTENSEN G. & SEJERSTED O. M.* **504.P**, 94*P*, 1997

CHRISTIE G. R.

CHRISTIE G. R., WALKER D., ARAGON C. & HIRST B. H. A novel GLYT1 glycine transporter in human small intestine **504.P**, 147*P*, 1997

CHU K.-C.

CHU K.-C. & WU M.-L. The Na^+-dependent acid extrusion mechanism in rat cerebellar astrocytes **504.P**, 185*P*, 1997

CHURCH J. *see SMITH G. & CHURCH J.* **501.P**, 150*P*, 1997

CLAR C.

CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A. Pulmonary and systemic vascular resistance during 8 h of isocapnic hypoxia in humans **499.P**, 118*P*, 1997

CLAR C., DORRINGTON K. L. & ROBBINS P. A. Ventilatory effects in humans of 8 h of isocapnic hypoxia with and without β-blockade **505.P**, 25*P*, 1997

CLARE J. *see XIE X. M., DALE T., PEAKMAN T. & CLARE J.* **504.P**, 154*P*, 1997

CLARK A. M. *see WALSH N. P., BLANNIN A. K., CLARK A. M. & GLEESON M.* **499.P**, 77*P*, 1997

CLARK G. S.

CLARK G. S., ECONOMIDES A. P. & BYRNE N. G. The effect of hypoxia on the rabbit sino-atrial node **504.P**, 84*P*, 1997

CLARK J. B. *see HURST R. D. & CLARK J. B.* **501.P**, 29*P*, 1997

see HURST R. D., HEALES S. J. R., DOBBIE M. S. & CLARK J. B. **505.P**, 50*P*, 1997

CLARK W. A. *see NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F.* **504.P**, 74*P*, 1997

CLARKE K. A.

CLARKE K. A., HEITMEYER S. A., SMITH A. G. & TAIWO Y. O. Collection of spatiotemporal and load data simultaneously during rat gait **499.P**, 47*P*, 1997

CLARKE R. W. *see OGILVIE J. & CLARKE R. W.* **499.P**, 93*P*, 1997

see WIGGLESWORTH M., APPLEBY L., OGILVIE J. & CLARKE R. W. **504.P**, 104*P*, 1997

see BHANDARI R. N. B., OGILVIE J. & CLARKE R. W. **504.P**, 107*P*, 1997

see SIMPSON D., OGILVIE J. & CLARKE R. W. **505.P**, 36*P*, 1997

CLARSON L. H. *see MYLONA P., CLARSON L. H., GREENWOOD S. L. & SIBLEY C. P.* **499.P**, 64*P*, 1997

CLAUSEN T. *see HARRISON A. P. & CLAUSEN T.* **504.P**, 230*P*, 1997

see OVERGAARD K., NIELSEN O. B., FLATMAN J. A. & CLAUSEN T. **504.P**, 231*P*, 1997

CLUNES M. T.

CLUNES M. T., OLVER R. E. & KEMP P. J. Capacitative calcium entry is downregulated by protein kinase C (PKC) in a human lung epithelial cell line **499.P**, 36*P*, 1997

CLUNES M. T., KEMP P. J. & OLVER R. E. $P2Y_2$ receptors are linked to multiple transduction pathways in a human airway epithelial cell line (H441) **505.P**, 33*P*, 1997

CLUNES M. T., OLVER R. E. & KEMP P. J. $P2Y_2$ receptor occupancy releases stored Ca^{2+} via a single, pertussis toxin-insensitive signal transduction pathway in a human alveolar epithelial cell line (A549) **505.P**, 66*P*, 1997

COATES M. J.

COATES M. J., BAKER S. N. & FITZGERALD W. J. A complex wavelet-transform approach to power and coherence measurement from non-stationary data **501.P**, 36*P*, 1997

COBB C. S.

COBB C. S., CURTIS T. M., WILLIAMSON R. & DEPLEDGE M. H. Non-invasive recording of embryo activity in the eggs of the cuttlefish, *Sepia officinalis* **504.P**, 3*P*, 1997

COCHRANE T. *see HEFFRON M., DAVEY R. & COCHRANE T.* **499.P**, 81*P*, 1997

CODY F. W. J. *see KHUDADOS E., CODY F. W. J. & O'BOYLE D. J.* **501.P**, 44*P*, 1997

see ZIA S., CODY F. W. J. & O'BOYLE D. J. **504.P**, 117*P*, 1997

see AL-ATTAR Z., O'BOYLE D. J. & CODY F. W. J. **504.P**, 118*P*, 1997

CODY F. W. J., HENLEY N. C., PARKER L. C. & TURNER G. R. Autogenetic and reciprocal tonic reflex actions of muscle vibration-evoked afferent input studied in human wrist muscles **504.P**, 119*P*, 1997

COLES J. A. *see VÉGA C., JIROUNEK P., POITRY-YAMATE C. L., TSACOPOULOS M. & COLES J. A.* **501.P**, 27*P*, 1997

COLES J. A. The contribution of glia to nervous tissue metabolism **504.P**, 6*S*, 1997

COLLET V. J. *see BUSHELL T. J., COLLET V. J., VAN DER PUTTEN H. & COLLINGRIDGE G. L.* **501.P**, 8*P*, 1997

COLLETT A.

COLLETT A., SIMS E., ROWLAND M. & WARHURST G. Transepithelial permeability of ranitidine across rat ileum and Caco-2 monolayers is modified by P-glycoprotein **499.P**, 110*P*, 1997

COLLIER D. J. *see RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J.* **505.P**, 27*P*, 1997

COLLIER M. L.

COLLIER M. L., THOMAS A. P. & BERLIN J. R. Relationship between L-type Ca^{2+} currents and Ca^{2+} sparks in rat ventricular myocytes **504.P**, 92*P*, 1997

COLLINGRIDGE G. L. *see BUSHELL T. J., COLLET V. J., VAN DER PUTTEN H. & COLLINGRIDGE G. L.* **501.P**, 8*P*, 1997

see VIGNES M. & COLLINGRIDGE G. L. **501.P**, 91*P*, 1997

see LÜTHI A., ISAAC J. T. R., BENKE T. A. & COLLINGRIDGE G. L. **501.P**, 100*P*, 1997

see CRABTREE J. W., ISAAC J. T. R. & COLLINGRIDGE G. L. **504.P**, 169*P*, 1997

see TOLCHARD S. & COLLINGRIDGE G. L. **504.P**, 212*P*, 1997

see BORTOLOTTO Z. A. & COLLINGRIDGE G. L. **504.P**, 219*P*, 1997

COLLINS D. R.

COLLINS D. R. & DAVIES S. N. Melatonin blocks the induction of long-term potentiation in the CA1 region of the rat hippocampal slice **501.P**, 101*P*, 1997

COLLINS T. *see CONLON K., COLLINS T. & KIDD C.* **501.P**, 70*P*, 1997

see CONLON K., COLLINS T. & KIDD C. **501.P**, 79*P*, 1997

see CONLON K., COLLINS T. & KIDD C. **505.P**, 31*P*, 1997

COLOMBINI B. *see AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J.* **505.P**, 88*P*, 1997

COLOMBO G. *see DIETZ V. & COLOMBO G.* **505.P**, 83*P*, 1997

COLQUHOUN D. *see WYLLIE D., EDMONDS B. & COLQUHOUN D.* **501.P**, 13*P*, 1997

see WYLLIE D., BÉHÉ P., EDMONDS B. & COLQUHOUN D. **504.P**, 173*P*, 1997

COLYER J. *see NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F.* **504.P**, 74*P*, 1997

see HUSSAIN M., ORCHARD C. H. & COLYER J. **504.P**, 79*P*, 1997

COMERFORD J. C. *see BROWN M., WILLIAMS M., COMERFORD J. C. & SHARP P.* **504.P**, 147*P*, 1997

COMERFORD Q. *see BELL C. & COMERFORD Q.* **501.P**, 2*P*, 1997

CONEY A.

CONEY A. & MARSHALL J. M. A role for K_{ATP} channels in cerebral cortical dilatation induced in the anaesthetized rat by systemic hypoxia but not in the dilatation induced by exogenous adenosine **499.P**, 119*P*, 1997

CONLEY E. C. *see LEYLAND M. L., SHELTON P. A., DART C., CONLEY E. C. & STANFIELD P. R.* **499.P**, 125*P*, 1997

see DART C., LEYLAND M. L., SPENCER P. J., CONLEY E. C., STANFIELD P. R. & SUTCLIFFE M. J. **504.P**, 155*P*, 1997

CONLON K.

CONLON K., COLLINS T. & KIDD C. Modulation of vagally induced changes in cardiac atrioventricular conduction by nitric oxide in the anaesthetized ferret **501.P**, 70*P*, 1997

Conlon K., Collins T. & Kidd C. Further evidence for nitric oxide modulation of vagal bradycardia in the anaesthetized ferret **501.P**, 79*P*, 1997
Conlon K., Collins T. & Kidd C. The neuronal NOS inhibitor, TRIM, attenuates vagal chronotropic and dromotropic actions on the heart of the anaesthetized ferret **505.P**, 31*P*, 1997

Connolly C.
Connolly C., Abdullah K., Cawley T., Ruiz E. & Docherty J. R. Effects of inhibition of nitric oxide synthase and guanylate cyclase on responses to vasoconstrictors in rat *in vivo* and *in vitro* **501.P**, 107*P*, 1997
see Aboud R., Connolly C., McCormick P. A. & Docherty J. R. **501.P**, 108*P*, 1997

Contreras R.
Contreras R., Fuentes O., Mann G. E. & Sobrevia L. Activity of system y^+ and nitric oxide synthase in gastric glands isolated from diabetic rabbits **499.P**, 41*P*, 1997

Convery M.
Convery M., Hollywood M. A., Cotton K. D., Thornbury K. D. & McHale N. G. Role of inward currents in pumping activity of isolated sheep lymphatics **501.P**, 110*P*, 1997

Convery M. K.
Convery M. K., Khananshvili D., Levi A. J. & Hancox J. C. Myristyl FRCRCFa: a membrane-permeant blocker of the Na^+–Ca^{2+} exchanger that is effective when applied extracellularly to rabbit cardiac ventricular myocytes **504.P**, 92*P*, 1997

Conway A. F.
Conway A. F. & Kumar P. Effects of chronic hypoxia from birth on ventilatory CO_2–O_2 interaction in the rat **501.P**, 57*P*, 1997
Conway A. F., Pepper D. R. & Kumar P. Dose-dependent modulation of carotid body CO_2–O_2 interaction by carbon monoxide **504.P**, 201*P*, 1997

Conway B. A. *see Halliday D. M., Conway B. A., Shahani U., Russell A., Farmer S. F., Weir A. I. & Rosenberg J. R.* **501.P**, 38*P*, 1997
Conway B. A., Biswas P., Halliday D. M., Farmer S. F. & Rosenberg J. R. Task-dependent changes in rhythmic motor output during voluntary elbow movement in man **501.P**, 48*P*, 1997

Coogan A.
Coogan A., O'Neill L. A. J. & O'Connor J. J. The p38 MAP kinase inhibitor SB203580 antagonizes the inhibitory effect of IL-1β on long-term potentiation in the rat dentate gyrus *in vitro* **501.P**, 86*P*, 1997

Cook S. J. *see Lancaster M. K. & Cook S. J.* **504.P**, 94*P*, 1997

Cooklin M. *see Fry C. H., Relle C., Birns J. & Cooklin M.* **501.P**, 113*P*, 1997
see Carey P. A., Cooklin M., Sheridan D. J. & Fry C. H. **504.P**, 96*P*, 1997

Cooper N. P.
Cooper N. P. Harmonic distortion in cochlear mechanics **504.P**, 125*P*, 1997

Coote J. H.
Coote J. H. A perspective on high altitude polycythaemia **499.P**, 8*S*, 1997
see Ranson R. N. & Coote J. H. **501.P**, 78*P*, 1997
see Al-Khalidi A. H., Al-Ani M., Townend J. N., Bonser R. & Coote J. H. **501.P**, 80*P*, 1997
see Yang Z. & Coote J. H. **501.P**, 81*P*, 1997
see Gladwell S. J. & Coote J. H. **501.P**, 82*P*, 1997
see Pyner S. & Coote J. H. **501.P**, 82*P*, 1997
see Yang Z. & Coote J. H. **504.P**, 208*P*, 1997
Coote J. H. Nociception, stress and autonomic functions of the hypothalamic paraventricular nucleus **505.P**, 6*S*, 1997

Corbett E. K. A.
Corbett E. K. A., Batten T. F. C., Saha S. & McWilliam P. N. Immunolocalization of NMDA receptor subunits 1 and 2a/b on neurones in the nucleus tractus solitarii and in the vagal motor nuclei of the rat **501.P**, 75*P*, 1997

Cordery P. M. *see Thompson I. D. & Cordery P. M.* **501.P**, 95*P*, 1997

Corfield D. R.
Corfield D. R., Roberts C. A., Morrell M. J. & Adams L. Do respiratory-related chemical and behavioural stimuli interact to drive breathing in man? **499.P**, 69*P*, 1997
Corfield D. R., Murphy K., Josephs O., Fink G. R., Frackowiak R. S. J., Adams L. & Turner R. Activation of human hypoglossal motor nuclei during voluntary tongue contraction detected using functional magnetic resonance imaging (fMRI) **505.P**, 83*P*, 1997

Corkey K.
Corkey K. & Wilkins R. Molecular identification of NHE isoform 3 in bovine articular chondrocytes **504.P**, 134*P*, 1997

Corris P. *see Tarasenko A. N., Holden K., Corris P., Parry G., Dunlop W. & Gillespie J. I.* **504.P**, 158*P*, 1997

Cossins A. R. *see Kiessling K., Cossins A. R. & Ellory J. C.* **499.P**, 24*P*, 1997

Cotter R. *see Spencer G. E., Cotter R., Syed N. I. & Lukowiak K.* **504.P**, 10*P*, 1997

Cotton K. D. *see Hollywood M. A., Cotton K. D., Thornbury K. D. & McHale N. G.* **501.P**, 109*P*, 1997
see Convery M., Hollywood M. A., Cotton K. D., Thornbury K. D. & McHale N. G. **501.P**, 110*P*, 1997
Cotton K. D., Hollywood M. A., McHale N. G. & Thornbury K. D. Ca^{2+}-activated chloride currents in smooth muscle cells isolated from sheep urethra **501.P**, 111*P*, 1997
see Sergeant G., Cotton K. D., Thornbury K. D., McHale N. G. & Hollywood M. A. **501.P**, 116*P*, 1997
see Hollywood M. A., Toland H. M., Cotton K. D., Thornbury K. D. & McHale N. G. **505.P**, 96*P*, 1997

Couraud P. O. *see Regina A., Koman A., Center M. S., Couraud P. O. & Roux F.* **505.P**, 57*P*, 1997

Court J. *see Wood N., Török K., Leake A., Lloyd S., Court J., Perry R. & Perry E.* **499.P**, 42*P*, 1997

Cox V. *see Ng Y., Ashley Z., Cox V. & Goldspink D.* **499.P**, 114*P*, 1997
see Wright H., Williams P., Cox V. & Goldspink D. **499.P**, 114*P*, 1997

Cox V. M. *see Hudson L. J., Cox V. M. & Goldspink D. F.* **499.P**, 115*P*, 1997
see Hudson L. J., Cox V. M. & Goldspink D. F. **504.P**, 229*P*, 1997
see Lopez-Oliva M. E., Hudson L. J., Cox V. M. & Goldspink D. F. **504.P**, 230*P*, 1997

Crabtree J. W.
Crabtree J. W., Isaac J. T. R. & Collingridge G. L. Novel circuits allowing intrathalamic interactions between modality-related nuclei in the rat dorsal thalamus **504.P**, 169*P*, 1997

Cracco R. Q. *see Amassian V. E., Vergara M., Somasundaram M., Maccabee P. J. & Cracco R. Q.* **499.P**, 88*P*, 1997
see Amassian V. E., Cracco R. Q., Maccabee P. J., Vergara M., Hassan N., Eberle L. & Rothwell J. C. **504.P**, 115*P*, 1997

Craggs M. D. *see Pitt J., Boulos P. B., Henry M. M. & Craggs M. D.* **499.P**, 78*P*, 1997
Craggs M. D., McFarlane J. P., Foley S. J., Wagg A. S. & Knight S. L. Detrusor relaxation following magnetic stimulation of the sacral roots in healthy men **501.P**, 53*P*, 1997
Craggs M. D., Dinner L., Lovell A. T., Knight S. L. & Goldstone J. C. Diaphragm function assessed by multi-pulse magnetic stimulation of the phrenic nerves in man **501.P**, 56*P*, 1997

Crandall E. D. *see Kemp P. J., Kim K.-J., Borok Z., Lubman R. L., Danto S. I. & Crandall E. D.* **505.P**, 65*P*, 1997

Crawford A. C. *see Taylor R. C. & Crawford A. C.* **504.P**, 122*P*, 1997
see Turner C. R. & Crawford A. C. **504.P**, 122*P*, 1997

Criado J. M. *see Marple-Horvat D. E., Garwicz M., Hollands M. A., Criado J. M. & Armstrong D. M.* **504.P**, 64*P*, 1997

Crisp D. M. *see Brack K., Economides A. P., Fagbemi O. & Crisp D. M.* **504.P**, 84*P*, 1997

Croker J.
Croker J. & Lawson S. N. A dual high-frequency voltage-controlled oscillator (VCO) for audible detection of slow potential changes **504.P**, 59*P*, 1997

Crompton A. W. *see Thexton A. J. & Crompton A. W.* **505.P**, 72*P*, 1997

Crowe C. *see Hawkins P., Crowe C., Calder N. A., Saito T., Ozaki T., Stratford L. L., Noakes D. E. & Hanson M. A.* **505.P**, 18*P*, 1997
see Ozaki T., Hawkins P., Crowe C., Hanson M. A. & Poston L. **505.P**, 99*P*, 1997

Crunelli V.
Crunelli V., Williams S. R., Turner J. P., Hughes S. W. & Tóth T. I. Physiological expression of the 'window' component of I_T in rat and cat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997
see Erdemli G. & Crunelli V. **501.P**, 25*P*, 1997

Cruz M. A. *see Carrasco G., Cruz M. A., Gallardo V., Miguel P. & González C.* **504.P**, 205*P*, 1997

Cuevas J.
Cuevas J. & Adams D. J. Substance P preferentially inhibits the large conductance class of neuronal nicotinic ACh receptor channels expressed in parasympathetic neurones of rat intracardiac ganglia **501.P**, 70*P*, 1997

Cui L.-N.

Cui L.-N. & Dyball R. E. J. The projection from the suprachiasmatic nucleus of the rat to the supraoptic nucleus is mediated by glutamate and GABA **504.P**, 53*P*, 1997

see Au-Yong I. T. H., Cui L.-N. & Dyball R. E. J. **505.P**, 12*P*, 1997

Cui Y. *see Iino S., Cui Y., Galione A. & Terrar D. A.* **499.P**, 32*P*, 1997

Cull-Candy S. *see Nusser Z., Cull-Candy S. & Farrant M.* **501.P**, 10*P*, 1997

see Brickley S., Farrant M. & Cull-Candy S. **501.P**, 11*P*, 1997

Cull-Candy S. G. *see Silver R. A., Momiyama A. & Cull-Candy S. G.* **501.P**, 14*P*, 1997

Culliford S. J.

Culliford S. J., Bernhardt I. & Ellory J. C. Effect of ATP depletion and phosphatase/kinase inhibitors on organic osmolyte transport in human erythrocytes **501.P**, 155*P*, 1997

see Golding S., Culliford S. J. & Ellory J. C. **504.P**, 143*P*, 1997

Cumberbatch M. J.

Cumberbatch M. J., Mason G. S., Hill R. G. & Hargreaves R. J. Trigeminal neurones that receive non-nociceptive vibrissal input in the anaesthetized rat: effects of convergent nociceptive input from the dura-mater and of a 5-$HT_{1B/1D}$ agonist **504.P**, 103*P*, 1997

Cumming A. *see Gow I. F. & Cumming A.* **499.P**, 61*P*, 1997

Cunningham D. A.

Cunningham D. A., St Croix C., Paterson D. H., Ozyener F. & Whipp B. J. Time dependence of the off-transient V_{O_2} kinetics following heavy-intensity exercise in humans **501.P**, 59*P*, 1997

see Lucy S. D., Cunningham D. A., Kowalchuk J. M., Paterson D. H. & Hughson R. L. **501.P**, 68*P*, 1997

see Petrella R. J., Cunningham D. A. & Paterson D. H. **501.P**, 68*P*, 1997

Cunningham J. R. *see Neal M. J., Cunningham J. R. & Dent Z.* **505.P**, 46*P*, 1997

see Neal M. J., Cunningham J. R. & Matthews K. L. **505.P**, 61*P*, 1997

Curtin N. A. *see Milligan B. J., Curtin N. A. & Bone Q.* **504.P**, 3*P*, 1997

see Lou F., Curtin N. A. & Woledge R. C. **504.P**, 38*P*, 1997

see Williams T. L., Bowtell G. & Curtin N. A. **504.P**, 38*P*, 1997

Curtis T. M. *see Cobb C. S., Curtis T. M., Williamson R. & Depledge M. H.* **504.P**, 3*P*, 1997

Curtis T. M., Williamson R. & Depledge M. H. Ionic currents in ventricular myocytes of the blue mussel, *Mytilus edulis* **504.P**, 12*P*, 1997

Cuttle M. F. *see Forsythe I. D., Tsujimoto T., Barnes-Davies M., Cuttle M. F. & Takahashi T.* **504.P**, 174*P*, 1997

Czapla K. *see Mylona P., Darvill A., Brenchley P., Czapla K. & Kibble J. D.* **504.P**, 142*P*, 1997

Czarkowska-Bauch J. *see Gladden M. H., Jankowska E. & Czarkowska-Bauch J.* **505.P**, 76*P*, 1997

see Jankowska E., Gladden M. H. & Czarkowska-Bauch J. **505.P**, 77*P*, 1997

Dachs G. *see Ratcliffe P. J., Dachs G., Ebert B. L., Firth J. D., Gleadle J. M., Maxwell P. H., O'Rourke J. F., Pugh C. W., Stratford I. & Wood S. M.* **499.P**, 13*S*, 1997

Dale T. *see Xie X. M., Dale T., Peakman T. & Clare J.* **504.P**, 154*P*, 1997

Dalgliesh G. *see Rayner D. V., Anderson C., Dalgliesh G., Duncan J. S., Hardie L. J. & Trayhurn P.* **499.P**, 123*P*, 1997

Dalton G. *see Hobai I. A., Howarth F. C., Pabbathi V., Dalton G., Hancox J. C., Doggrell S. A. & Levi A. J.* **501.P**, 139*P*, 1997

Dalton G. R.

Dalton G. R., Jones J. V., Levy A. & Levi A. J. The effect of regression of cardiac hypertrophy on action potential shape and transient outward current density in myocytes from hypertensive rats treated with captopril **504.P**, 87*P*, 1997

Daly M. de B.

Daly M. de B. & Jones J. F. X. Left ventricular inotropic responses to selective stimulation of the carotid and aortic bodies in the anaesthetized cat **501.P**, 78*P*, 1997

D'Angelo E.

D'Angelo E., Rossi P. & Tagletti V. Long-lasting enhancement of mossy fibre–granule cell transmission induced by high frequency stimulation **501.P**, 91*P*, 1997

Danto S. I. *see Kemp P. J., Kim K.-J., Borok Z., Lubman R. L., Danto S. I. & Crandall E. D.* **505.P**, 65*P*, 1997

Dart C. *see Leyland M. L., Shelton P. A., Dart C., Conley E. C. & Stanfield P. R.* **499.P**, 125*P*, 1997

Dart C., Leyland M. L., Spencer P. J., Conley E. C., Stanfield P. R. & Sutcliffe M. J. Possible topology of the H5 region of an inward rectifier K^+ channel, murine IRK1 **504.P**, 155*P*, 1997

Darvill A. *see Mylona P., Darvill A., Brenchley P., Czapla K. & Kibble J. D.* **504.P**, 142*P*, 1997

Dashwood M. R. *see Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Bruckdorfer K. R., Morgan R. J. & Dashwood M. R.* **501.P**, 106*P*, 1997

Dashwood M. R., Jeremy J., Mehta D., Bryan A. & Angelini G. D. Endothelin-1 receptors and nitric oxide synthase in externally stented porcine venous–arterial grafts **501.P**, 107*P*, 1997

Davey N. J. *see Hill A. C., Hodgson T. L., Davey N. J. & Kennard C.* **499.P**, 79*P*, 1997

Davey R. *see Heffron M., Davey R. & Cochrane T.* **499.P**, 81*P*, 1997

see Smith H. C., Davey N. J., Maskill D. W., Savic G. & Ellaway P. H. **501.P**, 43*P*, 1997

see Hill A. C., Davey N. J. & Kennard C. **505.P**, 80*P*, 1997

see Walker J. N., Jones B. P., Davey N. J., Murphy K. & Ellaway P. H. **505.P**, 84*P*, 1997

David J. A. *see Pitman R. M., David J. A., Prothero L. S. & Butt S. J. B.* **504.P**, 4*S*, 1997

Davie C. S.

Davie C. S. & Standen N. B. Enhancement of the vasorelaxant potency of nicorandil by metabolic inhibition and adenosine in pig coronary arteries **504.P**, 190*P*, 1997

Davies L. A.

Davies L. A., Hamilton D. L., Harrison S. M., Boyett M. R. & Hopkins P. M. Dose-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **504.P**, 75*P*, 1997

Davies R. E. *see Wing M. K., Davies R. E. & Docherty R. J.* **505.P**, 103*P*, 1997

Davies S. N. *see Collins D. R. & Davies S. N.* **501.P**, 101*P*, 1997

Davis J. N.

Davis J. N. & Lemon R. N. A comparison of population and single-unit activity recorded from identified cortico-motoneuronal (CM) cells during precision grip in the macaque monkey **501.P**, 37*P*, 1997

see Maier M. A., Davis J. N., Armand J., Kirkwood P. A. & Lemon R. N. **505.P**, 84*P*, 1997

Davis J. P. L. *see Chipperfield A. R., Davis J. P. L. & Harper A. A.* **501.P**, 116*P*, 1997

Davis N. T. *see Hildebrand J. G., Mercer A. R., Davis N. T., Homberg U., Kirchhof B., Kloppenburg P. & Sun X.-J.* **504.P**, 4*S*, 1997

Davison J. S. *see Boissonade F. M. & Davison J. S.* **499.P**, 106*P*, 1997

Dayrell M. *see Haley J. E., Delmas P., Abogadie F. C., Dayrell M., Caulfield M. P., Buckley N. J. & Brown D. A.* **504.P**, 176*P*, 1997

Deák F.

Deák F., Nagy G., Várnai P. & Spät A. Non-voltage-operated calcium current (I_{sg}) activated by potassium ions in rat hippocampal pyramidal neurons **501.P**, 31*P*, 1997

deBelder A. *see Bertaso F., Hendry B. M., Newman S., Argano V., Desai J. B., Forsyth A. T., Marrinan M. T., Meharwal Z.-S., Sutherland F., Zaman H., deBelder A. & James A. F.* **504.P**, 77*P*, 1997

Debnam E. S. *see Grimble G. K., Denholm E. E., Gabe S. & Debnam E. S.* **499.P**, 110*P*, 1997

Debnam E. S., Unwin R. J., Marks J. & Oliva C. Diabetes mellitus promotes phlorizin-insensitive but not SGLT-mediatd glucose transport across isolated rat renal brush-border membrane **504.P**, 141*P*, 1997

see Hobby K. R., Debnam E. S., Srai S. K. S., Paganga G. & Rice-Evans C. **504.P**, 152*P*, 1997

De Felipe C. *see Butcher J. W., De Felipe C., Smith A. J. H., Hunt S. & Paton J. F. R.* **504.P**, 200*P*, 1997

Dehkordi L. *see Habgood M. D., ZuDong L., Dehkordi L., Nazarian J., Abraham M., Hider R. C. & Abbott N. J.* **505.P**, 49*P*, 1997

Dehouck M. P. *see Ghersi-Egea J. F., Strazielle N., Dehouck M. P., Ghiso J., Gorevic P. & Fenstermacher J. D.* **505.P**, 53*P*, 1997

De Jong G. I.

De Jong G. I. & Luiten P. G. M. Cerebral microvascular systems and ageing **501.P**, 4*S*, 1997

Delaney S. J. *see Robinson K. A., Delaney S. J., Lunn D. P., Thomson S. A., Sheppard D. N. & Wainwright B. J.* **499.P**, 59*P*, 1997

see Robinson K. A., Delaney S. J., Lunn D. P., Thomson S. A., Wainwright B. J. & Sheppard D. N. **504.P**, 143*P*, 1997

DELMAS P.

DELMAS P., ABOGADIE F. C., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. Differential G protein subunit basis for biophysically distinct inhibitions of I_{Ca} by muscarinic receptors in isolated sympathetic neurones **504.P**, 176*P*, 1997

see HALEY J. E., DELMAS P., ABOGADIE F. C., DAYRELL M., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. **504.P**, 176*P*, 1997

DEMPSEY J. A. *see MORRELL M. J., ARABI Y., ZAHN B., DEMPSEY J. A. & BADR M. S.* **499.P**, 69*P*, 1997

DEMPSTER J.

DEMPSTER J. A new version of the Strathclyde Electrophysiology software package running within the Microsoft Windows environment **504.P**, 57*P*, 1997

DENHOLM E. E. *see GRIMBLE G. K., DENHOLM E. E., GABE S. & DEBNAM E. S.* **499.P**, 110*P*, 1997

DENT Z. *see NEAL M. J., CUNNINGHAM J. R. & DENT Z.* **505.P**, 46*P*, 1997

DENTON E. J. *see ROWE D. M. & DENTON E. J.* **504.P**, 4*P*, 1997

DEPLEDGE M. H. *see COBB C. S., CURTIS T. M., WILLIAMSON R. & DEPLEDGE M. H.* **504.P**, 3*P*, 1997

see CURTIS T. M., WILLIAMSON R. & DEPLEDGE M. H. **504.P**, 12*P*, 1997

DESAI J. B. *see BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F.* **504.P**, 77*P*, 1997

DE SMEDT H.

DE SMEDT H., MISSIAEN L., SIENAERT I., PARYS J. B., SIPMA H., VANLINGEN S. & CASTEELS R. Molecular basis of the regulation of inositol 1, 4, 5-trisphosphate ($InsP_3$)-mediated Ca^{2+} release by Ca^{2+} **499.P**, 3*S*, 1997

DE SMET P. *see ERLIJ D., DE SMET P., MESOTTEN D. & VAN DRIESSCHE W.* **504.P**, 140*P*, 1997

DESTOMBES J. *see D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D.* **505.P**, 81*P*, 1997

DETOLEDO-MORRELL L. *see GEINISMAN Y., DETOLEDO-MORRELL L., MORRELL F., PERSINA I. S. & VAN DER ZEE E. A.* **501.P**, 4*S*, 1997

DEUCHARS J. *see PAWELZIK H. M., DEUCHARS J. & THOMSON A. M.* **501.P**, 10*P*, 1997

DEUCHARS S. A.

DEUCHARS S. A., TRIPPENBACH T. & SPYER K. M. Responses of dorsal column nuclei (DCN) neurones to dorsal root stimulation in a brainstem–spinal cord preparation **504.P**, 102*P*, 1997

DEVANEY M. *see DONNE B. & DEVANEY M.* **501.P**, 52*P*, 1997

DEVÉS R.

DEVÉS R., ANGELO S. & ROJAS A. M. System y^+L: the broad-scope and cation-modulated amino acid transporter **499.P**, 20*S*, 1997

see ROJAS A. M. & DEVÉS R. **504.P**, 137*P*, 1997

DÍAZ M. E.

DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A. Measurement of sarcoplasmic reticulum calcium content after spontaneous calcium release in isolated rat ventricular myocytes **501.P**, 132*P*, 1997

see TRAFFORD A. W., DÍAZ M. E. & EISNER D. A. **501.P**, 133*P*, 1997

DÍAZ M. E., TRAFFORD A. W. & EISNER D. A. Different time courses of Na^+–Ca^{2+} exchange and Ca^{2+}-activated chloride current in isolated ferret ventricular myocytes **504.P**, 91*P*, 1997

DICK D. J. *see MEGHJI P., NAZIR S. A., DICK D. J. & LAB M. J.* **501.P**, 127*P*, 1997

see NAZIR S. A., MEGHJI P., DICK D. J. & LAB M. J. **501.P**, 128*P*, 1997

see STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. **504.P**, 189*P*, 1997

DIETZ V.

DIETZ V. & COLOMBO G. Adaptation of the human gait pattern to body unloading **505.P**, 83*P*, 1997

DIMALINE R. *see DJALI P. K., DIMALINE R. & DOCKRAY G. J.* **499.P**, 122*P*, 1997

see NOBLE P.-J. M., HIGHAM A. D., DIMALINE R. & DOCKRAY G. J. **499.P**, 122*P*, 1997

DINAN T. G. *see THAKORE J. H. & DINAN T. G.* **505.P**, 13*P*, 1997

D'INCAMPS B. L.

D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D. A confocal microscopic analysis of axo-axonic contacts on the terminals of a Ib afferent fibre in the lumbo-sacral segments of the cat spinal cord **505.P**, 81*P*, 1997

DINNER L. *see CRAGGS M. D., DINNER L., LOVELL A. T., KNIGHT S. L. & GOLDSTONE J. C.* **501.P**, 56*P*, 1997

DIRKSEN R. T. *see BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D.* **504.P**, 11*S*, 1997

DISTERHOFT J. F.

DISTERHOFT J. F., KRONFORST-COLLINS M. A., MCECHRON M. D., MOYER J. R. JR, POWER J. M. & THOMPSON L. T. Mechanisms of associative learning in young and ageing hippocampus **501.P**, 6*S*, 1997

DJALI P. K.

DJALI P. K., DIMALINE R. & DOCKRAY G. J. The influence of the 5′ untranslated region of aromatic amino acid decarboxylase transcripts on translation in endocrine and kidney cell lines **499.P**, 122*P*, 1997

DJOUHRI L. *see PERL E. R., DJOUHRI L. & LAWSON S. N.* **504.P**, 58*P*, 1997

DJOUHRI L., BLEAZARD L. & LAWSON S. N. Reduced action potential (AP) duration in nociceptive dorsal root ganglion (DRG) neurones projecting to inflamed tissue in guinea-pigs **504.P**, 100*P*, 1997

DOBBIE M. S. *see HURST R. D., HEALES S. J. R., DOBBIE M. S. & CLARK J. B.* **505.P**, 50*P*, 1997

DOBBS L. G. *see BOYLAN G. M., DOBBS L. G. & MCELROY M. C.* **501.P**, 61*P*, 1997

DOBROWOLSKI L. *see SADOWSKI J., KOMPANOWSKA-JEZIERSKA E., DOBROWOLSKI L., WALKOWSKA A. & BADZYŃSKA B.* **505.P**, 111*P*, 1997

DOBRZYNSKI H. *see SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R.* **504.P**, 75*P*, 1997

DOCHERTY J. R. *see CONNOLLY C., ABDULLAH K., CAWLEY T., RUIZ E. & DOCHERTY J. R.* **501.P**, 107*P*, 1997

see ABOUD R., CONNOLLY C., MCCORMICK P. A. & DOCHERTY J. R. **501.P**, 108*P*, 1997

see BROWNE M. & DOCHERTY J. R. **501.P**, 108*P*, 1997

DOCHERTY R. J. *see PIPER A. S., YEATS J. C. & DOCHERTY R. J.* **499.P**, 14*P*, 1997

see PIPER A. S. & DOCHERTY R. J. **505.P**, 40*P*, 1997

see WING M. K., DAVIES R. E. & DOCHERTY R. J. **505.P**, 103*P*, 1997

DOCKRAY G. J. *see MCLAUGHLIN J. T., HALL L., THOMPSON D. G., DOCKRAY G. J. & WARHURST G.* **499.P**, 101*P*, 1997

see BATE G. W., VARRO A. & DOCKRAY G. J. **499.P**, 104*P*, 1997

see HIGHAM A. D., NOBLE P. J., THOMPSON D. G. & DOCKRAY G. J. **499.P**, 104*P*, 1997

see DJALI P. K., DIMALINE R. & DOCKRAY G. J. **499.P**, 122*P*, 1997

see NOBLE P.-J. M., HIGHAM A. D., DIMALINE R. & DOCKRAY G. J. **499.P**, 122*P*, 1997

DOERING A. *see PHILIPSON K. D., NICOLL D. A., HE Z., DOERING A. & HILGEMANN D. W.* **504.P**, 9*S*, 1997

DOGGRELL S. A. *see HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J.* **501.P**, 139*P*, 1997

DOI N.

DOI N. & RUSSELL J. A. Endomorphin 1, a highly selective endogenous μ-opioid agonist, inhibits the firing of rat oxytocin (OT) but not vasopressin (VP) supraoptic nucleus (SON) neurones *in vitro* **505.P**, 11*P*, 1997

DOLMAN D. E. M.

DOLMAN D. E. M., ANDERSON P., ROLLINSON C. & ABBOTT N. J. Characterization of a new *in vitro* model of the blood–brain barrier (BBB) **505.P**, 56*P*, 1997

DOLPHIN A. C. *see STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C.* **504.P**, 50*P*, 1997

see STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. **504.P**, 157*P*, 1997

DOMANSKI J. *see ZOLADZ J. A., DUDA K., MAJERCZAK J., DOMANSKI J. & EMMERICH J.* **499.P**, 75*P*, 1997

DONECKER C. L.

DONECKER C. L., STRATFORD N. & SULEIMAN M.-S. Propofol improves myocardial protection during ischaemic cardioplegic arrest and reperfusion in isolated Langendorff guinea-pig hearts **501.P**, 141*P*, 1997

DONELAN A. S. *see BARNES G. R. & DONELAN A. S.* **505.P**, 79*P*, 1997

DONGA R.

DONGA R., TAYLOR A., SCOTT J. J. A., HODGE P., ROWLERSON A. M., KEMP N. & SATOH Y. Anatomical demonstration of a trigeminal motor innervation of digastricus pars occipitomandibularis (retractor mandibulae) muscle in the rabbit **505.P**, 77*P*, 1997

DONNE B. *see BOTHWELL S., DONNE B. & ANDREWS J. F.* **501.P**, 6*P*, 1997

DONNE B. & DEVANEY M. Effect of cycling cadence on lactate profiles during incremental cycle ergometry in trained cyclists **501.P**, 52*P*, 1997

DOOLAN C. M.

DOOLAN C. M. & HARVEY B. J. Rapid effects of steroid hormones on free intracellular calcium in the colonic epithelial cell line T84 **499.P**, 5*P*, 1997

DOORLY D. J. *see* SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L. **504.P**, 44*P*, 1997

DORKINS H. R. *see* WHITFIELD A. H. N. & DORKINS H. R. **505.P**, 68*P*, 1997

DORRINGTON K. L. *see* CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A. **499.P**, 118*P*, 1997

see NAGYOVA B. & DORRINGTON K. L. **505.P**, 23*P*, 1997

see CLAR C., DORRINGTON K. L. & ROBBINS P. A. **505.P**, 25*P*, 1997

see PEDERSEN M. E. F., DORRINGTON K. L. & ROBBINS P. A. **505.P**, 26*P*, 1997

DOSHI M. *see* GARDNER-MEDWIN A. R., DOSHI M., FALDON M. & BRONSTEIN A. **505.P**, 78*P*, 1997

DOUGHTY J. M.

DOUGHTY J. M. & LANGTON P. D. A transient dilatation of isolated, pressurized rat cerebral resistance arteries in response to step changes in pressure is mediated by endothelial-dependent NO activation of guanylate cyclase **504.P**, 190*P*, 1997

DOUGLAS A. J.

DOUGLAS A. J., HILL N. & RUSSELL J. A. A noradrenergic α_1-receptor antagonist reduces the Fos response in the supraoptic nucleus (SON) to oxytocin-induced uterine activity in the pregnant rat **505.P**, 10*P*, 1997

DOWNING J. E. G. *see* HEAD G. M., KENDALL M. D. & DOWNING J. E. G. **505.P**, 14*P*, 1997

DOYLE C.

DOYLE C., CAMPA J. S., TRIBE R. M., MISTRY S. K., MCLAY J. S. & POSTON L. The expression of natriuretic peptide receptors in pregnant human myometrium **505.P**, 98*P*, 1997

DOYLE C. A.

DOYLE C. A. & HUNT S. P. NFκB expression in rat sensory neurons is down-regulated after peripheral nerve injury **499.P**, 124*P*, 1997

DOYLE C. A. & HUNT S. P. Fos co-localizes with substance P receptor (NK_1) in a subpopulation of rat spinal cord neurons following noxious peripheral stimulation **501.P**, 16*P*, 1997

DRAKE-HOLLAND A. J. *see* VAN DER VUSSE G. J., DUBELAAR M. L., SEYMOUR A.-M., BONEN A., DRAKE-HOLLAND A. J. & NOBLE M. I. M. **501.P**, 124*P*, 1997

see WRIGHT Z. M., DRAKE-HOLLAND A. J., HYND J., MANSARAY M. & NOBLE M. I. M. **504.P**, 188*P*, 1997

DRAPER C. E.

DRAPER C. E., SINGH J., PALLOT D. & ADEGHATE E. A. The effect of age on protein and peroxidase secretion and morphological changes in the isolated rat lacrimal gland **501.P**, 155*P*, 1997

DRAPER C. E., SINGH J., BROWN J., LAWRENCE P. A. & ADEGHATE E. A. Light and electron microscopic investigations of age-related morphological changes of male rat lacrimal glands **504.P**, 34*P*, 1997

DUBELAAR M. L. *see* VAN DER VUSSE G. J., DUBELAAR M. L., SEYMOUR A.-M., BONEN A., DRAKE-HOLLAND A. J. & NOBLE M. I. M. **501.P**, 124*P*, 1997

DUBROVSKAYA N.

DUBROVSKAYA N. & ZHURAVIN I. Role of the cortical and striatal cholinergic systems in the performance of learned movements in rats **504.P**, 119*P*, 1997

DUCLOHIER H. *see* HELLUIN O. & DUCLOHIER H. **504.P**, 49*P*, 1997

see CADIOU H., THROWER E., BENDAHHOU S. & DUCLOHIER H. **504.P**, 157*P*, 1997

DUDA K. *see* ZOLADZ J. A., DUDA K., MAJERCZAK J., DOMANSKI J. & EMMERICH J. **499.P**, 75*P*, 1997

DUKE A. M. *see* STEELE D. S. & DUKE A. M. **501.P**, 144*P*, 1997

DUKE A. M. & STEELE D. S. Effects of cytosolic ATP on caffeine-induced Ca^{2+} release in saponin skinned skeletal muscle fibres isolated from the frog **504.P**, 227*P*, 1997

DUMOULIN C. L. *see* SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L. **504.P**, 44*P*, 1997

DUNCAN A.

DUNCAN A. & MCDONAGH M. J. N. The role of short latency spinal stretch reflexes in human lower leg muscles when landing from a jump **501.P**, 42*P*, 1997

DUNCAN J. S. *see* RAYNER D. V., ANDERSON C., DALGLIESH G., DUNCAN J. S., HARDIE L. J. & TRAYHURN P. **499.P**, 123*P*, 1997

DUNLOP W. *see* MORGAN J. M., AWAD S. S., LAMB H. K., DUNLOP W. & GILLESPIE J. I. **499.P**, 37*P*, 1997

see TARASENKO A. N., HOLDEN K., CORRIS P., PARRY G., DUNLOP W. & GILLESPIE J. I. **504.P**, 158*P*, 1997

see MAHDY Z., OTUN H. A., DUNLOP W., GREENWELL J. R. & GILLESPIE J. I. **504.P**, 191*P*, 1997

DUNN P. M.

DUNN P. M. Action of clotrimazole and cetiedil on single Ca^{2+}-activated K^+ channels in membrane patches from human erythrocytes **499.P**, 12*P*, 1997

DUNNE M. J. *see* LINDLEY K. J., KNAFELZ D., ST LOUIS D., DUNNE M. J., AYNSLEY-GREEN A. & MILLA P. J. **499.P**, 108*P*, 1997

DUQUETTE R. A.

DUQUETTE R. A. & WRAY S. An investigation into the role of pH in gastric smooth muscle **501.P**, 114*P*, 1997

DURBABA R. *see* TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H. **501.P**, 39*P*, 1997

DURBABA R., TAYLOR A. & ELLAWAY P. H. Comparison of frequencygrams, post-stimulus histograms and cross-correlograms in assessing γ motoneurone actions on feline muscle spindles **504.P**, 116*P*, 1997

see TAYLOR A., ELLAWAY P. H. & DURBABA R. **505.P**, 76*P*, 1997

DURR J.

DURR J. Fluid balance during pregnancy **505.P**, 2*S*, 1997

DUTAR P. *see* BILLARD J. M., JOUVENCEAU A., POTIER B., LAMOUR Y. & DUTAR P. **501.P**, 3*S*, 1997

DUTIA M. B. *see* SULAIMAN M. R. & DUTIA M. B. **504.P**, 166*P*, 1997

see CAMERON S. A., TURNER J. A., MALTWOOD D. M. R. & DUTIA M. B. **504.P**, 217*P*, 1997

DUTTA-ROY A. *see* MUKHOPADHYAY S., OLVER R. E., FYFE G. K., DUTTA-ROY A. & KEMP P. J. **499.P**, 56*P*, 1997

DUYSENS J.

DUYSENS J., TOEBAK M., VAN WEZEL B. M. H. & BERGER W. Short- (P1) and medium-latency (P2) cutaneous reflexes show different phase-dependent modulation during human walking **504.P**, 115*P*, 1997

DUYSENS J., BURGERS L., PLAT F. M., SCHILLINGS A. M., VAN WEZEL B. M. H. & KREMER H. P. H. Gating of sensations and reflexes during human gait **504.P**, 18*S*, 1997

DYBALL R. E. J. *see* CUI L.-N. & DYBALL R. E. J. **504.P**, 53*P*, 1997

see MCKENZIE D. N., DYBALL R. E. J. & BUCKINGHAM J. C. **504.P**, 222*P*, 1997

see AU-YONG I. T. H., CUI L.-N. & DYBALL R. E. J. **505.P**, 12*P*, 1997

see LOMBARDELLI S. & DYBALL R. E. J. **505.P**, 13*P*, 1997

EARDLEY I. *see* MINHAS S., EARDLEY I. & MORRISON J. F. B. **501.P**, 117*P*, 1997

EARM Y. E. *see* HO W.-K., SONG D.-K. & EARM Y. E. **499.P**, 10*P*, 1997

EASTON A. S.

EASTON A. S. & ABBOTT N. J. The effects of bradykinin on a cell culture model of the blood–brain barrier (BBB) **505.P**, 49*P*, 1997

EASTWOOD C.

EASTWOOD C. & GRUNDY D. Activation of intestinal afferents by endogenous CCK in the proximal jejunum of the anaesthetized rat **499.P**, 102*P*, 1997

EBERLE L. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N., EBERLE L. & ROTHWELL J. C. **504.P**, 115*P*, 1997

EBERT B. L. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997

ECCLES R. *see* FERGUSON E. A., ECCLES R. & JAMES A. **504.P**, 203*P*, 1997

ECKERT T. *see* HERGET C., SHAH R., HARTLEY D. E., ECKERT T. & FORSLING M. L. **504.P**, 222*P*, 1997

ECONOMIDES A. P. *see* BRACK K., ECONOMIDES A. P., FAGBEMI O. & CRISP D. M. **504.P**, 84*P*, 1997

see CLARK G. S., ECONOMIDES A. P. & BYRNE N. G. **504.P**, 84*P*, 1997

see TAILOR S., ECONOMIDES A. P. & FAGBEMI O. **504.P**, 85*P*, 1997

EDGAR J. M.

EDGAR J. M. & PRICE D. J. Migration and lamination of neuronal precursors in cultured cortical slices of embryonic mouse brain **501.P**, 103*P*, 1997

EDGLEY S. A. *see* AGGELOPOULOS N. C., BAKER M. R., JAVID M. & EDGLEY S. A. **504.P**, 113*P*, 1997

EDMONDS B. *see* WYLLIE D., EDMONDS B. & COLQUHOUN D. **501.P**, 13*P*, 1997

see WYLLIE D., BÉHÉ P., EDMONDS B. & COLQUHOUN D. **504.P**, 173*P*, 1997

EDWARDS E.

EDWARDS E. & PATON J. F. R. Modulation of the pulmonary chemoreflex by cyclic adenosine monophosphate (cAMP) within the nucleus tractus solitarii (NTS) of the anaesthetized rat **504.P**, 201*P*, 1997

EDWARDS F. A. *see* ROBERTSON S. J. & EDWARDS F. A. **501.P**, 11*P*, 1997

EDWARDS M. D.

EDWARDS M. D. & LEES G. Modulation and desensitization of human $GABA_A$ receptor isoforms expressed in oocytes: effects of the δ subunit **499.P**, 124*P*, 1997

EGÉE S. *see MIGNEN O., EGÉE S., PENNEC J. P., HARVEY B. J. & THOMAS S.* **499.P**, 30*P*, 1997

EGGINTON S. *see HAWKER M. J. & EGGINTON S.* **499.P**, 22*P*, 1997

see JEAL S., BROWN M. D., HUDLICKÁ O. & EGGINTON S. **499.P**, 39*P*, 1997

see ZHOU A.-L. & EGGINTON S. **499.P**, 39*P*, 1997

EHRENFELD J. *see AVELLA M. & EHRENFELD J.* **499.P**, 17*P*, 1997

EHRLICH B. E.

EHRLICH B. E., STRIGGOW F. & KAFTAN E. J. Another look at regulation of the inositol 1, 4, 5-trisphosphate receptor **499.P**, 2*S*, 1997

EISNER D. *see BURDYGA T. V., LAMONT C., EISNER D. & WRAY S.* **501.P**, 115*P*, 1997

EISNER D. A. *see SMITH R. D., EISNER D. A. & WRAY S.* **501.P**, 112*P*, 1997

see DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A. **501.P**, 132*P*, 1997

see TRAFFORD A. W., DÍAZ M. E. & EISNER D. A. **501.P**, 133*P*, 1997

see OVEREND C. L., O'NEILL S. C. & EISNER D. A. **504.P**, 82*P*, 1997

see DÍAZ M. E., TRAFFORD A. W. & EISNER D. A. **504.P**, 91*P*, 1997

see ADAMS W., TRAFFORD A. W. & EISNER D. A. **505.P**, 92*P*, 1997

see SHMIGOL A. V., WRAY S. & EISNER D. A. **505.P**, 105*P*, 1997

ELDER H. *see MCGUIGAN J. A. S., LÜTHI D., ELDER H. & JOHNSON A.* **501.P**, 3*P*, 1997

ELDER H. Y. *see JOHNSON A. D., ELDER H. Y., NICHOLSON W. A. P. & MCGUIGAN J. A. S.* **505.P**, 92*P*, 1997

ELLAWAY P. H. *see TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H.* **501.P**, 39*P*, 1997

see SMITH H. C., DAVEY N. J., MASKILL D. W., SAVIC G. & ELLAWAY P. H. **501.P**, 43*P*, 1997

see MOOSAVI S. H., CATLEY M., ELLAWAY P. H., STOKES M. J. & BRADLEY J. **501.P**, 44*P*, 1997

see DURBABA R., TAYLOR A. & ELLAWAY P. H. **504.P**, 116*P*, 1997

see TAYLOR A., ELLAWAY P. H. & DURBABA R. **505.P**, 76*P*, 1997

see WALKER J. N., JONES B. P., DAVEY N. J., MURPHY K. & ELLAWAY P. H. **505.P**, 84*P*, 1997

ELLIOTT A. C. *see VAN DE PUT F. H. M. M., LYGATE C. A. & ELLIOTT A. C.* **499.P**, 20*P*, 1997

see BRUCE J. I. E. & ELLIOTT A. C. **499.P**, 105*P*, 1997

ELLIOTT C. J. H.

ELLIOTT C. J. H., KITS K. S. & LODDER J. C. Calcium currents of the buccal motoneurons of the pond snail, *Lymnaea stagnalis* **504.P**, 16*P*, 1997

ELLIS M. *see KING V. M., BROPHY V., ELLIS M. & APPS R.* **504.P**, 68*P*, 1997

ELLORY J. C. *see KIESSLING K., COSSINS A. R. & ELLORY J. C.* **499.P**, 24*P*, 1997

see GODART H., MOTAIS R. & ELLORY J. C. **499.P**, 30*P*, 1997

see CULLIFORD S. J., BERNHARDT I. & ELLORY J. C. **501.P**, 155*P*, 1997

see YAMAZAKI N., ELLORY J. C. & WILKINS R. J. **504.P**, 134*P*, 1997

see KIESSLING K. & ELLORY J. C. **504.P**, 136*P*, 1997

see GOLDING S., CULLIFORD S. J. & ELLORY J. C. **504.P**, 143*P*, 1997

see MOBASHERI A., GOLDING S., PAGAKIS S. N., WILKINS R. J., ELLORY J. C. & FRANCIS M. J. O. **505.P**, 108*P*, 1997

EL-SAYED M. *see WELSH L. J., EL-SAYED M., HOLLY J. M. P. & JAKEMAN P. M.* **499.P**, 82*P*, 1997

EMERY C. *see BARER G., EMERY C., LIU X. & LAUDE E.* **499.P**, 10*S*, 1997

EMMERICH J. *see ZOLADZ J. A., DUDA K., MAJERCZAK J., DOMANSKI J. & EMMERICH J.* **499.P**, 75*P*, 1997

EMPSON R. *see GALIONE A., EMPSON R., GENAZZANI A., SETHI J., SUMMERHILL R. & WILSON H.* **499.P**, 5*S*, 1997

EMPTAGE N. J.

EMPTAGE N. J., FINE A. & BLISS T. V. P. Visualization by confocal microscopy of synaptically evoked calcium transients in dendritic spines from rat organotypic hippocampal cultures **501.P**, 3*P*, 1997

ENRIQUEZ-DENTON M.

ENRIQUEZ-DENTON M., NIELSEN J. B., PERREAULT M.-C., MORITA H., PETERSEN N. & HULTBORN H. Changes in the excitability of the terminals of Ia-inhibitory interneurones in the cat spinal cord **501.P**, 40*P*, 1997

ERDEMLI G.

ERDEMLI G. & CRUNELLI V. Ethosuximide decreases Ca^{2+}-activated K^+ currents in rat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997

ERDEMLI G. & KRNJEVIĆ K. G protein involvement in hypoxic hyperpolarization of CA1 neurons *in vitro* **504.P**, 179*P*, 1997

ERLIJ D.

ERLIJ D., DE SMET P., MESOTTEN D. & VAN DRIESSCHE W. Inhibition of insulin action on transepithelial transport and membrane capacitance in cultured toad kidney cells by a blocker of exocytosis **504.P**, 140*P*, 1997

ESHRAGHI H. R.

ESHRAGHI H. R., ZEITLIN I. J., FITZPATRICK J., TERNENT H. & LOGUE D. Endothelin-1 in bovine milk **499.P**, 65*P*, 1997

ESPOSITO F. *see FERRETTI G., ESPOSITO F., GIRARDIS M., LINNARSSON D., MOIA C. & PENDERGAST D. R.* **499.P**, 74*P*, 1997

EUROPE-FINNER G. N. *see HATTHACHOTE P., MORGAN J. M., EUROPE-FINNER G. N. & GILLESPIE J. I.* **505.P**, 102*P*, 1997

EVANS E. *see OLBRICH K. C., NEEDHAM D., EVANS E. & HUTTER O. F.* **504.P**, 40*P*, 1997

EVANS M. G.

EVANS M. G. Acetylcholine-activated currents in outer hair cells recorded under conditions designed to reduce potassium currents **504.P**, 126*P*, 1997

EVANS R. H. *see CAO C. Q., EVANS R. H. & HEADLEY P. M.* **504.P**, 62*P*, 1997

EVERILL N. M. *see ANGEL A. & EVERILL N. M.* **499.P**, 47*P*, 1997

EVERITT D. E. *see WELLMAN G. C., QUAYLE J. M., EVERITT D. E. & STANDEN N. B.* **499.P**, 11*P*, 1997

FAGBEMI O. *see BRACK K., ECONOMIDES A. P., FAGBEMI O. & CRISP D. M.* **504.P**, 84*P*, 1997

see TAILOR S., ECONOMIDES A. P. & FAGBEMI O. **504.P**, 85*P*, 1997

FAHRENHOLZ F. *see POSTINA R., GIMPL G., BURGER K. & FAHRENHOLZ F.* **505.P**, 2*S*, 1997

FAIRWEATHER I. *see GRAHAM M., FAIRWEATHER I. & MCGEOWN G.* **504.P**, 10*P*, 1997

FALDON M. *see GARDNER-MEDWIN A. R., DOSHI M., FALDON M. & BRONSTEIN A.* **505.P**, 78*P*, 1997

see JÁUREGUI-RENAUD K., BRONSTEIN A., FALDON M. & GRESTY M. **505.P**, 78*P*, 1997

FANNING P.

FANNING P. & O'BOYLE K. M. Effect of age on rat striatal G protein activation by dopamine and serotonin **501.P**, 171*P*, 1997

FARKAS L. *see GIESZT M., KAPUS A., NÉMET K., FARKAS L. & LIGETI E.* **501.P**, 83*P*, 1997

FARLEY S. R. *see CHRACHRI A., ÖDBLOM M., FARLEY S. R. & WILLIAMSON R.* **504.P**, 11*P*, 1997

FARMER M. R. *see VIST G. E., MURRAY B. E., FARMER M. R., HENDERSON R. A. & RUMSEY R. D. E.* **504.P**, 150*P*, 1997

FARMER S. F. *see HALLIDAY D. M., CONWAY B. A., SHAHANI U., RUSSELL A., FARMER S. F., WEIR A. I. & ROSENBERG J. R.* **501.P**, 38*P*, 1997

see CONWAY B. A., BISWAS P., HALLIDAY D. M., FARMER S. F. & ROSENBERG J. R. **501.P**, 48*P*, 1997

FARNDALE R. W. *see JENNER S., SAGE S. O. & FARNDALE R. W.* **499.P**, 36*P*, 1997

FARRANT M. *see NUSSER Z., CULL-CANDY S. & FARRANT M.* **501.P**, 10*P*, 1997

see BRICKLEY S., FARRANT M. & CULL-CANDY S. **501.P**, 11*P*, 1997

FATEMIAN M. *see TANSLEY J. G., FATEMIAN M., POULIN M. J. & ROBBINS P. A.* **505.P**, 25*P*, 1997

FATEMIAN M. & ROBBINS P. A. The ventilatory response to CO_2 in humans before and after 8 h of isocapnic/poikilocapnic hypoxia **505.P**, 28*P*, 1997

FAULKNER H. J.

FAULKNER H. J. & WHITTINGTON M. A. Low-calcium epileptiform discharges are sensitive to glutamatergic receptor antagonists in the rat hippocampal slice *in vitro* **499.P**, 96*P*, 1997

see WHITTINGTON M. A., FAULKNER H. J., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 179*P*, 1997

FAULKNER H. J., WHITTINGTON M. A., CHETTIAR K., TRAUB R. D. & JEFFERYS J. G. R. The effects of morphine on fast oscillations in the rat hippocampal slice **504.P**, 183*P*, 1997

FEARON I. M.

FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A. Stable expression of the human cardiac L-type Ca^{2+} channel α_{1C} subunit in human embryonic kidney (HEK 293) cells **499.P**, 34*P*, 1997

FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. Hypoxia inhibits recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **501.P**, 146*P*, 1997

Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C. Inhibition of human recombinant L-type cardiac Ca^{2+} channel α_{1C} subunits expressed in HEK 293 cells by isobutylmethylxanthine **501.P**, 146*P*, 1997

Fedak M. A. *see Thompson D. & Fedak M. A.* **504.P**, 6*P*, 1997

Feniuk W. *see Wyatt M. A., Feniuk W. & Humphrey P. P. A.* **499.P**, 109*P*, 1997

Fenstermacher J. D. *see Ghersi-Egea J. F., Strazielle N., Dehouck M. P., Ghiso J., Gorevic P. & Fenstermacher J. D.* **505.P**, 53*P*, 1997

Ferguson E. A.

Ferguson E. A., Eccles R. & James A. Changes in upper and lower airway nitric oxide concentration associated with upper respiratory tract infection – a possible naso-bronchial link? **504.P**, 203*P*, 1997

Ferguson N. *see Ainsworth R. K., Ferguson N. & Suleiman M.-S.* **504.P**, 86*P*, 1997

Fern R.

Fern R. Intracellular Ca^{2+} and ischaemic cell death in neonatal white matter glia *in situ* **504.P**, 167*P*, 1997

Ferrell W. R. *see Lockhart J. C., McMurdo L. & Ferrell W. R.* **501.P**, 106*P*, 1997

Ferretti G.

Ferretti G., Esposito F., Girardis M., Linnarsson D., Moia C. & Pendergast D. R. Cardiovascular oxygen transport in exercising humans in microgravity **499.P**, 74*P*, 1997

Ferrier G. R. *see Levi A. J. & Ferrier G. R.* **501.P**, 133*P*, 1997

Field M. *see Ibbotson T., Field M. & Boden P. R.* **501.P**, 15*P*, 1997

Fillenz M. *see Lowry J. P. & Fillenz M.* **499.P**, 51*P*, 1997

Findlay J. B. C. *see Leach R., Quinn C., Owen J. M., Findlay J. B. C. & Boyett M. R.* **499.P**, 130*P*, 1997

see Owen J. M., Hulme J. T., Leach R., Findlay J. B. C., Hopkins P., Boyett M. R. & Orchard C. H. **504.P**, 77*P*, 1997

Fine A. *see Emptage N. J., Fine A. & Bliss T. V. P.* **501.P**, 3*P*, 1997

Fink G. R. *see Corfield D. R., Murphy K., Josephs O., Fink G. R., Frackowiak R. S. J., Adams L. & Turner R.* **505.P**, 83*P*, 1997

Finlay A. L.

Finlay A. L., Jones S. R., Morland A. B. & Ruddock K. H. Movement in the normal hemifield induces a percept localized at the vertical meridian in the 'blind' hemifield of a hemianopic patient **501.P**, 121*P*, 1997

Finn S. D. H. *see Hunter B. G., Finn S. D. H., Iyawe V. I. & Imms F. J.* **501.P**, 58*P*, 1997

Firth J. D. *see Ratcliffe P. J., Dachs G., Ebert B. L., Firth J. D., Gleadle J. M., Maxwell P. H., O'Rourke J. F., Pugh C. W., Stratford I. & Wood S. M.* **499.P**, 13*S*, 1997

Fitzgerald M. *see Andrews K. A. & Fitzgerald M.* **501.P**, 98*P*, 1997

Fitzgerald W. J. *see Coates M. J., Baker S. N. & Fitzgerald W. J.* **501.P**, 36*P*, 1997

Fitzpatrick J. *see Eshraghi H. R., Zeitlin I. J., Fitzpatrick J., Ternent H. & Logue D.* **499.P**, 65*P*, 1997

Fitzsimons J. T. *see Chandra A., Roy R., Lane J. M. & Fitzsimons J. T.* **501.P**, 166*P*, 1997

Flatman J. A. *see Overgaard K., Nielsen O. B., Flatman J. A. & Clausen T.* **504.P**, 231*P*, 1997

Fleetwood-Walker S. M. *see Heppenstall P. A., Fleetwood-Walker S. M., Thompson S. W. N. & Spiers H. J.* **505.P**, 42*P*, 1997

Fleidervish I. A.

Fleidervish I. A., Binshtok A. M. & Gutnick M. J. Functionally distinct NMDA receptors mediate horizontal connectivity in layer IV of mouse barrel cortex **501.P**, 93*P*, 1997

Foley S. J. *see Craggs M. D., McFarlane J. P., Foley S. J., Wagg A. S. & Knight S. L.* **501.P**, 53*P*, 1997

Fong S. K. *see Chan H. C., Fong S. K., Ko W. H. & Wong P. Y. D.* **499.P**, 16*P*, 1997

Ford D. J. *see Shattock M. J., Miller J. I. A., Foreman M. A., Ford D. J., Bray D. G., Waldron C. B., Chambers D. J. & Warley A.* **505.P**, 3*P*, 1997

Ford T. W. *see Kirkwood P. A. & Ford T. W.* **504.P**, 28*S*, 1997

Ford T. W., Matsuyama K., Mori S. & Nakajima K. Projections from the nucleus retroambigualis (nRA) to the thoracic spinal cord of the cat studied with the anterograde axonal tracer *Phaseolus vulgaris*-leucoagglutinin (PHA-L) **505.P**, 85*P*, 1997

Foreman M. A. *see Shattock M. J., Miller J. I. A., Foreman M. A., Ford D. J., Bray D. G., Waldron C. B., Chambers D. J. & Warley A.* **505.P**, 3*P*, 1997

Foreman R. C. *see Bush E. R., Holden-Dye L. M., Foreman R. C. & Walker R. J.* **504.P**, 25*P*, 1997

Forsling M. *see Thomas A., Wilson J. A., Bose D., Oatridge A., Bydder G., Holdcroft A. & Forsling M.* **505.P**, 14*P*, 1997

Forsling M. L. *see Herget C., Shah R., Hartley D. E., Eckert T. & Forsling M. L.* **504.P**, 222*P*, 1997

Forsling M. L. & Zhou Y. Melanin-concentrating hormone and vasopressin release in the rat **504.P**, 223*P*, 1997

Forsling M. L. Renal responsiveness during pregnancy and lactation **505.P**, 2*S*, 1997

Forsyth A. T. *see Bertaso F., Hendry B. M., Newman S., Argano V., Desai J. B., Forsyth A. T., Marrinan M. T., Meharwal Z.-S., Sutherland F., Zaman H., deBelder A. & James A. F.* **504.P**, 77*P*, 1997

Forsythe I. D.

Forsythe I. D., Tsujimoto T., Barnes-Davies M., Cuttle M. F. & Takahashi T. Post-tetanic depression of excitatory synaptic transmission by inactivation of the presynaptic calcium current **504.P**, 174*P*, 1997

Fort T. J. *see Brooks D. D., Hill R. B. & Fort T. J.* **504.P**, 20*P*, 1997

Fortin G.

Fortin G. Development of the respiratory rhythm generator in the chick hindbrain **504.P**, 22*S*, 1997

Foster C. S. *see Alexander B. & Foster C. S.* **505.P**, 51*P*, 1997

Foster T. J. *see McElroy M. C., Harty H. R., Boylan G. M., Marks P., Pittet J.-F. & Foster T. J.* **501.P**, 61*P*, 1997

Fox K.

Fox K. & Glazewski S. Evidence for heterosynaptic depression of vibrissae responses in rat barrel cortex **501.P**, 94*P*, 1997

Fozzard H. A.

Fozzard H. A. The voltage-gated sodium channel molecule **504.P**, 8*S*, 1997

Frackowiak R. S. J. *see Corfield D. R., Murphy K., Josephs O., Fink G. R., Frackowiak R. S. J., Adams L. & Turner R.* **505.P**, 83*P*, 1997

Francaux M.

Francaux M., Bleukx G. B. & Maréchal G. The effects of nitric oxide on the maximum shortening velocity of frog and mouse skeletal muscle **504.P**, 228*P*, 1997

France S. J.

France S. J., Hansen P. C., Rosner B. S., Richardson A. J. & Stein J. F. Low-level auditory encoding in developmental dyslexia **504.P**, 131*P*, 1997

Francis M. J. O. *see Mobasheri A., Golding S., Pagakis S. N., Wilkins R. J., Ellory J. C. & Francis M. J. O.* **505.P**, 108*P*, 1997

Franks C. J.

Franks C. J., Walker R. J. & Holden-Dye L. Pharyngeal muscle cell action potentials recorded from *Caenorhabditis elegans* **504.P**, 15*P*, 1997

see Jane S. D., Wallach L. P. M., Franks C. J., Walker R. J., Chad J. E. & Holden-Dye L. **504.P**, 26*P*, 1997

Franzini-Armstrong C. *see Beam K. G., Nakai J., Dirksen R. T., Ogura T., Protasi F., Nguyen H. T., Pessah I. N., Franzini-Armstrong C. & Allen P. D.* **504.P**, 11*S*, 1997

Fraser P. A. *see Hu D.-E. & Fraser P. A.* **505.P**, 53*P*, 1997

Freestone N. S. *see Ribaric S., Freestone N. S. & Mason W. T.* **499.P**, 31*P*, 1997

Freestone N. S., Ribaric S. & Mason W. T. Differential responses of electrically stimulated, adult rat ventricular myocytes to isoprenaline following IGF-I or insulin incubation **499.P**, 32*P*, 1997

Frigeri A.

Frigeri A., Nicchia G. P., Valenti G., Montgomery I., Svelto M. & Hutter O. F. Mercurial-insensitive aquaporin 4 is firmly anchored to mammalian skeletal muscle fibres **504.P**, 40*P*, 1997

Frøkiaer J. *see Marples D., Mønster B., Frøkiaer J., Knepper M. A. & Nielsen S.* **499.P**, 57*P*, 1997

Fry C. H. *see Wu C. & Fry C. H.* **499.P**, 7*P*, 1997

see Sui G., Wu C. & Fry C. H. **501.P**, 111*P*, 1997

Fry C. H., Relle C., Birns J. & Cooklin M. Longitudinal impedance of isolated guinea-pig detrusor smooth muscle **501.P**, 113*P*, 1997

see Gray R. P., Carey P., Sheridan D. J. & Fry C. H. **504.P**, 72*P*, 1997

see Carey P. A., Cooklin M., Sheridan D. J. & Fry C. H. **504.P**, 96*P*, 1997

Fu W. O. *see Ko W. H., Fu W. O., Leung P. Y., Chew S. B. C., Chan H. C. & Wong P. Y. D.* **499.P**, 16*P*, 1997

Fuentes O. *see Contreras R., Fuentes O., Mann G. E. & Sobrevia L.* **499.P**, 41*P*, 1997

Furness D. N. *see Hackney C. M., Macnamara M. & Furness D. N.* **504.P**, 131*P*, 1997

FURNISS D. *see ANGEL A., FURNISS D., GOLDSTEIN D. J. & SEDDON A. B.* **499.P**, 46*P*, 1997

FYFE G. K. *see MUKHOPADHYAY S., OLVER R. E., FYFE G. K., DUTTA-ROY A. & KEMP P. J.* **499.P**, 56*P*, 1997

GABE S. *see GRIMBLE G. K., DENHOLM E. E., GABE S. & DEBNAM E. S.* **499.P**, 110*P*, 1997

GALIONE A. *see IINO S., CUI Y., GALIONE A. & TERRAR D. A.* **499.P**, 32*P*, 1997

see SWANN K., PARRINGTON J., GALIONE A., SHEVCHENKO V. & LAI F. A. **499.P**, 4*S*, 1997

GALIONE A., EMPSON R., GENAZZANI A., SETHI J., SUMMERHILL R. & WILSON H. Multiple mechanisms for calcium mobilization in the sea urchin egg **499.P**, 5*S*, 1997

GALLACHER D. V. *see MILLS C. L., BLACKMORE C. G. & GALLACHER D. V.* **499.P**, 3*P*, 1997

GALLAGHER M. P. *see HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A.* **499.P**, 50*P*, 1997

GALLARDO V. *see CARRASCO G., CRUZ M. A., GALLARDO V., MIGUEL P. & GONZÁLEZ C.* **504.P**, 205*P*, 1997

GALLOWAY S. D. R.

GALLOWAY S. D. R. & MAUGHAN R. J. The effects of substrate and fluid provision on exercise capacity in a hot environment **499.P**, 77*P*, 1997

GARCIA M.

GARCIA M., WANG Y. & JORDAN D. Selective vagal C-fibre efferent stimulation evokes both chronotropic and dromotropic responses in anaesthetized rabbits **504.P**, 208*P*, 1997

GARDEN R. W. *see MOROZ L. L., GARDEN R. W., MOROZ T. P., GILLETTE R. & SWEEDLER J. V.* **504.P**, 18*P*, 1997

GARDNER J. P. *see BALASUBRAMANYAM M. & GARDNER J. P.* **501.P**, 150*P*, 1997

GARDNER-MEDWIN A. R.

GARDNER-MEDWIN A. R., DOSHI M., FALDON M. & BRONSTEIN A. Visual stabilization during dynamic head roll in avestibular human subjects **505.P**, 78*P*, 1997

GARNIER D. *see CAZORLA O., VASSORT G., GARNIER D. & LE GUENNEC J.-Y.* **501.P**, 140*P*, 1997

GARRETT M.

GARRETT M., VAN HEMELRIJK B. & CAULFIELD B. Establishment of steady-state treadmill walking in hemiplegics **501.P**, 43*P*, 1997

GARWICZ M. *see MARPLE-HORVAT D. E., GARWICZ M., HOLLANDS M. A., CRIADO J. M. & ARMSTRONG D. M.* **504.P**, 64*P*, 1997

GASIĆ J. M. *see REDŽIĆ Z. B., SEGAL M. B., MARKOVIĆ I. D., GASIĆ J. M., VIDOVIĆ V. & RAKIĆ LJ.M.* **505.P**, 48*P*, 1997

GASPAR P. *see LEBRAND C., UPTON L., CASES O., BLAKELY R., SEIF I. & GASPAR P.* **501.P**, 94*P*, 1997

see VITALIS T., CASES O., CALLEBERT J., PRICE D., SEIF I. & GASPAR P. **501.P**, 104*P*, 1997

GATTULLO D.

GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & PENNA C. Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no effect of nitric oxide (NO) **501.P**, 67*P*, 1997

GAUTHIER P.

GAUTHIER P. Nerve grafting within the CNS: regrowth and functional reconnections of severed respiratory pathways **504.P**, 27*S*, 1997

GEBESHUBER I. C.

GEBESHUBER I. C., MLADENKA A., RATTAY F. & SVRCEK-SEILER W. A. Computational demonstration that Brownian motion of inner hair cell stereocilia may enhance the ability to detect low level auditory tones from auditory nerve spiking patterns **504.P**, 127*P*, 1997

GEINISMAN Y.

GEINISMAN Y., DETOLEDO-MORRELL L., MORRELL F., PERSINA I. S. & VAN DER ZEE E. A. Comparison of young and old animals with regard to synapse restructuring associated with hippocampal long-term potentiation **501.P**, 4*S*, 1997

GENAZZANI A. *see GALIONE A., EMPSON R., GENAZZANI A., SETHI J., SUMMERHILL R. & WILSON H.* **499.P**, 5*S*, 1997

GEORGIOU J. *see CHARLTON M. P., GEORGIOU J., JAHROMI B. & ROBITAILLE R.* **504.P**, 5*S*, 1997

GERBER R. T.

GERBER R. T. & POSTON L. Endothelium-derived hyperpolarizing factor (EDHF) contributes to the enhanced relaxation of pregnant rat isolated small mesenteric resistance arteries **505.P**, 99*P*, 1997

GHERSI-EGEA J. F. *see STRAZIELLE N. & GHERSI-EGEA J. F.* **505.P**, 51*P*, 1997

GHERSI-EGEA J. F., STRAZIELLE N., DEHOUCK M. P., GHISO J., GOREVIC P. & FENSTERMACHER J. D. In vitro and *in vivo* evidence for a rapid clearance of cerebrospinal fluid-borne amyloid β-peptide into blood and appreciable accumulation by cerebral arteries **505.P**, 53*P*, 1997

GHISO J. *see GHERSI-EGEA J. F., STRAZIELLE N., DEHOUCK M. P., GHISO J., GOREVIC P. & FENSTERMACHER J. D.* **505.P**, 53*P*, 1997

GIANNA C. C.

GIANNA C. C., GRESTY M. A. & BRONSTEIN A. M. Eye movement response to linear acceleration steps in humans: visual enhancement and suppression **499.P**, 87*P*, 1997

GIBB A. J. *see HALLIDAY F. C. & GIBB A. J.* **504.P**, 51*P*, 1997

see PIÑA-CRESPO J. & GIBB A. J. **504.P**, 52*P*, 1997

GIBLETT S. *see GRUBB B. D., GIBLETT S., MCLYMONT N. & GOODSELL S.* **504.P**, 100*P*, 1997

GIBSON A. *see WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F.* **499.P**, 2*P*, 1997

GIBSON J. S. *see SPEAKE P. F. & GIBSON J. S.* **499.P**, 59*P*, 1997

see CAMPBELL E. H. & GIBSON J. S. **501.P**, 154*P*, 1997

see SPEAKE P. F., ROBERTS C. A. & GIBSON J. S. **501.P**, 154*P*, 1997

see CAMPBELL E. H. & GIBSON J. S. **504.P**, 136*P*, 1997

GIESZT M.

GIESZT M., KAPUS A., NÉMET K., FARKAS L. & LIGETI E. Role of membrane potential in the regulation of capacitative calcium influx in human neutrophil granulocytes **501.P**, 83*P*, 1997

GILBERT H. J. *see WALKER D., SIMMONS N. L., GILBERT H. J. & HIRST B. H.* **499.P**, 61*P*, 1997

GILBEY M. P. *see JOHNSON C. D., GILBEY M. P. & MARSHALL J. M.* **504.P**, 207*P*, 1997

see SMITH J. E. & GILBEY M. P. **505.P**, 106*P*, 1997

GILLARD S. E.

GILLARD S. E., VOLSEN S. G., SMITH W., BEATTIE R. E., BLEAKMAN D. & LODGE D. P-type calcium current reduced by antisense oligonucleotide against α_{1A} subunits in cultured cerebellar Purkinje cells **504.P**, 50*P*, 1997

GILLESPIE J. I. *see MASTERS J. G., NEAL D. E. & GILLESPIE J. I.* **499.P**, 34*P*, 1997

see MOON A., PICKARD R. S., NEAL D. E. & GILLESPIE J. I. **499.P**, 35*P*, 1997

see WOOD P. G., OTUN H. A. & GILLESPIE J. I. **499.P**, 36*P*, 1997

see MORGAN J. M., AWAD S. S., LAMB H. K., DUNLOP W. & GILLESPIE J. I. **499.P**, 37*P*, 1997

see TARASENKO A. N., HOLDEN K., CORRIS P., PARRY G., DUNLOP W. & GILLESPIE J. I. **504.P**, 158*P*, 1997

see MAHDY Z., OTUN H. A., DUNLOP W., GREENWELL J. R. & GILLESPIE J. I. **504.P**, 191*P*, 1997

see MASTERS J. G., NEAL D. E. & GILLESPIE J. I. **505.P**, 97*P*, 1997

see CHARLTON R. G., MORLEY A. R., MASKREY P., NEAL D. E. & GILLESPIE J. I. **505.P**, 101*P*, 1997

see HATTHACHOTE P., MORGAN J. M., EUROPE-FINNER G. N. & GILLESPIE J. I. **505.P**, 102*P*, 1997

GILLETTE R.

GILLETTE R., MOROZ L. L. & ROBERTSON J. D. Nitric oxide in *Octopus*: the distribution of putative NOS activity in central and peripheral tissues **504.P**, 17*P*, 1997

see MOROZ L. L., GARDEN R. W., MOROZ T. P., GILLETTE R. & SWEEDLER J. V. **504.P**, 18*P*, 1997

see MOROZ L. L. & GILLETTE R. **504.P**, 3*S*, 1997

GILMORE D. P. *see YILMAZ B., GILMORE D. P. & WILSON C. A.* **499.P**, 97*P*, 1997

GIMPL G. *see POSTINA R., GIMPL G., BURGER K. & FAHRENHOLZ F.* **505.P**, 2*S*, 1997

GIOVANNONI G. *see AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J.* **505.P**, 18*P*, 1997

GIRARDIS M. *see FERRETTI G., ESPOSITO F., GIRARDIS M., LINNARSSON D., MOIA C. & PENDERGAST D. R.* **499.P**, 74*P*, 1997

GLADDEN M. H.

GLADDEN M. H., JANKOWSKA E. & CZARKOWSKA-BAUCH J. Differences in input from group II muscle afferents to γ-motoneurones of five hindlimb muscles **505.P**, 76*P*, 1997

see JANKOWSKA E., GLADDEN M. H. & CZARKOWSKA-BAUCH J. **505.P**, 77*P*, 1997

GLADWELL S. J.

GLADWELL S. J. & COOTE J. H. Fast synaptic activity induced by dopamine on sympathetic preganglionic neurones in the neonatal rat spinal cord transverse slice is not mediated by glycine GABA or excitatory amino acids **501.P**, 82*P*, 1997

GLAZEWSKI S. *see* FOX K. & GLAZEWSKI S. **501.P**, 94*P*, 1997

GLEADLE J. M. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997

GLEESON M. *see* WALSH N. P., BLANNIN A. K., CLARK A. M. & GLEESON M. **499.P**, 77*P*, 1997

GODART H.
GODART H., MOTAIS R. & ELLORY J. C. Is chloride necessary for KCl cotransport activation in HbSS human red blood cells? **499.P**, 30*P*, 1997

GODDARD D. R.
GODDARD D. R., BERRY M. & BUTT A. M. *In vivo* effects of fibroblast growth factor-2 (FGF-2) on the development of oligodendrocytes in the anterior medullary velum of the rat **505.P**, 47*P*, 1997

GOLDING S. GOLDING S., CULLIFORD S. J. & ELLORY J. C. Molecular and functional identification of a KCl co-transporter in the human erythroleukaemic cell line, K562 **504.P**, 143*P*, 1997
see MOBASHERI A., GOLDING S., PAGAKIS S. N., WILKINS R. J., ELLORY J. C. & FRANCIS M. J. O. **505.P**, 108*P*, 1997

GOLDSMITH G. E. *see* SILVA-CARVALHO L., PATON J. F. R., ROCHA I., GOLDSMITH G. E. & SPYER K. M. **504.P**, 198*P*, 1997

GOLDSPINK D. *see* NG Y., ASHLEY Z., COX V. & GOLDSPINK D. **499.P**, 114*P*, 1997
see WRIGHT H., WILLIAMS P., COX V. & GOLDSPINK D. **499.P**, 114*P*, 1997
see ASHLEY Z., NG Y. & GOLDSPINK D. **504.P**, 228*P*, 1997

GOLDSPINK D. F. *see* HUDSON L. J., COX V. M. & GOLDSPINK D. F. **499.P**, 115*P*, 1997
see NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F. **504.P**, 74*P*, 1997
see HUDSON L. J., COX V. M. & GOLDSPINK D. F. **504.P**, 229*P*, 1997
see LOPEZ-OLIVA M. E., HUDSON L. J., COX V. M. & GOLDSPINK D. F. **504.P**, 230*P*, 1997

GOLDSTEIN D. J. *see* ANGEL A., FURNISS D., GOLDSTEIN D. J. & SEDDON A. B. **499.P**, 46*P*, 1997

GOLDSTONE J. C. *see* CRAGGS M. D., DINNER L., LOVELL A. T., KNIGHT S. L. & GOLDSTONE J. C. **501.P**, 56*P*, 1997

GOMEZ C. M. *see* STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. **504.P**, 189*P*, 1997

GONZÁLEZ C. *see* CARRASCO G., CRUZ M. A., GALLARDO V., MIGUEL P. & GONZÁLEZ C. **504.P**, 205*P*, 1997

GOODSELL S. *see* GRUBB B. D., GIBLETT S., MCLYMONT N. & GOODSELL S. **504.P**, 100*P*, 1997

GOREVIC P. *see* GHERSI-EGEA J. F., STRAZIELLE N., DEHOUCK M. P., GHISO J., GOREVIC P. & FENSTERMACHER J. D. **505.P**, 53*P*, 1997

GOULDSBOROUGH I.
GOULDSBOROUGH I. & ASHTON N. Influence of milk availability and maternal care on the feeding rate of the spontaneously hypertensive rat (SHR) pup **499.P**, 64*P*, 1997
see ASHTON N., GOULDSBOROUGH I., MONKHOUSE R., ROSSITER S. & WILLIAMS B. C. **505.P**, 100*P*, 1997

GOW I. F.
GOW I. F. & CUMMING A. The effect of external magnesium on cytosolic free ionized calcium in bovine blood platelets **499.P**, 61*P*, 1997

GRACE A. A.
GRACE A. A., VANDENBERG J. I., ZINKIN M. P., LOWE M. D., TAYLOR P. J., WARD D. E., CAMM A. J. & SAUMAREZ R. C. Electrogram fractionation in the long QT syndrome and as modelled in perfused heart by inhibition of inactivation of SCN5A-encoded ion channels **501.P**, 129*P*, 1997
see SMITH G. A., KIRSCHENLOHR H. L., GRACE A. A., METCALFE J. C. & VANDENBERG J. I. **501.P**, 132*P*, 1997

GRAHAM A. *see* HORNBY M. F., IBRAHIM M., GRAHAM A., BERRY M. & BUTT A. M. **501.P**, 32*P*, 1997

GRAHAM M.
GRAHAM M., FAIRWEATHER I. & MCGEOWN G. FaRPs and their effects on the contractility of isolated muscle strips from the liver fluke, *Fasciola hepatica* **504.P**, 10*P*, 1997

GRANT A. *see* WEBB A. V., MELLOR J. R., GRANT A. & RANDALL A. D. **501.P**, 20*P*, 1997

GRATSA A. *see* IZZO P. N., GRATSA A., THAKKAR R. A. & SPYER K. M. **501.P**, 76*P*, 1997

GRAY M. A. *see* SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E. **499.P**, 31*P*, 1997

GRAY R. P.
GRAY R. P., CAREY P., SHERIDAN D. J. & FRY C. H. The relationship between intracellular [Na^+] and the force–frequency response in hypertrophied guinea-pig left ventricular myocardium **504.P**, 72*P*, 1997

GREEN G. G. R. *see* BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. **499.P**, 131*P*, 1997
see BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. **499.P**, 132*P*, 1997
see JANAHMADI M., BAL R., SANDERS D. J. & GREEN G. G. R. **499.P**, 132*P*, 1997

GREENHAFF P. L. *see* ROBINSON T. M., SEWELL D. A., HULTMAN E. & GREENHAFF P. L. **499.P**, 74*P*, 1997

GREENSMITH L. *see* HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G. **501.P**, 97*P*, 1997
see SANUSI J., GREENSMITH L., LOWRIE M. B. & VRBOVÁ G. **504.P**, 214*P*, 1997

GREENWELL J. R. *see* MAHDY Z., OTUN H. A., DUNLOP W., GREENWELL J. R. & GILLESPIE J. I. **504.P**, 191*P*, 1997

GREENWOOD I. A.
GREENWOOD I. A. & LARGE W. A. Modulation of calcium-activated chloride currents in single smooth muscle cells by diamide **505.P**, 96*P*, 1997

GREENWOOD S. L. *see* MYLONA P., CLARSON L. H., GREENWOOD S. L. & SIBLEY C. P. **499.P**, 64*P*, 1997

GREEVES J. P.
GREEVES J. P., CABLE N. T., NEVILL A. M. & KINGSLAND C. A longitudinal analysis of muscle strength in middle-aged women of different hormonal status **501.P**, 170*P*, 1997

GRESTY M. *see* JÁUREGUI-RENAUD K., BRONSTEIN A., FALDON M. & GRESTY M. **505.P**, 78*P*, 1997

GRESTY M. A. *see* GIANNA C. C., GRESTY M. A. & BRONSTEIN A. M. **499.P**, 87*P*, 1997

GRIBBLE F. M.
GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M. MgADP hydrolysis is required for MgADP activation of the cloned β-cell K_{ATP} channel expressed in *Xenopus* oocytes **499.P**, 128*P*, 1997

GRIFFIN A.
GRIFFIN A. & WILLIAMS A. J. The interaction of the carboxyl reagent EDC and the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **499.P**, 38*P*, 1997

GRIFFITHS E. J. *see* LIN H., GRIFFITHS E. J. & SULEIMAN M.-S. **499.P**, 33*P*, 1997
see WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. **501.P**, 135*P*, 1997
see WILLIAMS H., GRIFFITHS E. J. & SULEIMAN M.-S. **504.P**, 85*P*, 1997
GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S. Isolation of human myocytes from left ventricular sections of patients with end-stage heart failure **504.P**, 88*P*, 1997
GRIFFITHS E. J. Ruthenium Red as an inhibitor of mitochondrial Ca^{2+} uptake in single adult rat cardiomyocytes **504.P**, 96*P*, 1997

GRIFFITHS P. J. *see* AMENITSCH H., ASHLEY C. C., BAGNI M. A., BERNSTORFF S., CECCHI G., COLOMBINI B. & GRIFFITHS P. J. **505.P**, 88*P*, 1997

GRIMBLE G. K.
GRIMBLE G. K., DENHOLM E. E., GABE S. & DEBNAM E. S. Intestinal assimilation of dextran in man **499.P**, 110*P*, 1997

GRINT R. *see* MILEY H. E., GRINT R., HOLDEN D., BEST L. & BROWN P. D. **504.P**, 142*P*, 1997

GRIX N. *see* RIVOLTA M. N., GRIX N., LAWLOR P. & HOLLEY M. C. **504.P**, 126*P*, 1997
GRIX N., JAGGER D. J., ASHMORE J. F. & HOLLEY M. C. Electrical properties of a conditionally immortalized cell line derived from the cochlea of the H-2Kb-tsA58 transgenic mouse **504.P**, 130*P*, 1997

GROHÉ C.
GROHÉ C., KAHLERT S., NÜDLING S., VETTER H. & MEYER R. Oestrogen activates the MAPK and JNK signal transduction pathway in rat cardiac myocytes **504.P**, 71*P*, 1997

GROLLEAU F. *see* LAPIED B., STANKIEWICZ M., GROLLEAU F. & PELHATE M. **504.P**, 27*P*, 1997

GRUBB B. D.
GRUBB B. D., GIBLETT S., MCLYMONT N. & GOODSELL S. The distribution of cyclo-oxygenase-1 and CGRP in a population of rat dorsal root ganglion cells **504.P**, 100*P*, 1997

GRUNDY D. *see* EASTWOOD C. & GRUNDY D. **499.P**, 102*P*, 1997
see KREIS M. E. & GRUNDY D. **499.P**, 102*P*, 1997

see ROGERS M. D., HARDCASTLE J., HARDCASTLE P. T. & GRUNDY D. **504.P**, 146*P*, 1997

see KIRKUP A. J. & GRUNDY D. **504.P**, 148*P*, 1997

GUTNICK M. J. *see* FLEIDERVISH I. A., BINSHTOK A. M. & GUTNICK M. J. **501.P**, 93*P*, 1997

GUZ A. *see* STEWART L. M., GUZ A. & NYE P. C. G. **501.P**, 58*P*, 1997

see HIGGINS M., SHARMA A. & GUZ A. **505.P**, 29*P*, 1997

see THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J. **505.P**, 29*P*, 1997

HABGOOD M. D.

HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J. Chemical structure of drugs and blood–brain barrier permeability in the anaesthetized rat **505.P**, 49*P*, 1997

HACKNEY C. M.

HACKNEY C. M., MACNAMARA M. & FURNESS D. N. The effects of lowering extracellular $[Ca^{2+}]$ on the structure of the stereociliary bundle of turtle cochlear hair cells **504.P**, 131*P*, 1997

HADDOW L. *see* THOMSON D., HADDOW L. & RIBCHESTER R. R. **504.P**, 216*P*, 1997

HAGA T. *see* SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. **499.P**, 131*P*, 1997

see SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R. **504.P**, 75*P*, 1997

HAJNAL J. V. *see* HOLDCROFT A., OATRIDGE A., HAJNAL J. V. & BYDDER G. M. **499.P**, 79*P*, 1997

HALESTRAP A. P. *see* KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. **499.P**, 14*P*, 1997

see KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. **501.P**, 136*P*, 1997

HALESTRAP A. P., JACKSON V. N., PRICE N. T., WILSON M. & HEDDLE C. Identification, cloning and sequencing of several mammalian monocarboxylate (lactate) transporters and their expression in heart **504.P**, 13*S*, 1997

HALEY J. E.

HALEY J. E., DELMAS P., ABOGADIE F. C., DAYRELL M., CAULFIELD M. P., BUCKLEY N. J. & BROWN D. A. Muscarinic inhibition of the M-current is mediated by the α subunit of Gq **504.P**, 176*P*, 1997

HALL L. *see* MCLAUGHLIN J. T., HALL L., THOMPSON D. G., DOCKRAY G. J. & WARHURST G. **499.P**, 101*P*, 1997

HALL W. J. *see* RUANE T., SNOW M., MARKOS F. & HALL W. J. **501.P**, 69*P*, 1997

HALLIDAY D. M.

HALLIDAY D. M., CONWAY B. A., SHAHANI U., RUSSELL A., FARMER S. F., WEIR A. I. & ROSENBERG J. R. Coherence estimates between cortical activity and motor output in subjects with essential tremor **501.P**, 38*P*, 1997

see CONWAY B. A., BISWAS P., HALLIDAY D. M., FARMER S. F. & ROSENBERG J. R. **501.P**, 48*P*, 1997

HALLIDAY F. C.

HALLIDAY F. C. & GIBB A. J. Single-channel properties of P2X ATP receptors in rat cerebellar slices **504.P**, 51*P*, 1997

HALLIGAN C. P.

HALLIGAN C. P., O'CONNELL D. P. & HARVEY B. J. Calcium-induced calcium release (CICR) in human primary culture renal proximal tubule cells mediated by dopamine D1 receptor activation **499.P**, 6*P*, 1997

HALLIWELL J. V.

HALLIWELL J. V. & HORNE A. L. The spontaneous behaviour of rat island of Calleja granule cells *in vitro*: participation of gap junctions? **501.P**, 26*P*, 1997

HAMANN J. *see* BERNHARDT I., RICHTER S., HAMANN J. & KUMMEROW D. **504.P**, 135*P*, 1997

HAMANN M. *see* ROSSI D. J. & HAMANN M. **501.P**, 12*P*, 1997

HAMANN M. & ROSSI D. J. Different roles of neuronal and glial GABA transporters in rat cerebellar slices **501.P**, 13*P*, 1997

HAMDY S.

HAMDY S., ROTHWELL J. C., AZIZ Q., SINGH K. D. & THOMPSON D. G. Plasticity in human cortical swallowing motor representation induced by pharyngeal stimulation **504.P**, 114*P*, 199*7*

HAMILTON D. L. *see* DAVIES L. A., HAMILTON D. L., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. **504.P**, 75*P*, 1997

HAMILTON S. R.

HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A. Anti-peptide antibodies as probes of the structure and subcellular distribution of the sodium-dependent nucleoside transporter, rCNT1 **499.P**, 50*P*, 1997

HANCOX J. C. *see* HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J. **501.P**, 139*P*, 1997

HANCOX J. C. & MITCHESON J. S. Propafenone inhibits the delayed rectifier K^+ current in isolated rabbit atrioventricular nodal myocytes **504.P**, 76*P*, 1997

see MITCHESON J. S. & HANCOX J. C. **504.P**, 89*P*, 1997

see WITCHEL H. J., LEVI A. J., MEECH R. W. & HANCOX J. C. **504.P**, 89*P*, 1997

see CONVERY M. K., KHANANSHVILI D., LEVI A. J. & HANCOX J. C. **504.P**, 92*P*, 1997

HANKINS M. W.

HANKINS M. W. & JENKINS A. Effects of prolonged darkness on the responses of luminosity type horizontal cells in the cyprinid retina **505.P**, 60*P*, 1997

HANSEN P. C. *see* FRANCE S. J., HANSEN P. C., ROSNER B. S., RICHARDSON A. J. & STEIN J. F. **504.P**, 131*P*, 1997

HANSON M. A.

HANSON M. A. Effect of prolonged hypoxia on breathing in the fetus and neonate **499.P**, 13*S*, 1997

see HAWKINS P., CROWE C., CALDER N. A., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **505.P**, 18*P*, 1997

see OZAKI T., HAWKINS P., CROWE C., HANSON M. A. & POSTON L. **505.P**, 99*P*, 1997

HARDCASTLE J. *see* KLAREN P. H. M., WHITE S. J., TAYLOR C. J., HARDCASTLE J. & HARDCASTLE P. T. **499.P**, 60*P*, 1997

see BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. **499.P**, 106*P*, 1997

HARDCASTLE J. & HARDCASTLE P. T. 5-Hydroxytryptamine (5-HT) receptors mediating secretion by rat ileum *in vitro* **499.P**, 107*P*, 1997

see ROGERS M. D., HARDCASTLE J., HARDCASTLE P. T. & GRUNDY D. **504.P**, 146*P*, 1997

HARDCASTLE P. T. *see* KLAREN P. H. M., WHITE S. J., TAYLOR C. J., HARDCASTLE J. & HARDCASTLE P. T. **499.P**, 60*P*, 1997

see BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. **499.P**, 106*P*, 1997

see HARDCASTLE J. & HARDCASTLE P. T. **499.P**, 107*P*, 1997

see ROGERS M. D., HARDCASTLE J., HARDCASTLE P. T. & GRUNDY D. **504.P**, 146*P*, 1997

HARDIE L. J. *see* RAYNER D. V., ANDERSON C., DALGLIESH G., DUNCAN J. S., HARDIE L. J. & TRAYHURN P. **499.P**, 123*P*, 1997

HARDIE R. C. *see* YAGODIN S., HARDIE R. C., LANSDELL S. J., MILLAR N. S., MASON W. T. & SATTELLE D. B. **504.P**, 159*P*, 1997

HARDING D. I.

HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G. Uninjured motoneurones to partially denervated rat hindlimb muscles are susceptible to nerve injury during late postnatal development **501.P**, 97*P*, 1997

HARGREAVES R. J. *see* CUMBERBATCH M. J., MASON G. S., HILL R. G. & HARGREAVES R. J. **504.P**, 103*P*, 1997

HARPER A. A. *see* CHIPPERFIELD A. R., DAVIS J. P. L. & HARPER A. A. **501.P**, 116*P*, 1997

see KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. **501.P**, 127*P*, 1997

see KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. **501.P**, 137*P*, 1997

HARRIDGE S. D. R.

HARRIDGE S. D. R. & KRYGER A. Muscle activation monitored using the twitch interpolation technique in elderly men and women over 80 years of age undergoing strength training **499.P**, 80*P*, 1997

HARRIS M. C. *see* BODEN A. G., PARKES M. J. & HARRIS M. C. **501.P**, 57*P*, 1997

see BODEN A. G., PARKES M. J. & HARRIS M. C. **504.P**, 203*P*, 1997

HARRIS R. C. *see* JARVIS S. M. & HARRIS R. C. **499.P**, 50*P*, 1997

HARRISON A. P.

HARRISON A. P. & CLAUSEN T. Muscle fatigue with hyperthyroidism: the importance of Na^+ channel concentration relative to that of the Na^+–K^+ pump **504.P**, 230*P*, 1997

HARRISON P. J. *see* ALEXANDER C. M. & HARRISON P. J. **505.P**, 82*P*, 1997

HARRISON P. T.

HARRISON P. T. & ALLEN J. M. Three distinct regions are responsible for conferring affinity of the human high affinity immunoglobulin receptor FcγRI **499.P**, 123*P*, 1997

HARRISON S. M. *see* DAVIES L. A., HAMILTON D. L., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. **504.P**, 75*P*, 1997

HART G. *see* MÉSZÁROS J., KHANANSHVILI D. & HART G. **501.P**, 134*P*, 1997

see MÉSZÁROS J. & HART G. **504.P**, 72*P*, 1997

HARTLEY D. E. *see* HERGET C., SHAH R., HARTLEY D. E., ECKERT T. & FORSLING M. L. **504.P**, 222*P*, 1997

HARTLEY S. A. *see* BAKHRAMOV A., HARTLEY S. A., SALTER K. J. & KOZLOWSKI R. Z. **499.P**, 129*P*, 1997

HARTMANN J.
HARTMANN J., LABRAKAKIS CH., KIRCHHOFF F., PATT S. & KETTENMANN H. Implication of Na^+ channels and $GABA_A$ receptors in growth and malignancy of glial tumours **501.P**, 21*P*, 1997

HARTY H. R. *see* MCELROY M. C., HARTY H. R., BOYLAN G. M., MARKS P., PITTET J.-F. & FOSTER T. J. **501.P**, 61*P*, 1997

HARVEY B. *see* WALSH D., URBACH V. & HARVEY B. **499.P**, 4*P*, 1997

HARVEY B. J. *see* DOOLAN C. M. & HARVEY B. J. **499.P**, 5*P*, 1997
see HALLIGAN C. P., O'CONNELL D. P. & HARVEY B. J. **499.P**, 6*P*, 1997
see MIGNEN O., EGÉE S., PENNEC J. P., HARVEY B. J. & THOMAS S. **499.P**, 30*P*, 1997
see HIGGINS M. A. & HARVEY B. J. **499.P**, 43*P*, 1997

HASSAN N. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N., EBERLE L. & ROTHWELL J. C. **504.P**, 115*P*, 1997

HATTAM V.
HATTAM V., WILSON C. & RIDGE R. M. A. P. Postnatal changes in excitation–contraction coupling in rat skeletal muscle **504.P**, 226*P*, 1997

HATTHACHOTE P.
HATTHACHOTE P., MORGAN J. M., EUROPE-FINNER G. N. & GILLESPIE J. I. Changes in the expression of TGFβ receptors and TGFβ1 in the human myometrium in late pregnancy **505.P**, 102*P*, 1997

HATTON C. J.
HATTON C. J. & PEERS C. Multiple effects of nordihydroguaiaretic acid (NDGA) on ionic currents in isolated rat type I carotid body cells **501.P**, 60*P*, 1997

HAWKER M. J.
HAWKER M. J. & EGGINTON S. The effect of stimulation frequency on skeletal muscle blood flow in the anaesthetized rat **499.P**, 22*P*, 1997

HAWKINS P.
HAWKINS P., CROWE C., CALDER N. A., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Cardiovascular development in late gestation fetal sheep and young lambs following modest maternal nutrient restriction in early gestation **505.P**, 18*P*, 1997
see OZAKI T., HAWKINS P., CROWE C., HANSON M. A. & POSTON L. **505.P**, 99*P*, 1997

HAYNES L. W. *see* RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W. **504.P**, 166*P*, 1997

HAYWARD K. *see* CHETWIN K., HAYWARD K. & BAKER G. F. **505.P**, 24*P*, 1997
HAYWARD K., CHETWIN K. & BAKER G. F. The effect of nitric oxide on the electrophysiology of isolated human nasal epithelial cells **505.P**, 24*P*, 1997

HE Z. *see* PHILIPSON K. D., NICOLL D. A., HE Z., DOERING A. & HILGEMANN D. W. **504.P**, 9*S*, 1997

HEAD G. M.
HEAD G. M., KENDALL M. D. & DOWNING J. E. G. Intrinsic ionic mechanisms contribute to the control of thymulin release from thymic epithelia of rat *in vitro* **505.P**, 14*P*, 1997

HEAD S. I.
HEAD S. I., BAKKER A. J., WAREHAM A. C. & STEPHENSON D. G. Effects of the β-agonist clenbuterol on sarcoplasmic reticulum Ca^{2+} release, loading and leak in skinned fast- and slow-twitch mammalian skeletal muscle fibres **504.P**, 226*P*, 1997
see HUSSAIN M., BAKKER A.J. & HEAD S. I. **504.P**, 233*P*, 1997

HEADLEY P. M. *see* CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **504.P**, 56*P*, 1997
see CAO C. Q., EVANS R. H. & HEADLEY P. M. **504.P**, 62*P*, 1997
see PROCTER M. J., CHIZH B. A., ORNSTEIN P., LODGE D. & HEADLEY P. M. **504.P**, 101*P*, 1997
see BRADLEY K. J. & HEADLEY P. M. **504.P**, 105*P*, 1997
see CAPNER C. A., CHIZH B. A. & HEADLEY P. M. **504.P**, 106*P*, 1997
see CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **504.P**, 199*P*, 1997

HEALES S. J. R. *see* HURST R. D., HEALES S. J. R., DOBBIE M. S. & CLARK J. B. **505.P**, 50*P*, 1997

HEBERT S. C. *see* RICCARDI D. & HEBERT S. C. **504.P**, 139*P*, 1997

HEBLICH F.
HEBLICH F., BARSBY R. W. J., HOUGHTON P. J. & MCFADZEAN I. Actions of cinnamoyl-dihydroxynardol (CDN) a sesquiterpene ester extracted from the herb feverfew on the voltage-dependent outward potassium current of mouse neuroblastoma × rat glioma hybrid (NG108-15) cells **501.P**, 24*P*, 1997

HEDDLE C. *see* HALESTRAP A. P., JACKSON V. N., PRICE N. T., WILSON M. & HEDDLE C. **504.P**, 13*S*, 1997

HEFFRON M.
HEFFRON M., DAVEY R. & COCHRANE T. Does weight-training exercise increase bone mineral density in post-menopausal women? **499.P**, 81*P*, 1997

HEINERT G.
HEINERT G., NYE P. C. G. & PATERSON D. J. Effect of a neuronal nitric oxide synthase blocker on eucapnic hypoxic and hypercapnic cerebral blood flow in the anaesthetized rat **501.P**, 66*P*, 1997

HEITMEYER S. A. *see* CLARKE K. A., HEITMEYER S. A., SMITH A. G. & TAIWO Y. O. **499.P**, 47*P*, 1997

HELD B.
HELD B. & PEARSON H. A. Endothelin-1 (ET-1) inhibits L-type Ca^{2+} channels via the ET_A receptor subtype in cultured rat cerebellar granule cells **501.P**, 18*P*, 1997

HELLIO R. *see* D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D. **505.P**, 81*P*, 1997

HELLUIN O.
HELLUIN O. & DUCLOHIER H. Asymmetric functioning or co-operative activation of the voltage-gated sodium channel, as investigated with synthetic voltage sensors in planar lipid bilayers **504.P**, 49*P*, 1997

HENDERSON D. R. *see* TURNER D. L., HENDERSON D. R. & MITCHELL G. S. **504.P**, 196*P*, 1997

HENDERSON L. M. *see* MEECH R. W. & HENDERSON L. M. **504.P**, 9*S*, 1997

HENDERSON P. J. F. *see* HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A. **499.P**, 50*P*, 1997
HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., MCDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R. The structure–activity relationship of GalP, the bacterial homologue of the human glucose transport protein, GLUT1 **499.P**, 52*P*, 1997
see WALMSLEY A. R. & HENDERSON P. J. F. **499.P**, 52*P*, 1997

HENDERSON R. A. *see* VIST G. E., MURRAY B. E., FARMER M. R., HENDERSON R. A. & RUMSEY R. D. E. **504.P**, 150*P*, 1997

HENDERSON Z. *see* SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R. **504.P**, 75*P*, 1997

HENDRY B. M. *see* BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F. **504.P**, 77*P*, 1997

HENLEY N. C. *see* CODY F. W. J., HENLEY N. C., PARKER L. C. & TURNER G. R. **504.P**, 119*P*, 1997

HENRY M. M. *see* PITT J., BOULOS P. B., HENRY M. M. & CRAGGS M. D. **499.P**, 78*P*, 1997

HEPPENSTALL P. A.
HEPPENSTALL P. A., FLEETWOOD-WALKER S. M., THOMPSON S. W. N. & SPIERS H. J. LIF mRNA distribution in lumbar spinal cord and its modification by peripheral inflammation and nerve injury **505.P**, 42*P*, 1997

HEPWORTH T. J.
HEPWORTH T. J., LAWRIE A. M. & SIMPSON A. W. M. Calcium release from ATP-sensitive stores, evoked by okadaic acid in the human umbilical vein endothelial cell line, ECV 304 **499.P**, 42*P*, 1997

HERGET C.
HERGET C., SHAH R., HARTLEY D. E., ECKERT T. & FORSLING M. L. The renal responsiveness to oxytocin in the lactating rat **504.P**, 222*P*, 1997

HERGET J.
HERGET J., WILHELM J., NOVOTNI J. & BACIKOVI L. Role of reactive oxygen species in hypoxic pulmonary hypertension **499.P**, 10*S*, 1997

HERLIHY Y. M. *see* WINDLE R. J., HERLIHY Y. M., WOOD S. A., SHANKS N., LIGHTMAN S. L. & INGRAM C. D. **505.P**, 11*P*, 1997

HIDAKA O. *see* TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H. **501.P**, 39*P*, 1997

HIDER R. C. *see* HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J. **505.P**, 49*P*, 1997

HIGGINS C. F.
HIGGINS C. F. ABC transporters, channels and channel regulators **504.P**, 8*S*, 1997

HIGGINS M.
HIGGINS M., SHARMA A. & GUZ A. Air hunger and respiratory motor output associated with raising end-tidal CO_2 (P_{ET,CO_2}) in awake humans **505.P**, 29*P*, 1997

HIGGINS M. A.
HIGGINS M. A. & HARVEY B. J. The effects of arginine vasopressin on $[Ca^{2+}]_i$ in a mouse cortical collecting duct cell line (M-1) **499.P**, 43*P*, 1997

HIGHAM A. D.

HIGHAM A. D., NOBLE P. J., THOMPSON D. G. & DOCKRAY G. J. Increased gastrin release following distension of the rat stomach after antral denervation **499.P**, 104*P*, 1997

see NOBLE P.-J. M., HIGHAM A. D., DIMALINE R. & DOCKRAY G. J. **499.P**, 122*P*, 1997

HILDEBRAND J. G.

HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J. Central neurosecretion and neuromodulation in the moth *Manduca sexta*: serotonin in the olfactory pathway **504.P**, 4*S*, 1997

HILGEMANN D. W. *see PHILIPSON K. D., NICOLL D. A., HE Z., DOERING A. & HILGEMANN D. W.* **504.P**, 9*S*, 1997

HILL A. C.

HILL A. C., HODGSON T. L., DAVEY N. J. & KENNARD C. The effect of decreasing target duration on accuracy of reflexive and remembered saccades in man **499.P**, 79*P*, 1997

HILL A. C., DAVEY N. J. & KENNARD C. Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation: a mapping study over the frontal cortex in man **505.P**, 80*P*, 1997

HILL C. E. *see PHILLIPS J. K., MCLEAN A. J. & HILL C. E.* **504.P**, 189*P*, 1997

see SANDOW S. L. & HILL C. E. **505.P**, 100*P*, 1997

HILL I. D.

HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M. Delayed onset muscle soreness: relevance of induction method on signs and symptoms in humans **505.P**, 88*P*, 1997

HILL N. *see DOUGLAS A. J., HILL N. & RUSSELL J. A.* **505.P**, 10*P*, 1997

HILL R. B. *see BROOKS D. D., HILL R. B. & FORT T. J.* **504.P**, 20*P*, 1997

see MATSUMURA S., KUWASAWA K., HILL R. B. & OHSUGA K. **504.P**, 24*P*, 1997

see KUWASAWA K. & HILL R. B. **504.P**, 26*P*, 1997

HILL R. G. *see CUMBERBATCH M. J., MASON G. S., HILL R. G. & HARGREAVES R. J.* **504.P**, 103*P*, 1997

HILLIER K. *see JOHNSON C. D., HILLIER K., REID J. M., RUSHTON P. & BORMAN R. A.* **499.P**, 107*P*, 1997

HIRST B. H. *see WALKER D., SIMMONS N. L., GILBERT H. J. & HIRST B. H.* **499.P**, 61*P*, 1997

see CHRISTIE G. R., WALKER D., ARAGON C. & HIRST B. H. **504.P**, 147*P*, 1997

HIRST S. J.

HIRST S. J. & TWORT C. H. C. Differential regulation of human airway smooth muscle cell proliferation and phenotype by components of the extracellular matrix **505.P**, 105*P*, 1997

HNÍK P.

HNÍK P., VEJSADA R. & PALEČEK J. Permanent changes of spinal cord reflexes after peripheral nerve lesions in neonatal rats **504.P**, 168*P*, 1997

HO W.-K.

HO W.-K., SONG D.-K. & EARM Y. E. Differential block of external divalent cations on E4031-sensitive and -insensitive K^+ currents in sino-atrial node and atrial cells of the rabbit **499.P**, 10*P*, 1997

HOBAI I. A.

HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J. 'Voltage-activated Ca^{2+} release' – a novel mechanism for Ca^{2+} release from the sarcoplasmic reticulum – in heart cells from rabbit rat and guinea-pig and its dependence on internal [cyclic AMP] **501.P**, 139*P*, 1997

HOBAI I. A. & LEVI A. J. A 'double step' depolarization distinguishes between 'Ca^{2+}-induced Ca^{2+} release' and 'voltage-activated Ca^{2+} release' in ventricular myocytes from the guinea-pig heart **504.P**, 82*P*, 1997

HOBBY K. R.

HOBBY K. R., DEBNAM E. S., SRAI S. K. S., PAGANGA G. & RICE-EVANS C. The absorption of plant phenylpropanoids across isolated rat small intestine **504.P**, 152*P*, 1997

HODGE P. *see DONGA R., TAYLOR A., SCOTT J. J. A., HODGE P., ROWLERSON A. M., KEMP N. & SATOH Y.* **505.P**, 77*P*, 1997

HODGSON T. L. *see HILL A. C., HODGSON T. L., DAVEY N. J. & KENNARD C.* **499.P**, 79*P*, 1997

HOFFMAN P. *see THOREN P., HOFFMAN P. & JONSDOTTIR I. H.* **505.P**, 9*S*, 1997

HOGAN N. A.

HOGAN N. A., CASADEI B. & PATERSON D. J. The nitric oxide donor molsidomine can increase heart rate independent of changes in arterial blood pressure in anaesthetized rabbits **505.P**, 19*P*, 1997

HOLDCROFT A.

HOLDCROFT A., OATRIDGE A., HAJNAL J. V. & BYDDER G. M. Changes in brain size in normal human pregnancy **499.P**, 79*P*, 1997

see THOMAS A., WILSON J. A., BOSE D., OATRIDGE A., BYDDER G., HOLDCROFT A. & FORSLING M. **505.P**, 14*P*, 1997

HOLDEN A. V. *see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I.* **504.P**, 70*P*, 1997

HOLDEN D. *see MILEY H. E., GRINT R., HOLDEN D., BEST L. & BROWN P. D.* **504.P**, 142*P*, 1997

HOLDEN K. *see TARASENKO A. N., HOLDEN K., CORRIS P., PARRY G., DUNLOP W. & GILLESPIE J. I.* **504.P**, 158*P*, 1997

HOLDEN-DYE L. *see TRIM N., BROOMAN J. E., HOLDEN-DYE L. & WALKER R. J.* **504.P**, 11*P*, 1997

see FRANKS C. J., WALKER R. J. & HOLDEN-DYE L. **504.P**, 15*P*, 1997

see BROWNLEE D. J., HOLDEN-DYE L. & WALKER R. J. **504.P**, 19*P*, 1997

see CHEN X.-H., HOLDEN-DYE L. & WALKER R. J. **504.P**, 24*P*, 1997

see JANE S. D., WALLACH L. P. M., FRANKS C. J., WALKER R. J., CHAD J. E. & HOLDEN-DYE L. **504.P**, 26*P*, 1997

HOLDEN-DYE L. M. *see BUSH E. R., HOLDEN-DYE L. M., FOREMAN R. C. & WALKER R. J.* **504.P**, 25*P*, 1997

HOLEČEK V. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠŤASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

HOLLANDS M. A. *see MARPLE-HORVAT D. E., GARWICZ M., HOLLANDS M. A., CRIADO J. M. & ARMSTRONG D. M.* **504.P**, 64*P*, 1997

HOLLEY M. C. *see RIVOLTA M. N., GRIX N., LAWLOR P. & HOLLEY M. C.* **504.P**, 126*P*, 1997

see LAWLOR P., RIVOLTA M. N. & HOLLEY M. C. **504.P**, 128*P*, 1997

see GRIX N., JAGGER D. J., ASHMORE J. F. & HOLLEY M. C. **504.P**, 130*P*, 1997

HOLLY J. M. P. *see WELSH L. J., EL-SAYED M., HOLLY J. M. P. & JAKEMAN P. M.* **499.P**, 82*P*, 1997

see WELSH L. J., WHITLEY H. A., HOLLY J. M. P., KEEGAN M. A. & JAKEMAN P. M. **504.P**, 151*P*, 1997

HOLLYWOOD M. A.

HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. Isolated sheep mesenteric lymphatic smooth muscle cells possess both T- and L-type calcium currents **501.P**, 109*P*, 1997

see CONVERY M., HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **501.P**, 110*P*, 1997

see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **501.P**, 111*P*, 1997

see SERGEANT G., COTTON K. D., THORNBURY K. D., MCHALE N. G. & HOLLYWOOD M. A. **501.P**, 116*P*, 1997

HOLLYWOOD M. A., TOLAND H. M., COTTON K. D., THORNBURY K. D. & MCHALE N. G. Characterization of a calcium-dependent chloride current in isolated sheep mesenteric lymphatic smooth muscle cells **505.P**, 96*P*, 1997

HOLMAN G. D.

HOLMAN G. D. Relating the structure of the glucose transporter to function **499.P**, 19*S*, 1997

HÖLSCHER C.

HÖLSCHER C., ANWYL R. & ROWAN M. J. Stimulation on the positive phase of hippocampal θ-rhythm induces long-term potentiation which can be reversed by stimulation on the negative phase in area CA1 *in vivo* **501.P**, 93*P*, 1997

HOLT E. *see SEMB S. O., LUNDE P. K., HOLT E., TØNNESSEN T. & SEJERSTED O. M.* **504.P**, 88*P*, 1997

HOLT E., SJAASTAD I, CHRISTENSEN G. & SEJERSTED O. M. Effects of triiodothyronine (T_3) on the expression of SERCA2a and phospholamban and on calcium transients in isolated adult rat cardiomyocytes **504.P**, 94*P*, 1997

HOMBERG U. *see HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J.* **504.P**, 4*S*, 1997

HONDA K.

HONDA K., BAILEY A. R. T., BULL P. & LENG G. An electrophysiological investigation into the neural connections between the arcuate nucleus, median eminence and paraventricular nucleus in the urethane-anaesthetized rat **505.P**, 10*P*, 1997

HONG G.

HONG G., BROWN J. & MAHALEKAM M. Natriuretic peptide type C receptor (NPR-C) inhibits DNA synthesis in transfected cells **505.P**, 112*P*, 1997

see MAHALEKAM M., BROWN J. & HONG G. **505.P**, 113*P*, 1997

HONJO H. *see BOYETT M. R., KODAMA I., HONJO H., YAMAMOTO M., UZZERMAN M., NIKMARAM M. R. & NIWA R.* **504.P**, 70*P*, 1997

see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **504.P**, 70*P*, 1997

HOPKINS P. *see* OWEN J. M., HULME J. T., LEACH R., FINDLAY J. B. C., HOPKINS P., BOYETT M. R. & ORCHARD C. H. **504.P**, 77*P*, 1997

HOPKINS P. M. *see* DAVIES L. A., HAMILTON D. L., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. **504.P**, 75*P*, 1997

HORDER T. J.

HORDER T. J. & TANSEY E. M. Applications of history in undergraduate physiology teaching **505.P**, 69*P*, 1997

HORN G. *see* MCCABE B. J., KENDRICK K. M. & HORN G. **505.P**, 60*P*, 1997

HORN N. M.

HORN N. M. & THOMAS A. L. The effect of copper on zinc uptake into human erythyrocytes **499.P**, 26*P*, 1997

HORNBY D. *see* BEESLEY A. H., ORTEGA B., PARKER A. J., HORNBY D. & WHITE S. J. **505.P**, 115*P*, 1997

HORNBY M. F.

HORNBY M. F., IBRAHIM M., GRAHAM A., BERRY M. & BUTT A. M. Correlation of PDGF-α receptor mRNA expression with stages of oligodendrocyte differentiation in the isolated anterior medullary velum of the rat brain **501.P**, 32*P*, 1997

HORNBY M. F., BERRY M. & BUTT A. M. Expression of the NG2 chondroitin sulphate proteoglycan in the anterior medullary velum of the adult rat **505.P**, 47*P*, 1997

HORNE A. L. *see* HALLIWELL J. V. & HORNE A. L. **501.P**, 26*P*, 1997

HOROWITZ B.

HOROWITZ B. Molecular cloning, characterization and assignment of smooth muscle K^+ channels **504.P**, 10*S*, 1997

HOUGHTON A. K.

HOUGHTON A. K., WANG C.-C., WILLIS W. D. & WESTLUND K. N. The effect of dorsal column (DC) lesions upon the central actions of pancreatic afferent fibres in the rat **505.P**, 39*P*, 1997

HOUGHTON P. J. *see* HEBLICH F., BARSBY R. W. J., HOUGHTON P. J. & MCFADZEAN I. **501.P**, 24*P*, 1997

HOWARTH F. C. *see* HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J. **501.P**, 139*P*, 1997

HOWD A. G.

HOWD A. G., KIRVELL S. L., RATTRAY M. & BUTT A. M. GABA in the developing rat optic nerve **501.P**, 22*P*, 1997

see TRAN-DANG M.-A., HOWD A. G., BERRY M. & BUTT A. M. **505.P**, 43*P*, 1997

HOWD A. G., RATTRAY M. & BUTT A. M. $GABA_A$ receptor expression in the rat optic nerve **505.P**, 46*P*, 1997

HOYLAND J. *see* YAGODIN S., HOYLAND J., MASON W. T. & SATTELLE D. B. **504.P**, 160*P*, 1997

HSIAO K. K. *see* CHAPMAN P. F., IRIZARRI M. C., NILSEN S., HYMAN B. T. & HSIAO K. K. **501.P**, 95*P*, 1997

HU D.-E.

HU D.-E. & FRASER P. A. Evidence for interleukin-1β mediating enhanced permeability responses to bradykinin in single pial venular capillaries of anaesthetized rats **505.P**, 53*P*, 1997

HUANG C.

HUANG C. & JOHNS E. J. Brain angiotensin II (AII) and renal nerve-mediated antinatriuresis in anaesthetized stroke prone spontaneously hypertensive rats (SHRSP) **505.P**, 112*P*, 1997

HUANG C. L. *see* BRISTOW G. D., HUANG C. L., ZHANG T. & JOHNS E. J. **505.P**, 110*P*, 1997

HUANG L.

HUANG L., ROWAN M. J. & ANWYL R. Metabotropic glutamate receptor group II agonist inhibition of LTP induction in the dentate gyrus *in vitro* **501.P**, 99*P*, 1997

HUBBARD P. C. *see* WINTER M. J., STENHOUSE A. A., HUBBARD P. C., MCCROHAN C. R. & BALMENT R. J. **504.P**, 22*P*, 1997

HUCHET-CADIOU C. *see* MÊME W., HUCHET-CADIOU C. & LÉOTY C. **504.P**, 232*P*, 1997

HUCKS D.

HUCKS D., PRIEST R. M. & WARD J. P. T. Isoprenaline induces constriction at α_1-adrenoreceptors in large rat pulmonary arteries **505.P**, 101*P*, 1997

HUDLICKÁ O. *see* WHATLING P. J., HUDLICKÁ O. & SIMMS M. H. **499.P**, 21*P*, 1997

see JEAL S., BROWN M. D., HUDLICKÁ O. & EGGINTON S. **499.P**, 39*P*, 1997

HUDSON L. J.

HUDSON L. J., COX V. M. & GOLDSPINK D. F. The use of proto-oncogene expression to distinguish the crucial component(s) of electrical stimulation that induces transformation of the rabbit latissimus dorsi muscle **499.P**, 115*P*, 1997

HUDSON L. J., COX V. M. & GOLDSPINK D. F. The effect of Octreotide on the induction of proto-oncogenes c-Fos and c-Jun, in rabbit latissimus dorsi by high-frequency electrical stimulation **504.P**, 229*P*, 1997

see LOPEZ-OLIVA M. E., HUDSON L. J., COX V. M. & GOLDSPINK D. F. **504.P**, 230*P*, 1997

HUE B. *see* LE CORRONC H., HUE B. & PITMAN R. M. **504.P**, 27*P*, 1997

HUGHES S.

HUGHES S., LOWRIE M. B. & SMITH M. E. Effect of axotomy on the subpopulations of NMDA receptors in the spinal cord of the neonatal rat **504.P**, 218*P*, 1997

HUGHES S. W. *see* CRUNELLI V., WILLIAMS S. R., TURNER J. P., HUGHES S. W. & TÓTH T. I. **501.P**, 25*P*, 1997

HUGHSON R. L. *see* LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. **501.P**, 68*P*, 1997

HULME J. T. *see* OWEN J. M., HULME J. T., LEACH R., FINDLAY J. B. C., HOPKINS P., BOYETT M. R. & ORCHARD C. H. **504.P**, 77*P*, 1997

HULME J. T. & ORCHARD C. H. Comparison of the effects of extracellular and intracellular acidosis on the decline of intracellular Ca^{2+} in isolated rat ventricular myocytes **504.P**, 81*P*, 1997

HULTBORN H. *see* ENRIQUEZ-DENTON M., NIELSEN J. B., PERREAULT M.-C., MORITA H., PETERSEN N. & HULTBORN H. **501.P**, 40*P*, 1997

HULTMAN E. *see* ROBINSON T. M., SEWELL D. A., HULTMAN E. & GREENHAFF P. L. **499.P**, 74*P*, 1997

HUMPHREY P. P. A. *see* WYATT M. A., FENIUK W. & HUMPHREY P. P. A. **499.P**, 109*P*, 1997

HUNT S. *see* BUTCHER J. W., DE FELIPE C., SMITH A. J. H., HUNT S. & PATON J. F. R. **504.P**, 200*P*, 1997

HUNT S. P. *see* DOYLE C. A. & HUNT S. P. **499.P**, 124*P*, 1997

see DOYLE C. A. & HUNT S. P. **501.P**, 16*P*, 1997

see LIVESEY F. J., MURPHY L., LI M., SMITH A. & HUNT S. P. **501.P**, 98*P*, 1997

see LUMB B. M., O'BRIEN J. & HUNT S. P. **505.P**, 40*P*, 1997

HUNTER B. G.

HUNTER B. G., FINN S. D. H., IYAWE V. I. & IMMS F. J. Pedal frequency and ventilation during cycle ergometer exercise in man **501.P**, 58*P*, 1997

HUNTER M. *see* ROBSON L. & HUNTER M. **499.P**, 56*P*, 1997

see ROBSON L. & HUNTER M. **504.P**, 138*P*, 1997

see BHANDARI S., NOBLE K. H. & HUNTER M. **504.P**, 144*P*, 1997

HUREL S. J. *see* ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J. **499.P**, 44*P*, 1997

HURST R. D.

HURST R. D. & CLARK J. B. Permeability effects of vasoactive agonists and cyclic AMP on a cell culture model blood–brain barrier system **501.P**, 29*P*, 1997

HURST R. D., HEALES S. J. R., DOBBIE M. S. & CLARK J. B. Decreased endothelial cell glutathione and enhanced susceptibility to nitric oxide in an endothelial/glioma cell co-culture blood–brain barrier system **505.P**, 50*P*, 1997

HUSSAIN M.

HUSSAIN M., ORCHARD C. H. & COLYER J. Effects of the protein kinase A (PKA) inhibitor H89 on the Ca^{2+} current (I_{Ca}) and the Ca^{2+} transient in isolated ferret ventricular myocytes **504.P**, 79*P*, 1997

HUSSAIN M. & ORCHARD C. H. Voltage dependence of the Ca^{2+} transient during β-adrenergic stimulation is altered by reducing Ca^{2+} influx in voltage-clamped isolated rat ventricular myocytes **504.P**, 90*P*, 1997

HUSSAIN M., BAKKER A.J. & HEAD S. I. Effects of protein kinase A (PKA) inhibition on excitation–contraction coupling (ECC) in isolated fast-twitch mouse skeletal muscle **504.P**, 233*P*, 1997

HUSSEY D.

HUSSEY D., WILLIAMSON R. & JONES M. B. A brain slice preparation of the cephalopod optic lobe **504.P**, 2*P*, 1997

HUSTLER B. I.

HUSTLER B. I., WARING J. J. & SINGH J. Magnesium efflux and contractility under ischaemic conditions in the isolated rat heart **501.P**, 135*P*, 1997

HUTTER O. F.

HUTTER O. F. Partition coeffecient of arachidonic acid estimated from pipette aspiration experiments on sarcolemmal vesicles from rabbit skeletal muscle **499.P**, 133*P*, 1997

see FRIGERI A., NICCHIA G. P., VALENTI G., MONTGOMERY I., SVELTO M. & HUTTER O. F. **504.P**, 40*P*, 1997

see OLBRICH K. C., NEEDHAM D., EVANS E. & HUTTER O. F. **504.P**, 40*P*, 1997

HYMAN B. T. *see* CHAPMAN P. F., IRIZARRI M. C., NILSEN S., HYMAN B. T. & HSIAO K. K. **501.P**, 95*P*, 1997

HYND J. *see* MANSARAY M., BELCHER P., WRIGHT Z., HYND J. & NOBLE M. I. M. **501.P**, 124*P*, 1997

see WRIGHT Z. M., DRAKE-HOLLAND A. J., HYND J., MANSARAY M. & NOBLE M. I. M. **504.P**, 188*P*, 1997

IBBOTSON T.

IBBOTSON T., FIELD M. & BODEN P. R. Fosphenytoin but not gabapentin reduces excitatory postsynaptic potentials in cortical neurones from ethanol-withdrawn mice *in vitro* **501.P**, 15*P*, 1997

IBRAHIM M. *see* HORNBY M. F., IBRAHIM M., GRAHAM A., BERRY M. & BUTT A. M. **501.P**, 32*P*, 1997

IINO S.

IINO S., CUI Y., GALIONE A. & TERRAR D. A. Influence of temperature on the effects of cADP-ribose analogues on contraction in guinea-pig isolated ventricular myocytes **499.P**, 32*P*, 1997

ILES J. F.

ILES J. F. Some quantitative estimates of convergence on human spinal interneurones from a study of occlusion **501.P**, 41*P*, 1997

IMAI Y. *see* SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E. **499.P**, 31*P*, 1997

IMMS F. J. *see* HUNTER B. G., FINN S. D. H., IYAWE V. I. & IMMS F. J. **501.P**, 58*P*, 1997

see MORGAN P. S., BEHN E. G. & IMMS F. J. **505.P**, 28*P*, 1997

INGRAM C. D. *see* WINDLE R. J., HERLIHY Y. M., WOOD S. A., SHANKS N., LIGHTMAN S. L. & INGRAM C. D. **505.P**, 11*P*, 1997

INGRAM J. *see* HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A. **499.P**, 50*P*, 1997

INNES J. A.

INNES J. A. Origins of chronic hypoxaemia in clinical practice **499.P**, 8*S*, 1997

IRIZARRI M. C. *see* CHAPMAN P. F., IRIZARRI M. C., NILSEN S., HYMAN B. T. & HSIAO K. K. **501.P**, 95*P*, 1997

IRVINE R. F.

IRVINE R. F. IP_4 and its role in Ca^{2+} regulation **499.P**, 2*S*, 1997

ISAAC J. T. R. *see* LÜTHI A., ISAAC J. T. R., BENKE T. A. & COLLINGRIDGE G. L. **501.P**, 100*P*, 1997

see CRABTREE J. W., ISAAC J. T. R. & COLLINGRIDGE G. L. **504.P**, 169*P*, 1997

IYAWE V. I. *see* HUNTER B. G., FINN S. D. H., IYAWE V. I. & IMMS F. J. **501.P**, 58*P*, 1997

IZZO P. N.

IZZO P. N., GRATSA A., THAKKAR R. A. & SPYER K. M. Catecholamine-synthesizing vagal preganglionic neurones in the dorsal motonucleus of the vagus nerve in rat **501.P**, 76*P*, 1997

JACKSON A. *see* NURSE C. A., JACKSON A., MACINTYRE L. & VOLLMER C. **499.P**, 15*S*, 1997

JACKSON M. J. *see* MCARDLE A., MCARDLE C. & JACKSON M. J. **499.P**, 9*P*, 1997

JACKSON V. N. *see* HALESTRAP A. P., JACKSON V. N., PRICE N. T., WILSON M. & HEDDLE C. **504.P**, 13*S*, 1997

JACOB R. *see* SOBREVIA L., JAFFER U., MEDDOWS E. H., JACOB R. & MANN G. E. **499.P**, 40*P*, 1997

JACOB T. J. C. *see* STEADMAN D., LENNON S. M. & JACOB T. J. C. **499.P**, 58*P*, 1997

JAEGER T. *see* BEHNISCH T., WILSCH V., JAEGER T., REYMANN K. G. & BALSCHUN D. **501.P**, 99*P*, 1997

JAFFER U. *see* SOBREVIA L., JAFFER U., MEDDOWS E. H., JACOB R. & MANN G. E. **499.P**, 40*P*, 1997

JAGGER D. J. *see* GRIX N., JAGGER D. J., ASHMORE J. F. & HOLLEY M. C. **504.P**, 130*P*, 1997

JAHROMI B. *see* CHARLTON M. P., GEORGIOU J., JAHROMI B. & ROBITAILLE R. **504.P**, 5*S*, 1997

JAKEMAN P. M. *see* WELSH L. J., EL-SAYED M., HOLLY J. M. P. & JAKEMAN P. M. **499.P**, 82*P*, 1997

see WELSH L. J., WHITLEY H. A., HOLLY J. M. P., KEEGAN M. A. & JAKEMAN P. M. **504.P**, 151*P*, 1997

JAKOBSON M. E.

JAKOBSON M. E., ANDREWS J. F., KELLY A. & MCBENNETT S. M. A simple choice cage linked to an automated system for simultaneous collection of thermoregulatory and foraging behaviour in small mammals **501.P**, 2*P*, 1997

JAKOBSON M. E. & ROSTRON J. Computer-assisted learning tutorial support for basic first year undergraduate physiology practicals, and its use by students **505.P**, 2*P*, 1997

JAMES A. *see* FERGUSON E. A., ECCLES R. & JAMES A. **504.P**, 203*P*, 1997

JAMES A. F. *see* BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F. **504.P**, 77*P*, 1997

JAMES R. S. *see* TEMPLE G. K., JAMES R. S. & JOHNSTON I. A. **504.P**, 6*P*, 1997

JAMI L. *see* D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D. **505.P**, 81*P*, 1997

JANAHMADI M. *see* BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. **499.P**, 131*P*, 1997

see BAL R., JANAHMADI M., GREEN G. G. R. & SANDERS D. J. **499.P**, 132*P*, 1997

JANAHMADI M., BAL R., SANDERS D. J. & GREEN G. G. R. Calcium currents in cultured D1 and F76 neurones of *Helix aspersa* **499.P**, 132*P*, 1997

JANE S. D.

JANE S. D., WALLACH L. P. M., FRANKS C. J., WALKER R. J., CHAD J. E. & HOLDEN-DYE L. Optical imaging of viable, identifiable neurones in the anterior nerve ring of *Caenorhabditis elegans* in a semi-intact preparation **504.P**, 26*P*, 1997

JANKOWSKA E. *see* MAXWELL D. J., RIDDELL J. S. & JANKOWSKA E. **501.P**, 40*P*, 1997

see GLADDEN M. H., JANKOWSKA E. & CZARKOWSKA-BAUCH J. **505.P**, 76*P*, 1997

JANKOWSKA E., GLADDEN M. H. & CZARKOWSKA-BAUCH J. Noradrenaline and its α_2-agonists counteract activation of γ-motoneurones **505.P**, 77*P*, 1997

JARVIS S. M.

JARVIS S. M. & HARRIS R. C. Purine transport in horse erythrocytes: evidence for a polymorphism in the transport of hypoxanthine via a sodium-dependent cotransporter **499.P**, 50*P*, 1997

JÁUREGUI-RENAUD K.

JÁUREGUI-RENAUD K., BRONSTEIN A., FALDON M. & GRESTY M. Binocular response to roll-motion in man **505.P**, 78*P*, 1997

JAVID M. *see* AGGELOPOULOS N. C., BAKER M. R., JAVID M. & EDGLEY S. A. **504.P**, 113*P*, 1997

JEAL S.

JEAL S., BROWN M. D., HUDLICKÁ O. & EGGINTON S. Involvement of vascular endothelial growth factor in capillary growth as a result of chronic electrical stimulation of skeletal muscle in conscious rats **499.P**, 39*P*, 1997

JEFFERYS J. G. R. *see* WHITTINGTON M. A., TRAUB R. D. & JEFFERYS J. G. R. **499.P**, 96*P*, 1997

see WHITTINGTON M. A., FAULKNER H. J., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 179*P*, 1997

see FAULKNER H. J., WHITTINGTON M. A., CHETTIAR K., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 183*P*, 1997

JENKINS A. *see* HANKINS M. W. & JENKINS A. **505.P**, 60*P*, 1997

JENNER S.

JENNER S., SAGE S. O. & FARNDALE R. W. The effect of calcium store depletion on the activity of the non-receptor protein tyrosine kinase $p72^{syk}$ in human platelets **499.P**, 36*P*, 1997

JEREMY J. *see* DASHWOOD M. R., JEREMY J., MEHTA D., BRYAN A. & ANGELINI G. D. **501.P**, 107*P*, 1997

JIA M.

JIA M., LI M. X. & NELSON P. G. Thrombin receptor activation and protein kinase C (PKC) are involved in selective activity-dependent synapse loss in mouse motoneuron and muscle co-culture **504.P**, 213*P*, 1997

JIANG W. *see* CHAPMAN C. E., JIANG W. & TREMBLAY F. **504.P**, 17*S*, 1997

JIROUNEK P. *see* VÉGA C., JIROUNEK P., POITRY-YAMATE C. L., TSACOPOULOS M. & COLES J. A. **501.P**, 27*P*, 1997

JOHNS E. J. *see* MOOSAVI S. M. S. & JOHNS E. J. **499.P**, 60*P*, 1997

see ZHANG T. & JOHNS E. J. **504.P**, 193*P*, 1997

see ZHANG T. & JOHNS E. J. **504.P**, 193*P*, 1997

see WONG P. S. K. & JOHNS E. J. **504.P**, 194*P*, 1997

see BRISTOW G. D., ZHANG T. & JOHNS E. J. **504.P**, 195*P*, 1997

see MOOSAVI S. M. S. & JOHNS E. J. **504.P**, 210*P*, 1997

see BRISTOW G. D., HUANG C. L., ZHANG T. & JOHNS E. J. **505.P**, 110*P*, 1997

see HUANG C. & JOHNS E. J. **505.P**, 112*P*, 1997

see ZHANG T. & JOHNS E. J. **505.P**, 114*P*, 1997

JOHNSON A. *see* MCGUIGAN J. A. S., LÜTHI D., ELDER H. & JOHNSON A. **501.P**, 3*P*, 1997

JOHNSON A. D.

JOHNSON A. D., ELDER H. Y., NICHOLSON W. A. P. & MCGUIGAN J. A. S. The distribution of Mg in ferret ventricular papillae in Tyrode solution and on Na^+ removal **505.P**, 92*P*, 1997

JOHNSON C. D.
JOHNSON C. D., HILLIER K., REID J. M., RUSHTON P. & BORMAN R. A. The contractile action of bradykinin on human gall-bladder *in vitro* **499.P**, 107*P*, 1997
JOHNSON C. D., GILBEY M. P. & MARSHALL J. M. Patterns and rhythms in single sympathetic neurone activity recorded from the tail artery in anaesthetized Wistar rats **504.P**, 207*P*, 1997
JOHNSON I. *see LINDQVIST S., SHARP P., JOHNSON I. & WILLIAMS M.* **504.P**, 148*P*, 1997

JOHNSTON A.
JOHNSTON A., BLACK C. & MACLEOD N. Apamin-sensitive potassium conductances in mouse lateral geniculate relay neurones *in vitro* **501.P**, 23*P*, 1997
JOHNSTON I. A. *see TEMPLE G. K., JAMES R. S. & JOHNSTON I. A.* **504.P**, 6*P*, 1997
JONAS M. *see CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A.* **499.P**, 118*P*, 1997
JONAS M. M. *see BAND D. M., JONAS M. M., LINTON N. W. F., LINTON R. A. F. & O'BRIEN T. K.* **505.P**, 5*P*, 1997
JONES A. *see MELLOR J. R., JONES A., WISDEN W. & RANDALL A. D.* **504.P**, 178*P*, 1997
JONES B. P. *see WALKER J. N., JONES B. P., DAVEY N. J., MURPHY K. & ELLAWAY P. H.* **505.P**, 84*P*, 1997

JONES G.
JONES G. & MATHIE A. Inhibition of delayed rectifier K^+ conductance in cultured rat cerebellar granule neurons by kainate **501.P**, 16*P*, 1997
JONES J. F. X. *see DALY M. DE B. & JONES J. F. X.* **501.P**, 78*P*, 1997
JONES J. F. X. & BREATHNACH C. S. Replicating experiments on nitro-aerial particles **505.P**, 69*P*, 1997
JONES J. V. *see DALTON G. R., JONES J. V., LEVY A. & LEVI A. J.* **504.P**, 87*P*, 1997
JONES M. B. *see HUSSEY D., WILLIAMSON R. & JONES M. B.* **504.P**, 2*P*, 1997
see ÖDBLOM M. P., WILLIAMSON R. & JONES M. B. **504.P**, 21*P*, 1997

JONES M. G.
JONES M. G., TRIVEDI P. M., THOMPSON S. W. N. & MCMAHON S. B. Axotomy-induced changes in electrophysiological properties of slowly conducting mouse primary sensory afferent neurones *in vitro* **505.P**, 42*P*, 1997
JONES S. R. *see FINLAY A. L., JONES S. R., MORLAND A. B. & RUDDOCK K. H.* **501.P**, 121*P*, 1997
JONSDOTTIR I. H. *see THOREN P., HOFFMAN P. & JONSDOTTIR I. H.* **505.P**, 9*S*, 1997

JORDAN D.
JORDAN D. & WANG Y. Involvement of $GABA_A$ receptors in the inhibition of dorsal vagal preganglionic neurones by vagal afferents in anaesthetized rats: an *in vivo* intracellular study **501.P**, 72*P*, 1997
see SKINNER M. R., RAMAGE A. G. & JORDAN D. **501.P**, 72*P*, 1997
see SKINNER M. R., RAMAGE A. G. & JORDAN D. **504.P**, 197*P*, 1997
see WANG Y. & JORDAN D. **504.P**, 197*P*, 1997
see GARCIA M., WANG Y. & JORDAN D. **504.P**, 208*P*, 1997
JORDAN D. The role of brainstem serotonin (5-HT) receptor subtypes in control of vagal motor activity **504.P**, 25*S*, 1997

JORDAN N.
JORDAN N., NEWTON J. L., PEARSON J. P. & ALLEN A. A new histological technique shows a continuous adherent mucus layer in rat and human stomach **499.P**, 103*P*, 1997
JOSEPHS O. *see CORFIELD D. R., MURPHY K., JOSEPHS O., FINK G. R., FRACKOWIAK R. S. J., ADAMS L. & TURNER R.* **505.P**, 83*P*, 1997
JOUVENCEAU A. *see BILLARD J. M., JOUVENCEAU A., POTIER B., LAMOUR Y. & DUTAR P.* **501.P**, 3*S*, 1997

JUMA L. M. O.
JUMA L. M. O., SINGH J., SALIDO G. M., PARIENTE J. A., TAPIA J. A. & ADEGHATE E. Mechanism of interaction between the islet hormones and cholecystokinin-octapeptide in isolated rat pancreatic segments and acini **501.P**, 156*P*, 1997
JUMA L. M. O., SINGH J., ADEGHATE E., SALIDO G. M. & TAPIA J. A. Distribution and effect of nitric oxide on nerve and acetylcholine-evoked secretory responses in the isolated rat pancreas **504.P**, 34*P*, 1997

JUNG C. Y.
JUNG C. Y., LIU H., SHI Y. & SAMUEL S. J. Proteins that interact with the glucose transporter: implications for function **499.P**, 22*S*, 1997

KABBARA A. A.
KABBARA A. A. & STEPHENSON D. G. Ca^{2+} handling by rat myocardium exposed to ATP solutions of different $[Ca^{2+}]$ and Ca^{2+}-buffering capacity **504.P**, 95*P*, 1997
KAFTAN E. J. *see EHRLICH B. E., STRIGGOW F. & KAFTAN E. J.* **499.P**, 2*S*, 1997
KAHLERT S. *see GROHÉ C., KAHLERT S., NÜDLING S., VETTER H. & MEYER R.* **504.P**, 71*P*, 1997

KAMISHIMA T. *see MCCARRON J. G. & KAMISHIMA T.* **499.P**, 5*P*, 1997
see MCCARRON J. G. & KAMISHIMA T. **501.P**, 118*P*, 1997
KANEGAONKAR R. G. *see WARD J. & KANEGAONKAR R. G.* **505.P**, 36*P*, 1997
KAPOOR R. *see REDFORD E. J., KAPOOR R. & SMITH K. J.* **499.P**, 13*P*, 1997
KAPUS A. *see GIESZT M., KAPUS A., NÉMET K., FARKAS L. & LIGETI E.* **501.P**, 83*P*, 1997
KARDOS A. *see THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J.* **505.P**, 29*P*, 1997

KASPAROV S.
KASPAROV S. & PATON J. F. R. Blockade of angiotensin II type 1 (AT_1) receptors enhances baroreflex performance in the anaesthetized developing rat **501.P**, 74*P*, 1997
KASPAROV S. & PATON J. F. R. Angiotensin II receptors within the nucleus of the solitary tract attenuate the baroreceptor vagal reflex in the anaesthetized developing rat **504.P**, 196*P*, 1997
KASPAROV S. & PATON J. F. R. Ontogenesis of the baroreceptor reflex in the rat **504.P**, 23*S*, 1997
KATIUKHIN L. N. *see MATSKEVICH Y. A., KATIUKHIN L. N. & KAZENNOV A. M.* **499.P**, 24*P*, 1997

KATZ P. S.
KATZ P. S. Extrinsic and intrinsic neuromodulation of motor systems: physiological mechanisms for behavioural flexibility **504.P**, 2*S*, 1997

KAWAI M.
KAWAI M., STEELE D. & ORCHARD C. H. Cs^+ inhibits spontaneous Ca^{2+} release from the sarcoplasmic reticulum of skinned myocytes from rat hearts **504.P**, 93*P*, 1997
KAYA M. *see ÖZTAŞ B., KAYA M. & KÜÇÜK M.* **505.P**, 57*P*, 1997
KAYSER B. *see NARICI M. V., KAYSER B., BARATTINI P. & CERRETELLI P.* **499.P**, 81*P*, 1997
KAZENNOV A. M. *see MATSKEVICH Y. A., KATIUKHIN L. N. & KAZENNOV A. M.* **499.P**, 24*P*, 1997
KEABLE S. *see VERMA V., CARTER C., KEABLE S., BENNETT D. & THORN P.* **499.P**, 18*P*, 1997
KEEGAN M. A. *see WELSH L. J., WHITLEY H. A., HOLLY J. M. P., KEEGAN M. A. & JAKEMAN P. M.* **504.P**, 151*P*, 1997

KELLY A. *see JAKOBSON M. E., ANDREWS J. F., KELLY A. & MCBENNETT S. M.* **501.P**, 2*P*, 1997
KELLY A. & LYNCH M. A. Evidence indicating a role for nerve growth factor in long-term potentiation in the dentate gyrus of the rat **501.P**, 89*P*, 1997
KELLY S. M. *see LAKIE M., KELLY S. M. & CAMPBELL K. S.* **501.P**, 42*P*, 1997

KEMP N.
KEMP N. & BASHIR Z. I. Long-term depression of synaptic transmission in the CA1 region of the adult rat hippocampus *in vitro* **504.P**, 212*P*, 1997
see DONGA R., TAYLOR A., SCOTT J. J. A., HODGE P., ROWLERSON A. M., KEMP N. & SATOH Y. **505.P**, 77*P*, 1997
KEMP P. J. *see CLUNES M. T., OLVER R. E. & KEMP P. J.* **499.P**, 36*P*, 1997
see MUKHOPADHYAY S., OLVER R. E., FYFE G. K., DUTTA-ROY A. & KEMP P. J. **499.P**, 56*P*, 1997
see BAINES D. L., BINGLE C. D., YUAN H., KEMP P. J. & OLVER R. E. **501.P**, 63*P*, 1997
see CLUNES M. T., KEMP P. J. & OLVER R. E. **505.P**, 33*P*, 1997
KEMP P. J., KIM K.-J., BOROK Z., LUBMAN R. L., DANTO S. I. & CRANDALL E. D. Epidermal growth factor (EGF) up-regulates the amiloride-sensitive Na^+ conductance of cultured adult rat alveolar pneumocytes **505.P**, 65*P*, 1997
see LITCHFIELD S. J., MONAGHAN A. S., KEMP P. J., BOVELL D., MURPHIE H. & OLVER R. E. **505.P**, 65*P*, 1997
see CLUNES M. T., OLVER R. E. & KEMP P. J. **505.P**, 66*P*, 1997
KENDALL M. D. *see HEAD G. M., KENDALL M. D. & DOWNING J. E. G.* **505.P**, 14*P*, 1997
KENDRICK A. H. *see CAMPBELL R., SEAR M. A., WORMALD L. S., KENDRICK A. H. & LASZLO G.* **504.P**, 209*P*, 1997
KENDRICK K. M. *see MCCABE B. J., KENDRICK K. M. & HORN G.* **505.P**, 60*P*, 1997
KENNARD C. *see HILL A. C., HODGSON T. L., DAVEY N. J. & KENNARD C.* **499.P**, 79*P*, 1997
see HILL A. C., DAVEY N. J. & KENNARD C. **505.P**, 80*P*, 1997

KENTISH J. C. *see* *LAYLAND J. & KENTISH J. C.* **501.P**, 136*P*, 1997

KERMANI F. *see* *SIMPKIN J. C., KERMANI F., CAMPA J. S., LINTON E. A. & POSTON L.* **499.P**, 8*P*, 1997

KERMODE H. E.

KERMODE H. E., WILLIAMS A. J. & SITSAPESAN R. Interactions of glycolytic pathway intermediates with sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channels **504.P**, 163*P*, 1997

KERR P. M.

KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. The effect of pyruvate on the calcium-dependent mitochondrial pore during ischaemia and reperfusion of isolated rat hearts **499.P**, 14*P*, 1997

see *WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J.* **501.P**, 135*P*, 1997

KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. The effect of pyruvate on Krebs buffer pH and lactate efflux from ischaemic and reperfused isolated rat hearts **501.P**, 136*P*, 1997

KETTENMANN H. *see* *KIRISCHUK S., KETTENMANN H. & VERKHRATSKY A.* **501.P**, 19*P*, 1997

see *HARTMANN J., LABRAKAKIS CH., KIRCHHOFF F., PATT S. & KETTENMANN H.* **501.P**, 21*P*, 1997

see *KIRISCHUK S., VOITENKO N., KETTENMANN H. & VERKHRATSKY A.* **504.P**, 167*P*, 1997

KHAKH B. S. *see* *MATTHEWS B., LI F., KHAKH B. S. & VONGSAVAN N.* **504.P**, 128*P*, 1997

KHAN I. A. *see* *SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R.* **499.P**, 131*P*, 1997

see *SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R.* **504.P**, 75*P*, 1997

KHAN Z. *see* *WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D.* **505.P**, 64*P*, 1997

KHANANSHVILI D. *see* *MÉSZÁROS J., KHANANSHVILI D. & HART G.* **501.P**, 134*P*, 1997

see *CONVERY M. K., KHANANSHVILI D., LEVI A. J. & HANCOX J. C.* **504.P**, 92*P*, 1997

KHODOROV B. *see* *KOSHELEV S., SOBOLEVSKY A. & KHODOROV B.* **504.P**, 52*P*, 1997

see *VERGUN O., STOROZHEVIKH T., VINSKAYA N., PINELIS V. & KHODOROV B.* **504.P**, 53*P*, 1997

KHOGALI S. E. O.

KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. Glutamine is superior to glutamate in enhancing post-ischaemic recovery of the isolated perfused working rat heart **501.P**, 127*P*, 1997

KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. Glutamine affords cardioprotection and enhances recovery by a dose-dependent effect in the isolated perfused working rat heart **501.P**, 137*P*, 1997

KHUDADOS E.

KHUDADOS E., CODY F. W. J. & O'BOYLE D. J. Vibration-induced errors of human voluntary ankle movements are reduced in Parkinson's disease **501.P**, 44*P*, 1997

KIBBLE J. D. *see* *MYLONA P., DARVILL A., BRENCHLEY P., CZAPLA K. & KIBBLE J. D.* **504.P**, 142*P*, 1997

KIDD C. *see* *CONLON K., COLLINS T. & KIDD C.* **501.P**, 70*P*, 1997

see *CONLON K., COLLINS T. & KIDD C.* **501.P**, 79*P*, 1997

see *CONLON K., COLLINS T. & KIDD C.* **505.P**, 31*P*, 1997

KIESSLING K.

KIESSLING K., COSSINS A. R. & ELLORY J. C. Characterization of the volume-sensitive taurine transport pathway in trout red blood cells using protein kinase and phosphatase inhibitors **499.P**, 24*P*, 1997

KIESSLING K. & ELLORY J. C. Deoxygenation and amino acid transporters in sickle red blood cells **504.P**, 136*P*, 1997

KILNER J. M.

KILNER J. M. & ASHMORE J. F. Staining pattern of isolated inner hair cells of the guinea-pig cochlea using the fluorescent probe FM1-43 **504.P**, 30*P*, 1997

KIM K.-J. *see* *KEMP P. J., KIM K.-J., BOROK Z., LUBMAN R. L., DANTO S. I. & CRANDALL E. D.* **505.P**, 65*P*, 1997

KING N.

KING N. & SULEIMAN M. S. Characteristics of L-leucine transport into sarcolemmal vesicles and isolated cardiac myocytes prepared from rat heart **504.P**, 73*P*, 1997

KING V. M.

KING V. M., BROPHY V., ELLIS M. & APPS R. C-*fos* expression in spinal cord of rat following noxious pinch to the forelimb **504.P**, 68*P*, 1997

KING V. *see* *BRADBURY E. J., BENNETT D. L. H., KING V., PRIESTLEY J. V. & MCMAHON S. B.* **501.P**, 48*P*, 1997

KINGSLAND C. *see* *GREEVES J. P., CABLE N. T., NEVILL A. M. & KINGSLAND C.* **501.P**, 170*P*, 1997

KIRCHHOF B. *see* *HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J.* **504.P**, 4*S*, 1997

KIRCHHOFF F. *see* *HARTMANN J., LABRAKAKIS CH., KIRCHHOFF F., PATT S. & KETTENMANN H.* **501.P**, 21*P*, 1997

KIRISCHUK S.

KIRISCHUK S., KETTENMANN H. & VERKHRATSKY A. Na^+–Ca^{2+} exchanger shapes the calcium response to kainate in mouse Bergmann glial cells *in situ* **501.P**, 19*P*, 1997

KIRISCHUK S., VOITENKO N., KETTENMANN H. & VERKHRATSKY A. Metabotropic receptor interaction in Bergmann glial cells **504.P**, 167*P*, 1997

KIRKUP A. J.

KIRKUP A. J. & GRUNDY D. Effects of nifedipine and ω-conotoxin GVIA on 5-hydroxytryptamine-mediated increases in mesenteric afferent discharge in the anaesthetized rat **504.P**, 148*P*, 1997

KIRKWOOD N. K.

KIRKWOOD N. K. & KROS C. J. Rapid photorelease of calcium augments the fast potassium conductance of guinea-pig inner hair cells **504.P**, 127*P*, 1997

KIRKWOOD P. A.

KIRKWOOD P. A. & FORD T. W. Plasticity in functional projections of expiratory bulbospinal neurones in the cat **504.P**, 28*S*, 1997

see *MAIER M. A., DAVIS J. N., ARMAND J., KIRKWOOD P. A. & LEMON R. N.* **505.P**, 84*P*, 1997

KIRSCHENLOHR H. L. *see* *SMITH G. A., KIRSCHENLOHR H. L., GRACE A. A., METCALFE J. C. & VANDENBERG J. I.* **501.P**, 132*P*, 1997

KIRVELL S. L. *see* *HOWD A. G., KIRVELL S. L., RATTRAY M. & BUTT A. M.* **501.P**, 22*P*, 1997

KITS K. S. *see* *ELLIOTT C. J. H., KITS K. S. & LODDER J. C.* **504.P**, 16*P*, 1997

KLAREN P. H. M.

KLAREN P. H. M., WHITE S. J., TAYLOR C. J., HARDCASTLE J. & HARDCASTLE P. T. Na^+–H^+ exchange in normal and cystic fibrotic mouse jejunal crypts **499.P**, 60*P*, 1997

KLOPPENBURG P. *see* *HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J.* **504.P**, 4*S*, 1997

KNAFELZ D. *see* *LINDLEY K. J., KNAFELZ D., ST LOUIS D., DUNNE M. J., AYNSLEY-GREEN A. & MILLA P. J.* **499.P**, 108*P*, 1997

KNEPPER M. A. *see* *MARPLES D., MØNSTER B., FRØKIAER J., KNEPPER M. A. & NIELSEN S.* **499.P**, 57*P*, 1997

KNIGHT S. L. *see* *CRAGGS M. D., MCFARLANE J. P., FOLEY S. J., WAGG A. S. & KNIGHT S. L.* **501.P**, 53*P*, 1997

see *CRAGGS M. D., DINNER L., LOVELL A. T., KNIGHT S. L. & GOLDSTONE J. C.* **501.P**, 56*P*, 1997

KNOTKOVÁ-URBANCOVÁ H. *see* *VYKLICKÝ L., KNOTKOVÁ-URBANCOVÁ H., VITÁSKOVÁ Z., VLACHOVÁ V., KRESS M. & REEH P. W.* **504.P**, 177*P*, 1997

KNOWLES I. D.

KNOWLES I. D., ALPER R. H. & RAMAGE A. G. Evidence that central 5-HT_{2B} and 5-HT_{2A} receptors play a role in cardiovascular regulation in the anaesthetized rat **501.P**, 71*P*, 1997

KNOX P. C.

KNOX P. C. The gap effect on human smooth pursuit latency: single, centrifugal and centripetal tasks **505.P**, 80*P*, 1997

KO W. H. *see* *CHAN H. C., FONG S. K., KO W. H. & WONG P. Y. D.* **499.P**, 16*P*, 1997

KO W. H., FU W. O., LEUNG P. Y., CHEW S. B. C., CHAN H. C. & WONG P. Y. D. Apical ATP stimulates electrogenic anion secretion in cultured Sertoli cells from immature rats **499.P**, 16*P*, 1997

see *WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D.* **505.P**, 64*P*, 1997

KODAMA I. *see* *BOYETT M. R., KODAMA I., HONJO H., YAMAMOTO M., UZZERMAN M., NIKMARAM M. R. & NIWA R.* **504.P**, 70*P*, 1997

see *ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I.* **504.P**, 70*P*, 1997

KOFFER A. *see* *SULLIVAN R., BURNHAM M., MCCARTHY K., TOROK K. & KOFFER A.* **499.P**, 19*P*, 1997

KOKAIA M. *see* *MIN M.-Y., KOKAIA M. & KULLMANN D. M.* **504.P**, 181*P*, 1997

KOLSTON P. J.

KOLSTON P. J. Integrating *in vitro*, *in situ* and *in vivo* experimental data in a three-dimensional finite element model of the cochlea **504.P**, 56*P*, 1997

KOMAN A. *see* *REGINA A., KOMAN A., CENTER M. S., COURAUD P. O. & ROUX F.* **505.P**, 57*P*, 1997

KOMPANOWSKA-JEZIERSKA E. *see SADOWSKI J., KOMPANOWSKA-JEZIERSKA E., DOBROWOLSKI L., WALKOWSKA A. & BADZYŃSKA B.* **505.P**, 111*P*, 1997

KÖPPEL H.

KÖPPEL H. & STANDEN N. B. Adenosine activation of ATP-sensitive (K_{ATP}) potassium current via protein kinase C (PKC) in rat ventricular myocytes **504.P**, 154*P*, 1997

KÖSE H.

KÖSE H., SIMMONS N. L. & BROWN C. D. A. Bradykinin stimulates chloride secretion in an inner medullary collecting duct cell line (mIMCD-3) **504.P**, 140*P*, 1997

KOSHELEV S.

KOSHELEV S., SOBOLEVSKY A. & KHODOROV B. Dual effect of memantine on NMDA channels in acutely isolated rat hippocampal neurones **504.P**, 52*P*, 1997

KOSTYUK P. *see SVICHAR N., KOSTYUK P. & VERKHRATSKY A.* **504.P**, 184*P*, 1997

KOTAK V. C. *see MOORE D. R., KOTAK V. C. & SANES D. H.* **504.P**, 216*P*, 1997

KOUCHTIR-DEVANNE N. *see D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D.* **505.P**, 81*P*, 1997

KOWALCHUK J. M. *see LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L.* **501.P**, 68*P*, 1997

KOZLOWSKI R. Z. *see BAKHRAMOV A., HARTLEY S. A., SALTER K. J. & KOZLOWSKI R. Z.* **499.P**, 129*P*, 1997

KRAEMER R.

KRAEMER R. Mitochondrial carrier proteins can reversibly change their transport mode: the cases of the aspartate/glutamate and the phosphate carrier **499.P**, 54*P*, 1997

KREIS M. E.

KREIS M. E. & GRUNDY D. Effect of histamine on intestinal afferent nerve discharge in the anaesthetized rat **499.P**, 102*P*, 1997

KREJČOVÁ I. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠT'ASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

KREMER H. P. H. *see DUYSENS J., BURGERS L., PLAT F. M., SCHILLINGS A. M., VAN WEZEL B. M. H. & KREMER H. P. H.* **504.P**, 188*S*, 1997

KRESS M. *see VYKLICKÝ L., KNOTKOVÁ-URBANCOVÁ H., VITÁSKOVÁ Z., VLACHOVÁ V., KRESS M. & REEH P. W.* **504.P**, 177*P*, 1997

KRNJEVIĆ K. *see TEKKÖK S. & KRNJEVIĆ K.* **501.P**, 86*P*, 1997

see ERDEMLI G. & KRNJEVIĆ K. **504.P**, 179*P*, 1997

KRONFORST-COLLINS M. A. *see DISTERHOFT J. F., KRONFORST-COLLINS M. A., MCECHRON M. D., MOYER J. R. JR, POWER J. M. & THOMPSON L. T.* **501.P**, 6*S*, 1997

KROS C. J. *see APPENRODT P. & KROS C. J.* **501.P**, 147*P*, 1997

see KIRKWOOD N. K. & KROS C. J. **504.P**, 127*P*, 1997

KRUG K. *see THOMPSON I. D., KRUG K. & TOLHURST D. J.* **499.P**, 86*P*, 1997

KRUG K. & THOMPSON I. D. Retinal activity is necessary for the rearrangement of the geniculo-cortical map in the Syrian hamster **501.P**, 96*P*, 1997

see THOMPSON I. D., BAKER G. E., SMYTH D., KRUG K. & TOLHURST D. J. **501.P**, 120*P*, 1997

KRUPKA R. M.

KRUPKA R. M. Channelling free energy into work in biological processes **499.P**, 21*S*, 1997

KRYGER A. *see HARRIDGE S. D. R. & KRYGER A.* **499.P**, 80*P*, 1997

KUBÍK V. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠT'ASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

KÜÇÜK M. *see ÖZTAŞ B., KAYA M. & KÜÇÜK M.* **505.P**, 57*P*, 1997

KULIKOWSKI J. J. *see ROBSON A. G. & KULIKOWSKI J. J.* **499.P**, 86*P*, 1997

KULLMANN D. M. *see ASZTELY F., MIN M.-Y. & KULLMANN D. M.* **504.P**, 181*P*, 1997

see MIN M.-Y., KOKAIA M. & KULLMANN D. M. **504.P**, 181*P*, 1997

KUMAR P. *see CONWAY A. F. & KUMAR P.* **501.P**, 57*P*, 1997

see CONWAY A. F., PEPPER D. R. & KUMAR P. **504.P**, 201*P*, 1997

see PEPPER D. R. & KUMAR P. **504.P**, 202*P*, 1997

KUMMEROW D. *see BERNHARDT I., RICHTER S., HAMANN J. & KUMMEROW D.* **504.P**, 135*P*, 1997

KUROCHKIN I. N. *see SUKHOLMIN T. K., KUROCHKIN I. N. & VARFOLOMEYEV S. D.* **499.P**, 23*P*, 1997

KUROCHKIN I. N., NICOLOVA L. I., BARSEGOV V. A., SERGEEVA M. G. & SUKHOMLIN T. K. Irregular fluctuations in opiate antagonist binding with immune cells **499.P**, 41*P*, 1997

KUWASAWA K. *see MATSUMURA S., KUWASAWA K., HILL R. B. & OHSUGA K.* **504.P**, 24*P*, 1997

KUWASAWA K. & HILL R. B. Mechanisms of neural excitation and inhibition of the heart of *Mercenaria mercenaria* **504.P**, 26*P*, 1997

KUZE B. *see SEARS T. A., MATSUYAMA K., MATSUI T., NAKAJIMA K., KUZE B. & MORI S.* **505.P**, 5*P*, 1997

LAB M. J. *see MEGHJI P., NAZIR S. A., DICK D. J. & LAB M. J.* **501.P**, 127*P*, 1997

see NAZIR S. A., MEGHJI P., DICK D. J. & LAB M. J. **501.P**, 128*P*, 1997

see STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. **504.P**, 189*P*, 1997

LABRAKAKIS CH. *see HARTMANN J., LABRAKAKIS CH., KIRCHHOFF F., PATT S. & KETTENMANN H.* **501.P**, 21*P*, 1997

LACEY M. *see AHSAN S. A., LACEY M. & WHITEHEAD S. A.* **501.P**, 166*P*, 1997

LAI A.

LAI A. Effect of calcium release channel regulators on ryanodine receptor association **499.P**, 5*S*, 1997

LAI F. A. *see SWANN K., PARRINGTON J., GALIONE A., SHEVCHENKO V. & LAI F. A.* **499.P**, 4*S*, 1997

LAKIE M.

LAKIE M., KELLY S. M. & CAMPBELL K. S. A comparison of ankle torques in a fictive standing task in man **501.P**, 42*P*, 1997

LAMB H. K. *see MORGAN J. M., AWAD S. S., LAMB H. K., DUNLOP W. & GILLESPIE J. I.* **499.P**, 37*P*, 1997

LAMB T. D. *see THOMAS M. M. & LAMB T. D.* **504.P**, 30*P*, 1997

LAMONT C. *see BURDYGA T. V., LAMONT C., EISNER D. & WRAY S.* **501.P**, 115*P*, 1997

LAMOUR Y. *see BILLARD J. M., JOUVENCEAU A., POTIER B., LAMOUR Y. & DUTAR P.* **501.P**, 3*S*, 1997

LANCASTER M. K.

LANCASTER M. K. & COOK S. J. Does levosimendan increase calcium load in guinea-pig isolated ventricular myocytes? **504.P**, 94*P*, 1997

LAND J. *see AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J.* **505.P**, 18*P*, 1997

LANDFIELD P. W.

LANDFIELD P. W. The glucocorticoid hypothesis of age-related hippocampal neurodegeneration **501.P**, 8*S*, 1997

LANE J. M. *see CHANDRA A., ROY R., LANE J. M. & FITZSIMONS J. T.* **501.P**, 166*P*, 1997

LANG T. F.

LANG T. F., STEWARD M. C. & CASE R. M. Fluid secretion in isolated pancreatic duct segments from the guinea-pig **504.P**, 146*P*, 1997

LANGDON M. G. *see NOLAN P., LANGDON M. G. & O'REGAN R. G.* **501.P**, 80*P*, 1997

LANGTON P. D.

LANGTON P. D. A versatile heated superfusion system suitable for whole-cell and excised patch-clamp experiments at mammalian temperatures **504.P**, 60*P*, 1997

see DOUGHTY J. M. & LANGTON P. D. **504.P**, 190*P*, 1997

LANSDELL S. J. *see YAGODIN S., HARDIE R. C., LANSDELL S. J., MILLAR N. S., MASON W. T. & SATTELLE D. B.* **504.P**, 159*P*, 1997

LAPIED B.

LAPIED B., STANKIEWICZ M., GROLLEAU F. & PELHATE M. Background sodium channels are necessary for maintenance of beating pacemaker activity in insect neurosecretory cells **504.P**, 27*P*, 1997

LARGE W. A. *see GREENWOOD I. A. & LARGE W. A.* **505.P**, 96*P*, 1997

LASSERRE X. *see D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D.* **505.P**, 81*P*, 1997

LASZLO G. *see CAMPBELL R., SEAR M. A., WORMALD L. S., KENDRICK A. H. & LASZLO G.* **504.P**, 209*P*, 1997

LAUDE E. *see BARER G., EMERY C., LIU X. & LAUDE E.* **499.P**, 10*S*, 1997

LAUGHLIN S. B. *see TOLHURST D. J., LAUGHLIN S. B. & LAURITZEN J. S.* **504.P**, 123*P*, 1997

LAURITZEN J. S. *see TOLHURST D. J., LAUGHLIN S. B. & LAURITZEN J. S.* **504.P**, 123*P*, 1997

LAW R. O.

LAW R. O. Taurine efflux and cell volume regulation in superficial cerebral cortical slices prepared from chronically hyponatraemic rats **499.P**, 58*P*, 1997

LAW V. *see WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D.* **505.P**, 64*P*, 1997

LAWLOR P. *see RIVOLTA M. N., GRIX N., LAWLOR P. & HOLLEY M. C.* **504.P**, 126*P*, 1997

LAWLOR P., RIVOLTA M. N. & HOLLEY M. C. Conditional immortalization of supporting cells from mammalian vestibular sensory epithelia **504.P**, 128*P*, 1997

LAWRENCE C.

LAWRENCE C. & RODRIGO G. C. The absence of a Na^+-activated K^+ current ($I_{K,Na}$) in rat ventricular myocytes **504.P**, 78*P*, 1997

see RODRIGO G. C. & LAWRENCE C. **504.P**, 79*P*, 1997

LAWRENCE P. A. *see DRAPER C. E., SINGH J., BROWN J., LAWRENCE P. A. & ADEGHATE E. A.* **504.P**, 34*P*, 1997

LAWRIE A. M. *see HEPWORTH T. J., LAWRIE A. M. & SIMPSON A. W. M.* **499.P**, 42*P*, 1997

LAWSON S. N. *see PERL E. R., DJOUHRI L. & LAWSON S. N.* **504.P**, 58*P*, 1997

see CROKER J. & LAWSON S. N. **504.P**, 59*P*, 1997

see DJOUHRI L., BLEAZARD L. & LAWSON S. N. **504.P**, 100*P*, 1997

LAYLAND J.

LAYLAND J. & KENTISH J. C. Effects of α- and β-adrenoceptor stimulation on the power–frequency relationship of isolated rat ventricular trabeculae **501.P**, 136*P*, 1997

LEACH R.

LEACH R., QUINN C., OWEN J. M., FINDLAY J. B. C. & BOYETT M. R. A 'rectification residue' in the pore region of the cardiac muscarinic K^+ channel, GIRK1-CIR **499.P**, 130*P*, 1997

see OWEN J. M., HULME J. T., LEACH R., FINDLAY J. B. C., HOPKINS P., BOYETT M. R. & ORCHARD C. H. **504.P**, 77*P*, 1997

LEAKE A. *see WOOD N., TÖRÖK K., LEAKE A., LLOYD S., COURT J., PERRY R. & PERRY E.* **499.P**, 42*P*, 1997

LEAKE L. D. *see MORRIS T. J., LEAKE L. D. & WINLOW W.* **504.P**, 21*P*, 1997

LEBRAND C.

LEBRAND C., UPTON L., CASES O., BLAKELY R., SEIF I. & GASPAR P. Uptake and storage of serotonin in rodent thalamocortical neurons during postnatal development **501.P**, 94*P*, 1997

LE CORRONC H.

LE CORRONC H., HUE B. & PITMAN R. M. Hypoxia causes rapid multiphasic depolarization of an identified cockroach (*Periplaneta americana*) motoneurone **504.P**, 27*P*, 1997

LEE K.

LEE K. & BODEN P. R. Activation of an inward current by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **501.P**, 27*P*, 1997

LEE S.

LEE S. & APPS A. Recording step-related changes in transmission in spino-olivocerebellar paths in the awake behaving cat **504.P**, 57*P*, 1997

see APPS R. & LEE S. **504.P**, 16*S*, 1997

LEEK B. F. *see CAMPTION D. P. & LEEK B. F.* **501.P**, 160*P*, 1997

see RYAN J. P., QUINN T. & LEEK B. F. **501.P**, 160*P*, 1997

LEES G. *see EDWARDS M. D. & LEES G.* **499.P**, 124*P*, 1997

LE GUENNEC J.-Y. *see PASCAREL C., CAZORLA O., LE GUENNEC J.-Y., ORCHARD C. H. & WHITE E.* **501.P**, 130*P*, 1997

see CAZORLA O., VASSORT G., GARNIER D. & LE GUENNEC J.-Y. **501.P**, 140*P*, 1997

LEIPER J. B. *see VIST G. E., LEIPER J. B., MAUGHAN R. J. & RUMSEY R. D. E.* **499.P**, 78*P*, 1997

LEMON R. N. *see PINCHES E. M., BAKER S. N. & LEMON R. N.* **501.P**, 36*P*, 1997

see DAVIS J. N. & LEMON R. N. **501.P**, 37*P*, 1997

LEMON R. N. Sensory gating during movement: how and why? **504.P**, 16*S*, 1997

see MAIER M. A., DAVIS J. N., ARMAND J., KIRKWOOD P. A. & LEMON R. N. **505.P**, 84*P*, 1997

LENG G. *see HONDA K., BAILEY A. R. T., BULL P. & LENG G.* **505.P**, 10*P*, 1997

LENNON S. M. *see STEADMAN D., LENNON S. M. & JACOB T. J. C.* **499.P**, 58*P*, 1997

LÉOTY C. *see MÊME W., HUCHET-CADIOU C. & LÉOTY C.* **504.P**, 232*P*, 1997

LEUNG P. Y. *see KO W. H., FU W. O., LEUNG P. Y., CHEW S. B. C., CHAN H. C. & WONG P. Y. D.* **499.P**, 16*P*, 1997

LEVI A. J.

LEVI A. J. & FERRIER G. R. Ca^{2+} release from the sarcoplasmic reticulum activated by membrane depolarization in the absence of Ca^{2+} entry in guinea-pig heart cells at 37 °C **501.P**, 133*P*, 1997

see HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J. **501.P**, 139*P*, 1997

see SPITZER K. W., STEADMAN B., NITZ G. & LEVI A. J. **504.P**, 61*P*, 1997

see HOBAI I. A. & LEVI A. J. **504.P**, 82*P*, 1997

see DALTON G. R., JONES J. V., LEVY A. & LEVI A. J. **504.P**, 87*P*, 1997

see WITCHEL H. J., LEVI A. J., MEECH R. W. & HANCOX J. C. **504.P**, 89*P*, 1997

see CONVERY M. K., KHANANSHVILI D., LEVI A. J. & HANCOX J. C. **504.P**, 92*P*, 1997

LEVIN R. J. *see BRUNSDEN A. & LEVIN R. J.* **499.P**, 15*P*, 1997

see BRUNSDEN A. & LEVIN R. J. **499.P**, 100*P*, 1997

see NZEGWU H. C. & LEVIN R. J. **499.P**, 100*P*, 1997

see BRUNSDEN A. & LEVIN R. J. **504.P**, 149*P*, 1997

LEVIN R. J. & WAGNER G. Human vaginal blood flow – absolute assessment by a new, quantitative heat wash-out method **504.P**, 188*P*, 1997

LEVY A. *see DALTON G. R., JONES J. V., LEVY A. & LEVI A. J.* **504.P**, 87*P*, 1997

LEW V. L. *see SOMASUNDARAM B., TIFFERT T., MAHAUT-SMITH M. P. & LEW V. L.* **504.P**, 48*P*, 1997

LEWIS D. I. *see BOURYI V. A. & LEWIS D. I.* **501.P**, 77*P*, 1997

LEWIS D. I. The involvement of cholinergic inputs in mediating the effects of low pH on rat nucleus ambiguus neurones *in vitro* **501.P**, 77*P*, 1997

LEWIS D. M.

LEWIS D. M., BRADWELL A. R., WATTS S. & SHORE A. C. Capillary pressure measurement in acute high altitude hypoxaemia **504.P**, 44*P*, 1997

LEYLAND M. L.

LEYLAND M. L., SHELTON P. A., DART C., CONLEY E. C. & STANFIELD P. R. Single subunit mutations of the murine K^+ channel IRK1 **499.P**, 125*P*, 1997

see DART C., LEYLAND M. L., SPENCER P. J., CONLEY E. C., STANFIELD P. R. & SUTCLIFFE M. J. **504.P**, 155*P*, 1997

LI F. *see MATTHEWS B., LI F., KHAKH B. S. & VONGSAVAN N.* **504.P**, 128*P*, 1997

LI H. S.

LI H. S., MONHEMIUS R. & ROBERTS M. H. T. The major termination of the anterior pretectal nucleus efferents in the medulla is a principal origin of descending inhibition in the rat **501.P**, 47*P*, 1997

see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **501.P**, 47*P*, 1997

see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **504.P**, 101*P*, 1997

see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **505.P**, 38*P*, 1997

LI J. *see BAO J., LI J. & PERL E. R.* **504.P**, 175*P*, 1997

LI M. *see LIVESEY F. J., MURPHY L., LI M., SMITH A. & HUNT S. P.* **501.P**, 98*P*, 1997

LI M. X. *see JIA M., LI M. X. & NELSON P. G.* **504.P**, 213*P*, 1997

LIANG P.-J. *see POULIN M. J., LIANG P.-J. & ROBBINS P. A.* **505.P**, 22*P*, 1997

LIDIERTH M.

LIDIERTH M. & WALL P. D. The effects of picrotoxin on the spontaneous dorsal root potentials in the spinalized rat **501.P**, 46*P*, 1997

LIDIERTH M. & WALL P. D. The relationship between superficial dorsal horn projection cells and the spontaneous dorsal root potential in the anaesthetized rat **504.P**, 102*P*, 1997

LIDIERTH M. & WALL P. D. Rat superficial dorsal horn cells that respond to Lissauer tract stimulation may mediate primary afferent depolarization from widespread sources **505.P**, 38*P*, 1997

LIGETI E. *see GIESZT M., KAPUS A., NÉMET K., FARKAS L. & LIGETI E.* **501.P**, 83*P*, 1997

LIGHTMAN S. L. *see WINDLE R. J., HERLIHY Y. M., WOOD S. A., SHANKS N., LIGHTMAN S. L. & INGRAM C. D.* **505.P**, 11*P*, 1997

LIMA P. A.

LIMA P. A., MESSENGER J. B. & BROWN E. R. Monitoring cytoplasmic Ca^{2+} in cephalopod chromatophore muscles **504.P**, 2*P*, 1997

LIN H.

LIN H., GRIFFITHS E. J. & SULEIMAN M.-S. The effect of chemical hypoxia on isolated rat myocytes perfused in the absence or presence of glutamate **499.P**, 33*P*, 1997

LIN H. & SULEIMAN M.-S. Glutamine but not glutamate improves myocardial protection with cardioplegic solution in isolated guinea-pig hearts **501.P**, 141*P*, 1997

see GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S. **504.P**, 88*P*, 1997

LIN Y. *see LIN Z., LIN Y. & LIPSCOMBE D.* **504.P**, 156*P*, 1997

LIN Z.

LIN Z., LIN Y. & LIPSCOMBE D. Alternative splicing in the fourth domain of the Ca^{2+} channel α_{1B}-subunit can account for the expression of kinetically distinct variants of the N-type Ca^{2+} channel in the nervous system of the rat **504.P**, 156*P*, 1997

LINDEN R. J. *see GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & PENNA C.* **501.P**, 67*P*, 1997

LINDLEY K. J. *see ROLFE V. E., MENON R. A., LINDLEY K. J. & MILLA P. J.* **499.P**, 101*P*, 1997

Lindley K. J., Knafelz D., St Louis D., Dunne M. J., Aynsley-Green A. & Milla P. J. Surface electrogastrographic evidence of foregut dysmotility in persistent hyperinsulinaemic hypoglycaemia of infancy (PHHI) **499.P**, 108*P*, 1997

see Menon R. A., Rolfe V. E., Lindley K. J., Milla P. J. & Naftalin R. J. **499.P**, 109*P*, 1997

see Rolfe V. E., Lindley K. J. & Milla P. J. **504.P**, 152*P*, 1997

Lindqvist S.

Lindqvist S., Sharp P., Johnson I. & Williams M. Acetylcholine induces intercellular wave-like propagation of $[Ca^{2+}]_i$ in isolated intact rat colonic crypts via muscarinic receptors **504.P**, 148*P*, 1997

Lindsay K. A. *see Ogden J. M., Lindsay K. A. & Rosenberg J. R.* **501.P**, 32*P*, 1997

Linkens D. A. *see Angel A., Linkens D. A. & Ting C. H.* **499.P**, 46*P*, 1997

Linnarsson D. *see Ferretti G., Esposito F., Girardis M., Linnarsson D., Moia C. & Pendergast D. R.* **499.P**, 74*P*, 1997

Linton E. A. *see Simpkin J. C., Kermani F., Campa J. S., Linton E. A. & Poston L.* **499.P**, 8*P*, 1997

Linton N. W. F. *see Band D. M., Jonas M. M., Linton N. W. F., Linton R. A. F. & O'Brien T. K.* **505.P**, 5*P*, 1997

Linton R. A. F. *see Band D. M., Jonas M. M., Linton N. W. F., Linton R. A. F. & O'Brien T. K.* **505.P**, 5*P*, 1997

Linz K. W. *see Meyer R. & Linz K. W.* **504.P**, 80*P*, 1997

Lipscombe D. *see Lin Z., Lin Y. & Lipscombe D.* **504.P**, 156*P*, 1997

Lister T. E. *see Mulheran M., Ray D. E. & Lister T. E.* **505.P**, 54*P*, 1997

Litchfield S. J.

Litchfield S. J., Monaghan A. S., Kemp P. J., Bovell D., Murphie H. & Olver R. E. Primary cultured fetal rat distal lung epithelial (FDLE) cells exhibit a PGE_2-stimulated, outward-rectifying anion conductance **505.P**, 65*P*, 1997

Litherland G. J. *see Henderson P. J. F., Martin G. E. M., Litherland G. J., McDonald T. P., Steel A., Rutherford N. G., Sanderson N. M., Ward A. & Walmsley A. R.* **499.P**, 52*P*, 1997

Liu H. *see Jung C. Y., Liu H., Shi Y. & Samuel S. J.* **499.P**, 22*S*, 1997

Liu X. *see Barer G., Emery C., Liu X. & Laude E.* **499.P**, 10*S*, 1997

Livesey F. J.

Livesey F. J., Murphy L., Li M., Smith A. & Hunt S. P. Reg-2, a secreted protein expressed solely by developing and regenerating motor and sensory neurons **501.P**, 98*P*, 1997

Lloyd S. *see Wood N., Török K., Leake A., Lloyd S., Court J., Perry R. & Perry E.* **499.P**, 42*P*, 1997

Lockhart J. C.

Lockhart J. C., McMurdo L. & Ferrell W. R. Vascular reactivity to acetylcholine is attenuated in the acutely inflamed rabbit synovium **501.P**, 106*P*, 1997

Lodder J. C. *see Elliott C. J. H., Kits K. S. & Lodder J. C.* **504.P**, 16*P*, 1997

Lodge D. *see Gillard S. E., Volsen S. G., Smith W., Beattie R. E., Bleakman D. & Lodge D.* **504.P**, 50*P*, 1997

see Procter M. J., Chizh B. A., Ornstein P., Lodge D. & Headley P. M. **504.P**, 101*P*, 1997

Lodge J. P. A. *see Ahmad N., Lodge J. P. A. & Potts D. J.* **505.P**, 114*P*, 1997

Logan S. D. *see Spanswick D. & Logan S. D.* **501.P**, 26*P*, 1997

Logue D. *see Eshraghi H. R., Zeitlin I. J., Fitzpatrick J., Ternent H. & Logue D.* **499.P**, 65*P*, 1997

Lombardelli S.

Lombardelli S. & Dyball R. E. J. Day/night variation in the firing of vasopressin and oxytocin cells in the rat **505.P**, 13*P*, 1997

López Bernal A. *see Asbóth G., Phaneuf S. & López Bernal A.* **499.P**, 44*P*, 1997

Lopez-Oliva M. E.

Lopez-Oliva M. E., Hudson L. J., Cox V. M. & Goldspink D. F. Effect of Losartan on Fos and Jun protein expression in mechanically stretched latissimus dorsi muscles of the rabbit **504.P**, 230*P*, 1997

Losano G. *see Gattullo D., Linden R. J., Losano G., Pagliaro P. & Penna C.* **501.P**, 67*P*, 1997

Lote C. J. *see Shirley D. G., Walter S. J., Thewles A., Wood J. A. & Lote C. J.* **505.P**, 115*P*, 1997

Lou F.

Lou F., Curtin N. A. & Woledge R. C. Recovery of white muscle fibres isolated from dogfish **504.P**, 38*P*, 1997

Lovell A. T. *see Craggs M. D., Dinner L., Lovell A. T., Knight S. L. & Goldstone J. C.* **501.P**, 56*P*, 1997

Lovick T. A.

Lovick T. A. Co-regulation of somatosensory and autonomic systems from the periaqueductal grey matter and modulation by the raphe nuclei **505.P**, 7*S*, 1997

Lowe M. D. *see Grace A. A., Vandenberg J. I., Zinkin M. P., Lowe M. D., Taylor P. J., Ward D. E., Camm A. J. & Saumarez R. C.* **501.P**, 129*P*, 1997

Lowrie M. B. *see Sanusi J., Greensmith L., Lowrie M. B. & Vrbová G.* **504.P**, 214*P*, 1997

see Hughes S., Lowrie M. B. & Smith M. E. **504.P**, 218*P*, 1997

Lowry J. P.

Lowry J. P. & Fillenz M. The relation between local cerebral blood flow and extracellular glucose concentration in rat striatum **499.P**, 51*P*, 1997

Lubman R. L. *see Kemp P. J., Kim K.-J., Borok Z., Lubman R. L., Danto S. I. & Crandall E. D.* **505.P**, 65*P*, 1997

Lucy S. D.

Lucy S. D., Cunningham D. A., Kowalchuk J. M., Paterson D. H. & Hughson R. L. Cardiac dynamic and chronotropic responses to sustained hypoxia in older humans **501.P**, 68*P*, 1997

Luiten P. G. M. *see De Jong G. I. & Luiten P. G. M.* **501.P**, 4*S*, 1997

Lukowiak K. *see Spencer G. E., Cotter R., Syed N. I. & Lukowiak K.* **504.P**, 10*P*, 1997

Lumb B. M.

Lumb B. M., O'Brien J. & Hunt S. P. The effects of spinalization and naloxone pretreatment on Fos expression in the rat spinal cord following noxious stimulation **505.P**, 40*P*, 1997

see Waters A. J. & Lumb B. M. **505.P**, 8*S*, 1997

Lunde P. K. *see Semb S. O., Lunde P. K., Holt E., Tønnessen T. & Sejersted O. M.* **504.P**, 88*P*, 1997

Lunn D. P. *see Robinson K. A., Delaney S. J., Lunn D. P., Thomson S. A., Sheppard D. N. & Wainwright B. J.* **499.P**, 59*P*, 1997

see Robinson K. A., Delaney S. J., Lunn D. P., Thomson S. A., Wainwright B. J. & Sheppard D. N. **504.P**, 143*P*, 1997

Lüthi A.

Lüthi A., Isaac J. T. R., Benke T. A. & Collingridge G. L. An analysis of LTP of EPSCs evoked by minimal stimulation and recorded from dendrites of CA1 pyramidal cells in rat hippocampal slices **501.P**, 100*P*, 1997

Lüthi D. *see McGuigan J. A. S., Lüthi D., Elder H. & Johnson A.* **501.P**, 3*P*, 1997

Lyall J. A. *see Khogali S. E. O., Lyall J. A., Harper A. A. & Rennie M. J.* **501.P**, 127*P*, 1997

see Khogali S. E. O., Lyall J. A., Harper A. A. & Rennie M. J. **501.P**, 137*P*, 1997

Lygate C. A. *see van de Put F. H. M. M., Lygate C. A. & Elliott A. C.* **499.P**, 20*P*, 1997

Lynch F.

Lynch F., Sweeney M., O'Regan R. G. & McLoughlin P. The effect of isohydric hypercapnia on depolarization-induced tension in isolated pulmonary rings **505.P**, 32*P*, 1997

Lynch M. *see Campbell V. & Lynch M.* **501.P**, 170*P*, 1997

Lynch M. A. *see Mullany P. & Lynch M. A.* **501.P**, 87*P*, 1997

see Murray C. A. & Lynch M. A. **501.P**, 87*P*, 1997

see McGahon B. & Lynch M. A. **501.P**, 88*P*, 1997

see Kelly A. & Lynch M. A. **501.P**, 89*P*, 1997

Lynch M. A. Age-related changes in synaptic plasticity in rat hippocampus **501.P**, 5*S*, 1997

McAlroy H. L.

McAlroy H. L., Bovell D. L. & Wilson S. M. Anion ($^{125}I^-$) and rhodamine-123 (R-123) efflux from a P-glycoprotein-expressing ovarian cell line (A2780.ad) are mutually independent processes **505.P**, 64*P*, 1997

McArdle A.

McArdle A., McArdle C. & Jackson M. J. Stress proteins and protection of skeletal muscle against contraction-induced skeletal muscle damage in anaesthetized mice **499.P**, 9*P*, 1997

McArdle C. *see McArdle A., McArdle C. & Jackson M. J.* **499.P**, 9*P*, 1997

McBennett S. M. *see Jakobson M. E., Andrews J. F., Kelly A. & McBennett S. M.* **501.P**, 2*P*, 1997

McCabe B. J.

McCabe B. J., Kendrick K. M. & Horn G. Release of putative amino acid neurotransmitters in the brain of the domestic chick following exposure learning (imprinting) **505.P**, 60*P*, 1997

Maccabee P. J. *see Amassian V. E., Vergara M., Somasundaram M., Maccabee P. J. & Cracco R. Q.* **499.P**, 88*P*, 1997

see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N., EBERLE L. & ROTHWELL J. C. **504.P**, 115*P*, 1997

McCARRON J. G.

McCARRON J. G. & KAMISHIMA T. Role of Ca^{2+} stores in Ca^{2+} signalling in rat isolated resistance-sized cerebral artery smooth muscle **499.P**, 5*P*, 1997

McCARRON J. G. & KAMISHIMA T. Na^+–Ca^{2+} exchange does not regulate the cytosolic Ca^{2+} concentation in rat superior cerebral artery smooth muscle cells **501.P**, 118*P*, 1997

McCARTHY K. *see* SULLIVAN R., BURNHAM M., McCARTHY K., TOROK K. & KOFFER A. **499.P**, 19*P*, 1997

McCORMICK P. A. *see* ABOUD R., CONNOLLY C., McCORMICK P. A. & DOCHERTY J. R. **501.P**, 108*P*, 1997

McCROHAN C. R. *see* WINTER M. J., STENHOUSE A. A., HUBBARD P. C., McCROHAN C. R. & BALMENT R. J. **504.P**, 22*P*, 1997

see WOODALL A. J., McCROHAN C. R. & POMFRETT C. J. D. **504.P**, 23*P*, 1997

McDEARMID J.

McDEARMID J. & SILLAR K. T. A slow non-rhythmic motor pattern elicited by both noradrenaline and nitric oxide in embryos of the frog, *Rana temporaria* **504.P**, 12*P*, 1997

MacDERMOTT M. *see* McGUIRE M. & MacDERMOTT M. **501.P**, 56*P*, 1997

see McGUIRE M. & MacDERMOTT M. **501.P**, 142*P*, 1997

McDONAGH M. J. N. *see* DUNCAN A. & McDONAGH M. J. N. **501.P**, 42*P*, 1997

McDONALD T. P. *see* HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., McDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R. **499.P**, 52*P*, 1997

McECHRON M. D. *see* DISTERHOFT J. F., KRONFORST-COLLINS M. A., McECHRON M. D., MOYER J. R. JR, POWER J. M. & THOMPSON L. T. **501.P**, 6*S*, 1997

McELROY M. C. *see* BOYLAN G. M., DOBBS L. G. & McELROY M. C. **501.P**, 61*P*, 1997

McELROY M. C., HARTY H. R., BOYLAN G. M., MARKS P., PITTET J.-F. & FOSTER T. J. Staphylococcus aureus α-toxin is not the sole cause of alveolar–capillary barrier damage in a rat model of bacterial pneumonia **501.P**, 61*P*, 1997

McFADZEAN I. *see* WAYMAN C. P., McFADZEAN I., GIBSON A. & TUCKER J. F. **499.P**, 2*P*, 1997

see HEBLICH F., BARSBY R. W. J., HOUGHTON P. J. & McFADZEAN I. **501.P**, 24*P*, 1997

McFARLANE J. P. *see* CRAGGS M. D., McFARLANE J. P., FOLEY S. J., WAGG A. S. & KNIGHT S. L. **501.P**, 53*P*, 1997

MacFARLANE N. G.

MacFARLANE N. G., RANKIN A. & McINTOSH M. A. Brief exposure to hydrogen peroxide shortens action potential and calcium transient durations in left ventricular endocardial myocytes isolated from a rabbit coronary artery ligation model of heart failure **501.P**, 138*P*, 1997

see WILSON G., MacFARLANE N. G. & MILLER D. J. **501.P**, 138*P*, 1997

McGAHON B.

McGAHON B. & LYNCH M. A. Evidence that long-term potentiation in rat dentate gyrus utilizes phospholipase C as a coincidence detector: investigation of the interaction between arachidonic acid and the metabotropic glutamate receptor agonist 1-amino-cyclopentane-1 3-dicarboxylate **501.P**, 88*P*, 1997

McGARRICK J. *see* BYRNE D.E., McGARRICK J. & WARD J. P. T. **505.P**, 2*P*, 1997

McGEOWN G. *see* GRAHAM M., FAIRWEATHER I. & McGEOWN G. **504.P**, 10*P*, 1997

McGEOWN J. G. *see* WHITE C. & McGEOWN J. G. **501.P**, 112*P*, 1997

McGRATH J. C. *see* MOORE F., THOMSON N. C. & McGRATH J. C. **501.P**, 115*P*, 1997

McGUIGAN J. A. S.

McGUIGAN J. A. S., LÜTHI D., ELDER H. & JOHNSON A. On-line measurements of micromolar ionized magnesium concentrations ($[Mg^{2+}]$) in either an extra- or intracellular milieu using Mg^{2+} macroelectrodes **501.P**, 3*P*, 1997

see JOHNSON A. D., ELDER H. Y., NICHOLSON W. A. P. & McGUIGAN J. A. S. **505.P**, 92*P*, 1997

McGUIRE M.

McGUIRE M. & MacDERMOTT M. Fatigue and recovery in the diaphragm muscle *in vitro* of untreated and metformin-treated diabetic rats **501.P**, 56*P*, 1997

McGUIRE M. & MacDERMOTT M. The effect of insulin on the membrane potential of extensor digitorum longus and diaphragm muscles of mature and old rats **501.P**, 142*P*, 1997

McHALE N. G. *see* HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & McHALE N. G. **501.P**, 109*P*, 1997

see CONVERY M., HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & McHALE N. G. **501.P**, 110*P*, 1997

see COTTON K. D., HOLLYWOOD M. A., McHALE N. G. & THORNBURY K. D. **501.P**, 111*P*, 1997

see SERGEANT G., COTTON K. D., THORNBURY K. D., McHALE N. G. & HOLLYWOOD M. A. **501.P**, 116*P*, 1997

see HOLLYWOOD M. A., TOLAND H. M., COTTON K. D., THORNBURY K. D. & McHALE N. G. **505.P**, 96*P*, 1997

McINTOSH M. A. *see* MacFARLANE N. G., RANKIN A. & McINTOSH M. A. **501.P**, 138*P*, 1997

MACINTYRE L. *see* NURSE C. A., JACKSON A., MACINTYRE L. & VOLLMER C. **499.P**, 15*S*, 1997

McKENZIE D. N.

McKENZIE D. N., DYBALL R. E. J. & BUCKINGHAM J. C. Functional connections between the hippocampus and hypothalamic nuclei in a stationary tissue culture model **504.P**, 222*P*, 1997

MACKIE G. O. *see* MOROZ L. L., MACKIE G. O. & MEECH R. W. **504.P**, 13*P*, 1997

McLAUGHLIN J. T.

McLAUGHLIN J. T., HALL L., THOMPSON D. G., DOCKRAY G. J. & WARHURST G. Fatty acid-induced cholecystokinin secretion from STC-1 cells depends on acyl chain length and requires a free carboxyl group **499.P**, 101*P*, 1997

McLAY J. S. *see* DOYLE C., CAMPA J. S., TRIBE R. M., MISTRY S. K., McLAY J. S. & POSTON L. **505.P**, 98*P*, 1997

McLEAN A. J. *see* PHILLIPS J. K., McLEAN A. J. & HILL C. E. **504.P**, 189*P*, 1997

McLEAN M. *see* SHERWIN S. J., SHAH O., DOORLY D. J., McLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L. **504.P**, 44*P*, 1997

MacLEOD N. *see* JOHNSTON A., BLACK C. & MacLEOD N. **501.P**, 23*P*, 1997

McLOUGHLIN P. *see* SWEENEY M., O'REGAN R. G. & McLOUGHLIN P. **499.P**, 71*P*, 1997

see LYNCH F., SWEENEY M., O'REGAN R. G. & McLOUGHLIN P. **505.P**, 32*P*, 1997

McLYMONT N. *see* GRUBB B. D., GIBLETT S., McLYMONT N. & GOODSELL S. **504.P**, 100*P*, 1997

McMAHON S.

McMAHON S. Neurotrophic co-regulation of somatic and autonomic neurones **505.P**, 10*S*, 1997

McMAHON S. B. *see* BRADBURY E. J., BENNETT D. L. H., KING V., PRIESTLEY J. V. & McMAHON S. B. **501.P**, 48*P*, 1997

see ALLAN J. D. D., BULTITUDE M. I., BULTITUDE M. F., WALL P. D. & McMAHON S. B. **505.P**, 39*P*, 1997

see JONES M. G., TRIVEDI P. M., THOMPSON S. W. N. & McMAHON S. B. **505.P**, 42*P*, 1997

McMURDO L. *see* LOCKHART J. C., McMURDO L. & FERRELL W. R. **501.P**, 106*P*, 1997

McMURTRY I. F.

McMURTRY I. F., MURAMATSU M., TYLER R. C., RODMAN D. M. & OKA M. Roles of endothelin-1 and T-type Ca^{2+} channels in nitro-L-arginine vasoconstriction of hypertensive rat lungs **499.P**, 11*S*, 1997

MACNAMARA M. *see* HACKNEY C. M., MACNAMARA M. & FURNESS D. N. **504.P**, 131*P*, 1997

McNAUGHTON N. C. L.

McNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. Assessing the physiological generation of inactivation of a human presynaptic Ca^{2+} channel **501.P**, 23*P*, 1997

see RANDALL A. D., McNAUGHTON N. C. L. & AMOS W. B. **501.P**, 29*P*, 1997

McNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. Unusual permeation properties in recombinant Ca^{2+} channels containing the human α_{1E} subunit **504.P**, 161*P*, 1997

McNICHOLAS W. T. *see* ROE S., NOLAN P., O'REGAN R. G. & McNICHOLAS W. T. **501.P**, 63*P*, 1997

MacPHEE P. J. *see* OSBORNE M. H. & MacPHEE P. J. **501.P**, 164*P*, 1997

McWILLIAM P. N. *see* CORBETT E. K. A., BATTEN T. F. C., SAHA S. & McWILLIAM P. N. **501.P**, 75*P*, 1997

MAGAZANIK L. G.

MAGAZANIK L. G., BULDAKOVA S. A., SAMOILOVA M. V., MELLOR I. R. & USHERWOOD P. N. R. Non-competitive antagonism of cloned and native AMPA/kainate receptors by adamantane derivatives **501.P**, 17*P*, 1997

MAGNIFICO F. *see* AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J. **505.P**, 18*P*, 1997

MAHALEKAM M. *see* HONG G., BROWN J. & MAHALEKAM M. **505.P**, 112*P*, 1997

Mahalekam M., Brown J. & Hong G. An NPR-C type of natriuretic peptide receptor can trigger apoptosis in rat astrocytes **505.P**, 113*P*, 1997

Mahaut-Smith M. P. *see Somasundaram B., Tiffert T., Mahaut-Smith M. P. & Lew V. L.* **504.P**, 48*P*, 1997

Mahdy Z.

Mahdy Z., Otun H. A., Dunlop W., Greenwell J. R. & Gillespie J. I. Changes in the responsiveness of isolated human hand vein endothelial cells in normal pregnancy **504.P**, 191*P*, 1997

Maier M. A.

Maier M. A., Davis J. N., Armand J., Kirkwood P. A. & Lemon R. N. Anatomical and electrophysiological comparison of cortico-motoneuronal projections from primary motor cortex and supplementary motor area in the macaque monkey **505.P**, 84*P*, 1997

Majerczak J. *see Zoladz J. A., Duda K., Majerczak J., Domanski J. & Emmerich J.* **499.P**, 75*P*, 1997

Majithia A. *see Thompson S. W. N. & Majithia A.* **505.P**, 41*P*, 1997

Malécot C. O.

Malécot C. O., Bolaños P. & Argibay J. A. Sodium and calcium components of intramembrane charge movements in guinea-pig ventricular heart cells **501.P**, 129*P*, 1997

Maltwood D. M. R. *see Cameron S. A., Turner J. A., Maltwood D. M. R. & Dutia M. B.* **504.P**, 217*P*, 1997

Mamas M. A.

Mamas M. A. & Terrar D. A. Characterization of the delayed rectifier potassium current in rat isolated ventricular myocytes **499.P**, 10*P*, 1997

Mamas M. A. & Terrar D. A. Differential sensitivities of the two components of the delayed rectifier potassium current to metabolic inhibition in guinea-pig isolated ventricular myocytes **501.P**, 131*P*, 1997

Manahan-Vaughan D.

Manahan-Vaughan D. & Reymann K. G. Group 1 metabotropic glutamate receptors contribute to bidirectional modulation of synaptic plasticity in freely moving rats **501.P**, 100*P*, 1997

Mann G. E. *see Cannon T. R., Mann G. E. & Baydoun A. R.* **499.P**, 21*P*, 1997

see Muñoz M., Sweiry J. H. & Mann G. E. **499.P**, 38*P*, 1997

see Sobrevia L., Jaffer U., Meddows E. H., Jacob R. & Mann G. E. **499.P**, 40*P*, 1997

see Contreras R., Fuentes O., Mann G. E. & Sobrevia L. **499.P**, 41*P*, 1997

see Sobrevia L., Yudilevich D. L. & Mann G. E. **504.P**, 205*P*, 1997

Mansaray M.

Mansaray M., Belcher P., Wright Z., Hynd J. & Noble M. I. M. Studies in the anaesthetized dog of coronary microvascular function downstream from an artery with intraluminal thrombus **501.P**, 124*P*, 1997

see Wright Z. M., Drake-Holland A. J., Hynd J., Mansaray M. & Noble M. I. M. **504.P**, 188*P*, 1997

Mansell S.

Mansell S., Phillips S. K. & Rutherford O. M. Muscle length changes following strength training of the adductor pollicis muscle **499.P**, 83*P*, 1997

Mansson S. *see Williams M., Mansson S. & Sharp P.* **499.P**, 7*P*, 1997

Maréchal G. *see Francaux M., Bleukx G. B. & Maréchal G.* **504.P**, 228*P*, 1997

Markos F. *see Ruane T., Snow M., Markos F. & Hall W. J.* **501.P**, 69*P*, 1997

Markos F. & Snow H. M. Potentiation of vagally mediated tachycardia by atropine in the anaesthetized dog **504.P**, 194*P*, 1997

Marković I. D. *see Redžić Z. B., Segal M. B., Marković I. D., Gasić J. M., Vidović V. & Rakić Lj.M.* **505.P**, 48*P*, 1997

Marks J. *see Debnam E. S., Unwin R. J., Marks J. & Oliva C.* **504.P**, 141*P*, 1997

Marks P. *see McElroy M. C., Harty H. R., Boylan G. M., Marks P., Pittet J.-F. & Foster T. J.* **501.P**, 61*P*, 1997

Marple-Horvat D. E.

Marple-Horvat D. E., Garwicz M., Hollands M. A., Criado J. M. & Armstrong D. M. Neuronal activity in microzones of the cerebellar c3 zone in the cat during a visually guided reach-retrieval task **504.P**, 64*P*, 1997

Marples D.

Marples D., Mønster B., Frøkiaer J., Knepper M. A. & Nielsen S. Thirsting reverses both the diuresis and decreases in aquaporin-2 (AQP2) expression in rat kidney inner medulla produced by the specific V_2 receptor antagonist OPC31260 **499.P**, 57*P*, 1997

Marrinan M. T. *see Bertaso F., Hendry B. M., Newman S., Argano V., Desai J. B., Forsyth A. T., Marrinan M. T., Meharwal Z.-S., Sutherland F., Zaman H., deBelder A. & James A. F.* **504.P**, 77*P*, 1997

Marsh N. A.

Marsh N. A. & Shattock M. J. In celebration of 100 years of the isolated perfused heart – Langendorff revisited **505.P**, 69*P*, 1997

Marshall J. M. *see Smith K. A. & Marshall J. M.* **499.P**, 118*P*, 1997

see Coney A. & Marshall J. M. **499.P**, 119*P*, 1997

Marshall J. M. Cardiovascular adaptations to chronic systemic hypoxia: modulation of vasoconstrictor and vasodilator influences **499.P**, 12*S*, 1997

see Bryan P. & Marshall J. M. **504.P**, 204*P*, 1997

see Johnson C. D., Gilbey M. P. & Marshall J. M. **504.P**, 207*P*, 1997

Martelli A. *see Berardinelli P., Martelli A., Radaelli G., Rowlerson A. & Scapolo P.-A.* **504.P**, 14*P*, 1997

Martin G. E. M. *see Henderson P. J. F., Martin G. E. M., Litherland G. J., McDonald T. P., Steel A., Rutherford N. G., Sanderson N. M., Ward A. & Walmsley A. R.* **499.P**, 52*P*, 1997

Maskill D. W. *see Smith H. C., Davey N. J., Maskill D. W., Savic G. & Ellaway P. H.* **501.P**, 43*P*, 1997

Maskrey P. *see Charlton R. G., Morley A. R., Maskrey P., Neal D. E. & Gillespie J. I.* **505.P**, 101*P*, 1997

Mason G. S. *see Cumberbatch M. J., Mason G. S., Hill R. G. & Hargreaves R. J.* **504.P**, 103*P*, 1997

Mason W. T. *see Ribaric S., Freestone N. S. & Mason W. T.* **499.P**, 31*P*, 1997

see Freestone N. S., Ribaric S. & Mason W. T. **499.P**, 32*P*, 1997

see Yagodin S., Hardie R. C., Lansdell S. J., Millar N. S., Mason W. T. & Sattelle D. B. **504.P**, 159*P*, 1997

see Yagodin S., Hoyland J., Mason W. T. & Sattelle D. B. **504.P**, 160*P*, 1997

Masters J. G.

Masters J. G., Neal D. E. & Gillespie J. I. Gadolinium has no effect on the contractions induced by hyposmolar solutions in human detrusor muscle **499.P**, 34*P*, 1997

Masters J. G., Neal D. E. & Gillespie J. I. The effects of thapsigargin on agonist-induced contractile responses in isolated human detrusor smooth muscle **505.P**, 97*P*, 1997

Mathias C. J. *see Akinola A. B., Smith G., Land J., Puvi-Rajasingham S., Magnifico F., Giovannoni G. & Mathias C. J.* **505.P**, 18*P*, 1997

Mathie A.

Mathie A. & Richards C. D. Calcium signalling in rat cortical neurones and glia in culture following activation of group I metabotropic glutamate receptors (mGluRs) **499.P**, 18*P*, 1997

see Jones G. & Mathie A. **501.P**, 16*P*, 1997

see Millar J. A. & Mathie A. **504.P**, 170*P*, 1997

Matskevich Y. A.

Matskevich Y. A., Katiukhin L. N. & Kazennov A. M. Study of interrelations between haematological parameters, transport ATPase activity and deformability of erythrocytes from various mammals **499.P**, 24*P*, 1997

Matsui T. *see Sears T. A., Matsuyama K., Matsui T., Nakajima K., Kuze B. & Mori S.* **505.P**, 5*P*, 1997

Matsumura S.

Matsumura S., Kuwasawa K., Hill R. B. & Ohsuga K. Polycentric control of the heart and pericardium by cholinergic inhibitory and serotonergic excitatory nerves in polyplacophoran molluscs **504.P**, 24*P*, 1997

Matsuyama K. *see Sears T. A., Matsuyama K., Matsui T., Nakajima K., Kuze B. & Mori S.* **505.P**, 5*P*, 1997

see Ford T. W., Matsuyama K., Mori S. & Nakajima K. **505.P**, 85*P*, 1997

Matthews B.

Matthews B. & Ushiyama J. A possible role for odontoblasts in sensory transduction in cat dentine **504.P**, 65*P*, 1997

Matthews B., Li F., Khakh B. S. & Vongsavan N. Effects of ATP on sensory receptors in the dental pulp of cats **504.P**, 128*P*, 1997

Matthews H. R. *see Reisert J. & Matthews H. R.* **499.P**, 88*P*, 1997

Matthews H. R. A simple device for dislodging air bubbles from back-filled patch pipettes **504.P**, 59*P*, 1997

Matthews H. R. Prolongation by phytic acid of the time constant that dominates bright flash response recovery in rods isolated from the tiger salamander **504.P**, 124*P*, 1997

see Reisert J. & Matthews H. R. **504.P**, 125*P*, 1997

Matthews K. L. *see Neal M. J., Cunningham J. R. & Matthews K. L.* **505.P**, 61*P*, 1997

Maughan R. J. *see Galloway S. D. R. & Maughan R. J.* **499.P**, 77*P*, 1997

see Vist G. E., Leiper J. B., Maughan R. J. & Rumsey R. D. E. **499.P**, 78*P*, 1997

MAXWELL D. J.
MAXWELL D. J., RIDDELL J. S. & JANKOWSKA E. A confocal microscopic analysis of contacts formed by serotoninergic and noradrenergic axons with electrophysiologically characterized spinal interneurons in the anaesthetized cat **501.P**, 40*P*, 1997
see STEWART W., POW D. V. & MAXWELL D. J. **505.P**, 37*P*, 1997
MAXWELL N. S.
MAXWELL N. S. & NIMMO M. A. Hypohydration and intermittent supramaximal running performance in humans **499.P**, 76*P*, 1997
MAXWELL P. H. *see RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M.* **499.P**, 13*S*, 1997
MEAD F.
MEAD F., SULLIVAN D. & WILLIAMS A. J. Block of the ryanodine-modified cardiac sarcoplasmic reticulum (SR) Ca^{2+} release channel by *Shaker*B K^+ channel N-type inactivation peptides is influenced by the net charge of the peptide **504.P**, 162*P*, 1997
MEDDOWS E. H. *see SOBREVIA L., JAFFER U., MEDDOWS E. H., JACOB R. & MANN G. E.* **499.P**, 40*P*, 1997
MEECH R. W. *see NIU X. W. & MEECH R. W.* **499.P**, 128*P*, 1997
see MOROZ L. L., MACKIE G. O. & MEECH R. W. **504.P**, 13*P*, 1997
see NIU X. W. & MEECH R. W. **504.P**, 48*P*, 1997
see WITCHEL H. J., LEVI A. J., MEECH R. W. & HANCOX J. C. **504.P**, 89*P*, 1997
MEECH R. W. & HENDERSON L. M. Voltage-gated proton conductance **504.P**, 9*S*, 1997
MEEHAN S. *see AMBUDKAR I. S., WU A. J. & MEEHAN S.* **501.P**, 157*P*, 1997
MEGHJI P.
MEGHJI P., NAZIR S. A., DICK D. J. & LAB M. J. A model for characterization of gene expression in response to regional workload changes in the anaesthetized pig myocardium *in situ* **501.P**, 127*P*, 1997
see NAZIR S. A., MEGHJI P., DICK D. J. & LAB M. J. **501.P**, 128*P*, 1997
MEHARWAL Z.-S. *see BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F.* **504.P**, 77*P*, 1997
MEHTA D. *see DASHWOOD M. R., JEREMY J., MEHTA D., BRYAN A. & ANGELINI G. D.* **501.P**, 107*P*, 1997
MEISSNER G.
MEISSNER G., TRIPATHY A. & XU L. Sarcoplasmic reticulum Ca^{2+} release channel: regulation by cytosolic and lumenal Ca^{2+} and calmodulin **499.P**, 2*S*, 1997
MELLOR I. R. *see MAGAZANIK L. G., BULDAKOVA S. A., SAMOILOVA M. V., MELLOR I. R. & USHERWOOD P. N. R.* **501.P**, 17*P*, 1997
MELLOR J. R.
MELLOR J. R. & RANDALL A. D. Zn^{2+} and benzodiazepines alter deactivation of GABA responses in cultured murine cerebellar granule cells **499.P**, 27*P*, 1997
see WEBB A. V., MELLOR J. R., GRANT A. & RANDALL A. D. **501.P**, 20*P*, 1997
MELLOR J. R., JONES A., WISDEN W. & RANDALL A. D. Effects of culture conditions on the expression of the $GABA_A$ receptor α6 subunit gene in cerebellar granule cells *in vitro* **504.P**, 178*P*, 1997
MÊME W.
MÊME W., HUCHET-CADIOU C. & LÉOTY C. Sodium-withdrawal contractures in fast twitch skeletal muscle of frog elicited by inhibiting sarcoplasmic reticulum Ca^{2+}-ATPase **504.P**, 232*P*, 1997
MENON R. A. *see ROLFE V. E., MENON R. A., LINDLEY K. J. & MILLA P. J.* **499.P**, 101*P*, 1997
MENON R. A., ROLFE V. E., LINDLEY K. J., MILLA P. J. & NAFTALIN R. J. A method of measuring amiloride-sensitive fluid transport *in vitro* in human endoscopic colonic biopsies using confocal microscopy **499.P**, 109*P*, 1997
MERCER A. R. *see HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J.* **504.P**, 4*S*, 1997
MERCER J. B.
MERCER J. B., ØSTERUD B. & TVEITA T. Cold as a risk factor for cardiovascular disease **501.P**, 53*P*, 1997
MEREDITH D. *see TEMPLE C. S., MEREDITH D. & BOYD C. A. R.* **505.P**, 110*P*, 1997
MESOTTEN D. *see ERLIJ D., DE SMET P., MESOTTEN D. & VAN DRIESSCHE W.* **504.P**, 140*P*, 1997
MESSENGER J. B. *see LIMA P. A., MESSENGER J. B. & BROWN E. R.* **504.P**, 2*P*, 1997
MESSENGER J. B. Consequences of colour-blindness for cuttlefish camouflage **504.P**, 23*P*, 1997
MÉSZÁROS J.
MÉSZÁROS J., KHANANSHVILI D. & HART G. Arrhythmogenic transient inward current is generated by three ionic mechanisms in single isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **501.P**, 134*P*, 1997
MÉSZÁROS J. & HART G. Ionic current changes in single isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to failure **504.P**, 72*P*, 1997
METCALFE J. C. *see SMITH G. A., KIRSCHENLOHR H. L., GRACE A. A., METCALFE J. C. & VANDENBERG J. I.* **501.P**, 132*P*, 1997
MEYER R. *see GROHÉ C., KAHLERT S., NÜDLING S., VETTER H. & MEYER R.* **504.P**, 71*P*, 1997
MEYER R. & LINZ K. W. The influence of the persisting component of L-type calcium current during action potential of isolated guinea-pig ventricular myocytes on the excitation–contraction coupling **504.P**, 80*P*, 1997
MIALL R. C. *see ROBERTSON E. M. & MIALL R. C.* **501.P**, 38*P*, 1997
see VAN DONKELAAR P., STEIN J. F., PASSINGHAM R. E. & MIALL R. C. **501.P**, 39*P*, 1997
see ROBERTSON E. M. & MIALL R. C. **505.P**, 81*P*, 1997
MIGNEN O.
MIGNEN O., EGÉE S., PENNEC J. P., HARVEY B. J. & THOMAS S. Outward rectifier chloride channels in the basolateral membrane of crypts isolated from mouse distal colon **499.P**, 30*P*, 1997
MIGUEL P. *see CARRASCO G., CRUZ M. A., GALLARDO V., MIGUEL P. & GONZÁLEZ C.* **504.P**, 205*P*, 1997
MIKALA G. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A.* **499.P**, 34*P*, 1997
see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997
see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997
MIKHAILIDIS D. P. *see MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., BRUCKDORFER K. R., MORGAN R. J. & DASHWOOD M. R.* **501.P**, 106*P*, 1997
MIKOSHIBA K.
MIKOSHIBA K. Inositol polyphosphates and Ca^{2+} signalling **499.P**, 6*S*, 1997
MILEY H. E.
MILEY H. E., GRINT R., HOLDEN D., BEST L. & BROWN P. D. Regulatory volume increase in β-cells isolated from the rat pancreas **504.P**, 142*P*, 1997
MILLA P. J. *see ROLFE V. E., MENON R. A., LINDLEY K. J. & MILLA P. J.* **499.P**, 101*P*, 1997
see LINDLEY K. J., KNAFELZ D., ST LOUIS D., DUNNE M. J., AYNSLEY-GREEN A. & MILLA P. J. **499.P**, 108*P*, 1997
see MENON R. A., ROLFE V. E., LINDLEY K. J., MILLA P. J. & NAFTALIN R. J. **499.P**, 109*P*, 1997
see ROLFE V. E., LINDLEY K. J. & MILLA P. J. **504.P**, 152*P*, 1997
MILLAR J. A.
MILLAR J. A. & MATHIE A. The effect of external magnesium ions on the activation kinetics of a standing outward potassium current ($I_{K,so}$) in cultured rat cerebellar granule neurons **504.P**, 170*P*, 1997
MILLAR N. S. *see YAGODIN S., HARDIE R. C., LANSDELL S. J., MILLAR N. S., MASON W. T. & SATTELLE D. B.* **504.P**, 159*P*, 1997
MILLEDGE J. S. *see RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J.* **505.P**, 27*P*, 1997
MILLER D. J. *see WILSON G., MACFARLANE N. G. & MILLER D. J.* **501.P**, 138*P*, 1997
MILLER J. I. A. *see SHATTOCK M. J., MILLER J. I. A., FOREMAN M. A., FORD D. J., BRAY D. G., WALDRON C. B., CHAMBERS D. J. & WARLEY A.* **505.P**, 3*P*, 1997
see SHATTOCK M. J., MILLER J. I. A., BRAY D. G. & WALDRON C. B. **505.P**, 4*P*, 1997
MILLIGAN B. *see ROGERS C. M., MILLIGAN B., NELSON L. & BROWN E. R.* **504.P**, 15*P*, 1997
MILLIGAN B. J.
MILLIGAN B. J., CURTIN N. A. & BONE Q. A thin-slice preparation of cuttlefish mantle muscle for study of contraction **504.P**, 3*P*, 1997
MILLS C. L.
MILLS C. L., BLACKMORE C. G. & GALLACHER D. V. Inositol 1,3,4,5-tetrakisphosphate releases calcium from intracellular stores in permeabilized mouse pancreatic acinar cells **499.P**, 3*P*, 1997
MIN M.-Y. *see ASZTELY F., MIN M.-Y. & KULLMANN D. M.* **504.P**, 181*P*, 1997

Min M.-Y., Kokaia M. & Kullmann D. M. Evidence for a presynaptic contribution to the expression of pairing-induced LTP at medial perforant path synapses on dentate granule cells **504.P**, 181*P*, 1997

Minhas S.

Minhas S., Eardley I. & Morrison J. F. B. Hyperglycaemia impairs endothelium-dependent relaxation and increases noradrenergic contractility in rabbit corpus cavernosal smooth muscle **501.P**, 117*P*, 1997

Missiaen L. *see de Smedt H., Missiaen L., Sienaert I., Parys J. B., Sipma H., Vanlingen S. & Casteels R.* **499.P**, 3*S*, 1997

Mistry S. K. *see Doyle C., Campa J. S., Tribe R. M., Mistry S. K., McLay J. S. & Poston L.* **505.P**, 98*P*, 1997

Mitchell G. S. *see Turner D. L., Henderson D. R. & Mitchell G. S.* **504.P**, 196*P*, 1997

Mitcheson J. S. *see Hancox J. C. & Mitcheson J. S.* **504.P**, 76*P*, 1997

Mitcheson J. S. & Hancox J. C. Action potentials, L-type Ca^{2+} current and delayed rectifier K^+ current recorded from isolated rabbit atrioventricular nodal cells are modulated by the anti-arrhythmic agent mexiletine **504.P**, 89*P*, 1997

Mladenka A. *see Gebeshuber I. C., Mladenka A., Rattay F. & Svrcek-Seiler W. A.* **504.P**, 127*P*, 1997

Mobasheri A.

Mobasheri A., Golding S., Pagakis S. N., Wilkins R. J., Ellory J. C. & Francis M. J. O. Immunolocalization of cation exchanger NHE1 and anion exchanger AE2 isoforms in human bone-derived osteoblasts by confocal microscopy **505.P**, 108*P*, 1997

Mobbs P. *see Bonness V., Whitley K., Becker D. & Mobbs P.* **504.P**, 170*P*, 1997

Moia C. *see Ferretti G., Esposito F., Girardis M., Linnarsson D., Moia C. & Pendergast D. R.* **499.P**, 74*P*, 1997

Molgó J. *see Van der Kloot W., Molgó J. & Naves L. A.* **504.P**, 13*P*, 1997

Momiyama A. *see Silver R. A., Momiyama A. & Cull-Candy S. G.* **501.P**, 14*P*, 1997

Monaghan A. S. *see Litchfield S. J., Monaghan A. S., Kemp P. J., Bovell D., Murphie H. & Olver R. E.* **505.P**, 65*P*, 1997

Monhemius R. *see Li H. S., Monhemius R. & Roberts M. H. T.* **501.P**, 47*P*, 1997

Monhemius R., Li H. S. & Roberts M. H. T. The response of the nucleus reticularis giganto-cellularis pars alpha to noxious stimuli and its role in descending inhibition of lamina V dorsal horn neurones in the rat **501.P**, 47*P*, 1997

Monhemius R., Li H. S. & Roberts M. H. T. The anterior pretectal nucleus modifies dynamically activated descending inhibition mediated by the nucleus reticularis gigantocellularis pars alpha in the rat **504.P**, 101*P*, 1997

Monhemius R., Li H. S. & Roberts M. H. T. Descending influences differentially modulate superficial lamina I and deep multireceptive dorsal horn neurones in the rat **505.P**, 38*P*, 1997

Monkhouse R. *see Ashton N., Gouldsborough I., Monkhouse R., Rossiter S. & Williams B. C.* **505.P**, 100*P*, 1997

Mønster B. *see Marples D., Mønster B., Frøkiaer J., Knepper M. A. & Nielsen S.* **499.P**, 57*P*, 1997

Montgomery I. *see Frigeri A., Nicchia G. P., Valenti G., Montgomery I., Svelto M. & Hutter O. F.* **504.P**, 40*P*, 1997

Moon A.

Moon A., Pickard R. S., Neal D. E. & Gillespie J. I. Contractions and relaxations evoked by nitric oxide in human urinary bladder **499.P**, 35*P*, 1997

Moore D. R. *see Mossop J. E., Versnel H. & Moore D. R.* **504.P**, 215*P*, 1997

Moore D. R., Kotak V. C. & Sanes D. H. Synaptic plasticity of lemniscal and commissural pathways to the gerbil inferior colliculus following contralateral cochlear ablation **504.P**, 216*P*, 1997

Moore E.

Moore E. & Bee D. Effect of ambient temperature on the ventilatory response to hypoxia in chronically hypoxic and normoxic post-neonatal rats **499.P**, 70*P*, 1997

Moore F.

Moore F., Thomson N. C. & McGrath J. C. Activation of AMP-activated protein kinase (AMPK) inhibits a methacholine-induced contraction in bovine bronchial rings **501.P**, 115*P*, 1997

Moosavi S. H.

Moosavi S. H., Catley M., Ellaway P. H., Stokes M. J. & Bradley J. Compound motor-evoked potentials elicited by transcranial magnetic stimulation in man after severe brain damage **501.P**, 44*P*, 1997

Moosavi S. M. S.

Moosavi S. M. S. & Johns E. J. Effect of renal perfusion pressure (RPP) reduction on kidney function and plasma renin activity (PRA) in the anaesthetized rat **499.P**, 60*P*, 1997

Moosavi S. M. S. & Johns E. J. Effect of renal perfusion pressure (RPP) reduction and nerve stimulation on PRA and renal renin and angiotensinogen (Ang) mRNA in the anaesthetized rat **504.P**, 210*P*, 1997

Morgan J. M.

Morgan J. M., Awad S. S., Lamb H. K., Dunlop W. & Gillespie J. I. Expression of the RyR2 isoform of the ryanodine receptor/channel complex in human uterine artery smooth muscle (HUASM) cells **499.P**, 37*P*, 1997

see Hatthachote P., Morgan J. M., Europe-Finner G. N. & Gillespie J. I. **505.P**, 102*P*, 1997

Morgan P. S.

Morgan P. S., Behn E. G. & Imms F. J. Reduction of arterial P_{CO_2} at the onset of syncope in man **505.P**, 28*P*, 1997

Morgan R. J. *see Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Bruckdorfer K. R., Morgan R. J. & Dashwood M. R.* **501.P**, 106*P*, 1997

Mori S. *see Sears T. A., Matsuyama K., Matsui T., Nakajima K., Kuze B. & Mori S.* **505.P**, 5*P*, 1997

see Ford T. W., Matsuyama K., Mori S. & Nakajima K. **505.P**, 85*P*, 1997

Morita H. *see Enriquez-Denton M., Nielsen J. B., Perreault M.-C., Morita H., Petersen N. & Hultborn H.* **501.P**, 40*P*, 1997

Morland A. B. *see Finlay A. L., Jones S. R., Morland A. B. & Ruddock K. H.* **501.P**, 121*P*, 1997

Morley A. R. *see Charlton R. G., Morley A. R., Maskrey P., Neal D. E. & Gillespie J. I.* **505.P**, 101*P*, 1997

Moroz L. L.

Moroz L. L., Mackie G. O. & Meech R. W. The distribution and action of nitric oxide in the jellyfish *Aglantha digitale* (Hydromedusae: Trachylina) **504.P**, 13*P*, 1997

see Gillette R., Moroz L. L. & Robertson J. D. **504.P**, 17*P*, 1997

Moroz L. L., Garden R. W., Moroz T. P., Gillette R. & Sweedler J. V. Single-cell neuropeptide profiling in marine invertebrates by MALDI mass spectrometry **504.P**, 18*P*, 1997

Moroz L. L. & Gillette R. The distribution and functions of NO in invertebrates: significance of feeding ecology and non-enzymatic NO production **504.P**, 3*S*, 1997

Moroz T. P. *see Moroz L. L., Garden R. W., Moroz T. P., Gillette R. & Sweedler J. V.* **504.P**, 18*P*, 1997

Morrell F. *see Geinisman Y., deToledo-Morrell L., Morrell F., Persina I. S. & Van der Zee E. A.* **501.P**, 4*S*, 1997

Morrell M. J. *see Corfield D. R., Roberts C. A., Morrell M. J. & Adams L.* **499.P**, 69*P*, 1997

Morrell M. J., Arabi Y., Zahn B., Dempsey J. A. & Badr M. S. Changes in pharyngeal calibre during breaths preceding obstructive sleep apnoea in humans **499.P**, 69*P*, 1997

Morrell M. J., Browne H. A. K. & Adams L. Ventilatory response to added inspiratory resistance during rapid eye movement sleep in humans **505.P**, 32*P*, 1997

Morris R. *see Thippeswamy T. & Morris R.* **501.P**, 97*P*, 1997

see Suthamnatpong O. & Morris R. **504.P**, 106*P*, 1997

Morris T. J.

Morris T. J., Leake L. D. & Winlow W. Calcium currents in identified *Lymnaea* neurones are depressed by fenchone **504.P**, 21*P*, 1997

Morrison J. F. B. *see Minhas S., Eardley I. & Morrison J. F. B.* **501.P**, 117*P*, 1997

Mossop J. E.

Mossop J. E., Versnel H. & Moore D. R. Rapid expansion of the representation of the ipsilateral ear in the adult ferret primary auditory cortex following ablation of the contralateral cochlea **504.P**, 215*P*, 1997

Motais R. *see Godart H., Motais R. & Ellory J. C.* **499.P**, 30*P*, 1997

Mounfield P. R.

Mounfield P. R. & Robson L. Alanine-induced volume regulatory decrease in single proximal tubule cells isolated from frog kidney **505.P**, 108*P*, 1997

Moyer J. R. Jr *see Disterhoft J. F., Kronforst-Collins M. A., McEchron M. D., Moyer J. R. Jr, Power J. M. & Thompson L. T.* **501.P**, 6*S*, 1997

Mukhopadhyay S.

Mukhopadhyay S., Olver R. E., Fyfe G. K., Dutta-Roy A. & Kemp P. J. G protein-coupled EP_3 receptors in alveolar epithelium regulate perinatal Na^+ homeostasis in the guinea-pig lung **499.P**, 56*P*, 1997

MULHERAN M.

MULHERAN M., RAY D. E. & LISTER T. E. The effects of acute gliovascular lesioning caused by *m*-dinitrobenzene on brainstem function in the rat **505.P**, 54*P*, 1997

MULLANY P.

MULLANY P. & LYNCH M. A. Induction of long-term potentiation *in vivo* in rat dentate gyrus is accompanied by an increase in phosphorylation of receptor tyrosine kinase **501.P**, 87*P*, 1997

MUMTAZ F. H.

MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., BRUCKDORFER K. R., MORGAN R. J. & DASHWOOD M. R. Diabetes mellitus increases nitric oxide synthase binding sites in the rabbit urinary bladder neck: functional implications **501.P**, 106*P*, 1997

MUNEOKA Y. *see PEDDER S. M., MUNEOKA Y. & WALKER R. J.* **504.P**, 19*P*, 1997

MUÑOZ M.

MUÑOZ M., SWEIRY J. H. & MANN G. E. Transport of radiolabelled [^{14}C]monomethyl-L-arginine and [^{3}H]nitro-L-arginine in the isolated perfused rat pancreas: role of nitric oxide synthase in the regulation of vascular tone and secretion **499.P**, 38*P*, 1997

MURAMATSU M. *see MCMURTRY I. F., MURAMATSU M., TYLER R. C., RODMAN D. M. & OKA M.* **499.P**, 11*S*, 1997

MURPHIE H. *see LITCHFIELD S. J., MONAGHAN A. S., KEMP P. J., BOVELL D., MURPHIE H. & OLVER R. E.* **505.P**, 65*P*, 1997

MURPHY K. *see CORFIELD D. R., MURPHY K., JOSEPHS O., FINK G. R., FRACKOWIAK R. S. J., ADAMS L. & TURNER R.* **505.P**, 83*P*, 1997

see WALKER J. N., JONES B. P., DAVEY N. J., MURPHY K. & ELLAWAY P. H. **505.P**, 84*P*, 1997

MURPHY K. P. S. J. *see RICHARDS D. A., MURPHY K. P. S. J. & BLISS T. V. P.* **499.P**, 26*P*, 1997

MURPHY K. P. S. J., REID G. P., CHEPKOVA A., TRENTHAM D. R. & BLISS T. V. P. Associative LTP requires activation of NMDA receptors in area CA1 of rat hippocampal slices **501.P**, 89*P*, 1997

MURPHY L. *see LIVESEY F. J., MURPHY L., LI M., SMITH A. & HUNT S. P.* **501.P**, 98*P*, 1997

MURRAY B. E. *see VIST G. E., MURRAY B. E., FARMER M. R., HENDERSON R. A. & RUMSEY R. D. E.* **504.P**, 150*P*, 1997

MURRAY C. A.

MURRAY C. A. & LYNCH M. A. Impaired ability of aged rats to sustain long-term potentiation may result from increased hippocampal expression of interleukin-1β **501.P**, 87*P*, 1997

MUSIALEK P.

MUSIALEK P., PATERSON D. J. & CASADEI B. Biphasic chronotropic effect of nitric oxide in the isolated guinea-pig sino-atrial node/atrial preparation **501.P**, 125*P*, 1997

MUSIALEK P., PATERSON D. J. & CASADEI B. The chronotropic response to nitric oxide in the isolated guinea-pig atria is not affected by β-adrenergic blockade **504.P**, 83*P*, 1997

MUTUNGI G.

MUTUNGI G. & RANATUNGA K. W. Sarcomere length changes during isometric twitch contractions in mammalian (rat) muscle fibres **504.P**, 39*P*, 1997

MUTUNGI G. & RANATUNGA K. W. Viscous-like resistance to stretch in active mammalian muscle fibres **504.P**, 61*P*, 1997

MYLONA P.

MYLONA P., CLARSON L. H., GREENWOOD S. L. & SIBLEY C. P. Expression of the human heart inwardly rectifying K^+ channel (HH-IRK1) gene in cytotrophoblast cells (CYTS) isolated from human term placenta **499.P**, 64*P*, 1997

MYLONA P., DARVILL A., BRENCHLEY P., CZAPLA K. & KIBBLE J. D. Expression of the human heart inwardly rectifying K^+ channel (HH-IRK1) gene in proximal tubule epithelial cells isolated from human kidney **504.P**, 142*P*, 1997

NADERALI E. K.

NADERALI E. K. & WRAY S. The effects of raised pH on force in isolated rat lung strip **501.P**, 114*P*, 1997

NAFTALIN R. J.

NAFTALIN R. J. The temperature dependence of D-glucose and D-mannose inhibition of L-sorbose exit from human erythrocytes **499.P**, 53*P*, 1997

see MENON R. A., ROLFE V. E., LINDLEY K. J., MILLA P. J. & NAFTALIN R. J. **499.P**, 109*P*, 1997

NAGY G. *see DEÁK F., NAGY G., VÁRNAI P. & SPÄT A.* **501.P**, 31*P*, 1997

NAGYOVA B.

NAGYOVA B. & DORRINGTON K. L. Effect of mercuric chloride ($HgCl_2$) on hydraulic conductance of *in vivo* rabbit lung **505.P**, 23*P*, 1997

NAKAI J. *see BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D.* **504.P**, 11*S*, 1997

NAKAJIMA K. *see SEARS T. A., MATSUYAMA K., MATSUI T., NAKAJIMA K., KUZE B. & MORI S.* **505.P**, 5*P*, 1997

see FORD T. W., MATSUYAMA K., MORI S. & NAKAJIMA K. **505.P**, 85*P*, 1997

NALIVAEVA N. *see CHEKULAEVA U. & NALIVAEVA N.* **499.P**, 41*P*, 1997

NARICI M. V.

NARICI M. V., KAYSER B., BARATTINI P. & CERRETELLI P. The effect of 17-day head-down bedrest on human triceps surae contractile properties **499.P**, 81*P*, 1997

NASEEM K. M. *see MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., BRUCKDORFER K. R., MORGAN R. J. & DASHWOOD M. R.* **501.P**, 106*P*, 1997

NASH G. B. *see RAINGER G. E. & NASH G. B.* **499.P**, 20*P*, 1997

NAVES L. A. *see VAN DER KLOOT W., MOLGÓ J. & NAVES L. A.* **504.P**, 13*P*, 1997

NAZARIAN J. *see HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J.* **505.P**, 49*P*, 1997

NAZIR S. A. *see MEGHJI P., NAZIR S. A., DICK D. J. & LAB M. J.* **501.P**, 127*P*, 1997

NAZIR S. A., MEGHJI P., DICK D. J. & LAB M. J. Electrophysiological effects of regional sustained stretch in the ventricle of the pig heart *in situ* **501.P**, 128*P*, 1997

see STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. **504.P**, 189*P*, 1997

NEAL D. E. *see MASTERS J. G., NEAL D. E. & GILLESPIE J. I.* **499.P**, 34*P*, 1997

see MOON A., PICKARD R. S., NEAL D. E. & GILLESPIE J. I. **499.P**, 35*P*, 1997

see MASTERS J. G., NEAL D. E. & GILLESPIE J. I. **505.P**, 97*P*, 1997

see CHARLTON R. G., MORLEY A. R., MASKREY P., NEAL D. E. & GILLESPIE J. I. **505.P**, 101*P*, 1997

NEAL M. J.

NEAL M. J., CUNNINGHAM J. R. & DENT Z. ATP enhances GABA release from glial cells of the rat retina **505.P**, 46*P*, 1997

NEAL M. J., CUNNINGHAM J. R. & MATTHEWS K. L. Light-evoked release of nitric oxide (NO) from the rabbit retina **505.P**, 61*P*, 1997

NEEDHAM D. *see OLBRICH K. C., NEEDHAM D., EVANS E. & HUTTER O. F.* **504.P**, 40*P*, 1997

NELSON L. *see ROGERS C. M., MILLIGAN B., NELSON L. & BROWN E. R.* **504.P**, 15*P*, 1997

NELSON P. G. *see JIA M., LI M. X. & NELSON P. G.* **504.P**, 213*P*, 1997

NÉMET K. *see GIESZT M., KAPUS A., NÉMET K., FARKAS L. & LIGETI E.* **501.P**, 83*P*, 1997

NEVILL A. M. *see GREEVES J. P., CABLE N. T., NEVILL A. M. & KINGSLAND C.* **501.P**, 170*P*, 1997

NEWMAN S. *see BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F.* **504.P**, 77*P*, 1997

NEWTON J. L. *see JORDAN N., NEWTON J. L., PEARSON J. P. & ALLEN A.* **499.P**, 103*P*, 1997

NG Y.

NG Y., ASHLEY Z., COX V. & GOLDSPINK D. The use of dynamic training to transform the phenotypic properties of the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997

NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F. Localization of isoprenaline induced damage in myocytes of striated muscle **504.P**, 74*P*, 1997

see ASHLEY Z., NG Y. & GOLDSPINK D. **504.P**, 228*P*, 1997

NGUYEN H. T. *see BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D.* **504.P**, 11*S*, 1997

NGUYEN L. T.

NGUYEN L. T., STEPHENSON D. G. & STEPHENSON G. M. M. Correlation between the ability to respond to T-system depolarization and the glycogen content of mechanically skinned fibres of the cane toad **505.P**, 89*P*, 1997

NICCHIA G. P. *see FRIGERI A., NICCHIA G. P., VALENTI G., MONTGOMERY I., SVELTO M. & HUTTER O. F.* **504.P**, 40*P*, 1997

NICHOLS C. G.

NICHOLS C. G. Molecular physiology of inwardly rectifying K^+ channels **504.P**, 11*S*, 1997

Nicholson W. A. P. *see* Johnson A. D., Elder H. Y., Nicholson W. A. P. & McGuigan J. A. S. **505.P**, 92*P*, 1997

Nicoll D. A. *see* Philipson K. D., Nicoll D. A., He Z., Doering A. & Hilgemann D. W. **504.P**, 9*S*, 1997

Nicolova L. I. *see* Kurochkin I. N., Nicolova L. I., Barsegov V. A., Sergeeva M. G. & Sukhomlin T. K. **499.P**, 41*P*, 1997

Nielsen J. B. *see* Enriquez-Denton M., Nielsen J. B., Perreault M.-C., Morita H., Petersen N. & Hultborn H. **501.P**, 40*P*, 1997

Nielsen O. B. *see* Overgaard K., Nielsen O. B., Flatman J. A. & Clausen T. **504.P**, 231*P*, 1997

Nielsen O. B. Changes in fibre water and Na^+, K^+ contents during hyposmotic treatment and excitation in rat soleus muscle **504.P**, 232*P*, 1997

Nielsen S. *see* Marples D., Mønster B., Frøkiaer J., Knepper M. A. & Nielsen S. **499.P**, 57*P*, 1997

Nielsen S. The aquaporin family of water channels **505.P**, 3*S*, 1997

Nikmaram M. R. *see* Boyett M. R., Kodama I., Honjo H., Yamamoto M., Uzzerman M., Nikmaram M. R. & Niwa R. **504.P**, 70*P*, 1997

Nilsen S. *see* Chapman P. F., Irizarri M. C., Nilsen S., Hyman B. T. & Hsiao K. K. **501.P**, 95*P*, 1997

Nimmo M. A. *see* Maxwell N. S. & Nimmo M. A. **499.P**, 76*P*, 1997

Nitz G. *see* Spitzer K. W., Steadman B., Nitz G. & Levi A. J. **504.P**, 61*P*, 1997

Niu X. W.

Niu X. W. & Meech R. W. ATP modulation of dwell-time kinetics of K_{ATP} channels in isolated guinea-pig ventricular myocytes **499.P**, 128*P*, 1997

Niu X. W. & Meech R. W. Spermine inhibition of K_{ATP} channel activity in guinea-pig ventricular myocytes **504.P**, 48*P*, 1997

Niwa R. *see* Boyett M. R., Kodama I., Honjo H., Yamamoto M., Uzzerman M., Nikmaram M. R. & Niwa R. **504.P**, 70*P*, 1997

Nixon G. F. *see* Bruce L. & Nixon G. F. **499.P**, 6*P*, 1997

Noakes D. E. *see* Hawkins P., Crowe C., Calder N. A., Saito T., Ozaki T., Stratford L. L., Noakes D. E. & Hanson M. A. **505.P**, 18*P*, 1997

Noble K. H. *see* Bhandari S., Noble K. H. & Hunter M. **504.P**, 144*P*, 1997

Noble M. I. M. *see* Mansaray M., Belcher P., Wright Z., Hynd J. & Noble M. I. M. **501.P**, 124*P*, 1997

see van der Vusse G. J., Dubelaar M. L., Seymour A.-M., Bonen A., Drake-Holland A. J. & Noble M. I. M. **501.P**, 124*P*, 1997

see Wright Z. M., Drake-Holland A. J., Hynd J., Mansaray M. & Noble M. I. M. **504.P**, 188*P*, 1997

Noble P. J. *see* Higham A. D., Noble P. J., Thompson D. G. & Dockray G. J. **499.P**, 104*P*, 1997

Noble P.-J. M.

Noble P.-J. M., Higham A. D., Dimaline R. & Dockray G. J. Factors controlling immediate-early gene expression in rat gastric corpus mucosa **499.P**, 122*P*, 1997

Nolan P. *see* Roe S., Nolan P., O'Regan R. G. & McNicholas W. T. **501.P**, 63*P*, 1997

Nolan P., Langdon M. G. & O'Regan R. G. Cardiorespiratory responses to upper airway negative pressure in the decerebrate rabbit **501.P**, 80*P*, 1997

Normann R. A. *see* Rousche P. J. & Normann R. A. **499.P**, 87*P*, 1997

North R. A.

North R. A. ATP-gated cation channels **504.P**, 12*S*, 1997

Novotni J. *see* Herget J., Wilhelm J., Novotni J. & Bacikovi L. **499.P**, 10*S*, 1997

Nüdling S. *see* Grohé C., Kahlert S., Nüdling S., Vetter H. & Meyer R. **504.P**, 71*P*, 1997

Nunn P. *see* Reichel A., Chishty M., Begley D. J., Nunn P. & Abbott N. J. **505.P**, 48*P*, 1997

Nurse C. A.

Nurse C. A., Jackson A., Macintyre L. & Vollmer C. Mechanisms of adaptation of cultured rat carotid body chemoreceptors to chronic hypoxia *in vitro* **499.P**, 15*S*, 1997

Nusser Z.

Nusser Z., Cull-Candy S. & Farrant M. Postsynaptic $GABA_A$ receptor occupancy depends on receptor number at synapses on stellate cells in the rat cerebellum **501.P**, 10*P*, 1997

Nye P. C. G. *see* Stewart L. M., Guz A. & Nye P. C. G. **501.P**, 58*P*, 1997

see Heinert G., Nye P. C. G. & Paterson D. J. **501.P**, 66*P*, 1997

Nzegwu H. C.

Nzegwu H. C. & Levin R. J. Tachykinin NK-2 receptor antagonist MEN 10,627 selectively inhibits fluid secretion induced by luminal enterotoxin *E. coli* STa in the rat intestine *in vivo* **499.P**, 100*P*, 1997

Oatridge A. *see* Holdcroft A., Oatridge A., Hajnal J. V. & Bydder G. M. **499.P**, 79*P*, 1997

see Thomas A., Wilson J. A., Bose D., Oatridge A., Bydder G., Holdcroft A. & Forsling M. **505.P**, 14*P*, 1997

O'Boyle D. J. *see* Khudados E., Cody F. W. J. & O'Boyle D. J. **501.P**, 44*P*, 1997

see Zia S., Cody F. W. J. & O'Boyle D. J. **504.P**, 117*P*, 1997

see Al-Attar Z., O'Boyle D. J. & Cody F. W. J. **504.P**, 118*P*, 1997

O'Boyle K. M. *see* Fanning P. & O'Boyle K. M. **501.P**, 171*P*, 1997

O'Brien J. *see* Lumb B. M., O'Brien J. & Hunt S. P. **505.P**, 40*P*, 1997

O'Brien T. K. *see* Band D. M., Jonas M. M., Linton N. W. F., Linton R. A. F. & O'Brien T. K. **505.P**, 5*P*, 1997

O'Connell D. P. *see* Halligan C. P., O'Connell D. P. & Harvey B. J. **499.P**, 6*P*, 1997

O'Connor J. J. *see* Coogan A., O'Neill L. A. J. & O'Connor J. J. **501.P**, 86*P*, 1997

see O'Leary D. M. & O'Connor J. J. **501.P**, 90*P*, 1997

Ödblom M. *see* Chrachri A., Ödblom M., Farley S. R. & Williamson R. **504.P**, 11*P*, 1997

Ödblom M. P.

Ödblom M. P., Williamson R. & Jones M. B. Calcium currents in cardiac myocytes of squid *Alloteuthis subulata*, *Loligo forbesii* and *L. vulgaris* **504.P**, 21*P*, 1997

Ogden J. M.

Ogden J. M., Lindsay K. A. & Rosenberg J. R. Construction of complete equivalent cables for passive dendritic trees of arbitrary geometry and their application to the analysis of voltage transients **501.P**, 32*P*, 1997

Ogilvie J.

Ogilvie J. & Clarke R. W. Changes in a hindlimb withdrawal reflex in anaesthetized rabbits undergoing surgical preparation for acute electrophysiological experiments **499.P**, 93*P*, 1997

see Wigglesworth M., Appleby L., Ogilvie J. & Clarke R. W. **504.P**, 104*P*, 1997

see Bhandari R. N. B., Ogilvie J. & Clarke R. W. **504.P**, 107*P*, 1997

see Simpson D., Ogilvie J. & Clarke R. W. **505.P**, 36*P*, 1997

O'Gorman R. *see* Baker G. F., O'Gorman R. & Baker P. **499.P**, 51*P*, 1997

Ogura T. *see* Beam K. G., Nakai J., Dirksen R. T., Ogura T., Protasi F., Nguyen H. T., Pessah I. N., Franzini-Armstrong C. & Allen P. D. **504.P**, 11*S*, 1997

Ohsuga K. *see* Matsumura S., Kuwasawa K., Hill R. B. & Ohsuga K. **504.P**, 24*P*, 1997

Oka M. *see* McMurtry I. F., Muramatsu M., Tyler R. C., Rodman D. M. & Oka M. **499.P**, 11*S*, 1997

Olbrich K. C.

Olbrich K. C., Needham D., Evans E. & Hutter O. F. Water permeability of sarcolemmal vesicles from mammalian skeletal muscle measured by pipette aspiration **504.P**, 40*P*, 1997

O'Leary D. M.

O'Leary D. M. & O'Connor J. J. Potentation of synaptic transmission in the rat dentate gyrus *in vitro* by the type I metabotropic glutamate receptor agonist (*S*)-3,5-dihydroxyphenylglycine (DHPG) **501.P**, 90*P*, 1997

Oliva C. *see* Debnam E. S., Unwin R. J., Marks J. & Oliva C. **504.P**, 141*P*, 1997

Olver R. E. *see* Clunes M. T., Olver R. E. & Kemp P. J. **499.P**, 36*P*, 1997

see Mukhopadhyay S., Olver R. E., Fyfe G. K., Dutta-Roy A. & Kemp P. J. **499.P**, 56*P*, 1997

see Baines D. L., Bingle C. D., Yuan H., Kemp P. J. & Olver R. E. **501.P**, 63*P*, 1997

see Clunes M. T., Kemp P. J. & Olver R. E. **505.P**, 33*P*, 1997

see Litchfield S. J., Monaghan A. S., Kemp P. J., Bovell D., Murphie H. & Olver R. E. **505.P**, 65*P*, 1997

see Clunes M. T., Olver R. E. & Kemp P. J. **505.P**, 66*P*, 1997

O'Neill L. A. J. *see* Coogan A., O'Neill L. A. J. & O'Connor J. J. **501.P**, 86*P*, 1997

O'Neill S. C. *see* Díaz M. E., Trafford A. W., O'Neill S. C. & Eisner D. A. **501.P**, 132*P*, 1997

see Overend C. L., O'Neill S. C. & Eisner D. A. **504.P**, 82*P*, 1997

Orchard C. H. *see* Pascarel C., Cazorla O., Le Guennec J.-Y., Orchard C. H. & White E. **501.P**, 130*P*, 1997

see Owen J. M., Hulme J. T., Leach R., Findlay J. B. C., Hopkins P., Boyett M. R. & Orchard C. H. **504.P**, 77*P*, 1997

see Hussain M., Orchard C. H. & Colyer J. **504.P**, 79*P*, 1997

see HULME J. T. & ORCHARD C. H. **504.P**, 81*P*, 1997
see HUSSAIN M. & ORCHARD C. H. **504.P**, 90*P*, 1997
see KAWAI M., STEELE D. & ORCHARD C. H. **504.P**, 93*P*, 1997
O'REGAN R. G. *see* SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. **499.P**, 71*P*, 1997
see ROE S., NOLAN P., O'REGAN R. G. & MCNICHOLAS W. T. **501.P**, 63*P*, 1997
see NOLAN P., LANGDON M. G. & O'REGAN R. G. **501.P**, 80*P*, 1997
see LYNCH F., SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. **505.P**, 32*P*, 1997
ORNSTEIN P. *see* PROCTER M. J., CHIZH B. A., ORNSTEIN P., LODGE D. & HEADLEY P. M. **504.P**, 101*P*, 1997
O'ROURKE J. F. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997
ORTEGA B. *see* BEESLEY A. H., ORTEGA B., PARKER A. J., HORNBY D. & WHITE S. J. **505.P**, 115*P*, 1997
OSBORNE M. H.
OSBORNE M. H. & MACPHEE P. J. A subpopulation of fenestrated vasa recta (VR) in the rat renal papilla closely associated with collecting ducts (CD) may enhance solute and fluid exchange **501.P**, 164*P*, 1997
OSHIMA T.
OSHIMA T., ROSSI D. & ATTWELL D. Calcium-independent release of glutamate in simulated ischaemia, sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices **504.P**, 173*P*, 1997
ØSTERUD B. *see* MERCER J. B., ØSTERUD B. & TVEITA T. **501.P**, 53*P*, 1997
OTUN H. A. *see* WOOD P. G., OTUN H. A. & GILLESPIE J. I. **499.P**, 36*P*, 1997
see MAHDY Z., OTUN H. A., DUNLOP W., GREENWELL J. R. & GILLESPIE J. I. **504.P**, 191*P*, 1997
OVEREND C. L.
OVEREND C. L., O'NEILL S. C. & EISNER D. A. Tetracaine only transiently inhibits contractions of rat isolated ventricular myocytes **504.P**, 82*P*, 1997
OVERGAARD K.
OVERGAARD K., NIELSEN O. B., FLATMAN J. A. & CLAUSEN T. Na^+–K^+ pump stimulation induces recovery of M-wave and tetanic force in rat soleus muscles at reduced Na^+/K^+ gradients **504.P**, 231*P*, 1997
OWEN J. M. *see* LEACH R., QUINN C., OWEN J. M., FINDLAY J. B. C. & BOYETT M. R. **499.P**, 130*P*, 1997
OWEN J. M., HULME J. T., LEACH R., FINDLAY J. B. C., HOPKINS P., BOYETT M. R. & ORCHARD C. H. Comparison of the effects of acidosis on the transient outward K^+ current in ferret ventricular myocytes and a cloned transient outward K^+ channel, FK1, from ferret ventricle **504.P**, 77*P*, 1997
OZAKI T. *see* HAWKINS P., CROWE C., CALDER N. A., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **505.P**, 18*P*, 1997
OZAKI T., HAWKINS P., CROWE C., HANSON M. A. & POSTON L. Effects of mild nutritional restriction in early pregnancy on pregnant sheep resistance vessel responses to endogenous vasoactive agents *in vitro* **505.P**, 99*P*, 1997
OZCELIK O.
OZCELIK O., WARD S. A. & WHIPP B. J. Avoiding 'pseudo lactate thresholds' from pulmonary gas exchange indices during incremental exercise **505.P**, 31*P*, 1997
ÖZTAŞ B.
ÖZTAŞ B., KAYA M. & KÜÇÜK M. Influence of hypoosmolality on the blood–brain barrier permeability during epileptic seizures **505.P**, 57*P*, 1997
OZYENER F. *see* CUNNINGHAM D. A., ST CROIX C., PATERSON D. H., OZYENER F. & WHIPP B. J. **501.P**, 59*P*, 1997
PABBATHI V. *see* HOBAI I. A., HOWARTH F. C., PABBATHI V., DALTON G., HANCOX J. C., DOGGRELL S. A. & LEVI A. J. **501.P**, 139*P*, 1997
PAGAKIS S. N. *see* MOBASHERI A., GOLDING S., PAGAKIS S. N., WILKINS R. J., ELLORY J. C. & FRANCIS M. J. O. **505.P**, 108*P*, 1997
PAGANGA G. *see* HOBBY K. R., DEBNAM E. S., SRAI S. K. S., PAGANGA G. & RICE-EVANS C. **504.P**, 152*P*, 1997
PAGE K. M. *see* STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. **504.P**, 50*P*, 1997
see STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. **504.P**, 157*P*, 1997
PAGLIARO P. *see* GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & PENNA C. **501.P**, 67*P*, 1997
PALAZZO M. G. A. *see* STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. **504.P**, 189*P*, 1997
PALEČEK J. *see* HNÍK P., VEJSADA R. & PALEČEK J. **504.P**, 168*P*, 1997
PALLOT D. *see* DRAPER C. E., SINGH J., PALLOT D. & ADEGHATE E. A. **501.P**, 155*P*, 1997
PALMER A. C. V. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A. **499.P**, 34*P*, 1997
see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997
see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C. **501.P**, 146*P*, 1997
PANDYA H. *see* SNETKOV V. A., PANDYA H. & WARD J. P. T. **499.P**, 68*P*, 1997
PAPPAS C. A.
PAPPAS C. A. & RITCHIE J. M. The role of ion channels in Schwann cell proliferation **501.P**, 19*P*, 1997
see RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W. **504.P**, 166*P*, 1997
PARIENTE J. A. *see* JUMA L. M. O., SINGH J., SALIDO G. M., PARIENTE J. A., TAPIA J. A. & ADEGHATE E. **501.P**, 156*P*, 1997
PARKER A. J. *see* BEESLEY A. H., ORTEGA B., PARKER A. J., HORNBY D. & WHITE S. J. **505.P**, 115*P*, 1997
PARKER L. C. *see* CODY F. W. J., HENLEY N. C., PARKER L. C. & TURNER G. R. **504.P**, 119*P*, 1997
PARKES M. J. *see* BODEN A. G., PARKES M. J. & HARRIS M. C. **501.P**, 57*P*, 1997
see BODEN A. G., PARKES M. J. & HARRIS M. C. **504.P**, 203*P*, 1997
PARRINGTON J. *see* SWANN K., PARRINGTON J., GALIONE A., SHEVCHENKO V. & LAI F. A. **499.P**, 4*S*, 1997
PARRY G. *see* TARASENKO A. N., HOLDEN K., CORRIS P., PARRY G., DUNLOP W. & GILLESPIE J. I. **504.P**, 158*P*, 1997
PARYS J. B. *see* DE SMEDT H., MISSIAEN L., SIENAERT I., PARYS J. B., SIPMA H., VANLINGEN S. & CASTEELS R. **499.P**, 3*S*, 1997
PASCAREL C.
PASCAREL C., CAZORLA O., LE GUENNEC J.-Y., ORCHARD C. H. & WHITE E. The effect of the venom of the Chilli Rose Tarantula *Phrixotrichus spatulatus* on the L-type Ca^{2+} current in isolated guinea-pig ventricular myocytes **501.P**, 130*P*, 1997
PASSINGHAM R. E. *see* VAN DONKELAAR P., STEIN J. F., PASSINGHAM R. E. & MIALL R. C. **501.P**, 39*P*, 1997
PATERSON D. H. *see* CUNNINGHAM D. A., ST CROIX C., PATERSON D. H., OZYENER F. & WHIPP B. J. **501.P**, 59*P*, 1997
see LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. **501.P**, 68*P*, 1997
see PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. **501.P**, 68*P*, 1997
PATERSON D. J. *see* HEINERT G., NYE P. C. G. & PATERSON D. J. **501.P**, 66*P*, 1997
see MUSIALEK P., PATERSON D. J. & CASADEI B. **501.P**, 125*P*, 1997
see SEARS C. E., CHOATE J. K. & PATERSON D. J. **501.P**, 126*P*, 1997
see MUSIALEK P., PATERSON D. J. & CASADEI B. **504.P**, 83*P*, 1997
see THORNTON J. M. & PATERSON D. J. **504.P**, 90*P*, 1997
see HOGAN N. A., CASADEI B. & PATERSON D. J. **505.P**, 19*P*, 1997
see THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J. **505.P**, 29*P*, 1997
PATON J. F. R. *see* BUTCHER J. W. & PATON J. F. R. **501.P**, 73*P*, 1997
see KASPAROV S. & PATON J. F. R. **501.P**, 74*P*, 1997
PATON J. F. R. Evidence for a role of tachykinin NK_1 receptors in mediating synaptic inputs from left ventricular vagal receptors to neurones within the nucleus of the solitary tract (NTS) of mice **501.P**, 75*P*, 1997
see CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **504.P**, 56*P*, 1997
see KASPAROV S. & PATON J. F. R. **504.P**, 196*P*, 1997
see SILVA-CARVALHO L., PATON J. F. R., ROCHA I., GOLDSMITH G. E. & SPYER K. M. **504.P**, 198*P*, 1997
see CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **504.P**, 199*P*, 1997
PATON J. F. R. Cardiorespiratory afferent convergence onto solitary tract neurones driven synaptically by pulmonary C-fibres in a working heart–brainstem preparation of mouse **504.P**, 199*P*, 1997
see ALSOP S., BHATIA A. & PATON J. F. R. **504.P**, 200*P*, 1997
see BUTCHER J. W., DE FELIPE C., SMITH A. J. H., HUNT S. & PATON J. F. R. **504.P**, 200*P*, 1997
see EDWARDS E. & PATON J. F. R. **504.P**, 201*P*, 1997
see KASPAROV S. & PATON J. F. R. **504.P**, 23*S*, 1997
PATT S. *see* HARTMANN J., LABRAKAKIS CH., KIRCHHOFF F., PATT S. & KETTENMANN H. **501.P**, 21*P*, 1997
PAWELZIK H. M.
PAWELZIK H. M., DEUCHARS J. & THOMSON A. M. Single axon IPSPs generated in pyramidal cells by basket and bistratified interneurones in rat hippocampal slices are enhanced by pentobarbitone **501.P**, 10*P*, 1997

PEAKMAN T. *see* *XIE X. M., DALE T., PEAKMAN T. & CLARE J.* **504.P**, 154*P*, 1997

PEARSON H. A. *see* *HELD B. & PEARSON H. A.* **501.P**, 18*P*, 1997

see *PRICE S. A. & PEARSON H. A.* **501.P**, 28*P*, 1997

PEARSON J. P. *see* *JORDAN N., NEWTON J. L., PEARSON J. P. & ALLEN A.* **499.P**, 103*P*, 1997

PEDDER S. M.

PEDDER S. M., MUNEOKA Y. & WALKER R. J. The effects of pQPPLPRYamide on identified central neurones of *Helix aspersa* **504.P**, 19*P*, 1997

PEDERSEN M. E. F.

PEDERSEN M. E. F., DORRINGTON K. L. & ROBBINS P. A. Modulation of ventilatory sensitivity to hypoxia by dopamine and domperidone before and after prolonged exposure to hypoxia in humans **505.P**, 26*P*, 1997

PEDERSON D. L. *see* *THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J.* **505.P**, 29*P*, 1997

PEDIANI J. D. *see* *WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D.* **505.P**, 64*P*, 1997

PEERS C. *see* *FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., PEERS C., MIKALA G. & SCHWARTZ A.* **499.P**, 34*P*, 1997

PEERS C. A comparison of O_2-sensitive K^+ currents in chronically hypoxic and immature normoxic rat type I carotid body cells **499.P**, 14*S*, 1997

see *CARPENTER E. & PEERS C.* **501.P**, 60*P*, 1997

see *HATTON C. J. & PEERS C.* **501.P**, 60*P*, 1997

see *FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C.* **501.P**, 146*P*, 1997

see *FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., MIKALA G., SCHWARTZ A. & PEERS C.* **501.P**, 146*P*, 1997

see *WADE J. A., PEERS C. & VAUGHAN P. F. T.* **504.P**, 207*P*, 1997

PEIRO J. *see* *SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L.* **504.P**, 44*P*, 1997

PELHATE M. *see* *LAPIED B., STANKIEWICZ M., GROLLEAU F. & PELHATE M.* **504.P**, 27*P*, 1997

PENDERGAST D. R. *see* *FERRETTI G., ESPOSITO F., GIRARDIS M., LINNARSSON D., MOIA C. & PENDERGAST D. R.* **499.P**, 74*P*, 1997

PENNA C. *see* *GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & PENNA C.* **501.P**, 67*P*, 1997

PENNEC J. P. *see* *MIGNEN O., EGÉE S., PENNEC J. P., HARVEY B. J. & THOMAS S.* **499.P**, 30*P*, 1997

PEPPER D. R. *see* *CONWAY A. F., PEPPER D. R. & KUMAR P.* **504.P**, 201*P*, 1997

PEPPER D. R. & KUMAR P. Inhibition of adult rat carotid body type I cell K^+ currents by combined hypoxic and acidotic stimuli **504.P**, 202*P*, 1997

PERL E. R.

PERL E. R., DJOUHRI L. & LAWSON S. N. Intracellular recordings from dorsal root ganglion (DRG) neurones in the anaesthetized guinea-pig to allow comparisons of afferent receptive and cytochemical properties **504.P**, 58*P*, 1997

see *BAO J., LI J. & PERL E. R.* **504.P**, 175*P*, 1997

PERREAULT M.-C. *see* *ENRIQUEZ-DENTON M., NIELSEN J. B., PERREAULT M.-C., MORITA H., PETERSEN N. & HULTBORN H.* **501.P**, 40*P*, 1997

PERRY E. *see* *WOOD N., TÖRÖK K., LEAKE A., LLOYD S., COURT J., PERRY R. & PERRY E.* **499.P**, 42*P*, 1997

PERRY R. *see* *WOOD N., TÖRÖK K., LEAKE A., LLOYD S., COURT J., PERRY R. & PERRY E.* **499.P**, 42*P*, 1997

PERSINA I. S. *see* *GEINISMAN Y., DETOLEDO-MORRELL L., MORRELL F., PERSINA I. S. & VAN DER ZEE E. A.* **501.P**, 4*S*, 1997

PESSAH I. N. *see* *BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D.* **504.P**, 11*S*, 1997

PETERSEN N. *see* *ENRIQUEZ-DENTON M., NIELSEN J. B., PERREAULT M.-C., MORITA H., PETERSEN N. & HULTBORN H.* **501.P**, 40*P*, 1997

PETRELLA R. J.

PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Left ventricular filling as a determinant of gas exchange kinetics **501.P**, 68*P*, 1997

PHANEUF S. *see* *ASBÓTH G., PHANEUF S. & LÓPEZ BERNAL A.* **499.P**, 44*P*, 1997

PHILIPSON K. D.

PHILIPSON K. D., NICOLL D. A., HE Z., DOERING A. & HILGEMANN D. W. Molecular regulation of the Na^+–Ca^{2+} exchanger **504.P**, 9*S*, 1997

PHILLIPS J. K.

PHILLIPS J. K., MCLEAN A. J. & HILL C. E. Correlation of receptor mRNA expression with mechanisms of constriction in small arteries of the rat hepatic mesentery **504.P**, 189*P*, 1997

PHILLIPS S. K. *see* *MANSELL S., PHILLIPS S. K. & RUTHERFORD O. M.* **499.P**, 83*P*, 1997

PHUL R. K.

PHUL R. K. & SMITH M. E. *N*-methyl-D-aspartate (NMDA) receptors in the ventral horn in C57BL/6J normal and dystrophic mice *in vitro* **504.P**, 213*P*, 1997

PICKARD R. S. *see* *MOON A., PICKARD R. S., NEAL D. E. & GILLESPIE J. I.* **499.P**, 35*P*, 1997

PIERREFICHE O.

PIERREFICHE O. & RICHTER D. W. Modulation of Ca^{2+} and Ca^{2+}-dependent conductances in mammalian respiratory neurones **504.P**, 25*S*, 1997

PIÑA-CRESPO J.

PIÑA-CRESPO J. & GIBB A. J. Ifenprodil selectively reduces the open probability of high conductance NMDA channels in dentate gyrus granule cells from 0-day-old rats **504.P**, 52*P*, 1997

PINCHES E. M.

PINCHES E. M., BAKER S. N. & LEMON R. N. Quantitative assessment of phase locking in discharge of identified pyramidal tract neurones during 25 Hz oscillations in monkey motor cortex **501.P**, 36*P*, 1997

PINELIS V. *see* *VERGUN O., STOROZHEVIKH T., VINSKAYA N., PINELIS V. & KHODOROV B.* **504.P**, 53*P*, 1997

PIPER A. S.

PIPER A. S., YEATS J. C. & DOCHERTY R. J. Use-dependent outward rectification of capsaicin-activated current in adult rat dorsal root ganglion neurones in culture **499.P**, 14*P*, 1997

PIPER A. S. & DOCHERTY R. J. Calcineurin inhibition prevents development of outward rectification of capsaicin-activated current in adult rat dorsal root ganglion (DRG) neurones in culture **505.P**, 40*P*, 1997

PITMAN R. M. *see* *LE CORRONC H., HUE B. & PITMAN R. M.* **504.P**, 27*P*, 1997

PITMAN R. M., DAVID J. A., PROTHERO L. S. & BUTT S. J. B. Modulation of ligand-gated ion channel function in insect neurones **504.P**, 4*S*, 1997

PITT J.

PITT J., BOULOS P. B., HENRY M. M. & CRAGGS M. D. The effect of α-adrenoceptor blockade on the anal canal pressure profile in people with anal fissures **499.P**, 78*P*, 1997

PITTET J.-F. *see* *MCELROY M. C., HARTY H. R., BOYLAN G. M., MARKS P., PITTET J.-F. & FOSTER T. J.* **501.P**, 61*P*, 1997

PLAT F. M. *see* *DUYSENS J., BURGERS L., PLAT F. M., SCHILLINGS A. M., VAN WEZEL B. M. H. & KREMER H. P. H.* **504.P**, 18*S*, 1997

POITRY-YAMATE C. L. *see* *VÉGA C., JIROUNEK P., POITRY-YAMATE C. L., TSACOPOULOS M. & COLES J. A.* **501.P**, 27*P*, 1997

POMFRETT C. J. D.

POMFRETT C. J. D. & AUSTIN A. R. Bovine spongiform encephalopathy (BSE) disrupts heart rate variability (HRV) **501.P**, 69*P*, 1997

see *WOODALL A. J., MCCROHAN C. R. & POMFRETT C. J. D.* **504.P**, 23*P*, 1997

POSTINA R.

POSTINA R., GIMPL G., BURGER K. & FAHRENHOLZ F. Neurohypophysial hormone receptors: the high-affinity ligand binding state requires both an optimized binding site and cholesterol **505.P**, 2*S*, 1997

POSTON L. *see* *SIMPKIN J. C., KERMANI F., CAMPA J. S., LINTON E. A. & POSTON L.* **499.P**, 8*P*, 1997

see *DOYLE C., CAMPA J. S., TRIBE R. M., MISTRY S. K., MCLAY J. S. & POSTON L.* **505.P**, 98*P*, 1997

see *OZAKI T., HAWKINS P., CROWE C., HANSON M. A. & POSTON L.* **505.P**, 99*P*, 1997

see *GERBER R. T. & POSTON L.* **505.P**, 99*P*, 1997

POTIER B. *see* *BILLARD J. M., JOUVENCEAU A., POTIER B., LAMOUR Y. & DUTAR P.* **501.P**, 3*S*, 1997

POTTS D. J. *see* *AHMAD N., LODGE J. P. A. & POTTS D. J.* **505.P**, 114*P*, 1997

POULIN M. J.

POULIN M. J. & ROBBINS P. A. Role of cerebral blood flow changes in hypoxic ventilatory decline in humans **501.P**, 66*P*, 1997

POULIN M. J., LIANG P.-J. & ROBBINS P. A. Dynamics of the cerebral blood flow response to step decreases in end-tidal P_{CO_2} in humans **505.P**, 22*P*, 1997

see *TANSLEY J. G., FATEMIAN M., POULIN M. J. & ROBBINS P. A.* **505.P**, 25*P*, 1997

POW D. V. *see* *STEWART W., POW D. V. & MAXWELL D. J.* **505.P**, 37*P*, 1997

POWELL T. *see* *WRIGHT A. R., REES S. A. & POWELL T.* **501.P**, 130*P*, 1997

see *WRIGHT A. R., REES S. A. & POWELL T.* **504.P**, 45*P*, 1997

see *WRIGHT A. R., REES S. A. & POWELL T.* **504.P**, 71*P*, 1997

POWER J. M. *see* *DISTERHOFT J. F., KRONFORST-COLLINS M. A., MCECHRON M. D., MOYER J. R. JR, POWER J. M. & THOMPSON L. T.* **501.P**, 6*S*, 1997

PRICE D. *see* VITALIS T., CASES O., CALLEBERT J., PRICE D., SEIF I. & GASPAR P. **501.P**, 104*P*, 1997

PRICE D. J. *see* EDGAR J. M. & PRICE D. J. **501.P**, 103*P*, 1997

PRICE N. T. *see* HALESTRAP A. P., JACKSON V. N., PRICE N. T., WILSON M. & HEDDLE C. **504.P**, 13*S*, 1997

PRICE S. A.

PRICE S. A. & PEARSON H. A. The effects of amyloid β protein (1–40) on calcium channel currents in cultured rat cerebellar granule neurones **501.P**, 28*P*, 1997

PRIEST R. M.

PRIEST R. M. & WARD J. P. T. Forskolin-induced relaxation of isolated large and small pulmonary arteries from chronically hypoxic rats **499.P**, 68*P*, 1997

see HUCKS D., PRIEST R. M. & WARD J. P. T. **505.P**, 101*P*, 1997

PRIESTLEY J. V. *see* BRADBURY E. J., BENNETT D. L. H., KING V., PRIESTLEY J. V. & MCMAHON S. B. **501.P**, 48*P*, 1997

PROCTER M. J.

PROCTER M. J., CHIZH B. A., ORNSTEIN P., LODGE D. & HEADLEY P. M. Possible role of GluR5 glutamate receptors in spinal nociceptive processing in the anaesthetized rat **504.P**, 101*P*, 1997

ŘPROKOPOVÁ S. *see* SYKOVÁ E., VARGOVÁ L. & ŘPROKOPOVÁ S. **504.P**, 168*P*, 1997

PROKS P.

PROKS P. & ASHCROFT F. M. Phentolamine block of ATP-sensitive K^+ channels does not involve interaction with the sulphonylurea receptor, SUR1 **504.P**, 155*P*, 1997

PROTASI F. *see* BEAM K. G., NAKAI J., DIRKSEN R. T., OGURA T., PROTASI F., NGUYEN H. T., PESSAH I. N., FRANZINI-ARMSTRONG C. & ALLEN P. D. **504.P**, 11*S*, 1997

PROTHERO L. S. *see* PITMAN R. M., DAVID J. A., PROTHERO L. S. & BUTT S. J. B. **504.P**, 4*S*, 1997

PUGH C. W. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997

PUVI-RAJASINGHAM S. *see* AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J. **505.P**, 18*P*, 1997

PYNER S.

PYNER S. & COOTE J. H. The organization of the PVN projection to the RVLM and sympathetic preganglionic neurones in the spinal cord of the rat **501.P**, 82*P*, 1997

QAZZAZ M.

QAZZAZ M. & WINLOW W. Volatile anaesthetics and barbiturates have differential effects on time constant and input capacitance of identified molluscan neurones **504.P**, 16*P*, 1997

QUAYLE J. M. *see* WELLMAN G. C., QUAYLE J. M., EVERITT D. E. & STANDEN N. B. **499.P**, 11*P*, 1997

QUINN C. *see* LEACH R., QUINN C., OWEN J. M., FINDLAY J. B. C. & BOYETT M. R. **499.P**, 130*P*, 1997

QUINN K.

QUINN K. & BEECH D. J. Large conductance K^+ channels in smooth muscle cells embedded in rabbit cerebral cortex arterioles **501.P**, 109*P*, 1997

QUINN T. *see* RYAN J. P., QUINN T. & LEEK B. F. **501.P**, 160*P*, 1997

QUIRKE V. M.

QUIRKE V. M. Novel aspects in the history of penicillin **505.P**, 68*P*, 1997

RADAELLI G. *see* BERARDINELLI P., MARTELLI A., RADAELLI G., ROWLERSON A. & SCAPOLO P.-A. **504.P**, 14*P*, 1997

RAINGER G. E.

RAINGER G. E. & NASH G. B. Rolling neutrophils are precisely localized by reacting rapidly to signals (IL-8 and PAF) presented on the surface of endothelial cells **499.P**, 20*P*, 1997

RAKIĆ LJ.M. *see* REDŽIĆ Z. B., SEGAL M. B., MARKOVIĆ I. D., GASIĆ J. M., VIDOVIĆ V. & RAKIĆ LJ.M. **505.P**, 48*P*, 1997

RAMAGE A. G. *see* KNOWLES I. D., ALPER R. H. & RAMAGE A. G. **501.P**, 71*P*, 1997

see SKINNER M. R., RAMAGE A. G. & JORDAN D. **501.P**, 72*P*, 1997

see SKINNER M. R., RAMAGE A. G. & JORDAN D. **504.P**, 197*P*, 1997

RANATUNGA K. W. *see* MUTUNGI G. & RANATUNGA K. W. **504.P**, 39*P*, 1997

see MUTUNGI G. & RANATUNGA K. W. **504.P**, 61*P*, 1997

RANATUNGA K. W. Laser temperature jump experiments on mammalian (rat) cardiac muscle fibres **504.P**, 62*P*, 1997

RANDALL A. D. *see* MELLOR J. R. & RANDALL A. D. **499.P**, 27*P*, 1997

see WEBB A. V., MELLOR J. R., GRANT A. & RANDALL A. D. **501.P**, 20*P*, 1997

see MCNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. **501.P**, 23*P*, 1997

RANDALL A. D., MCNAUGHTON N. C. L. & AMOS W. B. Two-photon excitation imaging of living mammalian tissue slices and cultured cells *in vitro* **501.P**, 29*P*, 1997

see MCNAUGHTON N. C. L., BLEAKMAN D. & RANDALL A. D. **504.P**, 161*P*, 1997

see MELLOR J. R., JONES A., WISDEN W. & RANDALL A. D. **504.P**, 178*P*, 1997

RANDICH A.

RANDICH A. Cardiovascular/nociceptive interplay: afferents and brainstem nuclei **505.P**, 9*S*, 1997

RANKIN A. *see* MACFARLANE N. G., RANKIN A. & MCINTOSH M. A. **501.P**, 138*P*, 1997

RANSON R. N.

RANSON R. N. & COOTE J. H. Anatomic evidence for a vasopressin input to sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **501.P**, 78*P*, 1997

RATCLIFFE P. J.

RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. Oxygen-regulated gene expression in mammalian cells **499.P**, 13*S*, 1997

RATHBONE K. *see* BARNES G. R., RATHBONE K. & SIRA M. **504.P**, 113*P*, 1997

RATTAY F. *see* GEBESHUBER I. C., MLADENKA A., RATTAY F. & SVRCEK-SEILER W. A. **504.P**, 127*P*, 1997

RATTRAY M. *see* HOWD A. G., KIRVELL S. L., RATTRAY M. & BUTT A. M. **501.P**, 22*P*, 1997

see HOWD A. G., RATTRAY M. & BUTT A. M. **505.P**, 46*P*, 1997

RAWLINS J. N. P.

RAWLINS J. N. P. Sensory gating in schizophrenia **504.P**, 18*S*, 1997

RAY D. E. *see* MULHERAN M., RAY D. E. & LISTER T. E. **505.P**, 54*P*, 1997

RAYNER D. V.

RAYNER D. V., ANDERSON C., DALGLIESH G., DUNCAN J. S., HARDIE L. J. & TRAYHURN P. Postnatal development of the leptin system in rats **499.P**, 123*P*, 1997

REDFORD E. J.

REDFORD E. J., KAPOOR R. & SMITH K. J. Nitric oxide donors cause a reversible block of conduction in rat central and peripheral demyelinated axons **499.P**, 13*P*, 1997

REDGRAVE P.

REDGRAVE P. Do the discriminative and affective qualities of pain have separate influences on pain behaviour mediated by rat superior colliculus? **505.P**, 6*S*, 1997

REDMOND N. M. *see* BUSH B. M. H., BUTLER D., REDMOND N. M., WESTPHELY H., WHITLOCK T. & BATEMAN A. **504.P**, 63*P*, 1997

REDŽIĆ Z. B.

REDŽIĆ Z. B., SEGAL M. B., MARKOVIĆ I. D., GASIĆ J. M., VIDOVIĆ V. & RAKIĆ LJ.M. The transport of nucleosides across the perfused choroid plexus of the sheep **505.P**, 48*P*, 1997

REEH P. W. *see* VYKLICKÝ L., KNOTKOVÁ-URBANCOVÁ H., VITÁSKOVÁ Z., VLACHOVÁ V., KRESS M. & REEH P. W. **504.P**, 177*P*, 1997

REES S. A. *see* WRIGHT A. R., REES S. A. & POWELL T. **501.P**, 130*P*, 1997

see WRIGHT A. R., REES S. A. & POWELL T. **504.P**, 45*P*, 1997

see WRIGHT A. R., REES S. A. & POWELL T. **504.P**, 71*P*, 1997

REEVE-CHEN Z. D.

REEVE-CHEN Z. D. & ABBOTT N. J. Glial factors increase the functional activity of P-glycoprotein in immortalized rat brain endothelial cells (RBE4) **505.P**, 55*P*, 1997

REEVES K. A. *see* YEW S. F., REEVES K. A. & WOODWARD B. **504.P**, 80*P*, 1997

REGINA A.

REGINA A., KOMAN A., CENTER M. S., COURAUD P. O. & ROUX F. Multidrug resistance-associated protein and P-glycoprotein expression in rat brain microvessel endothelial cells **505.P**, 57*P*, 1997

REICHEL A.

REICHEL A., BEGLEY D. J. & ABBOTT N. J. Structural requirements of phenylglycine derivatives for affinity to the L-system transporter at the blood–brain barrier **501.P**, 30*P*, 1997

see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **501.P**, 31*P*, 1997

REICHEL A., CHISHTY M., BEGLEY D. J., NUNN P. & ABBOTT N. J. Carrier-mediated transport of *S*-adenosylmethionine across the blood–brain barrier *in vitro* **505.P**, 48*P*, 1997

see CHISHTY M., REICHEL A., BEGLEY D. J. & ABBOTT N. J. **505.P**, 55*P*, 1997

REID B.
REID B. & BEWICK G. S. Synaptic vesicle recycle time and releasable pool size in motor nerve terminals of rat fast- and slow-twitch muscles **499.P**, 28*P*, 1997

REID G. P. *see* MURPHY K. P. S. J., REID G. P., CHEPKOVA A., TRENTHAM D. R. & BLISS T. V. P. **501.P**, 89*P*, 1997

REID J. M. *see* JOHNSON C. D., HILLIER K., REID J. M., RUSHTON P. & BORMAN R. A. **499.P**, 107*P*, 1997

REISERT J.
REISERT J. & MATTHEWS H. R. Effects of sodium removal on the oscillatory response to prolonged stimulation in frog olfactory receptor cells **499.P**, 88*P*, 1997
REISERT J. & MATTHEWS H. R. Evidence implicating a Na^+–Ca^{2+} exchanger in response recovery in isolated frog olfactory receptor cells **504.P**, 125*P*, 1997

REITH C. A.
REITH C. A. & SILLAR K. T. A possible role for slow, NMDA receptor-mediated, 5-HT-dependent intrinsic membrane potential oscillations in the control of fast fictive swimming in *Xenopus laevis* tadpoles **504.P**, 14*P*, 1997

RELLE C. *see* FRY C. H., RELLE C., BIRNS J. & COOKLIN M. **501.P**, 113*P*, 1997

REN X.
REN X. & ROBBINS P. A. Ventilatory responses to hypoxia and hypercapnia after passive hyperventilation in humans **505.P**, 27*P*, 1997

RENNIE M. J. *see* KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. **501.P**, 127*P*, 1997
see KHOGALI S. E. O., LYALL J. A., HARPER A. A. & RENNIE M. J. **501.P**, 137*P*, 1997

REYMANN K. G. *see* BEHNISCH T., WILSCH V., JAEGER T., REYMANN K. G. & BALSCHUN D. **501.P**, 99*P*, 1997
see MANAHAN-VAUGHAN D. & REYMANN K. G. **501.P**, 100*P*, 1997
see SZINYEI C., BEHNISCH T. & REYMANN K. G. **504.P**, 218*P*, 1997

RIBARIC S.
RIBARIC S., FREESTONE N. S. & MASON W. T. A comparison of calcium transients derived from electrically stimulated, adult rat ventricular and atrial myocytes in the presence and absence of isoprenaline **499.P**, 31*P*, 1997
see FREESTONE N. S., RIBARIC S. & MASON W. T. **499.P**, 32*P*, 1997

RIBCHESTER R. R. *see* THOMSON D., HADDOW L. & RIBCHESTER R. R. **504.P**, 216*P*, 1997

RICCARDI D.
RICCARDI D. & HEBERT S. C. Neomycin and gentamicin act as agonists at the extracellular Ca^{2+}-sensing receptor isolated from rat kidney **504.P**, 139*P*, 1997

RICE-EVANS C. *see* HOBBY K. R., DEBNAM E. S., SRAI S. K. S., PAGANGA G. & RICE-EVANS C. **504.P**, 152*P*, 1997

RICHARDS C. D. *see* MATHIE A. & RICHARDS C. D. **499.P**, 18*P*, 1997
see SMITHERAM B., CHAPMAN H., RICHARDS C. D. & WANN K. T. **499.P**, 132*P*, 1997

RICHARDS D. A.
RICHARDS D. A., MURPHY K. P. S. J. & BLISS T. V. P. Blockade of induction and expression of LTP in area CA1 of the rat hippocampal slice by inhibitors of arachidonic acid production **499.P**, 26*P*, 1997

RICHARDSON A. J. *see* FRANCE S. J., HANSEN P. C., ROSNER B. S., RICHARDSON A. J. & STEIN J. F. **504.P**, 131*P*, 1997

RICHARDSON C. M.
RICHARDSON C. M. & WAKERLEY J. B. Glutamate-induced activity in oxytocin neurones *in vitro* is principally mediated via non-NMDA receptors **504.P**, 222*P*, 1997

RICHTER D. W. *see* PIERREFICHE O. & RICHTER D. W. **504.P**, 25*S*, 1997

RICHTER S. *see* BERNHARDT I., RICHTER S., HAMANN J. & KUMMEROW D. **504.P**, 135*P*, 1997

RIDDELL J. S. *see* MAXWELL D. J., RIDDELL J. S. & JANKOWSKA E. **501.P**, 40*P*, 1997

RIDGE R. M. A. P. *see* HATTAM V., WILSON C. & RIDGE R. M. A. P. **504.P**, 226*P*, 1997

RIGG L.
RIGG L. & TERRAR D. A. The effect of ryanodine on the delayed rectifier potassium current in single cells isolated from the guinea-pig sino-atrial node **501.P**, 139*P*, 1997

RITCHIE J. M. *see* PAPPAS C. A. & RITCHIE J. M. **501.P**, 19*P*, 1997
see RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W. **504.P**, 166*P*, 1997

RIVOLTA M. N.
RIVOLTA M. N., GRIX N., LAWLOR P. & HOLLEY M. C. Conditional expression of the α9 acetylcholine receptor subunit in immortalized cell lines from the mouse cochlea **504.P**, 126*P*, 1997
see LAWLOR P., RIVOLTA M. N. & HOLLEY M. C. **504.P**, 128*P*, 1997

ROBBINS J. *see* BOWDEN S. E. H. & ROBBINS J. **499.P**, 13*P*, 1997

ROBBINS P. A. *see* CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A. **499.P**, 118*P*, 1997
ROBBINS P. A. Ventilatory acclimatization to altitude: alterations in respiratory control and associated mechanisms **499.P**, 14*S*, 1997
see POULIN M. J. & ROBBINS P. A. **501.P**, 66*P*, 1997
see POULIN M. J., LIANG P.-J. & ROBBINS P. A. **505.P**, 22*P*, 1997
see CLAR C., DORRINGTON K. L. & ROBBINS P. A. **505.P**, 25*P*, 1997
see TANSLEY J. G., FATEMIAN M., POULIN M. J. & ROBBINS P. A. **505.P**, 25*P*, 1997
see PEDERSEN M. E. F., DORRINGTON K. L. & ROBBINS P. A. **505.P**, 26*P*, 1997
see REN X. & ROBBINS P. A. **505.P**, 27*P*, 1997
see FATEMIAN M. & ROBBINS P. A. **505.P**, 28*P*, 1997

ROBERTS A. *see* YOSHIDA M., ROBERTS A. & SOFFE S. R. **504.P**, 117*P*, 1997
see WOLF E., ZHAO F.-Y. & ROBERTS A. **504.P**, 182*P*, 1997
see ZHAO F.-Y., WOLF E. & ROBERTS A. **504.P**, 182*P*, 1997

ROBERTS C. A. *see* CORFIELD D. R., ROBERTS C. A., MORRELL M. J. & ADAMS L. **499.P**, 69*P*, 1997
see SPEAKE P. F., ROBERTS C. A. & GIBSON J. S. **501.P**, 154*P*, 1997

ROBERTS M. H. T. *see* LI H. S., MONHEMIUS R. & ROBERTS M. H. T. **501.P**, 47*P*, 1997
see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **501.P**, 47*P*, 1997
see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **504.P**, 101*P*, 1997
see MONHEMIUS R., LI H. S. & ROBERTS M. H. T. **505.P**, 38*P*, 1997

ROBERTSON E. M.
ROBERTSON E. M. & MIALL R. C. Neurons in the lateral cerebellum of a monkey (*Macaca mulatta*) code for a particular visuomotor task but not for the motor command **501.P**, 38*P*, 1997
ROBERTSON E. M. & MIALL R. C. Extraction of kinematic-based information during motor learning **505.P**, 81*P*, 1997

ROBERTSON J. D. *see* GILLETTE R., MOROZ L. L. & ROBERTSON J. D. **504.P**, 17*P*, 1997

ROBERTSON S. J.
ROBERTSON S. J. & EDWARDS F. A. ATP is not a co-transmitter with glutamate at synapses of the rat medial habenula **501.P**, 11*P*, 1997

ROBINSON J. *see* HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M. **505.P**, 88*P*, 1997

ROBINSON K. A.
ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J. Analysis of the function of wild-type murine CFTR stably expressed in CHO cells **499.P**, 59*P*, 1997
ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., WAINWRIGHT B. J. & SHEPPARD D. N. Analysis of the regulation of murine CFTR Cl^- channels expressed in CHO cells **504.P**, 143*P*, 1997

ROBINSON T. M.
ROBINSON T. M., SEWELL D. A., HULTMAN E. & GREENHAFF P. L. The effect of creatine and carbohydrate ingestion on muscle creatine and glycogen accumulation following glycogen-depleting exercise in man **499.P**, 74*P*, 1997

ROBITAILLE R. *see* CHARLTON M. P., GEORGIOU J., JAHROMI B. & ROBITAILLE R. **504.P**, 5*S*, 1997

ROBSON A. G.
ROBSON A. G. & KULIKOWSKI J. J. Human visual-evoked potentials reflect isolation of the blue-cone pathway **499.P**, 86*P*, 1997

ROBSON L.
ROBSON L. & HUNTER M. Identification of a cation non-selective channel in the basolateral membrane of single proximal tubule cells isolated from frog kidney **499.P**, 56*P*, 1997
ROBSON L. & HUNTER M. Alanine uptake regulates a volume-sensitive, Ca^{2+}-permeable conductance in single proximal tubule cells isolated from frog kidney **504.P**, 138*P*, 1997
see MOUNFIELD P. R. & ROBSON L. **505.P**, 108*P*, 1997

ROCHA I.
ROCHA I., BURNSTOCK G. & SPYER K. M. The effect of electrical and chemical stimulation of brainstem areas on bladder function in the rat **504.P**, 110*P*, 1997

see SILVA-CARVALHO L., PATON J. F. R., ROCHA I., GOLDSMITH G. E. & SPYER K. M. **504.P**, 198*P*, 1997

ROCHFORD J. J.

ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J. Insulin regulation of glycogen synthase kinase 3 in cultured human myoblasts **499.P**, 44*P*, 1997

RODMAN D. M. *see* MCMURTRY I. F., MURAMATSU M., TYLER R. C., RODMAN D. M. & OKA M. **499.P**, 11*S*, 1997

RODRIGO G. C. *see* LAWRENCE C. & RODRIGO G. C. **504.P**, 78*P*, 1997

RODRIGO G. C. & LAWRENCE C. The relationship between $[Na^+]_i$ and $[K^+]_i$ during Ca^{2+} depletion in guinea-pig and rat ventricular myocytes **504.P**, 79*P*, 1997

ROE S.

ROE S., NOLAN P., O'REGAN R. G. & MCNICHOLAS W. T. The effect of prolonged changes in blood gases and pH on performance and fatigue in the upper airway muscles of the anaesthetized rat **501.P**, 63*P*, 1997

ROGERS C. M.

ROGERS C. M., MILLIGAN B., NELSON L. & BROWN E. R. Different excitation–contraction (EC) coupling mechanisms in squid and cuttlefish mantle muscle **504.P**, 15*P*, 1997

ROGERS M. D.

ROGERS M. D., HARDCASTLE J., HARDCASTLE P. T. & GRUNDY D. The effect of erythromycin on jejunal motility and ion transport in the anaesthetized rat **504.P**, 146*P*, 1997

ROJAS A. M. *see* DEVÉS R., ANGELO S. & ROJAS A. M. **499.P**, 20*S*, 1997

ROJAS A. M. & DEVÉS R. Mammalian amino acid transport system y^+ revisited: specificity and cation dependence of the interaction with neutral amino acids **504.P**, 137*P*, 1997

ROKYTA R.

ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠT'ASTNÁ H., STEINEROVÁ A. & YAMAMOTO A. Biochemical changes in a rat model of neuropathic pain **504.P**, 104*P*, 1997

ROLFE V. E.

ROLFE V. E., MENON R. A., LINDLEY K. J. & MILLA P. J. Metronidazole inhibits transport changes associated with inflammation in the mouse colon *in vivo* and *in vitro* **499.P**, 101*P*, 1997

see MENON R. A., ROLFE V. E., LINDLEY K. J., MILLA P. J. & NAFTALIN R. J. **499.P**, 109*P*, 1997

ROLFE V. E., LINDLEY K. J. & MILLA P. J. Stimulation of cyclic GMP production in Caco-2 colonocytes by a nitric oxide substrate and donor **504.P**, 152*P*, 1997

ROLLINSON C.

ROLLINSON C. & ABBOTT N. J. Comparison of the phenotype of immortalized brain endothelial cells (RBE4) with *in situ* brain endothelium: a lectin and antibody study **505.P**, 54*P*, 1997

see DOLMAN D. E. M., ANDERSON P., ROLLINSON C. & ABBOTT N. J. **505.P**, 56*P*, 1997

ROSENBERG J. R. *see* OGDEN J. M., LINDSAY K. A. & ROSENBERG J. R. **501.P**, 32*P*, 1997

see HALLIDAY D. M., CONWAY B. A., SHAHANI U., RUSSELL A., FARMER S. F., WEIR A. I. & ROSENBERG J. R. **501.P**, 38*P*, 1997

see CONWAY B. A., BISWAS P., HALLIDAY D. M., FARMER S. F. & ROSENBERG J. R. **501.P**, 48*P*, 1997

ROSENBERG M. E. *see* RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J. **505.P**, 27*P*, 1997

ROSENBERG M. E. New pictures for the archive **505.P**, 70*P*, 1997

ROSNER B. S. *see* FRANCE S. J., HANSEN P. C., ROSNER B. S., RICHARDSON A. J. & STEIN J. F. **504.P**, 131*P*, 1997

ROSSI D. *see* OSHIMA T., ROSSI D. & ATTWELL D. **504.P**, 173*P*, 1997

ROSSI D. J.

ROSSI D. J. & HAMANN M. Spillover: a possible mechanism underlying differences between spontaneous and evoked IPSCs in granule cells in rat cerebellar slices **501.P**, 12*P*, 1997

see HAMANN M. & ROSSI D. J. **501.P**, 13*P*, 1997

ROSSI P. *see* D'ANGELO E., ROSSI P. & TAGLETTI V. **501.P**, 91*P*, 1997

ROSSITER S. *see* ASHTON N., GOULDSBOROUGH I., MONKHOUSE R., ROSSITER S. & WILLIAMS B. C. **505.P**, 100*P*, 1997

ROSSOKHIN A. V. *see* BERRETTA N., CHERUBINI E., ROSSOKHIN A. V. & VORONIN L. L. **504.P**, 180*P*, 1997

ROSTRON J. *see* JAKOBSON M. E. & ROSTRON J. **505.P**, 2*P*, 1997

ROTHWELL J. C. *see* HAMDY S., ROTHWELL J. C., AZIZ Q., SINGH K. D. & THOMPSON D. G. **504.P**, 114*P*, 1997

see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N., EBERLE L. & ROTHWELL J. C. **504.P**, 115*P*, 1997

ROUSCHE P. J.

ROUSCHE P. J. & NORMANN R. A. Chronic intracortical microstimulation of cat auditory cortex using a 100 penetrating electrode array **499.P**, 87*P*, 1997

ROUX F. *see* REGINA A., KOMAN A., CENTER M. S., COURAUD P. O. & ROUX F. **505.P**, 57*P*, 1997

ROWAN M. J. *see* WANG Y., ROWAN M. J. & ANWYL R. **501.P**, 90*P*, 1997

see XU L., ANWYL R. & ROWAN M. J. **501.P**, 92*P*, 1997

see HÖLSCHER C., ANWYL R. & ROWAN M. J. **501.P**, 93*P*, 1997

see HUANG L., ROWAN M. J. & ANWYL R. **501.P**, 99*P*, 1997

see WU J., WANG Y., ANWYL R. & ROWAN M. J. **501.P**, 102*P*, 1997

ROWE D. M.

ROWE D. M. & DENTON E. J. Reflective communication in schooling fish **504.P**, 4*P*, 1997

ROWLAND M. *see* COLLETT A., SIMS E., ROWLAND M. & WARHURST G. **499.P**, 110*P*, 1997

ROWLERSON A. M. *see* DONGA R., TAYLOR A., SCOTT J. J. A., HODGE P., ROWLERSON A. M., KEMP N. & SATOH Y. **505.P**, 77*P*, 1997

ROWLERSON A. *see* BERARDINELLI P., MARTELLI A., RADAELLI G., ROWLERSON A. & SCAPOLO P.-A. **504.P**, 14*P*, 1997

ROY R. *see* CHANDRA A., ROY R., LANE J. M. & FITZSIMONS J. T. **501.P**, 166*P*, 1997

ROZOV A.

ROZOV A., ZILBERTER Y., WOLLMUTH L. & BURNASHEV N. Relief from intracellular polyamine block underlies activity-dependent facilitation of currents through Ca^{2+}-permeable AMPAR channels **501.P**, 18*P*, 1997

RUANE T.

RUANE T., SNOW M., MARKOS F. & HALL W. J. A comparative study of the heart rate responses to vagal stimulation in the pharmacologically denervated heart of the mini-pig and the dog **501.P**, 69*P*, 1997

RUDDOCK K. H. *see* FINLAY A. L., JONES S. R., MORLAND A. B. & RUDDOCK K. H. **501.P**, 121*P*, 1997

RUEST L. *see* WILLIAMS A. J., RUEST L., WELCH W. & SUTKO J. **499.P**, 17*P*, 1997

see TANNA B., RUEST L., WELCH W., SUTKO J. & WILLIAMS A. J. **504.P**, 163*P*, 1997

RUIZ E. *see* CONNOLLY C., ABDULLAH K., CAWLEY T., RUIZ E. & DOCHERTY J. R. **501.P**, 107*P*, 1997

RULL G. K.

RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J. Ammonium chloride, P_{CO_2} and oxygenation at simulated high altitude in man **505.P**, 27*P*, 1997

RUMSEY R. D. E. *see* VIST G. E., LEIPER J. B., MAUGHAN R. J. & RUMSEY R. D. E. **499.P**, 78*P*, 1997

see SHAFAT A. & RUMSEY R. D. E. **504.P**, 150*P*, 1997

see VIST G. E., MURRAY B. E., FARMER M. R., HENDERSON R. A. & RUMSEY R. D. E. **504.P**, 150*P*, 1997

RUSHTON J. A.

RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W. Growth control and differentiation in clonally derived rat Schwann cells and Schwann cell progenitors **504.P**, 166*P*, 1997

RUSHTON P. *see* JOHNSON C. D., HILLIER K., REID J. M., RUSHTON P. & BORMAN R. A. **499.P**, 107*P*, 1997

RUSSELL A. *see* HALLIDAY D. M., CONWAY B. A., SHAHANI U., RUSSELL A., FARMER S. F., WEIR A. I. & ROSENBERG J. R. **501.P**, 38*P*, 1997

RUSSELL J. A. *see* DOUGLAS A. J., HILL N. & RUSSELL J. A. **505.P**, 10*P*, 1997

see DOI N. & RUSSELL J. A. **505.P**, 11*P*, 1997

RUTHERFORD N. G. *see* HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., MCDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R. **499.P**, 52*P*, 1997

RUTHERFORD O. M. *see* MANSELL S., PHILLIPS S. K. & RUTHERFORD O. M. **499.P**, 83*P*, 1997

RYAN J. P.

RYAN J. P., QUINN T. & LEEK B. F. Initial effects of *Yucca shidigera* extract and high strength yeast culture on ovine ruminal fermentation of hay *in vitro* **501.P**, 160*P*, 1997

SADOWSKI J.

SADOWSKI J., KOMPANOWSKA-JEZIERSKA E., DOBROWOLSKI L., WALKOWSKA A. & BADZYŃSKA B. Renal medullary ion content (tissue admittance) during spontaneous variations of medullary blood flow in the rat: data from simultaneous recording **505.P**, 111*P*, 1997

SAGE S. O. *see* JENNER S., SAGE S. O. & FARNDALE R. W. **499.P**, 36*P*, 1997

Saha S. *see* Corbett E. K. A., Batten T. F. C., Saha S. & McWilliam P. N. **501.P**, 75*P*, 1997

St Croix C. *see* Cunningham D. A., St Croix C., Paterson D. H., Ozyener F. & Whipp B. J. **501.P**, 59*P*, 1997

St Louis D. *see* Lindley K. J., Knafelz D., St Louis D., Dunne M. J., Aynsley-Green A. & Milla P. J. **499.P**, 108*P*, 1997

Saito T. *see* Hawkins P., Crowe C., Calder N. A., Saito T., Ozaki T., Stratford L. L., Noakes D. E. & Hanson M. A. **505.P**, 18*P*, 1997

Salamut W. *see* Rull G. K., Salamut W., Stephens R. D. M., Wolff C. B., Rosenberg M. E., Milledge J. S. & Collier D. J. **505.P**, 27*P*, 1997

Salido G. M. *see* Juma L. M. O., Singh J., Salido G. M., Pariente J. A., Tapia J. A. & Adeghate E. **501.P**, 156*P*, 1997

see Juma L. M. O., Singh J., Adeghate E., Salido G. M. & Tapia J. A. **504.P**, 34*P*, 1997

Salter K. J. *see* Bakhramov A., Hartley S. A., Salter K. J. & Kozlowski R. Z. **499.P**, 129*P*, 1997

Samoilova M. V. *see* Magazanik L. G., Buldakova S. A., Samoilova M. V., Mellor I. R. & Usherwood P. N. R. **501.P**, 17*P*, 1997

Samuel S. J. *see* Jung C. Y., Liu H., Shi Y. & Samuel S. J. **499.P**, 22*S*, 1997

Sanders D. J. *see* Bal R., Janahmadi M., Green G. G. R. & Sanders D. J. **499.P**, 131*P*, 1997

see Bal R., Janahmadi M., Green G. G. R. & Sanders D. J. **499.P**, 132*P*, 1997

see Janahmadi M., Bal R., Sanders D. J. & Green G. G. R. **499.P**, 132*P*, 1997

Sanderson N. M. *see* Henderson P. J. F., Martin G. E. M., Litherland G. J., McDonald T. P., Steel A., Rutherford N. G., Sanderson N. M., Ward A. & Walmsley A. R. **499.P**, 52*P*, 1997

Sandow S. L.

Sandow S. L. & Hill C. E. A developmental study of the sympathetic innervation of rat iris arterioles **505.P**, 100*P*, 1997

Sanes D. H. *see* Moore D. R., Kotak V. C. & Sanes D. H. **504.P**, 216*P*, 1997

Sansom M. S. P. *see* Smith G. R., Adcock C. & Sansom M. S. P. **504.P**, 158*P*, 1997

Sanusi J.

Sanusi J., Greensmith L., Lowrie M. B. & Vrbová G. L-DOPA increases motoneurone death following axotomy in postnatal rats **504.P**, 214*P*, 1997

Sargeant A. J. *see* Ball D., Burrows C. & Sargeant A. J. **499.P**, 75*P*, 1997

Satoh Y. *see* Donga R., Taylor A., Scott J. J. A., Hodge P., Rowlerson A. M., Kemp N. & Satoh Y. **505.P**, 77*P*, 1997

Sattelle D. B. *see* Yagodin S., Hardie R. C., Lansdell S. J., Millar N. S., Mason W. T. & Sattelle D. B. **504.P**, 159*P*, 1997

see Yagodin S., Hoyland J., Mason W. T. & Sattelle D. B. **504.P**, 160*P*, 1997

Saumarez R. C. *see* Grace A. A., Vandenberg J. I., Zinkin M. P., Lowe M. D., Taylor P. J., Ward D. E., Camm A. J. & Saumarez R. C. **501.P**, 129*P*, 1997

Savic G. *see* Smith H. C., Davey N. J., Maskill D. W., Savic G. & Ellaway P. H. **501.P**, 43*P*, 1997

Scaccianoce S. *see* Angelucci L., Casolini P. & Scaccianoce S. **501.P**, 8*S*, 1997

Scapolo P.-A. *see* Berardinelli P., Martelli A., Radaelli G., Rowlerson A. & Scapolo P.-A. **504.P**, 14*P*, 1997

Scarfone E. *see* Chan E., Ulfendahl M. & Scarfone E. **504.P**, 129*P*, 1997

Scheid P.

Scheid P. & Shams H. Birds over Mount Everest: extreme hypoxia tolerance **499.P**, 9*S*, 1997

Schillings A. M. *see* Duysens J., Burgers L., Plat F. M., Schillings A. M., van Wezel B. M. H. & Kremer H. P. H. **504.P**, 18*S*, 1997

Schoner W. *see* Ward D. G., Schoner W. & Cavieres J. D. **499.P**, 25*P*, 1997

Schwartz A. *see* Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Peers C., Mikala G. & Schwartz A. **499.P**, 34*P*, 1997

see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C. **501.P**, 146*P*, 1997

see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Mikala G., Schwartz A. & Peers C. **501.P**, 146*P*, 1997

Schwiening C. J.

Schwiening C. J. The effects of intracellular eosin B on depolarization-induced pH changes in isolated snail neurones **501.P**, 151*P*, 1997

Scott J. J. A. *see* Donga R., Taylor A., Scott J. J. A., Hodge P., Rowlerson A. M., Kemp N. & Satoh Y. **505.P**, 77*P*, 1997

Sear M. A. *see* Campbell R., Sear M. A., Wormald L. S., Kendrick A. H. & Laszlo G. **504.P**, 209*P*, 1997

Sears C. E.

Sears C. E., Choate J. K. & Paterson D. J. Effect of nifedipine on the rate response to vagal stimulation following inhibition of nitric oxide in the isolated guinea-pig atria **501.P**, 126*P*, 1997

Sears T. A.

Sears T. A. Breathing and the inferior olive **504.P**, 26*S*, 1997

Sears T. A., Matsuyama K., Matsui T., Nakajima K., Kuze B. & Mori S. Hopping evoked by electrical stimulation in the mesencephalon of the acute decerebrate rabbit **505.P**, 5*P*, 1997

see Banks D. & Sears T. A. **505.P**, 8*P*, 1997

Sears T. A. & Seers C. P. The central expiratory drive to vagal cardiac pre-ganglionic neurones in the anaesthetized cat **505.P**, 22*P*, 1997

Seddon A. B. *see* Angel A., Furniss D., Goldstein D. J. & Seddon A. B. **499.P**, 46*P*, 1997

Seers C. P. *see* Sears T. A. & Seers C. P. **505.P**, 22*P*, 1997

Segal M. B. *see* Smart K. A., Sherwood R., Segal M. B. & Alexander B. **501.P**, 161*P*, 1997

see Redžić Z. B., Segal M. B., Marković I. D., Gasić J. M., Vidović V. & Rakić Lj.M. **505.P**, 48*P*, 1997

see Smart K. A., Segal M. B. & Alexander B. **505.P**, 52*P*, 1997

Seif I. *see* Lebrand C., Upton L., Cases O., Blakely R., Seif I. & Gaspar P. **501.P**, 94*P*, 1997

see Vitalis T., Cases O., Callebert J., Price D., Seif I. & Gaspar P. **501.P**, 104*P*, 1997

Sejersted O. M. *see* Semb S. O., Lunde P. K., Holt E., Tønnessen T. & Sejersted O. M. **504.P**, 88*P*, 1997

see Holt E., Sjaastad I, Christensen G. & Sejersted O. M. **504.P**, 94*P*, 1997

Semb S. O.

Semb S. O., Lunde P. K., Holt E., Tønnessen T. & Sejersted O. M. Reduced Na^+ pump capacity in cardiomyocytes from rats with congestive heart failure due to myocardial infarction **504.P**, 88*P*, 1997

Sergeant G.

Sergeant G., Cotton K. D., Thornbury K. D., McHale N. G. & Hollywood M. A. The inhibitory effect of 5-HT on isolated sheep lymphatic vessels is blocked by penitrem A **501.P**, 116*P*, 1997

Sergeeva M. G. *see* Kurochkin I. N., Nicolova L. I., Barsegov V. A., Sergeeva M. G. & Sukhomlin T. K. **499.P**, 41*P*, 1997

Sethi J. *see* Galione A., Empson R., Genazzani A., Sethi J., Summerhill R. & Wilson H. **499.P**, 5*S*, 1997

Sewell D. A. *see* Robinson T. M., Sewell D. A., Hultman E. & Greenhaff P. L. **499.P**, 74*P*, 1997

Seymour A.-M. *see* van der Vusse G. J., Dubelaar M. L., Seymour A.-M., Bonen A., Drake-Holland A. J. & Noble M. I. M. **501.P**, 124*P*, 1997

Shafat A.

Shafat A. & Rumsey R. D. E. Time course of gastrointestinal transit adaptation to high-fat diet in the rat **504.P**, 150*P*, 1997

Shah O. *see* Sherwin S. J., Shah O., Doorly D. J., McLean M., Watkins N., Caro C. G., Peiro J., Tarnawski M. & Dumoulin C. L. **504.P**, 44*P*, 1997

Shah R. *see* Herget C., Shah R., Hartley D. E., Eckert T. & Forsling M. L. **504.P**, 222*P*, 1997

Shahani U. *see* Halliday D. M., Conway B. A., Shahani U., Russell A., Farmer S. F., Weir A. I. & Rosenberg J. R. **501.P**, 38*P*, 1997

Shams H. *see* Scheid P. & Shams H. **499.P**, 9*S*, 1997

Shanks N. *see* Windle R. J., Herlihy Y. M., Wood S. A., Shanks N., Lightman S. L. & Ingram C. D. **505.P**, 11*P*, 1997

Sharma A. *see* Higgins M., Sharma A. & Guz A. **505.P**, 29*P*, 1997

Sharp P. *see* Williams M., Mansson S. & Sharp P. **499.P**, 7*P*, 1997

see Brown M., Williams M., Comerford J. C. & Sharp P. **504.P**, 147*P*, 1997

see Lindqvist S., Sharp P., Johnson I. & Williams M. **504.P**, 148*P*, 1997

Shattock M. J.

Shattock M. J., Miller J. I. A., Foreman M. A., Ford D. J., Bray D. G., Waldron C. B., Chambers D. J. & Warley A. A rapid cryoclamp for snap-freezing the isolated blood-perfused rabbit cardiac papillary muscle preparation at different times in the contraction cycle for electron-probe X-ray microanalysis **505.P**, 3*P*, 1997

Shattock M. J., Miller J. I. A., Bray D. G. & Waldron C. B. An electronic feedback circuit to control a peristaltic pump for constant-pressure perfusion of isolated hearts or other organs **505.P**, 4*P*, 1997

see Marsh N. A. & Shattock M. J. **505.P**, 69*P*, 1997

SHEADER E. A.

SHEADER E. A., BEST L. & BROWN P. D. Nifedipine inhibits regulatory volume decrease in insulin-secreting cells **504.P**, 138*P*, 1997

SHELTON P. A. *see LEYLAND M. L., SHELTON P. A., DART C., CONLEY E. C. & STANFIELD P. R.* **499.P**, 125*P*, 1997

SHEPPARD D. N. *see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **499.P**, 59*P*, 1997

see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., WAINWRIGHT B. J. & SHEPPARD D. N. **504.P**, 143*P*, 1997

SHERIDAN D. J. *see GRAY R. P., CAREY P., SHERIDAN D. J. & FRY C. H.* **504.P**, 72*P*, 1997

see CAREY P. A., COOKLIN M., SHERIDAN D. J. & FRY C. H. **504.P**, 96*P*, 1997

SHERWIN S. J.

SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L. Visualization and computational study of flow at model planar and non-planar end-to-side arterial bypass grafts **504.P**, 44*P*, 1997

SHERWOOD R. *see SMART K. A., SHERWOOD R., SEGAL M. B. & ALEXANDER B.* **501.P**, 161*P*, 1997

SHEVCHENKO V. *see SWANN K., PARRINGTON J., GALIONE A., SHEVCHENKO V. & LAI F. A.* **499.P**, 4*S*, 1997

SHI Y. *see JUNG C. Y., LIU H., SHI Y. & SAMUEL S. J.* **499.P**, 22*S*, 1997

SHIRLEY D. G. *see WALTER S. J., UNWIN R. J. & SHIRLEY D. G.* **501.P**, 164*P*, 1997

SHIRLEY D. G., WALTER S. J., THEWLES A., WOOD J. A. & LOTE C. J. Renal handling of aluminium in anaesthetized rats: micropuncture measurements in proximal tubules **505.P**, 115*P*, 1997

SHMIGOL A. V.

SHMIGOL A. V., WRAY S. & EISNER D. A. Depolarization-induced Ca^{2+} transients in single smooth muscle cells isolated from pregnant rat uterus **505.P**, 105*P*, 1997

SHORE A. C. *see LEWIS D. M., BRADWELL A. R., WATTS S. & SHORE A. C.* **504.P**, 44*P*, 1997

SHUBA M. F. *see BELEVICH A. E., ZIMA A. V. & SHUBA M. F.* **501.P**, 118*P*, 1997

SHUI Z.

SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. Expression of the cardiac muscarinic receptor, muscarinic K^+ channel and a receptor kinase in CHO cells: desensitization on application of ACh **499.P**, 131*P*, 1997

SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R. The role of G protein-coupled receptor kinase in long-term desensitization of muscarinic K^+ current **504.P**, 75*P*, 1997

SIBLEY C. P. *see MYLONA P., CLARSON L. H., GREENWOOD S. L. & SIBLEY C. P.* **499.P**, 64*P*, 1997

SIENAERT I. *see DE SMEDT H., MISSIAEN L., SIENAERT I., PARYS J. B., SIPMA H., VANLINGEN S. & CASTEELS R.* **499.P**, 3*S*, 1997

SILLAR K. T. *see MCDEARMID J. & SILLAR K. T.* **504.P**, 12*P*, 1997

see REITH C. A. & SILLAR K. T. **504.P**, 14*P*, 1997

SILVA-CARVALHO L.

SILVA-CARVALHO L., PATON J. F. R., ROCHA I., GOLDSMITH G. E. & SPYER K. M. Cardiac afferent inputs to the nucleus tractus solitarii (NTS) in the cat **504.P**, 198*P*, 1997

SILVER R. A.

SILVER R. A., MOMIYAMA A. & CULL-CANDY S. G. Transmitter release and quantal size at cerebellar climbing fibre–Purkinje cell synapses of the rat **501.P**, 14*P*, 1997

SIMMONS N. L. *see WALKER D., SIMMONS N. L., GILBERT H. J. & HIRST B. H.* **499.P**, 61*P*, 1997

see KÖSE H., SIMMONS N. L. & BROWN C. D. A. **504.P**, 140*P*, 1997

SIMMS M. H. *see WHATLING P. J., HUDLICKÁ O. & SIMMS M. H.* **499.P**, 21*P*, 1997

SIMPKIN J. C.

SIMPKIN J. C., KERMANI F., CAMPA J. S., LINTON E. A. & POSTON L. The influence of corticotrophin releasing hormone on human myometrial contractility *in vitro* **499.P**, 8*P*, 1997

SIMPSON A. W. M. *see HEPWORTH T. J., LAWRIE A. M. & SIMPSON A. W. M.* **499.P**, 42*P*, 1997

SIMPSON D.

SIMPSON D., OGILVIE J. & CLARKE R. W. Tonic inhibition of spinal reflexes mediated through 5-HT_{1A}-receptors in decerebrated and in anaesthetized rabbits subjected to different levels of surgical preparation **505.P**, 36*P*, 1997

SIMS E. *see COLLETT A., SIMS E., ROWLAND M. & WARHURST G.* **499.P**, 110*P*, 1997

SINGER W. *see STERN P., CHAKALOVA K. & SINGER W.* **504.P**, 171*P*, 1997

SINGH J. *see HUSTLER B. I., WARING J. J. & SINGH J.* **501.P**, 135*P*, 1997

see DRAPER C. E., SINGH J., PALLOT D. & ADEGHATE E. A. **501.P**, 155*P*, 1997

see JUMA L. M. O., SINGH J., SALIDO G. M., PARIENTE J. A., TAPIA J. A. & ADEGHATE E. **501.P**, 156*P*, 1997

see DRAPER C. E., SINGH J., BROWN J., LAWRENCE P. A. & ADEGHATE E. A. **504.P**, 34*P*, 1997

see JUMA L. M. O., SINGH J., ADEGHATE E., SALIDO G. M. & TAPIA J. A. **504.P**, 34*P*, 1997

SINGH K. D. *see HAMDY S., ROTHWELL J. C., AZIZ Q., SINGH K. D. & THOMPSON D. G.* **504.P**, 114*P*, 1997

SIPMA H. *see DE SMEDT H., MISSIAEN L., SIENAERT I., PARYS J. B., SIPMA H., VANLINGEN S. & CASTEELS R.* **499.P**, 3*S*, 1997

SIRA M. *see BARNES G. R., RATHBONE K. & SIRA M.* **504.P**, 113*P*, 1997

SITSAPESAN R. *see ZHANG J. J., SITSAPESAN R. & WILLIAMS A. J.* **504.P**, 161*P*, 1997

see KERMODE H. E., WILLIAMS A. J. & SITSAPESAN R. **504.P**, 163*P*, 1997

SJAASTAD I *see HOLT E., SJAASTAD I, CHRISTENSEN G. & SEJERSTED O. M.* **504.P**, 94*P*, 1997

SKINNER M. R.

SKINNER M. R., RAMAGE A. G. & JORDAN D. Evidence that central 5-HT_{1A} receptors are involved in the vagal bradycardia evoked by carotid chemoreceptor stimulation in anaesthetized rabbits **501.P**, 72*P*, 1997

SKINNER M. R., RAMAGE A. G. & JORDAN D. Further evidence that central 5-HT_{1A} receptors are involved in the reflex activation of cardiac vagal preganglionic neurones in anaesthetized rabbits **504.P**, 197*P*, 1997

SKORUPSKI P. *see WAREHAM K. V., SKORUPSKI P. & BUSH B. M. H.* **504.P**, 64*P*, 1997

SMART K. A.

SMART K. A., SHERWOOD R., SEGAL M. B. & ALEXANDER B. The effect of acute liver failure upon the permeability of the blood–brain barrier of the rat *in vivo* **501.P**, 161*P*, 1997

SMART K. A., SEGAL M. B. & ALEXANDER B. The effect of chronic liver failure on the permeability of the blood–brain barrier *in vivo* **505.P**, 52*P*, 1997

SMITH A. *see LIVESEY F. J., MURPHY L., LI M., SMITH A. & HUNT S. P.* **501.P**, 98*P*, 1997

SMITH A. G. *see CLARKE K. A., HEITMEYER S. A., SMITH A. G. & TAIWO Y. O.* **499.P**, 47*P*, 1997

SMITH A. J. H. *see BUTCHER J. W., DE FELIPE C., SMITH A. J. H., HUNT S. & PATON J. F. R.* **504.P**, 200*P*, 1997

SMITH C. P.

SMITH C. P., STEPHENS S. M. & WRIGHT P. Molecular characterization of two novel Elasmobranch urea transporters **504.P**, 139*P*, 1997

SMITH G.

SMITH G. & CHURCH J. Modulation of the activity of the Na^+–H^+ exchanger by noradrenaline in acutely dissociated adult rat hippocampal CA1 neurones **501.P**, 150*P*, 1997

see AKINOLA A. B., SMITH G., LAND J., PUVI-RAJASINGHAM S., MAGNIFICO F., GIOVANNONI G. & MATHIAS C. J. **505.P**, 18*P*, 1997

SMITH G. A.

SMITH G. A., KIRSCHENLOHR H. L., GRACE A. A., METCALFE J. C. & VANDENBERG J. I. Buffering of the cardiac calcium transient by exogenous calcium indicators **501.P**, 132*P*, 1997

SMITH G. R.

SMITH G. R., ADCOCK C. & SANSOM M. S. P. Computer simulation of water and sodium ions in models of the nicotinic acetylcholine receptor **504.P**, 158*P*, 1997

SMITH H. C.

SMITH H. C., DAVEY N. J., MASKILL D. W., SAVIC G. & ELLAWAY P. H. Recruitment and facilitation of the corticospinal system revealed using transcranial magnetic stimulation in incomplete spinal cord injury patients **501.P**, 43*P*, 1997

SMITH J. E.

SMITH J. E. & GILBEY M. P. The rhythmical bursting behaviour of single sympathetic fibres innervating the caudal ventral tail artery in anaesthetized rats is not driven by sensory afferents from the tail **505.P**, 106*P*, 1997

SMITH K. A.

SMITH K. A. & MARSHALL J. M. Does chronic systemic hypoxia induce angiogenesis in skeletal muscle of the rat? **499.P**, 118*P*, 1997

SMITH K. J. *see REDFORD E. J., KAPOOR R. & SMITH K. J.* **499.P**, 13*P*, 1997

SMITH M. A.

SMITH M. A. & ASHFORD M. L. J. Modal activity of a large conductance potassium channel recorded from rat motor cortex fused nerve terminals **504.P**, 160*P*, 1997

SMITH M. E. *see PHUL R. K. & SMITH M. E.* **504.P**, 213*P*, 1997

see HUGHES S., LOWRIE M. B. & SMITH M. E. **504.P**, 218*P*, 1997

SMITH P. A. *see TRAPP S., SMITH P. A. & ASHCROFT F. M.* **499.P**, 11*P*, 1997

SMITH R. D.

SMITH R. D., EISNER D. A. & WRAY S. Simultaneous measurements of pH and ionic currents from smooth muscle cells isolated from the guinea-pig ureter **501.P**, 112*P*, 1997

SMITH S. M. *see CARTER T. D., ZUPANCIC G., SMITH S. M. & WHEELER-JONES C.* **504.P**, 206*P*, 1997

SMITH W. *see GILLARD S. E., VOLSEN S. G., SMITH W., BEATTIE R. E., BLEAKMAN D. & LODGE D.* **504.P**, 50*P*, 1997

SMITHERAM B.

SMITHERAM B., CHAPMAN H., RICHARDS C. D. & WANN K. T. Single K^+ channels in dissociated neurones of rat hippocampus **499.P**, 132*P*, 1997

SMYTH D. *see THOMPSON I. D., BAKER G. E., SMYTH D., KRUG K. & TOLHURST D. J.* **501.P**, 120*P*, 1997

SNETKOV V. A.

SNETKOV V. A., PANDYA H. & WARD J. P. T. Ion channels in fetal human trachealis **499.P**, 68*P*, 1997

SNETKOV V. A. Large conductance Ca^{2+}-dependent K^+ channels in myocytes from human pulmonary artery **505.P**, 97*P*, 1997

SNITSAREV V. A.

SNITSAREV V. A. & TAYLOR C. W. Overshooting cytosolic $[Ca^{2+}]$ after activation of capacitative Ca^{2+} entry to calf pulmonary artery endothelial cells results largely from delayed activation of Ca^{2+} extrusion mechanisms **504.P**, 192*P*, 1997

SNOW H. M. *see MARKOS F. & SNOW H. M.* **504.P**, 194*P*, 1997

SNOW M. *see RUANE T., SNOW M., MARKOS F. & HALL W. J.* **501.P**, 69*P*, 1997

SOBOLEVSKY A. *see KOSHELEV S., SOBOLEVSKY A. & KHODOROV B.* **504.P**, 52*P*, 1997

SOBREVIA L.

SOBREVIA L., JAFFER U., MEDDOWS E. H., JACOB R. & MANN G. E. Effects of elevated D-glucose on intracellular Ca^{2+} in human macro- and microvascular endothelium **499.P**, 40*P*, 1997

see CONTRERAS R., FUENTES O., MANN G. E. & SOBREVIA L. **499.P**, 41*P*, 1997

SOBREVIA L., YUDILEVICH D. L. & MANN G. E. Hyperglycaemia induces insulin resistance in human fetal endothelial cells isolated from gestational diabetic pregnancies **504.P**, 205*P*, 1997

SOFFE S. R. *see YOSHIDA M., ROBERTS A. & SOFFE S. R.* **504.P**, 117*P*, 1997

SOHMA Y.

SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E. Regulation of anion secretion by cyclic AMP and Ca^{2+} in a computer model of the rat pancreatic ductal epithelium **499.P**, 31*P*, 1997

SOMASUNDARAM B.

SOMASUNDARAM B., TIFFERT T., MAHAUT-SMITH M. P. & LEW V. L. Patch-clamp studies of the red cell Ca^{2+}-sensitive K^+ channel in open human red cell ghosts **504.P**, 48*P*, 1997

SOMASUNDARAM M. *see AMASSIAN V. E., VERGARA M., SOMASUNDARAM M., MACCABEE P. J. & CRACCO R. Q.* **499.P**, 88*P*, 1997

SONG D.-K. *see HO W.-K., SONG D.-K. & EARM Y. E.* **499.P**, 10*P*, 1997

SPANSWICK D.

SPANSWICK D. & LOGAN S. D. Gap-junction coupling low-pass filtering and rhythm generation in rat sympathetic preganglionic neurones *in vitro* **501.P**, 26*P*, 1997

SPÄT A. *see DEÁK F., NAGY G., VÁRNAI P. & SPÄT A.* **501.P**, 31*P*, 1997

SPEAKE P. F.

SPEAKE P. F. & GIBSON J. S. Oxygen dependence of urea-activated KCl cotransport in equine red cells **499.P**, 59*P*, 1997

SPEAKE P. F., ROBERTS C. A. & GIBSON J. S. Exercise and the equine red cell KCl cotransporter **501.P**, 154*P*, 1997

SPENCER G. E.

SPENCER G. E., COTTER R., SYED N. I. & LUKOWIAK K. Changes in the central pattern generator may underlie operant conditioning of respiratory behaviour in *Lymnaea* **504.P**, 10*P*, 1997

SPENCER P. J. *see DART C., LEYLAND M. L., SPENCER P. J., CONLEY E. C., STANFIELD P. R. & SUTCLIFFE M. J.* **504.P**, 155*P*, 1997

SPIERS H. J. *see HEPPENSTALL P. A., FLEETWOOD-WALKER S. M., THOMPSON S. W. N. & SPIERS H. J.* **505.P**, 42*P*, 1997

SPITZER K. W.

SPITZER K. W., STEADMAN B., NITZ G. & LEVI A. J. An inexpensive, simple, mechanically stable and precision control motorized micromanipulator suitable for experiments on isolated single cells and small multicellular preparations **504.P**, 61*P*, 1997

SPREADBURY I. C.

SPREADBURY I. C. & ASHMORE J. F. ATP-activated currents in outer hair cells and in supporting cells of the guinea-pig cochlea in the presence of ADP and adenosine **504.P**, 130*P*, 1997

SPYER K. M. *see THOMAS T. & SPYER K. M.* **501.P**, 73*P*, 1997

see IZZO P. N., GRATSA A., THAKKAR R. A. & SPYER K. M. **501.P**, 76*P*, 1997

see DEUCHARS S. A., TRIPPENBACH T. & SPYER K. M. **504.P**, 102*P*, 1997

see ROCHA I., BURNSTOCK G. & SPYER K. M. **504.P**, 110*P*, 1997

see SILVA-CARVALHO L., PATON J. F. R., ROCHA I., GOLDSMITH G. E. & SPYER K. M. **504.P**, 198*P*, 1997

SRAI S. K. S. *see HOBBY K. R., DEBNAM E. S., SRAI S. K. S., PAGANGA G. & RICE-EVANS C.* **504.P**, 152*P*, 1997

STAMP L. *see RUSHTON J. A., PAPPAS C. A., RITCHIE J. M., BLOW K., STAMP L. & HAYNES L. W.* **504.P**, 166*P*, 1997

STANDEN N. B. *see WELLMAN G. C., QUAYLE J. M., EVERITT D. E. & STANDEN N. B.* **499.P**, 11*P*, 1997

see KÖPPEL H. & STANDEN N. B. **504.P**, 154*P*, 1997

see DAVIE C. S. & STANDEN N. B. **504.P**, 190*P*, 1997

STANFIELD P. R. *see LEYLAND M. L., SHELTON P. A., DART C., CONLEY E. C. & STANFIELD P. R.* **499.P**, 125*P*, 1997

see DART C., LEYLAND M. L., SPENCER P. J., CONLEY E. C., STANFIELD P. R. & SUTCLIFFE M. J. **504.P**, 155*P*, 1997

STANKIEWICZ M. *see LAPIED B., STANKIEWICZ M., GROLLEAU F. & PELHATE M.* **504.P**, 27*P*, 1997

ŠŤASTNÁ H. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠŤASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

STEADMAN B. *see SPITZER K. W., STEADMAN B., NITZ G. & LEVI A. J.* **504.P**, 61*P*, 1997

STEADMAN D.

STEADMAN D., LENNON S. M. & JACOB T. J. C. Chloride ion concentration in bovine ciliary epithelial cells and changes therein induced by cell swelling and regulatory volume decrease **499.P**, 58*P*, 1997

STEEL A. *see HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., MCDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R.* **499.P**, 52*P*, 1997

STEELE A. P. H.

STEELE A. P. H., GOMEZ C. M., DICK D. J., NAZIR S. A., PALAZZO M. G. A. & LAB M. J. Haemodynamic effects of lipoteichoic acid infusion in the anaesthetized pig **504.P**, 189*P*, 1997

STEELE D. *see KAWAI M., STEELE D. & ORCHARD C. H.* **504.P**, 93*P*, 1997

STEELE D. S.

STEELE D. S. & DUKE A. M. Effects of cyclopiazonic acid on caffeine-induced Ca^{2+} release in isolated saponin skinned frog skeletal muscle fibres **501.P**, 144*P*, 1997

see DUKE A. M. & STEELE D. S. **504.P**, 227*P*, 1997

STEIN J. F. *see VAN DONKELAAR P., STEIN J. F., PASSINGHAM R. E. & MIALL R. C.* **501.P**, 39*P*, 1997

see FRANCE S. J., HANSEN P. C., ROSNER B. S., RICHARDSON A. J. & STEIN J. F. **504.P**, 131*P*, 1997

STEIN W. D.

STEIN W. D. Kinetics of the multidrug transporter (P-glycoprotein) and its reversal **499.P**, 21*S*, 1997

STEINEROVÁ A. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠŤASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

STELMASCHUK E. *see ZAKHAROVA I., STELMASCHUK E. & TYURINA Y.* **504.P**, 25*P*, 1997

STENHOUSE A. A. *see WINTER M. J., STENHOUSE A. A., HUBBARD P. C., MCCROHAN C. R. & BALMENT R. J.* **504.P**, 22*P*, 1997

STEPHENS G. J.

STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. $G_{\beta\gamma}$ subunits mediate aspects of G protein sensitivity of Ca^{2+} channel α_1 subunits by an action on the intracellular I–II loop **504.P**, 50*P*, 1997

STEPHENS G. J., BERROW N. S., PAGE K. M. & DOLPHIN A. C. The involvement of the I–II loop of the voltage-dependent calcium channel α_{1B} in G protein modulation by $G_{\beta\gamma}$: studies using the calcium channel β_2 subunit that slows calcium channel inactivation **504.P**, 157*P*, 1997

STEPHENS R. D. M. *see* RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J. **505.P**, 27*P*, 1997

STEPHENS S. M. *see* SMITH C. P., STEPHENS S. M. & WRIGHT P. **504.P**, 139*P*, 1997

STEPHENSON D. G. *see* KABBARA A. A. & STEPHENSON D. G. **504.P**, 95*P*, 1997

see HEAD S. I., BAKKER A. J., WAREHAM A. C. & STEPHENSON D. G. **504.P**, 226*P*, 1997

see BORTOLOTTO S. K., STEPHENSON D. G. & STEPHENSON G. M. M. **505.P**, 89*P*, 1997

see NGUYEN L. T., STEPHENSON D. G. & STEPHENSON G. M. M. **505.P**, 89*P*, 1997

STEPHENSON G. M. M. *see* BORTOLOTTO S. K., STEPHENSON D. G. & STEPHENSON G. M. M. **505.P**, 89*P*, 1997

see NGUYEN L. T., STEPHENSON D. G. & STEPHENSON G. M. M. **505.P**, 89*P*, 1997

STERN P.

STERN P., CHAKALOVA K. & SINGER W. Metabotropic glutamate receptor activation causes sporadic appearance of oscillatory activity of inhibitory postsynaptic potentials in slices of rat visual cortex **504.P**, 171*P*, 1997

STEWARD M. C. *see* LANG T. F., STEWARD M. C. & CASE R. M. **504.P**, 146*P*, 1997

STEWART A. K.

STEWART A. K., BOYD C. A. R. & VAUGHAN-JONES R. D. pH_o dependence of pH_i in mouse isolated small intestinal enterocytes **499.P**, 105*P*, 1997

STEWART L. M.

STEWART L. M., GUZ A. & NYE P. C. G. Stimulation of human ventilation by face immersion in cool water **501.P**, 58*P*, 1997

STEWART W.

STEWART W., POW D. V. & MAXWELL D. J. Evidence for contacts between monoaminergic axons and inhibitory neurons of the superficial dorsal horn in the rat spinal cord **505.P**, 37*P*, 1997

STOKES M. J. *see* MOOSAVI S. H., CATLEY M., ELLAWAY P. H., STOKES M. J. & BRADLEY J. **501.P**, 44*P*, 1997

STOROZHEVIKH T. *see* VERGUN O., STOROZHEVIKH T., VINSKAYA N., PINELIS V. & KHODOROV B. **504.P**, 53*P*, 1997

STRATFORD I. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997

STRATFORD L. L. *see* HAWKINS P., CROWE C., CALDER N. A., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **505.P**, 18*P*, 1997

STRATFORD N. *see* DONECKER C. L., STRATFORD N. & SULEIMAN M.-S. **501.P**, 141*P*, 1997

STRAZIELLE N.

STRAZIELLE N. & GHERSI-EGEA J. F. Cerebral drug penetration and metabolism at the blood–cerebrospinal fluid barrier: an *in vitro* approach **505.P**, 51*P*, 1997

see GHERSI-EGEA J. F., STRAZIELLE N., DEHOUCK M. P., GHISO J., GOREVIC P. & FENSTERMACHER J. D. **505.P**, 53*P*, 1997

STRIGGOW F. *see* EHRLICH B. E., STRIGGOW F. & KAFTAN E. J. **499.P**, 2*S*, 1997

STROWBRIDGE B. W.

STROWBRIDGE B. W. Glutamate receptors mediate TTX-resistant synchronous activity in the rat hippocampus **504.P**, 171*P*, 1997

SUI G.

SUI G., WU C. & FRY C. H. Membrane currents of cultured smooth muscle cells from the guinea-pig urinary bladder **501.P**, 111*P*, 1997

SUKHOLMIN T. K.

SUKHOLMIN T. K., KUROCHKIN I. N. & VARFOLOMEYEV S. D. Transient oscillations of [^{3}H]DADLE binding with membrane vesicles produced by NG108-15 cells **499.P**, 23*P*, 1997

see KUROCHKIN I. N., NICOLOVA L. I., BARSEGOV V. A., SERGEEVA M. G. & SUKHOMLIN T. K. **499.P**, 41*P*, 1997

SULAIMAN M. R.

SULAIMAN M. R. & DUTIA M. B. Effects of opioid peptides on rat medial vestibular nucleus neurones *in vitro* **504.P**, 166*P*, 1997

SULEIMAN M.-S.

see KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. **499.P**, 14*P*, 1997

see LIN H., GRIFFITHS E. J. & SULEIMAN M.-S. **499.P**, 33*P*, 1997

see WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. **501.P**, 135*P*, 1997

see KERR P. M., SULEIMAN M.-S. & HALESTRAP A. P. **501.P**, 136*P*, 1997

see DONECKER C. L., STRATFORD N. & SULEIMAN M.-S. **501.P**, 141*P*, 1997

see LIN H. & SULEIMAN M.-S. **501.P**, 141*P*, 1997

see KING N. & SULEIMAN M. S. **504.P**, 73*P*, 1997

see WILLIAMS H., GRIFFITHS E. J. & SULEIMAN M.-S. **504.P**, 85*P*, 1997

see AINSWORTH R. K., FERGUSON N. & SULEIMAN M.-S. **504.P**, 86*P*, 1997

see GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S. **504.P**, 88*P*, 1997

SULLIVAN D. *see* MEAD F., SULLIVAN D. & WILLIAMS A. J. **504.P**, 162*P*, 1997

SULLIVAN M. E. *see* MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., BRUCKDORFER K. R., MORGAN R. J. & DASHWOOD M. R. **501.P**, 106*P*, 1997

SULLIVAN R.

SULLIVAN R., BURNHAM M., MCCARTHY K., TOROK K. & KOFFER A. Calmodulin and calmodulin-binding proteins in mast cells: relationship to the cytoskeleton and to secretion **499.P**, 19*P*, 1997

SUMMERHILL R. *see* GALIONE A., EMPSON R., GENAZZANI A., SETHI J., SUMMERHILL R. & WILSON H. **499.P**, 5*S*, 1997

SUN X.-J. *see* HILDEBRAND J. G., MERCER A. R., DAVIS N. T., HOMBERG U., KIRCHHOF B., KLOPPENBURG P. & SUN X.-J. **504.P**, 4*S*, 1997

SUTCLIFFE M. J. *see* DART C., LEYLAND M. L., SPENCER P. J., CONLEY E. C., STANFIELD P. R. & SUTCLIFFE M. J. **504.P**, 155*P*, 1997

SUTHAMNATPONG O.

SUTHAMNATPONG O. & MORRIS R. Primary afferent input to spinal LI neurones expressing neurokinin 1 (NK_1) receptors, evidence for both pre- and postsynaptic inhibition by a μ-opioid agonist, in the rat **504.P**, 106*P*, 1997

SUTHERLAND F. *see* BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F. **504.P**, 77*P*, 1997

SUTKO J. *see* WILLIAMS A. J., RUEST L., WELCH W. & SUTKO J. **499.P**, 17*P*, 1997

see TANNA B., RUEST L., WELCH W., SUTKO J. & WILLIAMS A. J. **504.P**, 163*P*, 1997

SVELTO M. *see* FRIGERI A., NICCHIA G. P., VALENTI G., MONTGOMERY I., SVELTO M. & HUTTER O. F. **504.P**, 40*P*, 1997

SVICHAR N.

SVICHAR N., KOSTYUK P. & VERKHRATSKY A. Mitochondrial calcium store shapes depolarization-induced but not caffeine-induced $[Ca^{2+}]_i$ transients in mouse DRG neurones **504.P**, 184*P*, 1997

SVRCEK-SEILER W. A. *see* GEBESHUBER I. C., MLADENKA A., RATTAY F. & SVRCEK-SEILER W. A. **504.P**, 127*P*, 1997

SWANN K.

SWANN K., PARRINGTON J., GALIONE A., SHEVCHENKO V. & LAI F. A. Oscillin: an intracellular protein that triggers cytoplasmic Ca^{2+} oscillations **499.P**, 4*S*, 1997

SWEEDLER J. V. *see* MOROZ L. L., GARDEN R. W., MOROZ T. P., GILLETTE R. & SWEEDLER J. V. **504.P**, 18*P*, 1997

SWEENEY M.

SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. Effect of endothelial removal on isometric tension development by isolated pulmonary arterial rings in response to changes in extracellular pH and P_{CO_2} **499.P**, 71*P*, 1997

see LYNCH F., SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. **505.P**, 32*P*, 1997

SWEIRY J. H. *see* MUÑOZ M., SWEIRY J. H. & MANN G. E. **499.P**, 38*P*, 1997

SYED N. I. *see* SPENCER G. E., COTTER R., SYED N. I. & LUKOWIAK K. **504.P**, 10*P*, 1997

SYKOVÁ E.

SYKOVÁ E., VARGOVÁ L. & PROKOPOVÁ S. Extracellular space volume and geometry in the developing rat spinal cord: effects of potassium and hyposmotic stress **504.P**, 168*P*, 1997

SZATKOWSKI M. *see* CANDY S. M. & SZATKOWSKI M. **504.P**, 184*P*, 1997

SZINYEI C.

SZINYEI C., BEHNISCH T. & REYMANN K. G. Role of ryanodine receptors in long-term potentiation in the CA1 region of the rat hippocampal slice *in vitro* **504.P**, 218*P*, 1997

TAGGART M. J.

TAGGART M. J. & WRAY S. Effects of modulators of sarcoplasmic reticular function on intracellular Ca^{2+} ($[Ca^{2+}]_i$) and force of rat isolated myometrium **499.P**, 8*P*, 1997

TAGGART M. J. & WRAY S. Agonist mobilization of sarcoplasmic reticular calcium during inhibition of Na^+–Ca^{2+} exchange in isolated rat uterine smooth muscle **501.P**, 113*P*, 1997

TAGGART M. J. & WRAY S. The effects of metabolic inhibition on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated myometria of pregnant rats **505.P**, 103*P*, 1997

TAGLETTI V. *see* D'ANGELO E., ROSSI P. & TAGLETTI V. **501.P**, 91*P*, 1997

TAILOR S.

TAILOR S., ECONOMIDES A. P. & FAGBEMI O. The electrophysiological effects of ischaemia and ischaemic preconditioning on the isolated rabbit papillary muscle **504.P**, 85*P*, 1997

TAIWO Y. O. *see CLARKE K. A., HEITMEYER S. A., SMITH A. G. & TAIWO Y. O.* **499.P**, 47*P*, 1997

TAKAHASHI M. *see WARR O., TAKAHASHI M., BILLUPS B. & ATTWELL D.* **504.P**, 172*P*, 1997

TAKAHASHI T. *see FORSYTHE I. D., TSUJIMOTO T., BARNES-DAVIES M., CUTTLE M. F. & TAKAHASHI T.* **504.P**, 174*P*, 1997

TAN L. B. *see NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F.* **504.P**, 74*P*, 1997

TANNA B.

TANNA B., RUEST L., WELCH W., SUTKO J. & WILLIAMS A. J. The interaction of 21-amino-9α-hydroxy-ryanodine with the sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channel is influenced by voltage **504.P**, 163*P*, 1997

TANSEY E. M. *see HORDER T. J. & TANSEY E. M.* **505.P**, 69*P*, 1997

TANSLEY J. G. *see CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A.* **499.P**, 118*P*, 1997

TANSLEY J. G., FATEMIAN M., POULIN M. J. & ROBBINS P. A. Changes in respiratory control during 48 h of both isocapnic and poikilocapnic hypoxia in humans **505.P**, 25*P*, 1997

TAPIA J. A. *see JUMA L. M. O., SINGH J., SALIDO G. M., PARIENTE J. A., TAPIA J. A. & ADEGHATE E.* **501.P**, 156*P*, 1997

see JUMA L. M. O., SINGH J., ADEGHATE E., SALIDO G. M. & TAPIA J. A. **504.P**, 34*P*, 1997

TARASENKO A. N.

TARASENKO A. N., HOLDEN K., CORRIS P., PARRY G., DUNLOP W. & GILLESPIE J. I. The expression of ion channels on freshly isolated human pulmonary artery and hand vein endothelial cells **504.P**, 158*P*, 1997

TARNAWSKI M. *see SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L.* **504.P**, 44*P*, 1997

TAYLOR A.

TAYLOR A., HIDAKA O., DURBABA R. & ELLAWAY P. H. Fusimotor patterns in cat jaw muscles inferred from comparison of spindle behaviour in active and passive movements **501.P**, 39*P*, 1997

see DURBABA R., TAYLOR A. & ELLAWAY P. H. **504.P**, 116*P*, 1997

TAYLOR A., ELLAWAY P. H. & DURBABA R. The influence of bag_2 intrafusal fibre contraction on primary muscle spindle afferent behaviour in the cat **505.P**, 76*P*, 1997

see DONGA R., TAYLOR A., SCOTT J. J. A., HODGE P., ROWLERSON A. M., KEMP N. & SATOH Y. **505.P**, 77*P*, 1997

TAYLOR C. J. *see KLAREN P. H. M., WHITE S. J., TAYLOR C. J., HARDCASTLE J. & HARDCASTLE P. T.* **499.P**, 60*P*, 1997

see BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. **499.P**, 106*P*, 1997

TAYLOR C. W. *see CARDY T. J. A., TRAYNOR D. & TAYLOR C. W.* **499.P**, 2*P*, 1997

see BROAD L. M. & TAYLOR C. W. **499.P**, 3*P*, 1997

TAYLOR C. W. Regulation of IP_3 receptors **499.P**, 28, 1997

see SNITSAREV V. A. & TAYLOR C. W. **504.P**, 192*P*, 1997

TAYLOR P. J. *see GRACE A. A., VANDENBERG J. I., ZINKIN M. P., LOWE M. D., TAYLOR P. J., WARD D. E., CAMM A. J. & SAUMAREZ R. C.* **501.P**, 129*P*, 1997

TAYLOR R. C.

TAYLOR R. C. & CRAWFORD A. C. Structural changes in the capsule of frog muscle spindle during intrafusal fibre contraction **504.P**, 122*P*, 1997

TEKKÖK S.

TEKKÖK S. & KRNJEVIĆ K. 2-Deoxyglucose-induced long-term potentiation in CA1 neurons of rat hippocampal slices is sensitive to blockers of protein tyrosine kinases **501.P**, 86*P*, 1997

TEMPLE C. S.

TEMPLE C. S., MEREDITH D. & BOYD C. A. R. Dipeptide transport by rat renal cortex BBMV is mediated by PepT1; functional analysis using ACE inhibitors **505.P**, 110*P*, 1997

TEMPLE G. K.

TEMPLE G. K., JAMES R. S. & JOHNSTON I. A. Muscle performance during complex locomotory behaviours in the short-horn sculpin (*Myoxocephalus scorpius*) **504.P**, 6*P*, 1997

TERNENT H. *see ESHRAGHI H. R., ZEITLIN I. J., FITZPATRICK J., TERNENT H. & LOGUE D.* **499.P**, 65*P*, 1997

TERRAR D. A. *see MAMAS M. A. & TERRAR D. A.* **499.P**, 10*P*, 1997

see IINO S., CUI Y., GALIONE A. & TERRAR D. A. **499.P**, 32*P*, 1997

see MAMAS M. A. & TERRAR D. A. **501.P**, 131*P*, 1997

see RIGG L. & TERRAR D. A. **501.P**, 139*P*, 1997

THAKKAR R. A. *see IZZO P. N., GRATSA A., THAKKAR R. A. & SPYER K. M.* **501.P**, 76*P*, 1997

THAKORE J. H.

THAKORE J. H. & DINAN T. G. Diurnal variation of growth hormone responses to acutely administered dexamethasone in healthy male volunteers **505.P**, 13*P*, 1997

THEWLES A. *see SHIRLEY D. G., WALTER S. J., THEWLES A., WOOD J. A. & LOTE C. J.* **505.P**, 115*P*, 1997

THEXTON A. J.

THEXTON A. J. & CROMPTON A. W. Intraoral pressures in the suckling pig **505.P**, 72*P*, 1997

THIESSON D. *see D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D.* **505.P**, 81*P*, 1997

THIPPESWAMY T.

THIPPESWAMY T. & MORRIS R. Nerve growth factor (NGF) inhibits the expression of neuronal nitric oxide synthase (nNOS) in neurones in dissociated cultures of neonatal rat dorsal root ganglia **501.P**, 97*P*, 1997

THOMAS A.

THOMAS A., WILSON J. A., BOSE D., OATRIDGE A., BYDDER G., HOLDCROFT A. & FORSLING M. Neuroendocrinological effects of fluid loading in normal human males **505.P**, 14*P*, 1997

THOMAS A. L. *see HORN N. M. & THOMAS A. L.* **499.P**, 26*P*, 1997

THOMAS A. P. *see COLLIER M. L., THOMAS A. P. & BERLIN J. R.* **504.P**, 92*P*, 1997

THOMAS M. M.

THOMAS M. M. & LAMB T. D. Kinetics of post-bleach recovery of maximal response and amplification constant in human rod photoreceptors **504.P**, 30*P*, 1997

THOMAS S. *see MIGNEN O., EGÉE S., PENNEC J. P., HARVEY B. J. & THOMAS S.* **499.P**, 30*P*, 1997

THOMAS T.

THOMAS T. & SPYER K. M. The roles of adenosine A_1 and A_{2a} receptors in modulating activity of neurones recorded extracellularly from the rostral ventrolateral medulla of the rat **501.P**, 73*P*, 1997

THOMPSON C. S. *see MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., BRUCKDORFER K. R., MORGAN R. J. & DASHWOOD M. R.* **501.P**, 106*P*, 1997

THOMPSON D.

THOMPSON D. & FEDAK M. A. Variations in cardiac responses of free ranging harbour (*Phoca vitulina*) and grey (*Halichoerus grypus*) seals in response to differing activity patterns **504.P**, 6*P*, 1997

THOMPSON D. G. *see MCLAUGHLIN J. T., HALL L., THOMPSON D. G., DOCKRAY G. J. & WARHURST G.* **499.P**, 101*P*, 1997

see HIGHAM A. D., NOBLE P. J., THOMPSON D. G. & DOCKRAY G. J. **499.P**, 104*P*, 1997

see HAMDY S., ROTHWELL J. C., AZIZ Q., SINGH K. D. & THOMPSON D. G. **504.P**, 114*P*, 1997

THOMPSON I. D.

THOMPSON I. D., KRUG K. & TOLHURST D. J. The spatial frequency tuning of neurons in area 17 of the anaesthetized ferret **499.P**, 86*P*, 1997

THOMPSON I. D. & CORDERY P. M. Cell death and the elimination of topographic errors in the hamster retinocollicular projection **501.P**, 95*P*, 1997

see KRUG K. & THOMPSON I. D. **501.P**, 96*P*, 1997

THOMPSON I. D., BAKER G. E., SMYTH D., KRUG K. & TOLHURST D. J. Spatial-frequency tuning of neurons in area 17 and area 18 of the anaesthetized ferret **501.P**, 120*P*, 1997

THOMPSON L. T. *see DISTERHOFT J. F., KRONFORST-COLLINS M. A., MCECHRON M. D., MOYER J. R. JR, POWER J. M. & THOMPSON L. T.* **501.P**, 6*S*, 1997

THOMPSON S. W. N.

THOMPSON S. W. N. & MAJITHIA A. LIF and NGF induce noradrenergic fibre sprouting in the intact dorsal root ganglion of adult rats *in vivo* **505.P**, 41*P*, 1997

see HEPPENSTALL P. A., FLEETWOOD-WALKER S. M., THOMPSON S. W. N. & SPIERS H. J. **505.P**, 42*P*, 1997

see JONES M. G., TRIVEDI P. M., THOMPSON S. W. N. & MCMAHON S. B. **505.P**, 42*P*, 1997

THOMSON A. M. *see ALI A. B. & THOMSON A. M.* **501.P**, 9*P*, 1997

see PAWELZIK H. M., DEUCHARS J. & THOMSON A. M. **501.P**, 10*P*, 1997

see ALI A. B. & THOMSON A. M. **504.P**, 178*P*, 1997

THOMSON D.

THOMSON D., HADDOW L. & RIBCHESTER R. R. Effects of neurotrophic factors on spontaneous transmitter release at neonatal mouse neuromuscular junctions **504.P**, 216*P*, 1997

THOMSON N. C. *see MOORE F., THOMSON N. C. & MCGRATH J. C.* **501.P**, 115*P*, 1997

THOMSON S. A. *see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **499.P**, 59*P*, 1997

see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., WAINWRIGHT B. J. & SHEPPARD D. N. **504.P**, 143*P*, 1997

THOREN P.

THOREN P., HOFFMAN P. & JONSDOTTIR I. H. Alterations in somatosensory and immune systems consequent upon exercise **505.P**, 98*S*, 1997

THORN P. *see VERMA V., CARTER C., KEABLE S., BENNETT D. & THORN P.* **499.P**, 18*P*, 1997

THORNBURY K. D. *see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G.* **501.P**, 109*P*, 1997

see CONVERY M., HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **501.P**, 110*P*, 1997

see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. **501.P**, 111*P*, 1997

see SERGEANT G., COTTON K. D., THORNBURY K. D., MCHALE N. G. & HOLLYWOOD M. A. **501.P**, 116*P*, 1997

see HOLLYWOOD M. A., TOLAND H. M., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **505.P**, 96*P*, 1997

THORNTON J. M.

THORNTON J. M. & PATERSON D. J. Effect of nickel on contraction in the isolated guinea-pig papillary muscle **504.P**, 90*P*, 1997

THORNTON J. M., PEDERSON D. L., KARDOS A., GUZ A., CASADEI B. & PATERSON D. J. Ventilatory response to the imagination of exercise and altered perception of exercise load under hypnosis **505.P**, 29*P*, 1997

THROWER E. *see CADIOU H., THROWER E., BENDAHHOU S. & DUCLOHIER H.* **504.P**, 157*P*, 1997

TIFFERT T. *see SOMASUNDARAM B., TIFFERT T., MAHAUT-SMITH M. P. & LEW V. L.* **504.P**, 48*P*, 1997

TING C. H. *see ANGEL A., LINKENS D. A. & TING C. H.* **499.P**, 46*P*, 1997

TOEBAK M. *see DUYSENS J., TOEBAK M., VAN WEZEL B. M. H. & BERGER W.* **504.P**, 115*P*, 1997

TOESCU E. C.

TOESCU E. C. & VERKHRATSKY A. Dynamical relationship between intracellular Ca^{2+} stores and stores-operated Ca^{2+} entry pathway in mouse brain microglia: long-term activation of capacitative Ca^{2+} entry **501.P**, 21*P*, 1997

TOLAND H. M. *see HOLLYWOOD M. A., TOLAND H. M., COTTON K. D., THORNBURY K. D. & MCHALE N. G.* **505.P**, 96*P*, 1997

TOLCHARD S.

TOLCHARD S. & COLLINGRIDGE G. L. Synaptic plasticity in the ventral septal area (VSA) of juvenile rats *in vitro* induced by activation of metabotropic glutamate receptors **504.P**, 212*P*, 1997

TOLHURST D. J. *see THOMPSON I. D., KRUG K. & TOLHURST D. J.* **499.P**, 86*P*, 1997

see THOMPSON I. D., BAKER G. E., SMYTH D., KRUG K. & TOLHURST D. J. **501.P**, 120*P*, 1997

TOLHURST D. J., LAUGHLIN S. B. & LAURITZEN J. S. Modelling the variation in the contrast of natural scenes, and the function of contrast normalization in the mammalian visual cortex **504.P**, 123*P*, 1997

TØNNESSEN T. *see SEMB S. O., LUNDE P. K., HOLT E., TØNNESSEN T. & SEJERSTED O. M.* **504.P**, 88*P*, 1997

TOROK K. *see SULLIVAN R., BURNHAM M., MCCARTHY K., TOROK K. & KOFFER A.* **499.P**, 19*P*, 1997

TÖRÖK K. *see WOOD N., TÖRÖK K., LEAKE A., LLOYD S., COURT J., PERRY R. & PERRY E.* **499.P**, 42*P*, 1997

TORRANCE R. W.

TORRANCE R. W. Heart work and body size **505.P**, 68*P*, 1997

TÓTH T. I. *see CRUNELLI V., WILLIAMS S. R., TURNER J. P., HUGHES S. W. & TÓTH T. I.* **501.P**, 25*P*, 1997

TOWNEND J. N. *see AL-KHALIDI A. H., AL-ANI M., TOWNEND J. N., BONSER R. & COOTE J. H.* **501.P**, 80*P*, 1997

TRAFFORD A. W. *see DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A.* **501.P**, 132*P*, 1997

TRAFFORD A. W., DÍAZ M. E. & EISNER D. A. Alteration of sarcolemmal and sarcoplasmic reticulum calcium fluxes in isolated rat ventricular myocytes produced by modulation of calcium-induced calcium release **501.P**, 133*P*, 1997

see DÍAZ M. E., TRAFFORD A. W. & EISNER D. A. **504.P**, 91*P*, 1997

see ADAMS W., TRAFFORD A. W. & EISNER D. A. **505.P**, 92*P*, 1997

TRAN-DANG M.-A.

TRAN-DANG M.-A., HOWD A. G., BERRY M. & BUTT A. M. Neurotrophin receptor protein and mRNA expression in regenerating retinal ganglion cell axons after transection of the rat optic nerve **505.P**, 43*P*, 1997

TRAPP S.

TRAPP S., SMITH P. A. & ASHCROFT F. M. Dual effects of Na-azide on the whole-cell K_{ATP} current in isolated mouse pancreatic β-cells **499.P**, 11*P*, 1997

TRAPP S., TUCKER S. J. & ASHCROFT F. M. Thiol reagents and ATP do not interact with C717 in the SUR1 subunit of the β-cell K_{ATP} channel **499.P**, 129*P*, 1997

TRAUB R. D. *see WHITTINGTON M. A., TRAUB R. D. & JEFFERYS J. G. R.* **499.P**, 96*P*, 1997

see WHITTINGTON M. A., FAULKNER H. J., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 179*P*, 1997

see FAULKNER H. J., WHITTINGTON M. A., CHETTIAR K., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 183*P*, 1997

TRAYHURN P. *see RAYNER D. V., ANDERSON C., DALGLIESH G., DUNCAN J. S., HARDIE L. J. & TRAYHURN P.* **499.P**, 123*P*, 1997

TRAYNOR D. *see CARDY T. J. A., TRAYNOR D. & TAYLOR C. W.* **499.P**, 2*P*, 1997

TREMBLAY F. *see CHAPMAN C. E., JIANG W. & TREMBLAY F.* **504.P**, 17*S*, 1997

TRENTHAM D. R. *see MURPHY K. P. S. J., REID G. P., CHEPKOVA A., TRENTHAM D. R. & BLISS T. V. P.* **501.P**, 89*P*, 1997

TREZISE A. E. O.

TREZISE A. E. O., WONG K. R. & VANDENBERG J. I. Distribution of *cftr* mRNA in rabbit left ventricular myocardium **504.P**, 74*P*, 1997

TRIBE R. M. *see DOYLE C., CAMPA J. S., TRIBE R. M., MISTRY S. K., MCLAY J. S. & POSTON L.* **505.P**, 98*P*, 1997

TRIM N.

TRIM N., BROOMAN J. E., HOLDEN-DYE L. & WALKER R. J. Mechanism of action of a stimulatory peptide AF3 (AVPGVLRFamide) in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 11*P*, 1997

TRIPATHY A. *see MEISSNER G., TRIPATHY A. & XU L.* **499.P**, 28, 1997

TRIPPENBACH T. *see DEUCHARS S. A., TRIPPENBACH T. & SPYER K. M.* **504.P**, 102*P*, 1997

TRIVEDI P. M. *see JONES M. G., TRIVEDI P. M., THOMPSON S. W. N. & MCMAHON S. B.* **505.P**, 42*P*, 1997

TSACOPOULOS M. *see VÉGA C., JIROUNEK P., POITRY-YAMATE C. L., TSACOPOULOS M. & COLES J. A.* **501.P**, 27*P*, 1997

TSUGA H. *see SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R.* **499.P**, 131*P*, 1997

see SHUI Z., KHAN I. A., TSUGA H., HAGA T., DOBRZYNSKI H., HENDERSON Z. & BOYETT M. R. **504.P**, 75*P*, 1997

TSUJIMOTO T. *see FORSYTHE I. D., TSUJIMOTO T., BARNES-DAVIES M., CUTTLE M. F. & TAKAHASHI T.* **504.P**, 174*P*, 1997

TUCKER J. F. *see WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F.* **499.P**, 2*P*, 1997

TUCKER S. J. *see GRIBBLE F. M., TUCKER S. J. & ASHCROFT F. M.* **499.P**, 128*P*, 1997

see TRAPP S., TUCKER S. J. & ASHCROFT F. M. **499.P**, 129*P*, 1997

TURNBULL D. M. *see ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J.* **499.P**, 44*P*, 1997

TURNER C. R.

TURNER C. R. & CRAWFORD A. C. Stretch and the generator current at the frog muscle spindle: evidence for a mechanical basis of rapid adaptation **504.P**, 122*P*, 1997

TURNER D. L.

TURNER D. L. Ventilatory drive in poikilocapnic vs. normocapnic hypoxic exercise in humans **499.P**, 70*P*, 1997

TURNER D. L., HENDERSON D. R. & MITCHELL G. S. Spinal monoaminergic modulation of the exercise pressor response in goats **504.P**, 196*P*, 1997

TURNER D. L. Long-term modulation of the initial stage of the exercise ventilatory response after associative conditioning in humans **505.P**, 30*P*, 1997

TURNER G. R. *see CODY F. W. J., HENLEY N. C., PARKER L. C. & TURNER G. R.* **504.P**, 119*P*, 1997

TURNER J. A. *see CAMERON S. A., TURNER J. A., MALTWOOD D. M. R. & DUTIA M. B.* **504.P**, 217*P*, 1997

Turner J. P. *see Crunelli V., Williams S. R., Turner J. P., Hughes S. W. & Tóth T. I.* **501.P**, 25*P*, 1997

Turner R. *see Corfield D. R., Murphy K., Josephs O., Fink G. R., Frackowiak R. S. J., Adams L. & Turner R.* **505.P**, 83*P*, 1997

Tveita T. *see Mercer J. B., Østerud B. & Tveita T.* **501.P**, 53*P*, 1997

Twort C. H. C. *see Hirst S. J. & Twort C. H. C.* **505.P**, 105*P*, 1997

Tyler R. C. *see McMurtry I. F., Muramatsu M., Tyler R. C., Rodman D. M. & Oka M.* **499.P**, 11*S*, 1997

Tyurina Y. *see Zakharova I., Stelmaschuk E. & Tyurina Y.* **504.P**, 25*P*, 1997

Ulfendahl M. *see Chan E., Ulfendahl M. & Scarfone E.* **504.P**, 129*P*, 1997

Unwin R. J. *see Walter S. J., Unwin R. J. & Shirley D. G.* **501.P**, 164*P*, 1997

see Debnam E. S., Unwin R. J., Marks J. & Oliva C. **504.P**, 141*P*, 1997

see Bailey M. A., Capasso G., Unwin R. J. & Walter S. J. **505.P**, 109*P*, 1997

Upton L. *see Lebrand C., Upton L., Cases O., Blakely R., Seif I. & Gaspar P.* **501.P**, 94*P*, 1997

Urbach V. *see Walsh D., Urbach V. & Harvey B.* **499.P**, 4*P*, 1997

Usherwood P. N. R. *see Magazanik L. G., Buldakova S. A., Samoilova M. V., Mellor I. R. & Usherwood P. N. R.* **501.P**, 17*P*, 1997

Ushiyama J. *see Matthews B. & Ushiyama J.* **504.P**, 65*P*, 1997

Usowicz M. M. *see Wall M. J. & Usowicz M. M.* **501.P**, 15*P*, 1997

see Wall M. J. & Usowicz M. M. **504.P**, 175*P*, 1997

Uzzerman M. *see Boyett M. R., Kodama I., Honjo H., Yamamoto M., Uzzerman M., Nikmaram M. R. & Niwa R.* **504.P**, 70*P*, 1997

Valenti G. *see Frigeri A., Nicchia G. P., Valenti G., Montgomery I., Svelto M. & Hutter O. F.* **504.P**, 40*P*, 1997

Vandenberg J. I. *see Grace A. A., Vandenberg J. I., Zinkin M. P., Lowe M. D., Taylor P. J., Ward D. E., Camm A. J. & Saumarez R. C.* **501.P**, 129*P*, 1997

see Smith G. A., Kirschenlohr H. L., Grace A. A., Metcalfe J. C. & Vandenberg J. I. **501.P**, 132*P*, 1997

see Trezise A. E. O., Wong K. R. & Vandenberg J. I. **504.P**, 74*P*, 1997

van de Put F. H. M. M.

van de Put F. H. M. M., Lygate C. A. & Elliott A. C. Calcium buffering properties of intracellular calcium stores in rat isolated pancreatic acinar cells **499.P**, 20*P*, 1997

Van der Kloot W.

Van der Kloot W., Molgó J. & Naves L. A. Cholinergic agonists decrease quantal output at the frog neuromuscular junction by targeting a calcium channel that can be blocked by ω-conotoxin GVIA **504.P**, 13*P*, 1997

van der Putten H. *see Bushell T. J., Collet V. J., van der Putten H. & Collingridge G. L.* **501.P**, 8*P*, 1997

van der Vusse G. J.

van der Vusse G. J., Dubelaar M. L., Seymour A.-M., Bonen A., Drake-Holland A. J. & Noble M. I. M. The effect of chronic denervation on left ventricular carbohydrate and fat metabolism in the anaesthetized dog **501.P**, 124*P*, 1997

Van der Zee E. A. *see Geinisman Y., deToledo-Morrell L., Morrell F., Persina I. S. & Van der Zee E. A.* **501.P**, 4*S*, 1997

van Donkelaar P.

van Donkelaar P., Stein J. F., Passingham R. E. & Miall R. C. The effects of temporary inactivation of the cerebellar- and basal ganglia-receiving areas of the macaque monkey thalamus during goal-directed and internally generated limb movements **501.P**, 39*P*, 1997

Van Driessche W. *see Erlij D., De Smet P., Mesotten D. & Van Driessche W.* **504.P**, 140*P*, 1997

Vanheel B.

Vanheel B. & Calders P. Influence of inhibitors of phospholipase A_2 and cytochrome P450 on K^+ currents in freshly dissociated rat aortic smooth muscle cells **505.P**, 104*P*, 1997

Van Hemelrijk B. *see Garrett M., Van Hemelrijk B. & Caulfield B.* **501.P**, 43*P*, 1997

Vanlingen S. *see de Smedt H., Missiaen L., Sienaert I., Parys J. B., Sipma H., Vanlingen S. & Casteels R.* **499.P**, 3*S*, 1997

van Wezel B. M. H. *see Duysens J., Toebak M., van Wezel B. M. H. & Berger W.* **504.P**, 115*P*, 1997

see Duysens J., Burgers L., Plat F. M., Schillings A. M., van Wezel B. M. H. & Kremer H. P. H. **504.P**, 18*S*, 1997

Varfolomeyev S. D. *see Sukholmin T. K., Kurochkin I. N. & Varfolomeyev S. D.* **499.P**, 23*P*, 1997

Vargová L. *see Syková E., Vargová L. & Prokopová S.* **504.P**, 168*P*, 1997

Várnai P. *see Deák F., Nagy G., Várnai P. & Spät A.* **501.P**, 31*P*, 1997

Varro A. *see Bate G. W., Varro A. & Dockray G. J.* **499.P**, 104*P*, 1997

Vassort G. *see Cazorla O., Vassort G., Garnier D. & Le Guennec J.-Y.* **501.P**, 140*P*, 1997

Vaughan P. F. T. *see Wade J. A., Peers C. & Vaughan P. F. T.* **504.P**, 207*P*, 1997

Vaughan-Jones R. D. *see Stewart A. K., Boyd C. A. R. & Vaughan-Jones R. D.* **499.P**, 105*P*, 1997

Véga C.

Véga C., Jirounek P., Poitry-Yamate C. L., Tsacopoulos M. & Coles J. A. Lactate as a substrate for energy metabolism in isolated rabbit vagus nerve **501.P**, 27*P*, 1997

Vejsada R. *see Hník P., Vejsada R. & Paleček J.* **504.P**, 168*P*, 1997

Vergara M. *see Amassian V. E., Cracco R. Q., Maccabee P. J., Vergara M., Hassan N., Eberle L. & Rothwell J. C.* **504.P**, 115*P*, 1997

see Amassian V. E., Vergara M., Somasundaram M., Maccabee P. J. & Cracco R. Q. **499.P**, 88*P*, 1997

Vergun O.

Vergun O., Storozhevikh T., Vinskaya N., Pinelis V. & Khodorov B. Role of the plasma membrane Na^+–Ca^{2+} exchanger, Ca^{2+}–H^+ pump and mitochondria in regulation of basal cytoplasmic calcium in cultured rat cerebellar granule cells **504.P**, 53*P*, 1997

Verkhratsky A.

see Kirischuk S., Kettenmann H. & Verkhratsky A. **501.P**, 19*P*, 1997

see Toescu E. C. & Verkhratsky A. **501.P**, 21*P*, 1997

Verkhratsky A. Calcium signalling and neuronal ageing **501.P**, 7*S*, 1997

see Kirischuk S., Voitenko N., Kettenmann H. & Verkhratsky A. **504.P**, 167*P*, 1997

see Svichar N., Kostyuk P. & Verkhratsky A. **504.P**, 184*P*, 1997

Verma V.

Verma V., Carter C., Keable S., Bennett D. & Thorn P. Identification and function of type 2 and type 3 ryanodine receptors in T84 gut epithelial cells **499.P**, 18*P*, 1997

Versnel H. *see Mossop J. E., Versnel H. & Moore D. R.* **504.P**, 215*P*, 1997

Vetter H. *see Grohé C., Kahlert S., Nüdling S., Vetter H. & Meyer R.* **504.P**, 71*P*, 1997

Vidović V. *see Redžić Z. B., Segal M. B., Marković I. D., Gasić J. M., Vidović V. & Rakić Lj.M.* **505.P**, 48*P*, 1997

Vignes M.

Vignes M. & Collingridge G. L. The synaptic activation of kainate receptors in area CA3 of rat hippocampal slices **501.P**, 91*P*, 1997

Vinskaya N. *see Vergun O., Storozhevikh T., Vinskaya N., Pinelis V. & Khodorov B.* **504.P**, 53*P*, 1997

Vist G. E.

Vist G. E., Leiper J. B., Maughan R. J. & Rumsey R. D. E. The effect of fat and glucose solutions on the rate of gastric emptying and energy delivery to the small intestine in man **499.P**, 78*P*, 1997

Vist G. E., Murray B. E., Farmer M. R., Henderson R. A. & Rumsey R. D. E. The effect of ingesting fat-containing solutions on plasma free fatty acids and triacylglycerol concentrations in man and rat **504.P**, 150*P*, 1997

Vitalis T.

Vitalis T., Cases O., Callebert J., Price D., Seif I. & Gaspar P. Disruptive effects of monoamine oxidase A inhibition on mouse barrelfield formation: determination of a critical developmental period **501.P**, 104*P*, 1997

Vitásková Z. *see Vyklický L., Knotková-Urbancová H., Vitásková Z., Vlachová V., Kress M. & Reeh P. W.* **504.P**, 177*P*, 1997

Vlachová V. *see Vyklický L., Knotková-Urbancová H., Vitásková Z., Vlachová V., Kress M. & Reeh P. W.* **504.P**, 177*P*, 1997

Voitenko N. *see Kirischuk S., Voitenko N., Kettenmann H. & Verkhratsky A.* **504.P**, 167*P*, 1997

Vollmer C. *see Nurse C. A., Jackson A., Macintyre L. & Vollmer C.* **499.P**, 15*S*, 1997

Volsen S. G. *see Gillard S. E., Volsen S. G., Smith W., Beattie R. E., Bleakman D. & Lodge D.* **504.P**, 50*P*, 1997

Vongsavan N. *see Matthews B., Li F., Khakh B. S. & Vongsavan N.* **504.P**, 128*P*, 1997

Voronin L. L. *see Berretta N., Cherubini E., Rossokhin A. V. & Voronin L. L.* **504.P**, 180*P*, 1997

Vrbová G. *see Harding D. I., Greensmith L., Anderson P. N. & Vrbová G.* **501.P**, 97*P*, 1997

see Sanusi J., Greensmith L., Lowrie M. B. & Vrbová G. **504.P**, 214*P*, 1997

VYKLICKÝ L.

VYKLICKÝ L., KNOTKOVÁ-URBANCOVÁ H., VITÁSKOVÁ Z., VLACHOVÁ V., KRESS M. & REEH P. W. Inflammatory mediators at acidic pH activate capsaicin receptors in cultured sensory neurones from newborn rats **504.P**, 177*P*, 1997

WADE J. A.

WADE J. A., PEERS C. & VAUGHAN P. F. T. Hypoxia enhances release of noradrenaline evoked by nicotinic acetylcholine receptor activation in the human neuroblastoma SH-SY5Y **504.P**, 207*P*, 1997

WAGG A. S. *see CRAGGS M. D., MCFARLANE J. P., FOLEY S. J., WAGG A. S. & KNIGHT S. L.* **501.P**, 53*P*, 1997

WAGNER G. *see LEVIN R. J. & WAGNER G.* **504.P**, 188*P*, 1997

WAINWRIGHT B. J. *see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **499.P**, 59*P*, 1997

see ROBINSON K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., WAINWRIGHT B. J. & SHEPPARD D. N. **504.P**, 143*P*, 1997

WAKERLEY J. B. *see RICHARDSON C. M. & WAKERLEY J. B.* **504.P**, 222*P*, 1997

WALDRON C. B. *see SHATTOCK M. J., MILLER J. I. A., FOREMAN M. A., FORD D. J., BRAY D. G., WALDRON C. B., CHAMBERS D. J. & WARLEY A.* **505.P**, 3*P*, 1997

see SHATTOCK M. J., MILLER J. I. A., BRAY D. G. & WALDRON C. B. **505.P**, 4*P*, 1997

WALKER D.

WALKER D., SIMMONS N. L., GILBERT H. J. & HIRST B. H. Intestinal localization of the human peptide transporter, hPepT1 **499.P**, 61*P*, 1997

see CHRISTIE G. R., WALKER D., ARAGON C. & HIRST B. H. **504.P**, 147*P*, 1997

WALKER J. N.

WALKER J. N., JONES B. P., DAVEY N. J., MURPHY K. & ELLAWAY P. H. Corticospinal projection to the rectus abdominis muscles in man: a study using transcranial magnetic stimulation **505.P**, 84*P*, 1997

WALKER R. J. *see TRIM N., BROOMAN J. E., HOLDEN-DYE L. & WALKER R. J.* **504.P**, 11*P*, 1997

see FRANKS C. J., WALKER R. J. & HOLDEN-DYE L. **504.P**, 15*P*, 1997

see WHITE A. R. & WALKER R. J. **504.P**, 18*P*, 1997

see BROWNLEE D. J., HOLDEN-DYE L. & WALKER R. J. **504.P**, 19*P*, 1997

see PEDDER S. M., MUNEOKA Y. & WALKER R. J. **504.P**, 19*P*, 1997

see CHEN X.-H., HOLDEN-DYE L. & WALKER R. J. **504.P**, 24*P*, 1997

see BUSH E. R., HOLDEN-DYE L. M., FOREMAN R. C. & WALKER R. J. **504.P**, 25*P*, 1997

see JANE S. D., WALLACH L. P. M., FRANKS C. J., WALKER R. J., CHAD J. E. & HOLDEN-DYE L. **504.P**, 26*P*, 1997

WALKOWSKA A. *see SADOWSKI J., KOMPANOWSKA-JEZIERSKA E., DOBROWOLSKI L., WALKOWSKA A. & BADZYŃSKA B.* **505.P**, 111*P*, 1997

WALL M. J.

WALL M. J. & USOWICZ M. M. Excitatory transmitter release at single mossy fibre–granule cell synapses of adult rat cerebellum **501.P**, 15*P*, 1997

WALL M. J. & USOWICZ M. M. Differential actions of ω-conotoxin GVIA on transmitter release at single excitatory and inhibitory synapses onto granule cells in adult rat cerebellum **504.P**, 175*P*, 1997

WALL P. D. *see LIDIERTH M. & WALL P. D.* **501.P**, 46*P*, 1997

see LIDIERTH M. & WALL P. D. **504.P**, 102*P*, 1997

see LIDIERTH M. & WALL P. D. **505.P**, 38*P*, 1997

see ALLAN J. D. D., BULTITUDE M. I., BULTITUDE M. F., WALL P. D. & MCMAHON S. B. **505.P**, 39*P*, 1997

WALL P. D. Presynaptic modulation of afferent inflows to spinal sensory systems **505.P**, 10*S*, 1997

WALLACE D. T. *see GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S.* **504.P**, 88*P*, 1997

WALLACE S. E. *see BOGGS D. F., BUTLER P. J. & WALLACE S. E.* **501.P**, 62*P*, 1997

WALLACH L. P. M. *see JANE S. D., WALLACH L. P. M., FRANKS C. J., WALKER R. J., CHAD J. E. & HOLDEN-DYE L.* **504.P**, 26*P*, 1997

WALMSLEY A. R. *see HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., MCDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R.* **499.P**, 52*P*, 1997

WALMSLEY A. R. & HENDERSON P. J. F. Mechanistic studies of the D-galactose–H^+ symport protein (GalP) from *Escherichia coli* **499.P**, 52*P*, 1997

WALSH D.

WALSH D., URBACH V. & HARVEY B. CFTR channel: a regulator of cytosolic calcium $[Ca^{2+}]_i$ in normal and cystic fibrosis human airway epithelial cells **499.P**, 4*P*, 1997

WALSH D. M.

WALSH D. M., BAXTER G. D. & ALLEN J. M. The effects of transcutaneous electrical nerve stimulation (TENS) upon unilateral nerve conduction mechanical pain and tactile thresholds in humans **501.P**, 46*P*, 1997

WALSH E. G.

WALSH E. G. Cross-finger timings in sixteen naive recorder players **501.P**, 45*P*, 1997

WALSH N. P.

WALSH N. P., BLANNIN A. K., CLARK A. M. & GLEESON M. The effect of intermittent high intensity exercise on human plasma glutamine concentration **499.P**, 77*P*, 1997

WALTER S. J.

WALTER S. J., UNWIN R. J. & SHIRLEY D. G. Effect of barium on sodium reabsorption in perfused loops of Henle in anaesthetized rats **501.P**, 164*P*, 1997

see BAILEY M. A., CAPASSO G., UNWIN R. J. & WALTER S. J. **505.P**, 109*P*, 1997

see SHIRLEY D. G., WALTER S. J., THEWLES A., WOOD J. A. & LOTE C. J. **505.P**, 115*P*, 1997

WANG C.-C. *see HOUGHTON A. K., WANG C.-C., WILLIS W. D. & WESTLUND K. N.* **505.P**, 39*P*, 1997

WANG Y. *see JORDAN D. & WANG Y.* **501.P**, 72*P*, 1997

WANG Y., ROWAN M. J. & ANWYL R. A type of LTP induction is dependent on activation of voltage-gated calcium channels but not NMDA receptors in the rat dentate gyrus *in vitro* **501.P**, 90*P*, 1997

see WU J., WANG Y., ANWYL R. & ROWAN M. J. **501.P**, 102*P*, 1997

WANG Y. & JORDAN D. $GABA_A$ and $GABA_B$ receptors are involved in vagal afferent inhibitory input to neurones in the nucleus tractus solitarii (NTS) of anaesthetized rats **504.P**, 197*P*, 1997

see GARCIA M., WANG Y. & JORDAN D. **504.P**, 208*P*, 1997

WANN K. T. *see SMITHERAM B., CHAPMAN H., RICHARDS C. D. & WANN K. T.* **499.P**, 132*P*, 1997

WARD A. *see HENDERSON P. J. F., MARTIN G. E. M., LITHERLAND G. J., MCDONALD T. P., STEEL A., RUTHERFORD N. G., SANDERSON N. M., WARD A. & WALMSLEY A. R.* **499.P**, 52*P*, 1997

WARD D. E. *see GRACE A. A., VANDENBERG J. I., ZINKIN M. P., LOWE M. D., TAYLOR P. J., WARD D. E., CAMM A. J. & SAUMAREZ R. C.* **501.P**, 129*P*, 1997

WARD D. G.

WARD D. G., SCHONER W. & CAVIERES J. D. Nucleotide-dependent release of $Co(NH_3)_4ATP$ tightly bound to inactivated pig kidney Na^+,K^+-ATPase **499.P**, 25*P*, 1997

WARD D. G. & CAVIERES J. D. Photoinactivation of FITC-modified pig kidney Na^+,K^+-ATPase by TNP-$8N_3$-ADP: simultaneous occupation of two nucleotide sites on the minimal enzyme unit **504.P**, 35*P*, 1997

WARD J.

WARD J. & KANEGAONKAR R. G. The effects of 4% amethocaine gel on sensory and autonomic function in the skin of human volunteers **505.P**, 36*P*, 1997

WARD J. P. T. *see PRIEST R. M. & WARD J. P. T.* **499.P**, 68*P*, 1997

see SNETKOV V. A., PANDYA H. & WARD J. P. T. **499.P**, 68*P*, 1997

see BYRNE D.E., MCGARRICK J. & WARD J. P. T. **505.P**, 2*P*, 1997

see HUCKS D., PRIEST R. M. & WARD J. P. T. **505.P**, 101*P*, 1997

WARD S. A.

WARD S. A. & WHIPP B. J. Assessing the redox state of cytochrome aa_3 in skeletal muscle during exhausting muscular exercise in humans by means of near infrared spectroscopy **501.P**, 52*P*, 1997

see OZCELIK O., WARD S. A. & WHIPP B. J. **505.P**, 31*P*, 1997

WAREHAM A. C. *see HEAD S. I., BAKKER A. J., WAREHAM A. C. & STEPHENSON D. G.* **504.P**, 226*P*, 1997

WAREHAM K. V.

WAREHAM K. V., SKORUPSKI P. & BUSH B. M. H. An *in vitro* preparation to investigate proprioceptive co-ordination between the basal leg joints of the crayfish, *Pacifastacus leniusculus*, during fictive locomotion **504.P**, 64*P*, 1997

WARHURST G. *see MCLAUGHLIN J. T., HALL L., THOMPSON D. G., DOCKRAY G. J. & WARHURST G.* **499.P**, 101*P*, 1997

see COLLETT A., SIMS E., ROWLAND M. & WARHURST G. **499.P**, 110*P*, 1997

WARING J. J. *see HUSTLER B. I., WARING J. J. & SINGH J.* **501.P**, 135*P*, 1997

WARLEY A. *see SHATTOCK M. J., MILLER J. I. A., FOREMAN M. A., FORD D. J., BRAY D. G., WALDRON C. B., CHAMBERS D. J. & WARLEY A.* **505.P**, 3*P*, 1997

WARR O.
WARR O., TAKAHASHI M., BILLUPS B. & ATTWELL D. Cystine–glutamate exchange and the regulation of extracellular glutamate concentration, $[glu]_o$, in rat brain slices **504.P**, 172*P*, 1997

WATERS A. J.
WATERS A. J. & LUMB B. M. Inhibition and facilitation of nociceptive responses by stimulation in the periaqueductal grey: potential importance during integrated defence activity **505.P**, 8*S*, 1997

WATKINS N. *see SHERWIN S. J., SHAH O., DOORLY D. J., MCLEAN M., WATKINS N., CARO C. G., PEIRO J., TARNAWSKI M. & DUMOULIN C. L.* **504.P**, 44*P*, 1997

WATTS S. *see LEWIS D. M., BRADWELL A. R., WATTS S. & SHORE A. C.* **504.P**, 44*P*, 1997

WAYMAN C. P.
WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F. Depletion of both IP_3-sensitive and ryanodine-sensitive calcium stores activates capacitative calcium entry in smooth muscle cells isolated from the mouse anococcygeus **499.P**, 2*P*, 1997

WEBB A. V.
WEBB A. V., MELLOR J. R., GRANT A. & RANDALL A. D. Unusual low-affinity benzodiazepine-insensitive $GABA_A$ receptors in cultured rat O-2A progenitor cells **501.P**, 20*P*, 1997

WEIR A. I. *see HALLIDAY D. M., CONWAY B. A., SHAHANI U., RUSSELL A., FARMER S. F., WEIR A. I. & ROSENBERG J. R.* **501.P**, 38*P*, 1997

WELCH W. *see WILLIAMS A. J., RUEST L., WELCH W. & SUTKO J.* **499.P**, 17*P*, 1997

see TANNA B., RUEST L., WELCH W., SUTKO J. & WILLIAMS A. J. **504.P**, 163*P*, 1997

WELLMAN G. C.
WELLMAN G. C., QUAYLE J. M., EVERITT D. E. & STANDEN N. B. Calcitonin gene-related peptide (CGRP) activates an ATP-sensitive potassium (K_{ATP}) current in pig coronary vascular smooth muscle cells via cyclic AMP-dependent protein kinase (PKA) **499.P**, 11*P*, 1997

WELLS A. *see ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J.* **499.P**, 44*P*, 1997

WELLS S. G.
WELLS S. G. & BARNES G. R. Anticipatory smooth pursuit eye movements are enhanced by a short-term store **504.P**, 112*P*, 1997

WELSH L. J.
WELSH L. J., EL-SAYED M., HOLLY J. M. P. & JAKEMAN P. M. Effect of high intensity exercise on circulating insulin-like growth factors and their binding proteins in trained cyclists **499.P**, 82*P*, 1997

WELSH L. J., WHITLEY H. A., HOLLY J. M. P., KEEGAN M. A. & JAKEMAN P. M. Effect of pre-exercise dietary manipulation on the IGF-1 and IGFBP-1 response to prolonged exercise in elite cyclists **504.P**, 151*P*, 1997

WESTLUND K. N. *see HOUGHTON A. K., WANG C.-C., WILLIS W. D. & WESTLUND K. N.* **505.P**, 39*P*, 1997

WESTPHELY H. *see BUSH B. M. H., BUTLER D., REDMOND N. M., WESTPHELY H., WHITLOCK T. & BATEMAN A.* **504.P**, 63*P*, 1997

WHATLING P. J.
WHATLING P. J., HUDLICKÁ O. & SIMMS M. H. The effects of amiloride, allopurinol and indomethacin on blood flow and performance in ischaemic hindlimb muscles in the rat **499.P**, 21*P*, 1997

WHEELER-JONES C. *see CARTER T. D., ZUPANCIC G., SMITH S. M. & WHEELER-JONES C.* **504.P**, 206*P*, 1997

WHIPP B. J. *see WARD S. A. & WHIPP B. J.* **501.P**, 52*P*, 1997

see CUNNINGHAM D. A., ST CROIX C., PATERSON D. H., OZYENER F. & WHIPP B. J. **501.P**, 59*P*, 1997

see OZCELIK O., WARD S. A. & WHIPP B. J. **505.P**, 31*P*, 1997

WHITE A. R.
WHITE A. R. & WALKER R. J. Further evidence for a role for nitric oxide in the modulation of *Achatina* and *Helix* heart activity **504.P**, 18*P*, 1997

WHITE C.
WHITE C. & MCGEOWN J. G. The effects of cyclopiazonic acid and low Na^+ on $[Ca^{2+}]_i$ and force in isolated rat gastric smooth muscle **501.P**, 112*P*, 1997

WHITE E. *see PASCAREL C., CAZORLA O., LE GUENNEC J.-Y., ORCHARD C. H. & WHITE E.* **501.P**, 130*P*, 1997

WHITE S. J. *see KLAREN P. H. M., WHITE S. J., TAYLOR C. J., HARDCASTLE J. & HARDCASTLE P. T.* **499.P**, 60*P*, 1997

see BEESLEY A. H., ORTEGA B., PARKER A. J., HORNBY D. & WHITE S. J. **505.P**, 115*P*, 1997

WHITEHEAD S. A. *see AHSAN S. A., LACEY M. & WHITEHAD S. A.* **501.P**, 166*P*, 1997

WHITFIELD A. H. N.
WHITFIELD A. H. N. & DORKINS H. R. Aspects of the history of acetazolamide **505.P**, 68*P*, 1997

WHITLEY H. A. *see WELSH L. J., WHITLEY H. A., HOLLY J. M. P., KEEGAN M. A. & JAKEMAN P. M.* **504.P**, 151*P*, 1997

WHITLEY K. *see BONNESS V., WHITLEY K., BECKER D. & MOBBS P.* **504.P**, 170*P*, 1997

WHITLOCK T. *see BUSH B. M. H., BUTLER D., REDMOND N. M., WESTPHELY H., WHITLOCK T. & BATEMAN A.* **504.P**, 63*P*, 1997

WHITTINGTON M. A. *see FAULKNER H. J. & WHITTINGTON M. A.* **499.P**, 96*P*, 1997

WHITTINGTON M. A., TRAUB R. D. & JEFFERYS J. G. R. Spatially synchronous fast oscillations following two-site tetanic stimulation in the CA1 subregion of the rat hippocampal slice *in vitro* **499.P**, 96*P*, 1997

WHITTINGTON M. A., FAULKNER H. J., TRAUB R. D. & JEFFERYS J. G. R. A γ/β frequency shift induced by recurrent EPSP expression in the rat hippocampal slice **504.P**, 179*P*, 1997

see FAULKNER H. J., WHITTINGTON M. A., CHETTIAR K., TRAUB R. D. & JEFFERYS J. G. R. **504.P**, 183*P*, 1997

WIDDAS W. F.
WIDDAS W. F. & BAKER G. F. The sharing of pH regulation by the anion exchanger and the bicarbonate transporter in human erythrocytes **499.P**, 23*P*, 1997

WIDDAS W. F. The red cell glucose transporter – a functional approach **499.P**, 18*S*, 1997

see BAKER G. F. & WIDDAS W. F. **505.P**, 109*P*, 1997

WIGGLESWORTH M.
WIGGLESWORTH M., APPLEBY L., OGILVIE J. & CLARKE R. W. Enhancement of polysynaptic reflexes in the decerebrated rabbit by 8-hydroxy-2-(di-*n*-propylamino) tetralin (8-OH-DPAT) does not involve $5\text{-}HT_{1D}$ receptors **504.P**, 104*P*, 1997

WILHELM J. *see HERGET J., WILHELM J., NOVOTNI J. & BACIKOVI L.* **499.P**, 10*S*, 1997

WILKINS R. J. *see YAMAZAKI N., ELLORY J. C. & WILKINS R. J.* **504.P**, 134*P*, 1997

see MOBASHERI A., GOLDING S., PAGAKIS S. N., WILKINS R. J., ELLORY J. C. & FRANCIS M. J. O. **505.P**, 108*P*, 1997

WILKINS R. *see CORKEY K. & WILKINS R.* **504.P**, 134*P*, 1997

WILLIAMS A. J.
WILLIAMS A. J., RUEST L., WELCH W. & SUTKO J. Interactions of 21-amino-9α-hydroxy-ryanodine with purified sheep cardiac ryanodine receptor channels (RyR) **499.P**, 17*P*, 1997

see GRIFFIN A. & WILLIAMS A. J. **499.P**, 38*P*, 1997

see ZHANG J. J., SITSAPESAN R. & WILLIAMS A. J. **504.P**, 161*P*, 1997

see MEAD F., SULLIVAN D. & WILLIAMS A. J. **504.P**, 162*P*, 1997

see KERMODE H. E., WILLIAMS A. J. & SITSAPESAN R. **504.P**, 163*P*, 1997

see TANNA B., RUEST L., WELCH W., SUTKO J. & WILLIAMS A. J. **504.P**, 163*P*, 1997

WILLIAMS B. C. *see ASHTON N., GOULDSBOROUGH I., MONKHOUSE R., ROSSITER S. & WILLIAMS B. C.* **505.P**, 100*P*, 1997

WILLIAMS H.
WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. Recovery from chemical hypoxia in single rat and guinea-pig myocytes: is there a species difference? **501.P**, 135*P*, 1997

WILLIAMS H., GRIFFITHS E. J. & SULEIMAN M.-S. Isolation of rat ventricular myocytes in the presence of glutamate increases the NADH to NAD^+ ratio and improves recovery of cells from chemical hypoxia **504.P**, 85*P*, 1997

see GRIFFITHS E. J., WALLACE D. T., WILLIAMS H., LIN H., ANGELINI G. D. & SULEIMAN M.-S. **504.P**, 88*P*, 1997

WILLIAMS M.
WILLIAMS M., MANSSON S. & SHARP P. Muscarinic receptor-induced calcium mobilization in isolated rat colonic crypts **499.P**, 7*P*, 1997

see BROWN M., WILLIAMS M., COMERFORD J. C. & SHARP P. **504.P**, 147*P*, 1997

see LINDQVIST S., SHARP P., JOHNSON I. & WILLIAMS M. **504.P**, 148*P*, 1997

WILLIAMS P. *see WRIGHT H., WILLIAMS P., COX V. & GOLDSPINK D.* **499.P**, 114*P*, 1997

WILLIAMS S. R. *see CRUNELLI V., WILLIAMS S. R., TURNER J. P., HUGHES S. W. & TÓTH T. I.* **501.P**, 25*P*, 1997

WILLIAMS T. L.
WILLIAMS T. L., BOWTELL G. & CURTIN N. A. Predicting force generation by lamprey muscle stimulated intermittently during imposed sinusoidal length changes **504.P**, 38*P*, 1997

WILLIAMSON R. *see* HUSSEY D., WILLIAMSON R. & JONES M. B. **504.P**, 2*P*, 1997
see COBB C. S., CURTIS T. M., WILLIAMSON R. & DEPLEDGE M. H. **504.P**, 3*P*, 1997
see CHRACHRI A., ÖDBLOM M., FARLEY S. R. & WILLIAMSON R. **504.P**, 11*P*, 1997
see CURTIS T. M., WILLIAMSON R. & DEPLEDGE M. H. **504.P**, 12*P*, 1997
see ÖDBLOM M. P., WILLIAMSON R. & JONES M. B. **504.P**, 21*P*, 1997

WILLIS W. D. *see* HOUGHTON A. K., WANG C.-C., WILLIS W. D. & WESTLUND K. N. **505.P**, 39*P*, 1997

WILSCH V. *see* BEHNISCH T., WILSCH V., JAEGER T., REYMANN K. G. & BALSCHUN D. **501.P**, 99*P*, 1997

WILSON C. *see* HATTAM V., WILSON C. & RIDGE R. M. A. P. **504.P**, 226*P*, 1997

WILSON C. A. *see* YILMAZ B., GILMORE D. P. & WILSON C. A. **499.P**, 97*P*, 1997

WILSON G.
WILSON G., MACFARLANE N. G. & MILLER D. J. Oscillatory work absorbed by chemically skinned ventricular trabeculae is reduced in a coronary artery ligation model of left ventricular dysfunction in the rabbit **501.P**, 138*P*, 1997

WILSON H. *see* GALIONE A., EMPSON R., GENAZZANI A., SETHI J., SUMMERHILL R. & WILSON H. **499.P**, 5*S*, 1997

WILSON J. A. *see* THOMAS A., WILSON J. A., BOSE D., OATRIDGE A., BYDDER G., HOLDCROFT A. & FORSLING M. **505.P**, 14*P*, 1997

WILSON M. *see* HALESTRAP A. P., JACKSON V. N., PRICE N. T., WILSON M. & HEDDLE C. **504.P**, 13*S*, 1997

WILSON S. M. *see* MCALROY H. L., BOVELL D. L. & WILSON S. M. **505.P**, 64*P*, 1997
WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D. Nucleotide-evoked anion secretion and calcium signals in equine cultured epithelia **505.P**, 64*P*, 1997

WINDLE R. J.
WINDLE R. J., HERLIHY Y. M., WOOD S. A., SHANKS N., LIGHTMAN S. L. & INGRAM C. D. Central actions of oxytocin and vasopressin on behavioural and endocrine responses to stress in the rat **505.P**, 11*P*, 1997

WING M. K.
WING M. K., DAVIES R. E. & DOCHERTY R. J. Contraction of the rat anococcygeus muscle *in vitro* mediated by postsynaptic 'silent' α_2-adrenoreceptors revealed under conditions of raised muscle tone **505.P**, 103*P*, 1997

WINLOW W. *see* QAZZAZ M. & WINLOW W. **504.P**, 16*P*, 1997
see MORRIS T. J., LEAKE L. D. & WINLOW W. **504.P**, 21*P*, 1997

WINTER M. J.
WINTER M. J., STENHOUSE A. A., HUBBARD P. C., MCCROHAN C. R. & BALMENT R. J. A new radioimmunoassay for the measurement of urotensin II concentration in plasma of the flounder, *Platichthys flesus* **504.P**, 22*P*, 1997

WISDEN W. *see* MELLOR J. R., JONES A., WISDEN W. & RANDALL A. D. **504.P**, 178*P*, 1997

WITCHEL H. J.
WITCHEL H. J., LEVI A. J., MEECH R. W. & HANCOX J. C. Cloning and expression of the rabbit ventricular HERG homologue (RERG) **504.P**, 89*P*, 1997

WOLEDGE R. C. *see* LOU F., CURTIN N. A. & WOLEDGE R. C. **504.P**, 38*P*, 1997

WOLF E.
WOLF E., ZHAO F.-Y. & ROBERTS A. A simple model predicts the non-linearity in summation of postsynaptic potentials and the chemical synaptic and gap junction conductances in spinal motoneurons of young Xenopus tadpoles **504.P**, 182*P*, 1997
see ZHAO F.-Y., WOLF E. & ROBERTS A. **504.P**, 182*P*, 1997

WOLFF C. B. *see* RULL G. K., SALAMUT W., STEPHENS R. D. M., WOLFF C. B., ROSENBERG M. E., MILLEDGE J. S. & COLLIER D. J. **505.P**, 27*P*, 1997

WOLLMUTH L. *see* ROZOV A., ZILBERTER Y., WOLLMUTH L. & BURNASHEV N. **501.P**, 18*P*, 1997

WOLPERT D. M.
WOLPERT D. M. Internal models in human motor control: a computational and psychophysical perspective **501.P**, 12*S*, 1997

WOLSTENHOLME S. *see* ANGEL A. & WOLSTENHOLME S. **499.P**, 92*P*, 1997

WONG K. R. *see* TREZISE A. E. O., WONG K. R. & VANDENBERG J. I. **504.P**, 74*P*, 1997

WONG P. S. K.
WONG P. S. K. & JOHNS E. J. Arterial baroreflex regulation of renal nerve activity (RNA) and heart rate (HR) in anaesthetized high-fat fed Wistar rats **504.P**, 194*P*, 1997

WONG P. Y. D. *see* CHAN H. C., FONG S. K., KO W. H. & WONG P. Y. D. **499.P**, 16*P*, 1997
see KO W. H., FU W. O., LEUNG P. Y., CHEW S. B. C., CHAN H. C. & WONG P. Y. D. **499.P**, 16*P*, 1997
see WILSON S. M., KO W. H., KHAN Z., PEDIANI J. D., LAW V. & WONG P. Y. D. **505.P**, 64*P*, 1997

WOOD J. A. *see* SHIRLEY D. G., WALTER S. J., THEWLES A., WOOD J. A. & LOTE C. J. **505.P**, 115*P*, 1997

WOOD N.
WOOD N., TÖRÖK K., LEAKE A., LLOYD S., COURT J., PERRY R. & PERRY E. Reduced levels of α-calmodulin-dependent protein kinase II (αCaMKII) in the temporal cortex of Alzheimer's disease cases compared with an age-matched group **499.P**, 42*P*, 1997

WOOD P. G.
WOOD P. G., OTUN H. A. & GILLESPIE J. I. Calcium-dependent calcium mobilization associated with the mitochondria in bovine endothelial cells **499.P**, 36*P*, 1997

WOOD S. A. *see* WINDLE R. J., HERLIHY Y. M., WOOD S. A., SHANKS N., LIGHTMAN S. L. & INGRAM C. D. **505.P**, 11*P*, 1997

WOOD S. M. *see* RATCLIFFE P. J., DACHS G., EBERT B. L., FIRTH J. D., GLEADLE J. M., MAXWELL P. H., O'ROURKE J. F., PUGH C. W., STRATFORD I. & WOOD S. M. **499.P**, 13*S*, 1997

WOODALL A. J.
WOODALL A. J., MCCROHAN C. R. & POMFRETT C. J. D. Actions of propofol on neurones from the snail CNS and rat neocortex *in vitro* **504.P**, 23*P*, 1997

WOODWARD B. *see* YEW S. F., REEVES K. A. & WOODWARD B. **504.P**, 80*P*, 1997

WORMALD L. S. *see* CAMPBELL R., SEAR M. A., WORMALD L. S., KENDRICK A. H. & LASZLO G. **504.P**, 209*P*, 1997

WRAY S. *see* TAGGART M. J. & WRAY S. **499.P**, 8*P*, 1997
see SMITH R. D., EISNER D. A. & WRAY S. **501.P**, 112*P*, 1997
see TAGGART M. J. & WRAY S. **501.P**, 113*P*, 1997
see DUQUETTE R. A. & WRAY S. **501.P**, 114*P*, 1997
see NADERALI E. K. & WRAY S. **501.P**, 114*P*, 1997
see BURDYGA T. V., LAMONT C., EISNER D. & WRAY S. **501.P**, 115*P*, 1997
see TAGGART M. J. & WRAY S. **505.P**, 103*P*, 1997
see SHMIGOL A. V., WRAY S. & EISNER D. A. **505.P**, 105*P*, 1997

WRIGHT A. R.
WRIGHT A. R., REES S. A. & POWELL T. Swelling-activated chloride current in isolated ventricular myocytes from *Callithrix jacchus* the common marmoset **501.P**, 130*P*, 1997
WRIGHT A. R., REES S. A. & POWELL T. The cardiac Na^+–Ca^{2+} exchanger is not modulated by cytoskeletal disruption or stabilization in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
WRIGHT A. R., REES S. A. & POWELL T. The effect of osmotically induced volume changes on the membrane capacitance of guinea-pig cardiac cells **504.P**, 71*P*, 1997

WRIGHT H.
WRIGHT H., WILLIAMS P., COX V. & GOLDSPINK D. The effect of 21 and 42 days of mechanical stimulation on collagen in the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997
see NG Y., WRIGHT H., COLYER J., CLARK W. A., TAN L. B. & GOLDSPINK D. F. **504.P**, 74*P*, 1997

WRIGHT P. *see* SMITH C. P., STEPHENS S. M. & WRIGHT P. **504.P**, 139*P*, 1997

WRIGHT Z. *see* MANSARAY M., BELCHER P., WRIGHT Z., HYND J. & NOBLE M. I. M. **501.P**, 124*P*, 1997

WRIGHT Z. M.
WRIGHT Z. M., DRAKE-HOLLAND A. J., HYND J., MANSARAY M. & NOBLE M. I. M. Chronic cardiac denervation in anaesthetized dogs up-regulates the utilization of [^{14}C]palmitate **504.P**, 188*P*, 1997

WU A. J. *see* AMBUDKAR I. S., WU A. J. & MEEHAN S. **501.P**, 157*P*, 1997

WU C.
WU C. & FRY C. H. The role of the L-type Ca^{2+} channel in cholinergic pathways in guinea-pig detrusor smooth muscle **499.P**, 7*P*, 1997
see SUI G., WU C. & FRY C. H. **501.P**, 111*P*, 1997

WU J.
WU J., WANG Y., ANWYL R. & ROWAN M. J. Synaptic plasticity in the medial perforant pathway is blocked by the selective nNOS inhibitor 1-(2-trifluoromethylphenyl) imidazole in the rat dentate gyrus *in vitro* **501.P**, 102*P*, 1997

WU M.-L. *see* CHU K.-C. & WU M.-L. **504.P**, 185*P*, 1997

WYATT M. A.
WYATT M. A., FENIUK W. & HUMPHREY P. P. A. Inhibition of glucose uptake by forskolin in rat isolated gastric glands **499.P**, 109*P*, 1997

WYLLIE D.

WYLLIE D., EDMONDS B. & COLQUHOUN D. Single activations of recombinant NMDA NR1a/NR2A receptors recorded in one-channel patches **501.P**, 13*P*, 1997

WYLLIE D., BÉHÉ P., EDMONDS B. & COLQUHOUN D. Fast concentration jumps on recombinant NMDA NR1a/NR2A and NR1a/NR2D channels expressed in *Xenopus* oocytes **504.P**, 173*P*, 1997

XIA R.

XIA R. & BARNES G. R. Amplitude factors affecting oculo-manual tracking responses to pseudorandom target motion stimuli **504.P**, 112*P*, 1997

XIE X. M.

XIE X. M., DALE T., PEAKMAN T. & CLARE J. Electrophysiological characterization of human brain type IIA Na^+ channel α subunits stably expressed in a mammalian cell line **504.P**, 154*P*, 1997

XU L. *see MEISSNER G., TRIPATHY A. & XU L.* **499.P**, 2*S*, 1997

XU L., ANWYL R. & ROWAN M. J. Stress enables the induction of long-term depression by standard low frequency stimulation in freely behaving rat **501.P**, 92*P*, 1997

YAGODIN S.

YAGODIN S., HARDIE R. C., LANSDELL S. J., MILLAR N. S., MASON W. T. & SATTELLE D. B. Receptor- and depletion-mediated activation of a recombinant *Drosophila melanogaster* TRPL channel expressed in a *Drosophila* S2 cell line **504.P**, 159*P*, 1997

YAGODIN S., HOYLAND J., MASON W. T. & SATTELLE D. B. Fluorescent dye measurements of $[Ca^{2+}]_i$, pH_i and $[Cl^-]_i$ transients in *Drosophila melanogaster* cell lines **504.P**, 160*P*, 1997

YAMAMOTO A. *see ROKYTA R., HOLEČEK V., KREJČOVÁ I., KUBÍK V., ŠŤASTNÁ H., STEINEROVÁ A. & YAMAMOTO A.* **504.P**, 104*P*, 1997

YAMAMOTO M. *see BOYETT M. R., KODAMA I., HONJO H., YAMAMOTO M., UZZERMAN M., NIKMARAM M. R. & NIWA R.* **504.P**, 70*P*, 1997

YAMAZAKI N.

YAMAZAKI N., ELLORY J. C. & WILKINS R. J. Myosin light chain phosphorylation is involved in shrinkage-induced stimulation of NHE1 in chondrocytes **504.P**, 134*P*, 1997

YANG Z.

YANG Z. & COOTE J. H. Evidence that vasomotor neurones of the RVLM receive an input from paraventricular neurones of the hypothalamus in the rat **501.P**, 81*P*, 1997

YANG Z. & COOTE J. H. Microinjection of bicuculline into the hypothalamic paraventricular nucleus causes a glutamate-dependent excitation of rostral ventrolateral medullary vasomotor neurones in the anaesthetized rat **504.P**, 208*P*, 1997

YAO S. Y. M. *see HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A.* **499.P**, 50*P*, 1997

YEAMAN S. J. *see ROCHFORD J. J., BORTHWICK A. C., HUREL S. J., WELLS A., TURNBULL D. M. & YEAMAN S. J.* **499.P**, 44*P*, 1997

YEATS J. C. *see PIPER A. S., YEATS J. C. & DOCHERTY R. J.* **499.P**, 14*P*, 1997

YELLEN G.

YELLEN G. Molecular physiology of the HERG K^+ channel and the elusive h-channel **504.P**, 12*S*, 1997

YEW S. F.

YEW S. F., REEVES K. A. & WOODWARD B. Effects of prostaglandin $F_{2\alpha}$ on contractility, L-type Ca^{2+} currents, Ca^{2+} transients and intracellular pH in rat ventricular myocytes **504.P**, 80*P*, 1997

YILMAZ B.

YILMAZ B., GILMORE D. P. & WILSON C. A. Effects of U-69593 and MR1452 (κ-opioid receptor agonist and antagonist) on hypothalamic indoleamine concentrations and plasma LH levels in the ovariectomized and steroid-primed rats **499.P**, 97*P*, 1997

YOSHIDA M.

YOSHIDA M., ROBERTS A. & SOFFE S. R. Axon projections of reciprocal inhibitory interneurons in the spinal cord of young Xenopus tadpoles and implications for the pattern of inhibition during swimming locomotion **504.P**, 117*P*, 1997

YOUNG J. D. *see HAMILTON S. R., YAO S. Y. M., INGRAM J., HENDERSON P. J. F., GALLAGHER M. P., CASS C. E., YOUNG J. D. & BALDWIN S. A.* **499.P**, 50*P*, 1997

see CLAR C., DORRINGTON K. L., YOUNG J. D., JONAS M., TANSLEY J. G. & ROBBINS P. A. **499.P**, 118*P*, 1997

YUAN H. *see BAINES D. L., BINGLE C. D., YUAN H., KEMP P. J. & OLVER R. E.* **501.P**, 63*P*, 1997

YUDILEVICH D. L. *see SOBREVIA L., YUDILEVICH D. L. & MANN G. E.* **504.P**, 205*P*, 1997

ZAHN B. *see MORRELL M. J., ARABI Y., ZAHN B., DEMPSEY J. A. & BADR M. S.* **499.P**, 69*P*, 1997

ZAKHAROVA I.

ZAKHAROVA I., STELMASCHUK E. & TYURINA Y. Protective and modulatory effect of gangliosides in rat cerebellar granule cells and brain synaptosomes exposed to toxic glutamate concentrations **504.P**, 25*P*, 1997

ZAMAN H. *see BERTASO F., HENDRY B. M., NEWMAN S., ARGANO V., DESAI J. B., FORSYTH A. T., MARRINAN M. T., MEHARWAL Z.-S., SUTHERLAND F., ZAMAN H., DEBELDER A. & JAMES A. F.* **504.P**, 77*P*, 1997

ZEITLIN I. J. *see ESHRAGHI H. R., ZEITLIN I. J., FITZPATRICK J., TERNENT H. & LOGUE D.* **499.P**, 65*P*, 1997

ZHANG H.

ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. A computer model of pacemaker shift within the rabbit sinoatrial node **504.P**, 70*P*, 1997

ZHANG J. J.

ZHANG J. J., SITSAPESAN R. & WILLIAMS A. J. Gating properties of the lobster skeletal muscle ryanodine receptor **504.P**, 161*P*, 1997

ZHANG T.

ZHANG T. & JOHNS E. J. Brachial nerve stimulation and power spectral analysis of blood pressure (BP) and renal nerve activity (RNA) in anaesthetized normotensive and hypertensive rats **504.P**, 193*P*, 1997

ZHANG T. & JOHNS E. J. The use of chaos theory to estimate the peak interval sequence (PIS) of synchronized renal nerve activity (RNA) in anaesthetized rats **504.P**, 193*P*, 1997

see BRISTOW G. D., ZHANG T. & JOHNS E. J. **504.P**, 195*P*, 1997

see BRISTOW G. D., HUANG C. L., ZHANG T. & JOHNS E. J. **505.P**, 110*P*, 1997

ZHANG T. & JOHNS E. J. Application of chaos theory to determine autonomic influences on the neural control of the kidney in anaesthetized stroke-prone spontaneously hypertensive rats (SHRSP) **505.P**, 114*P*, 1997

ZHAO F.-Y. *see WOLF E., ZHAO F.-Y. & ROBERTS A.* **504.P**, 182*P*, 1997

ZHAO F.-Y., WOLF E. & ROBERTS A. Non-linear summation of chemically mediated postsynaptic potentials in the motoneurons of young *Xenopus* tadpoles **504.P**, 182*P*, 1997

ZHAO J. *see BROWN J. & ZHAO J.* **501.P**, 165*P*, 1997

ZHENG F.

ZHENG F. Influence of interocular input on receptive field structure of complex neurones in cat striate cortex **501.P**, 120*P*, 1997

ZHENG F. Opposite direction preference between neighbouring neurones in striate cortex of the anaesthetized cat **504.P**, 123*P*, 1997

ZHOU A.-L.

ZHOU A.-L. & EGGINTON S. Capillary growth in overloaded rat skeletal muscle: an ultrastructural study **499.P**, 39*P*, 1997

ZHOU Y. *see FORSLING M. L. & ZHOU Y.* **504.P**, 223*P*, 1997

ZHURAVIN I. *see DUBROVSKAYA N. & ZHURAVIN I.* **504.P**, 119*P*, 1997

ZIA S.

ZIA S., CODY F. W. J. & O'BOYLE D. J. Disturbance of human joint position sense in Parkinson's disease **504.P**, 117*P*, 1997

ZIAKOPOULOS Z.

ZIAKOPOULOS Z., BROWN M. W. & BASHIR Z. I. Synaptic depression and long-term potentiation in the rat perirhinal cortex *in vitro* **501.P**, 8*P*, 1997

ZILBERTER Y. *see ROZOV A., ZILBERTER Y., WOLLMUTH L. & BURNASHEV N.* **501.P**, 18*P*, 1997

ZIMA A. V. *see BELEVICH A. E., ZIMA A. V. & SHUBA M. F.* **501.P**, 118*P*, 1997

ZINKIN M. P. *see GRACE A. A., VANDENBERG J. I., ZINKIN M. P., LOWE M. D., TAYLOR P. J., WARD D. E., CAMM A. J. & SAUMAREZ R. C.* **501.P**, 129*P*, 1997

ZOLADZ J. A.

ZOLADZ J. A., DUDA K., MAJERCZAK J., DOMANSKI J. & EMMERICH J. Influence of pre-exercise acidification on the V_{O_2}/power output ratio in humans **499.P**, 75*P*, 1997

ZUDONG L. *see HABGOOD M. D., ZUDONG L., DEHKORDI L., NAZARIAN J., ABRAHAM M., HIDER R. C. & ABBOTT N. J.* **505.P**, 49*P*, 1997

ZUPANCIC G. *see CARTER T. D., ZUPANCIC G., SMITH S. M. & WHEELER-JONES C.* **504.P**, 206*P*, 1997

ZYTNICKI D. *see D'INCAMPS B. L., DESTOMBES J., THIESSON D., HELLIO R., LASSERRE X., KOUCHTIR-DEVANNE N., JAMI L. & ZYTNICKI D.* **505.P**, 81*P*, 1997

Subject Index

The Journal of Physiology
Proceedings of The Physiological Society
Volumes 498 – 505

(January – December 1997)

Acetylcholine
Muscarinic and nicotinic receptors raise intracellular Ca^{2+} levels in rat carotid body type I cells **498**, 327, 1997
Inhibition of nitroxidergic nerve function by neurogenic acetylcholine in monkey cerebral arteries **498**, 453, 1997
G protein-dependent inhibition of L-type Ca^{2+} currents by acetylcholine in mouse pancreatic B-cells **499**, 65, 1997
Expression of the cardiac muscarinic receptor, muscarinic K^+ channel and a receptor kinase in CHO cells: desensitization on application of ACh **499.P**, 131*P*, 1997
Chemosensory and cholinergic stimulation of fictive respiration in isolated CNS of neonatal opossum **501**, 425, 1997
Effects of acetylcholine on the Na^+–K^+ pump current in guinea-pig ventricular myocytes **501**, 527, 1997
The involvement of cholinergic inputs in mediating the effects of low pH on rat nucleus ambiguus neurones *in vitro* **501.P**, 77*P*, 1997
Regulation of muscarinic acetylcholine receptor-mediated synaptic responses by adenosine receptors in the rat hippocampus **502**, 75, 1997
Desensitization shortens the high-quantal-content endplate current time course in frog muscle with intact cholinesterase **502**, 641, 1997
Synapse formation and hypoxic signalling in co-cultures o190f rat petrosal neurones and carotid body type 1 cells **503**, 599, 1997
Functional nicotinic ACh receptors on interneurones in the rat hippocampus **504**, 603, 1997
Acetylcholine-activated currents in outer hair cells recorded under conditions designed to reduce potassium currents **504.P**, 126*P*, 1997
Acetylcholine induces intercellular wave-like propagation of $[Ca^{2+}]_i$ in isolated intact rat colonic crypts via muscarinic receptors **504.P**, 148*P*, 1997
Endothelium-dependent, acetylcholine-mediated relaxation of rat coronary arteries. Influence of mode of contraction in Wistar–Kyoto and spontaneously hypertensive rats **504.P**, 191*P*, 1997
Modulation of ligand-gated ion channel function in insect neurones **504.P**, 4*S*, 1997
ATP-dependent desensitization of the muscarinic K^+ channel in rat atrial cells **505**, 77, 1997
The removal of acetylcholine by diffusion at nicotinic synapses in the rat otic ganglion **505**, 165, 1997

Acetylcholine receptor
Substance P preferentially inhibits the large conductance class of neuronal nicotinic ACh receptor channels expressed in parasympathetic neurones of rat intracardiac ganglia **501.P**, 70*P*, 1997
Functional nicotinic ACh receptors on interneurones in the rat hippocampus **504**, 603, 1997
Conditional expression of the α9 acetylcholine receptor subunit in immortalized cell lines from the mouse cochlea **504.P**, 126*P*, 1997
Computer simulation of water and sodium ions in models of the nicotinic acetylcholine receptor **504.P**, 158*P*, 1997
The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type **505**, 299, 1997

Acid–base balance
Dissociation between lactate and proton exchange in muscle during intense exercise in man **504**, 489, 1997

Acidosis
Stimulation of pulmonary C fibres by lactic acid in rats: contributions of H^+ and lactate ions **500**, 319, 1997
Effects of lactate on the relative contribution of Ca^{2+} extrusion mechanisms to relaxation in guinea-pig ventricular myocytes **500**, 557, 1997
Mechanism of oxidative stress-induced intracellular acidosis in rat cerebellar astrocytes and C_6 glioma cells **502**, 161, 1997

Acinar cell
Upregulation of Na^+–K^+–$2Cl^-$ cotransporter activity in rat parotid acinar cells by muscarinic stimulation **499**, 351, 1997

Action potential
Bursts of action potential waveforms relieve G-protein inhibition of recombinant P- and Q-type Ca^{2+} channels **499**, 637, 1997
Ionic mechanism of the effects of hydrogen peroxide in rat ventricular myocytes **500**, 631, 1997
Paraesthesiae induced by prolonged high frequency stimulation of human cutaneous afferents **501**, 461, 1997
Assessing the physiological generation of inactivation of a human presynaptic Ca^{2+} channel **501.P**, 23*P*, 1997
Brief exposure to hydrogen peroxide shortens action potential and calcium transient durations in left ventricular endocardial myocytes isolated from a rabbit coronary artery ligation model of heart failure **501.P**, 138*P*, 1997
Membrane currents underlying the modified electrical activity of guinea-pig ventricular myocytes exposed to hyperosmotic solution **504**, 135, 1997
The role of Na^+–Ca^{2+} exchange current in electrical restitution in ferret ventricular cells **504**, 301, 1997
A dual high-frequency voltage-controlled oscillator (VCO) for audible detection of slow potential changes **504.P**, 59*P*, 1997
Computational demonstration that Brownian motion of inner hair cell stereocilia may enhance the ability to detect low level auditory tones from auditory nerve spiking patterns **504.P**, 127*P*, 1997
Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons **505**, 605, 1997
Action potential initiation and propagation in rat neocortical pyramidal neurons **505**, 617, 1997
Ionic currents during sustained pacemaker activity in rabbit sino-atrial myocytes **505**, 677, 1997

Adamantane derivative
Block of open channels of recombinant AMPA receptors and native AMPA/kainate receptors by adamantane derivatives **505**, 655, 1997

Adaptation
Effect of hydroxylamine on photon-like events during dark adaptation in toad rod photoreceptors **501**, 97, 1997
A novel role for HERG K^+ channels: spike-frequency adaptation **501**, 313, 1997
Kinetics of post-bleach recovery of maximal response and amplification constant in human rod photoreceptors **504.P**, 30*P*, 1997
Stretch and the generator current at the frog muscle spindle: evidence for a mechanical basis of rapid adaptation **504.P**, 122*P*, 1997
Time course of gastrointestinal transit adaptation to high-fat diet in the rat **504.P**, 150*P*, 1997
Linear transduction of natural stimuli by dark-adapted and light-adapted rods of the salamander, *Ambystoma tigrinum* **505**, 193, 1997
Effects of prolonged darkness on the responses of luminosity type horizontal cells in the cyprinid retina **505.P**, 60*P*, 1997

Adenosine
Activation of A_2-purinoceptors by adenosine stimulates L-arginine transport (system y^+) and nitric oxide synthesis in human fetal endothelial cells **499**, 135, 1997
Modulation by adenosine of GABA-activated current in rat dorsal root ganglion neurons **501**, 67, 1997
The roles of adenosine in regulating the respiratory and cardiovascular systems in chronically hypoxic, adult rats **501**, 439, 1997
The roles of adenosine A_1 and A_{2a} receptors in modulating activity of neurones recorded extracellularly from the rostral ventrolateral medulla of the rat **501.P**, 73*P*, 1997
Regulation of muscarinic acetylcholine receptor-mediated synaptic responses by adenosine receptors in the rat hippocampus **502**, 75, 1997
Stimulation of α_1-adrenoceptors and protein kinase C-mediated activation of ecto-5′-nucleotidase in rat hearts *in vivo* **503**, 119, 1997
Adenosine activation of ATP-sensitive (K_{ATP}) potassium current via protein kinase C (PKC) in rat ventricular myocytes **504.P**, 154*P*, 1997
Hypoxic response of hypoglossal motoneurones in the *in vivo* cat **505**, 785, 1997

Adenosine dinucleotide
Diadenosine polyphosphates evoke Ca^{2+} transients in guinea-pig brain via receptors distinct from those for ATP **504**, 327, 1997

Adenosine diphosphate, see ADP

Adenosine receptor
Activation of A_2-purinoceptors by adenosine stimulates L-arginine transport (system y^+) and nitric oxide synthesis in human fetal endothelial cells **499**, 135, 1997
Ischaemic skeletal muscle hyperaemia in the anaesthetized cat: no contribution of A_{2A} adenosine receptors **500**, 205, 1997

Adenosine triphosphatase, see ATPase

Adenosine triphosphate, see ATP

Adenylyl cyclase
Interactions between neuropeptide Y and the adenylate cyclase pathway in rat mesenteric small arteries: role of membrane potential **502**, 281, 1997

Adhesion
The effects of amiloride, allopurinol and indomethacin on blood flow and performance in ischaemic hindlimb muscles in the rat **499.P**, 21*P*, 1997

Adipose tissue
Desensitization of human adipose tissue to adrenaline stimulation studied by microdialysis **500**, 271, 1997

ADP
Mechanical study of rat soleus muscle using caged ATP and X-ray diffraction: high ADP affinity of slow cross-bridges **502**, 433, 1997

Adrenaline
Desensitization of human adipose tissue to adrenaline stimulation studied by microdialysis **500**, 271, 1997

α-Adrenoceptor
α_1-Adrenoceptor-mediated negative inotropy of adrenaline in rat myocardium **499**, 195, 1997
The effect of α-adrenoceptor blockade on the anal canal pressure profile in people with anal fissures **499.P**, 78*P*, 1997
Restoration of the transient outward potassium current by noradrenaline in chagasic canine epicardium **500**, 75, 1997
Effects of α- and β-adrenoceptor stimulation on the power–frequency relationship of isolated rat ventricular trabeculae **501.P**, 136*P*, 1997
Supraspinal α_1-adrenoceptor activation enhances α_2-mediated reduction of spinal reflexes in anaesthetized rats **504.P**, 106*P*, 1997
Isoprenaline induces constriction at α_1-adrenoreceptors in large rat pulmonary arteries **505.P**, 101*P*, 1997

β-Adrenoceptor
Protein kinase A-mediated enhancement of miniature IPSC frequency by noradrenaline in rat cerebellar stellate cells **498**, 165, 1997
Regulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **499.P**, 16*P*, 1997
Stimulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **501**, 517, 1997
Effects of α- and β-adrenoceptor stimulation on the power–frequency relationship of isolated rat ventricular trabeculae **501.P**, 136*P*, 1997
Differential effects of endothelin-1 on basal and isoprenaline-enhanced Ca^{2+} current in guinea-pig ventricular myocytes **503**, 55, 1997
The chronotropic response to nitric oxide in the isolated guinea-pig atria is not affected by β-adrenergic blockade **504.P**, 83*P*, 1997
Voltage dependence of the Ca^{2+} transient during β-adrenergic stimulation is altered by reducing Ca^{2+} influx in voltage-clamped isolated rat ventricular myocytes **504.P**, 90*P*, 1997

Afferent nerve fibre
Effect of histamine on intestinal afferent nerve discharge in the anaesthetized rat **499.P**, 102*P*, 1997
Plasticity of Na^+ channels in afferent neurones innervating rat urinary bladder following spinal cord injury **503**, 269, 1997
Medium-latency stretch reflexes of foot and leg muscles analysed by cooling the lower limb in standing humans **503**, 691, 1997
A confocal microscopic analysis of axo-axonic contacts on the terminals of a Ib afferent fibre in the lumbo-sacral segments of the cat spinal cord **505.P**, 81*P*, 1997

Affinity
Three distinct regions are responsible for conferring affinity of the human high affinity immunoglobulin receptor FcγRI **499.P**, 123*P*, 1997

After-hyperpolarization
Analysis of current fluctuations during after-hyperpolarization current in dentate granule neurones of the rat hippocampus **499**, 121, 1997
Spike-evoked suppression and burst patterning in dorsal root ganglion neurons of the rat **501**, 183, 1997

Ageing
Muscle activation monitored using the twitch interpolation technique in elderly men and women over 80 years of age undergoing strength training **499.P**, 80*P*, 1997
The effects of amyloid β protein (1–40) on calcium channel currents in cultured rat cerebellar granule neurones **501.P**, 28*P*, 1997
Effect of ageing on rat geniohyoid and sternohyoid muscle contractile properties *in vitro* **501.P**, 62*P*, 1997
The effect of insulin on the membrane potential of extensor digitorum longus and diaphragm muscles of mature and old rats **501.P**, 142*P*, 1997
A longitudinal analysis of muscle strength in middle-aged women of different hormonal status **501.P**, 170*P*, 1997
Effect of age on rat striatal G protein activation by dopamine and serotonin **501.P**, 171*P*, 1997
Getting lost: synaptic mechanisms and network dynamics in the aged hippocampus **501.P**, 2*S*, 1997
Pharmacological properties of CA1 pyramidal cells in the aged rat **501.P**, 3*S*, 1997
Cerebral microvascular systems and ageing **501.P**, 4*S*, 1997
Comparison of young and old animals with regard to synapse restructuring associated with hippocampal long-term potentiation **501.P**, 4*S*, 1997
Age-related changes in synaptic plasticity in rat hippocampus **501.P**, 5*S*, 1997
Mechanisms of associative learning in young and ageing hippocampus **501.P**, 6*S*, 1997
Calcium signalling and neuronal ageing **501.P**, 7*S*, 1997
The glucocorticoid hypothesis of age-related hippocampal neurodegeneration **501.P**, 8*S*, 1997
Increased adrenocortical secretion in ageing: a conversion to its adaptive role **501.P**, 8*S*, 1997
Age-related functional changes of the glutamate receptor channels in rat Meynert neurones **504**, 665, 1997

β-Agonist
Effects of the β-agonist clenbuterol on sarcoplasmic reticulum Ca^{2+} release, loading and leak in skinned fast- and slow-twitch mammalian skeletal muscle fibres **504.P**, 226*P*, 1997

Airway
Chloride secretion in the trachea of null cystic fibrosis mice: the effects of transfection with pTrial10-CFTR2 **499**, 677, 1997
CFTR channel: a regulator of cytosolic calcium $[Ca^{2+}]_i$ in normal and cystic fibrosis human airway epithelial cells **499.P**, 4*P*, 1997
Effect of ageing on rat geniohyoid and sternohyoid muscle contractile properties *in vitro* **501.P**, 62*P*, 1997
The effect of prolonged changes in blood gases and pH on performance and fatigue in the upper airway muscles of the anaesthetized rat **501.P**, 63*P*, 1997
Nitric oxide contributes to substance P-induced increases in lung rapidly adapting receptor activity in guinea-pigs **503**, 635, 1997
Changes in upper and lower airway nitric oxide concentration associated with upper respiratory tract infection – a possible naso-bronchial link? **504.P**, 203*P*, 1997
The effect of nitric oxide on the electrophysiology of isolated human nasal epithelial cells **505.P**, 24*P*, 1997
$P2Y_2$ receptors are linked to multiple transduction pathways in a human airway epithelial cell line (H441) **505.P**, 33*P*, 1997
Differential regulation of human airway smooth muscle cell proliferation and phenotype by components of the extracellular matrix **505.P**, 105*P*, 1997

Alanine
The contribution of glia to nervous tissue metabolism **504.P**, 6*S*, 1997

Albumin
Hyaluronan secretion into the synovial cavity of rabbit knees and comparison with albumin turnover **503**, 645, 1997
Actions of serum and plasma albumin on intracellular Ca^{2+} in human endothelial cells **504**, 315, 1997

Altitude
The effect of altitude hypoxia on glucose homeostasis in men **504**, 241, 1997

Aluminium
Renal handling of aluminium in anaesthetized rats: micropuncture measurements in proximal tubules **505.P**, 115*P*, 1997

Alzheimer's disease
In vitro and *in vivo* evidence for a rapid clearance of cerebrospinal fluid-borne amyloid β-peptide into blood and appreciable accumulation by cerebral arteries **505.P**, 53*P*, 1997

Amino acid
Glutamine is superior to glutamate in enhancing post-ischaemic recovery of the isolated perfused working rat heart **501.P**, 127*P*, 1997
Glutamine affords cardioprotection and enhances recovery by a dose-dependent effect in the isolated perfused working rat heart **501.P**, 137*P*, 1997
Glutamine but not glutamate improves myocardial protection with cardioplegic solution in isolated guinea-pig hearts **501.P**, 141*P*, 1997
Mechanisms for stimulation of rat anterior pituitary cells by arginine and other amino acids **502**, 421, 1997
Deoxygenation and amino acid transporters in sickle red blood cells **504.P**, 136*P*, 1997
Mammalian amino acid transport system y^+ revisited: specificity and cation dependence of the interaction with neutral amino acids **504.P**, 137*P*, 1997
A novel GLYT1 glycine transporter in human small intestine **504.P**, 147*P*, 1997

β-Aminobutyric acid
The effects of calcium buffering and cyclic AMP on mechano-electrical transduction in turtle auditory hair cells **501**, 111, 1997

γ-Aminobutyric acid, see GABA

γ-Aminobutyric acid receptor, see GABA receptor

4-Aminopyridine
4-Aminopyridine activates potassium currents by activation of a muscarinic receptor in feline atrial myocytes **498**, 663, 1997

Ammonium
Initial effects of *Yucca shidigera* extract and high strength yeast culture on ovine ruminal fermentation of hay *in vitro* **501.P**, 160*P*, 1997

AMPA receptor
Dendritic and somatic glutamate receptor channels in rat cerebellar Purkinje cells **501**, 77, 1997
Relief from intracellular polyamine block underlies activity-dependent facilitation of currents through Ca^{2+}-permeable AMPAR channels **501.P**, 18*P*, 1997
Spatiotemporal patterns of γ frequency oscillations tetanically induced in the rat hippocampal slice **502**, 591, 1997

Amygdala
Quisqualate-preferring metabotropic glutamate receptor activates Na^+–Ca^{2+} exchange in rat basolateral amygdala neurones **499**, 87, 1997

Amyotrophic lateral sclerosis
Immunoglobulins from motoneurone disease patients enhance glutamate release from rat hippocampal neurones in culture **504**, 103, 1997

Anaesthesia
The relation between local cerebral blood flow and extracellular glucose concentration in rat striatum **499.P**, 51*P*, 1997
Effects of blockade of glycinergic synapses on sensory transmission and the action of halothane in the urethane-anaesthetized rat **499.P**, 92*P*, 1997
The effect of nitrous oxide on sensory transmission in the urethane-anaesthetized rat **499.P**, 92*P*, 1997
Volatile anaesthetics and barbiturates have differential effects on time constant and input capacitance of identified molluscan neurones **504.P**, 16*P*, 1997
Actions of propofol on neurones from the snail CNS and rat neocortex *in vitro* **504.P**, 23*P*, 1997
Dose-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **504.P**, 75*P*, 1997
The effects of 4% amethocaine gel on sensory and autonomic function in the skin of human volunteers **505.P**, 36*P*, 1997

Angiogenesis
Capillary growth in overloaded rat skeletal muscle: an ultrastructural study **499.P**, 39*P*, 1997
Does chronic systemic hypoxia induce angiogenesis in skeletal muscle of the rat? **499.P**, 118*P*, 1997

Angiotensin
Blockade of angiotensin II type 1 (AT_1) receptors enhances baroreflex performance in the anaesthetized developing rat **501.P**, 74*P*, 1997
Angiotensin II inhibition of ATP-sensitive K^+ currents in rat arterial smooth muscle cells through protein kinase C **503**, 489, 1997
Angiotensin II (AII) receptor blockade and baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **504.P**, 195*P*, 1997
Angiotensin II receptors within the nucleus of the solitary tract attenuate the baroreceptor vagal reflex in the anaesthetized developing rat **504.P**, 196*P*, 1997
Effect of renal perfusion pressure (RPP) reduction and nerve stimulation on PRA and renal renin and angiotensinogen (Ang) mRNA in the anaesthetized rat **504.P**, 210*P*, 1997
Angiotensin II (AII) and the baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **505.P**, 110*P*, 1997
Brain angiotensin II (AII) and renal nerve-mediated antinatriuresis in anaesthetized stroke prone spontaneously hypertensive rats (SHRSP) **505.P**, 112*P*, 1997

Anion
Analysis of a protein region involved in permeation and gating of the voltage-gated *Torpedo* chloride channel ClC-0 **498**, 691, 1997
Measurement of the distribution of anion exchange function in normal human red cells **499**, 17, 1997
Apical ATP stimulates electrogenic anion secretion in cultured Sertoli cells from immature rats **499.P**, 16*P*, 1997
Regulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **499.P**, 16*P*, 1997
Endothelial-derived superoxide anions in pig coronary arteries: evidence from lucigenin chemiluminescence and histochemical techniques **500**, 331, 1997

Anion exchange
Measurement of the distribution of anion exchange function in normal human red cells **499**, 17, 1997
Is resting state HCO_3^- secretion in frog gastric fundus mucosa mediated by apical Cl^-–HCO_3^- exchange? **499**, 763, 1997
The sharing of pH regulation by the anion exchanger and the bicarbonate transporter in human erythrocytes **499.P**, 23*P*, 1997

Annual Review Prize Lecture
Elementary and global aspects of calcium signalling **499**, 291, 1997
Voltage-gated and inwardly rectifying potassium channels **505**, 267, 1997

Antibody
Voltage-dependent binding and calcium channel current inhibition by an anti-α_{1D} subunit antibody in rat dorsal root ganglion neurones and guinea-pig myocytes **502**, 307, 1997

Antinatriuresis
Brain angiotensin II (AII) and renal nerve-mediated antinatriuresis in anaesthetized stroke prone spontaneously hypertensive rats (SHRSP) **505.P**, 112*P*, 1997

Aorta
A novel mechanosensitive cationic channel from the endothelium of rat aorta **498**, 419, 1997

Apnoea
The CO_2 sensitivity of breathing at raised temperatures during hypocapnia in the rat **501.P**, 57*P*, 1997
Rhythmic bursting of pre- and post-inspiratory neurones during central apnoea in mature mice **502**, 623, 1997
Paradoxical effect of oxygen administration on breathing stability following post-hyperventilation apnoea in lambs **504**, 199, 1997
Effect of cardiopulmonary C fibre activation on the firing activity of ventral respiratory group neurones in the rat **504**, 453, 1997

Aquaporin
Thirsting reverses both the diuresis and decreases in aquaporin-2 (AQP2) expression in rat kidney inner medulla produced by the specific V2 receptor antagonist OPC31260 **499.P**, 57*P*, 1997
Clinical and molecular insights into diabetes insipidus **505.P**, 3*S*, 1997
The aquaporin family of water channels **505.P**, 3*S*, 1997

Arachidonic acid
Partition coeffecient of arachidonic acid estimated from pipette aspiration experiments on sarcolemmal vesicles from rabbit skeletal muscle **499.P**, 133*P*, 1997
Evidence that long-term potentiation in rat dentate gyrus utilizes phospholipase C as a coincidence detector: investigation of the interaction between arachidonic acid and the metabotropic glutamate receptor agonist 1-amino-cyclopentane-1 3-dicarboxylate **501.P**, 88*P*, 1997
Age-related changes in synaptic plasticity in rat hippocampus **501.P**, 5*S*, 1997

Arcuate nucleus
An electrophysiological investigation into the neural connections between the arcuate nucleus, median eminence and paraventricular nucleus in the urethane-anaesthetized rat **505.P**, 10*P*, 1997
Suprachiasmatic and retinal projections to the arcuate nucleus in the rat **505.P**, 12*P*, 1997

Arginine
Diabetes and insulin-induced stimulation of L-arginine transport and nitric oxide synthesis in rabbit isolated gastric glands **498**, 787, 1997
Activation of A_2-purinoceptors by adenosine stimulates L-arginine transport (system y^+) and nitric oxide synthesis in human fetal endothelial cells **499**, 135, 1997
Electrogenic arginine transport mediates stimulus–secretion coupling in mouse pancreatic β-cells **499**, 625, 1997
The effect of glucose transport inhibitors on vicinal dione produced potassium loss from human red cells **499.P**, 51*P*, 1997
Mechanisms for stimulation of rat anterior pituitary cells by arginine and other amino acids **502**, 421, 1997

Arteriole
K^+ channels which contribute to the acetylcholine-induced hyperpolarization in smooth muscle of the guinea-pig submucosal arteriole **501**, 319, 1997

Large conductance K^+ channels in smooth muscle cells embedded in rabbit cerebral cortex arterioles **501.P**, 109*P*, 1997
Pathway-specific effects of calcitonin gene-related peptide on irideal arterioles of the rat **505**, 797, 1997
A developmental study of the sympathetic innervation of rat iris arterioles **505.P**, 100*P*, 1997

Artery
Microfibrils provide non-linear elastic behaviour in the abdominal artery of the lobster *Homarus americanus* **499**, 513, 1997
Protein kinase C requirement of Ca^{2+} channel stimulation by intracellular ATP in guinea-pig basilar artery smooth muscle cells **500**, 311, 1997
Endothelium-dependent, acetylcholine-mediated relaxation of rat coronary arteries. Influence of mode of contraction in Wistar–Kyoto and spontaneously hypertensive rats **504.P**, 191*P*, 1997

Astrocyte
GABA in the developing rat optic nerve **501.P**, 22*P*, 1997
Gradients of glial fibrillary acidic protein (GFAP) immunoreactivity in the developing spinal cord of the opossum *Monodelphis domestica* **501.P**, 101*P*, 1997

ATP
The role of ATP in the regulation of intracellular Ca^{2+} release in single fibres of mouse skeletal muscle **498**, 587, 1997
ATP-gated cation channels (P2X purinoceptors) in trigeminal mesencephalic nucleus neurones of the rat **498**, 709, 1997
Apical ATP stimulates electrogenic anion secretion in cultured Sertoli cells from immature rats **499.P**, 16*P*, 1997
Study of interrelations between haematological parameters, transport ATPase activity and deformability of erythrocytes from various mammals **499.P**, 24*P*, 1997
Nucleotide-dependent release of $Co(NH_3)_4ATP$ tightly bound to inactivated pig kidney Na^+, K^+-ATPase **499.P**, 25*P*, 1997
ATP modulation of dwell-time kinetics of K_{ATP} channels in isolated guinea-pig ventricular myocytes **499.P**, 128*P*, 1997
Run-down of the $GABA_A$ response under experimental ischaemia in acutely dissociated CA1 pyramidal neurones of the rat **500**, 673, 1997
Effect of ATP depletion and phosphatase/kinase inhibitors on organic osmolyte transport in human erythrocytes **501.P**, 155*P*, 1997
Selective enhancement of the slow component of delayed rectifier K^+ current in guinea-pig atrial cells by external ATP **503**, 45, 1997
Diadenosine polyphosphates evoke Ca^{2+} transients in guinea-pig brain via receptors distinct from those for ATP **504**, 327, 1997
Single-channel properties of P2X ATP receptors in rat cerebellar slices **504.P**, 51*P*, 1997
Ca^{2+} handling by rat myocardium exposed to ATP solutions of different $[Ca^{2+}]$ and Ca^{2+}-buffering capacity **504.P**, 95*P*, 1997
The $InsP_3$ receptor from olfactory cilia fused to planar lipid bilayers: conductance properties and recovery by ATP **504.P**, 157*P*, 1997
Molecular physiology of inwardly rectifying K^+ channels **504.P**, 11*S*, 1997
ATP-gated cation channels **504.P**, 12*S*, 1997
Swelling-induced Cl^- current in guinea-pig atrial myocytes: inhibition by glibenclamide **505**, 41, 1997
ATP is released from rabbit urinary bladder epithelial cells by hydrostatic pressure changes – a possible sensory mechanism? **505**, 503, 1997
Inhibition of ATP-activated current by zinc in dorsal root ganglion neurones of bullfrog **505**, 641, 1997
ATP enhances GABA release from glial cells of the rat retina **505.P**, 46*P*, 1997

ATPase
Modulation of Na^+,K^+-ATPase activity by a tyrosine phosphorylation process in rat proximal convoluted tubule **498**, 99, 1997
ATPase kinetics on activation of rabbit and frog permeabilized isometric muscle fibres: a real time phosphate assay **501**, 125, 1997
Chemo-mechanical energy transduction in relation to myosin isoform composition in skeletal muscle fibres of the rat **502**, 449, 1997

ATP-dependent potassium channel
Properties of cloned ATP-sensitive K^+ currents expressed in *Xenopus* oocytes **498**, 87, 1997
Similarity of ATP-dependent K^+ channels in skeletal muscle fibres from normal and mutant mdx mice **498**, 319, 1997
Sulphonylurea receptor 2B and Kir6.1 form a sulphonylurea-sensitive but ATP-insensitive K^+ channel **499**, 715, 1997
Mechanism of glibenclamide inhibition of cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in a murine cell line **503**, 333, 1997
Spermine inhibition of K_{ATP} channel activity in guinea-pig ventricular myocytes **504.P**, 48*P*, 1997

ATP-regulated conductance
Hypoxic response of hypoglossal motoneurones in the *in vivo* cat **505**, 785, 1997
A role for K_{ATP} channels in cerebral cortical dilatation induced in the anaesthetized rat by systemic hypoxia but not in the dilatation induced by exogenous adenosine **499.P**, 119*P*, 1997
MgADP hydrolysis is required for MgADP activation of the cloned β-cell K_{ATP} channel expressed in *Xenopus* oocytes **499.P**, 128*P*, 1997
Thiol reagents and ATP do not interact with C717 in the SUR1 subunit of the β-cell K_{ATP} channel **499.P**, 129*P*, 1997
Two K^+-selective conductances in single proximal tubule cells isolated from frog kidney are regulated by ATP **500**, 605, 1997
Phentolamine block of ATP-sensitive K^+ channels does not involve interaction with the sulphonylurea receptor, SUR1 **504.P**, 155*P*, 1997

Atrial myocyte
4-Aminopyridine activates potassium currents by activation of a muscarinic receptor in feline atrial myocytes **498**, 663, 1997
A comparison of calcium transients derived from electrically stimulated, adult rat ventricular and atrial myocytes in the presence and absence of isoprenaline **499.P**, 31*P*, 1997
In vivo downregulation of M_2 receptors revealed by measurement of muscarinic K^+ current in cultured guinea-pig atrial myocytes **501**, 549, 1997

Atrioventricular node
Sodium channel distribution within the rabbit atrioventricular node as analysed by confocal microscopy **501**, 263, 1997

Atropine
Potentiation of vagally mediated tachycardia by atropine in the anaesthetized dog **504.P**, 194*P*, 1997

Auditory system
Low-level auditory encoding in developmental dyslexia **504.P**, 131*P*, 1997
Synaptic plasticity of lemniscal and commissural pathways to the gerbil inferior colliculus following contralateral cochlear ablation **504.P**, 216*P*, 1997

Autonomic nervous system
Role of ganglionic cotransmission in sympathetic control of the isolated bullfrog aorta **498**, 201, 1997
Activation of the insular cortex during dynamic exercise in humans **503**, 277, 1997
Tachykinin-induced activation of non-specific cation conductance via NK_3 neurokinin receptors in guinea-pig intracardiac neurones **504**, 65, 1997
Brachial nerve stimulation and power spectral analysis of blood pressure (BP) and renal nerve activity (RNA) in anaesthetized normotensive and hypertensive rats **504.P**, 193*P*, 1997
Abnormal regional blood flow responses during and after exercise in human sympathetic denervation **505**, 841, 1997
A developmental study of the sympathetic innervation of rat iris arterioles **505.P**, 100*P*, 1997

Axon
The relationship between cutaneous C fibre type and antidromic vasodilatation in the rabbit and the rat **503**, 31, 1997
Intracellular Ca^{2+} and ischaemic cell death in neonatal white matter glia *in situ* **504.P**, 167*P*, 1997
Projections from the nucleus retroambigualis (nRA) to the thoracic spinal cord of the cat studied with the anterograde axonal tracer *Phaseolus vulgaris*-leucoagglutinin (PHA-L) **505.P**, 85*P*, 1997

Axotomy
Effect of axotomy on the subpopulations of NMDA receptors in the spinal cord of the neonatal rat **504.P**, 218*P*, 1997
Axotomy-induced changes in electrophysiological properties of slowly conducting mouse primary sensory afferent neurones *in vitro* **505.P**, 42*P*, 1997

Balance
Human body-segment tilts induced by galvanic stimulation: a vestibularly driven balance protection mechanism **501**, 661, 1997

Barbiturate
Single axon IPSPs generated in pyramidal cells by basket and bistratified interneurones in rat hippocampal slices are enhanced by pentobarbitone **501.P**, 10*P*, 1997

Baroreceptor

The prostacyclin analogue carbacyclin inhibits Ca^{2+}-activated K^+ current in aortic baroreceptor neurones of rats **501**, 275, 1997

Cardiorespiratory afferent convergence onto solitary tract neurones driven synaptically by pulmonary C-fibres in a working heart–brainstem preparation of mouse **504.P**, 199*P*, 1997

Baroreceptor reflex

Blockade of apamin- and charybdotoxin-sensitive K^+ currents in NTS neurones in rat produces opposite effects on two cardiorespiratory reflexes *in vivo* **501.P**, 73*P*, 1997

Arterial baroreflex regulation of renal nerve activity (RNA) and heart rate (HR) in anaesthetized high-fat fed Wistar rats **504.P**, 194*P*, 1997

Angiotensin II (AII) receptor blockade and baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **504.P**, 195*P*, 1997

In vivo comparison of two cardiorespiratory reflexes in NK1 knockout, heterozygous and wild-type mice **504.P**, 200*P*, 1997

Angiotensin II (AII) and the baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **505.P**, 110*P*, 1997

Basolateral membrane

pH gradient effects on chloride transport across basolateral membrane vesicles from guinea-pig jejunum **500**, 385, 1997

Behaviour

Non-invasive recording of embryo activity in the egg of the cuttlefish, *Sepia officinalis* **504.P**, 3*P*, 1997

Bicarbonate

Is resting state HCO_3^- secretion in frog gastric fundus mucosa mediated by apical Cl^-–HCO_3^- exchange? **499**, 763, 1997

Mass spectrometric determination of HCO_3^- permeability and carbonic anhydrase activity in intact guinea-pig colon epithelium **502**, 679, 1997

A functional CFTR protein is required for mouse intestinal cAMP-, cGMP- and Ca^{2+}-dependent HCO_3^- secretion **505**, 411, 1997

Bladder

Diabetes mellitus increases nitric oxide synthase binding sites in the rabbit urinary bladder neck: functional implications **501.P**, 106*P*, 1997

The effect of electrical and chemical stimulation of brainstem areas on bladder function in the rat **504.P**, 110*P*, 1997

Focal changes in nerve, muscle and connective tissue density in human idiopathic bladder **505.P**, 101*P*, 1997

Blood–brain barrier

Albumin transfer across the choroid plexus of South American opossum (*Monodelphis domestica*) **499**, 179, 1997

Permeability effects of vasoactive agonists and cyclic AMP on a cell culture model blood–brain barrier system **501.P**, 29*P*, 1997

Structural requirements of phenylglycine derivatives for affinity to the L-system transporter at the blood–brain barrier **501.P**, 30*P*, 1997

Characterization of nucleoside transporters in RBE4 an immortalized rat brain endothelial cell line **501.P**, 31*P*, 1997

The effect of acute liver failure upon the permeability of the blood–brain barrier of the rat *in vivo* **501.P**, 161*P*, 1997

Two components of blood–brain barrier disruption in the rat **503**, 613, 1997

Carrier-mediated transport of *S*-adenosylmethionine across the blood–brain barrier *in vitro* **505.P**, 48*P*, 1997

The effects of bradykinin on a cell culture model of the blood–brain barrier (BBB) **505.P**, 49*P*, 1997

Chemical structure of drugs and blood–brain barrier permeability in the anaesthetized rat **505.P**, 49*P*, 1997

Decreased endothelial cell glutathione and enhanced susceptibility to nitric oxide in an endothelial/glioma cell co-culture blood–brain barrier system **505.P**, 50*P*, 1997

Hepatocellular maturation and maintenance of the blood–brain barrier in the rat **505.P**, 51*P*, 1997

In vitro and *in vivo* evidence for a rapid clearance of cerebrospinal fluid-borne amyloid β-peptide into blood and appreciable accumulation by cerebral arteries **505.P**, 53*P*, 1997

Evidence for interleukin-1β mediating enhanced permeability responses to bradykinin in single pial venular capillaries of anaesthetized rats **505.P**, 53*P*, 1997

The effects of acute gliovascular lesioning caused by *m*-dinitrobenzene on brainstem function in the rat **505.P**, 54*P*, 1997

Comparison of the phenotype of immortalized brain endothelial cells (RBE4) with *in situ* brain endothelium: a lectin and antibody study **505.P**, 54*P*, 1997

Glial factors increase the functional activity of P-glycoprotein in immortalized rat brain endothelial cells (RBE4) **505.P**, 55*P*, 1997

Glial factors induce blood–brain barrier-like L-leucine transport in the non-brain endothelial cell line ECV304 **505.P**, 55*P*, 1997

Characterization of a new *in vitro* model of the blood–brain barrier (BBB) **505.P**, 56*P*, 1997

Influence of hypoosmolality on the blood–brain barrier permeability during epileptic seizures **505.P**, 57*P*, 1997

Blood flow

The shape of indicator dilution curves used for cardiac output measurement in man **498**, 225, 1997

The effect of stimulation frequency on skeletal muscle blood flow in the anaesthetized rat **499.P**, 22*P*, 1997

Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no effect of nitric oxide (NO) **501.P**, 67*P*, 1997

The relationship between cutaneous C fibre type and antidromic vasodilatation in the rabbit and the rat **503**, 31, 1997

Spatial variation in sympathetic influences on the vasculature of the synovium and medial collateral ligament of the rabbit knee joint **503**, 435, 1997

Relationship between venous pressure and tissue volume during venous congestion plethysmography in man **503**, 463, 1997

Human vaginal blood flow – absolute assessment by a new, quantitative heat wash-out method **504.P**, 188*P*, 1997

Abnormal regional blood flow responses during and after exercise in human sympathetic denervation **505**, 841, 1997

Renal medullary ion content (tissue admittance) during spontaneous variations of medullary blood flow in the rat: data from simultaneous recording **505.P**, 111*P*, 1997

Blood pressure

Intestinal blood flow is controlled by both feed arteries and microcirculatory resistance vessels in freely moving rats **498**, 215, 1997

Sympathetic nerve traffic correlates with the release of nitric oxide in humans: implications for blood pressure control **501**, 671, 1997

Evidence that central 5-HT_{2B} and 5-HT_{2A} receptors play a role in cardiovascular regulation in the anaesthetized rat **501.P**, 71*P*, 1997

Evidence that vasomotor neurones of the RVLM receive an input from paraventricular neurones of the hypothalamus in the rat **501.P**, 81*P*, 1997

Exaggerated activity of the guanylate cyclase-coupled receptor of atrial natriuretic peptide (ANP) cosegregates with hypertension in F2 descendents of Wistar Kyoto (WKY) and spontaneously hypertensive (SHR) rats **501.P**, 165*P*, 1997

Pressor effect mediated by bradykinin in the paratrigeminal nucleus of the rat **502**, 119, 1997

Relationship between venous pressure and tissue volume during venous congestion plethysmography in man **503**, 463, 1997

Blood vessel

Microfibrils provide non-linear elastic behaviour in the abdominal artery of the lobster *Homarus americanus* **499**, 513, 1997

Patterns and rhythms in single sympathetic neurone activity recorded from the tail artery in anaesthetized Wistar rats **504.P**, 207*P*, 1997

Bone

Does weight-training exercise increase bone mineral density in post-menopausal women? **499.P**, 81*P*, 1997

Extracellular nucleotides activate non-selective cation and Ca^{2+}-dependent K^+ channels in rat osteoclasts **503**, 303, 1997

Bradykinin

The contractile action of bradykinin on human gall-bladder *in vitro* **499.P**, 107*P*, 1997

Pressor effect mediated by bradykinin in the paratrigeminal nucleus of the rat **502**, 119, 1997

Bradykinin stimulates chloride secretion in an inner medullary collecting duct cell line (mIMCD-3) **504.P**, 140*P*, 1997

The effects of bradykinin on a cell culture model of the blood–brain barrier (BBB) **505.P**, 49*P*, 1997

Brain

Evidence for uncoupling of oxygen and glucose utilization during neuronal activation in rat striatum **498**, 497, 1997

Two types of low-voltage-activated Ca^{2+} channels in neurones of rat laterodorsal thalamic nucleus **499**, 77, 1997

The effect of hypoxia on 5′-nucleotidase activity in synaptosomes of the right and left rat brain hemispheres **499.P**, 41*P*, 1997
Changes in brain size in normal human pregnancy **499.P**, 79*P*, 1997
Disinhibition of rat hippocampal pyramidal cells by GABAergic afferents from the septum **500**, 463, 1997
Two-photon excitation imaging of living mammalian tissue slices and cultured cells *in vitro* **501.P**, 29*P*, 1997
Gating of cutaneous input to cerebellar climbing fibres during a reaching task in the cat **502**, 203, 1997
Extracellular glucose turnover in the striatum of unanaesthetized rats measured by quantitative microdialysis **504**, 721, 1997
A brain slice preparation of the cephalopod optic lobe **504.P**, 2*P*, 1997
Biochemical changes in a rat model of neuropathic pain **504.P**, 104*P*, 1997
The effects of neonatal median nerve injury on the responsiveness of tactile neurones within the cuneate nucleus of the cat **505**, 759, 1997
Hepatocellular maturation and maintenance of the blood–brain barrier in the rat **505.P**, 51*P*, 1997

Brainstem

Fos induced by emetic stimuli correlates with substance P immunoreactivity in the ferret brainstem **499.P**, 106*P*, 1997
The effect of electrical and chemical stimulation of brainstem areas on bladder function in the rat **504.P**, 110*P*, 1997
The effects of acute gliovascular lesioning caused by *m*-dinitrobenzene on brainstem function in the rat **505.P**, 54*P*, 1997
Activation of human hypoglossal motor nuclei during voluntary tongue contraction detected using functional magnetic resonance imaging (fMRI) **505.P**, 83*P*, 1997

Breathing

Individual differences in breathlessness during exercise, as related to ventilatory chemosensitivities in humans **499**, 843, 1997
Do respiratory-related chemical and behavioural stimuli interact to drive breathing in man? **499.P**, 69*P*, 1997
Changes in pharyngeal calibre during breaths preceding obstructive sleep apnoea in humans **499.P**, 69*P*, 1997
Effect of prolonged hypoxia on breathing in the fetus and neonate **499.P**, 13*S*, 1997
On the intercostal muscle compensation for diaphragmatic paralysis in the dog **500**, 245, 1997
The effects of chronic hypoxia on renal function in the rat **501**, 243, 1997
Chemosensory and cholinergic stimulation of fictive respiration in isolated CNS of neonatal opossum **501**, 425, 1997
Rhythmic bursting of pre- and post-inspiratory neurones during central apnoea in mature mice **502**, 623, 1997
Role of joint receptors in modulation of inspiratory intercostal activity by rib motion in dogs **503**, 445, 1997
Paradoxical effect of oxygen administration on breathing stability following post-hyperventilation apnoea in lambs **504**, 199, 1997
Isolation of the hypothalamus raises the temperature at which warming restarts breathing during hypocapnic apnoea in the anaesthetized rat **504.P**, 203*P*, 1997
Modulation of Ca^{2+} and Ca^{2+}-dependent conductances in mammalian respiratory neurones **504.P**, 25*S*, 1997
Breathing and the inferior olive **504.P**, 26*S*, 1997
Air hunger and respiratory motor output associated with raising end-tidal CO_2 ($P_{ET.CO_2}$) in awake humans **505.P**, 29*P*, 1997

Brush-border membrane

Mechanisms involved in increased iron uptake across rat duodenal brush-border membrane during hypoxia **500**, 379, 1997

Burst firing

Conditional dendritic oscillators in a lobster mechanoreceptor neurone **499**, 161, 1997
Synaptic origin and stimulus dependency of neuronal oscillatory activity in the primary visual cortex of the cat **500**, 751, 1997
Spike-evoked suppression and burst patterning in dorsal root ganglion neurons of the rat **501**, 183, 1997
Presubicular and parasubicular cortical neurons of the rat: functional separation of deep and superficial neurons *in vitro* **501**, 387, 1997

C fibre

Rhythmic bursting of pre- and post-inspiratory neurones during central apnoea in mature mice **502**, 623, 1997
Effect of cardiopulmonary C fibre activation on the firing activity of ventral respiratory group neurones in the rat **504**, 453, 1997
Cardiorespiratory afferent convergence onto solitary tract neurones driven synaptically by pulmonary C-fibres in a working heart–brainstem preparation of mouse **504.P**, 199*P*, 1997
Modulation of the pulmonary chemoreflex by cyclic adenosine monophosphate (cAMP) within the nucleus tractus solitarii (NTS) of the anaesthetized rat **504.P**, 201*P*, 1997

Caffeine

Ca^{2+} release from internal stores: role in generating depolarizing after-potentials in rat supraoptic neurones **498**, 339, 1997
Effects of cyclopiazonic acid on caffeine-induced Ca^{2+} release in isolated saponin skinned frog skeletal muscle fibres **501.P**, 144*P*, 1997

Calcineurin

Control of rat GluR6 glutamate receptor open probability by protein kinase A and calcineurin **503**, 513, 1997

Calcitonin

Mechanism of extracellular Ca^{2+} receptor-stimulated hormone release from sheep thyroid parafollicular cells **502**, 31, 1997

Calcitonin gene-related peptide

Pathway-specific effects of calcitonin gene-related peptide on irideal arterioles of the rat **505**, 797, 1997

Calcium

Effects of reduced muscle glycogen concentration on force, Ca^{2+} release and contractile protein function in intact mouse skeletal muscle **498**, 17, 1997
Muscarinic and nicotinic receptors raise intracellular Ca^{2+} levels in rat carotid body type I cells **498**, 327, 1997
Imaging the hierarchical Ca^{2+} signalling system in HeLa cells **499**, 307, 1997
Effect of metabolic inhibition on intracellular Ca^{2+}, phosphorylation of myosin regulatory light chain and force in rat smooth muscle **499**, 485, 1997
Differential effects of cytosolic Ca^{2+} on types 1 and 3 inositol 1,4,5-trisphosphate receptor over-expressed in insect Sf9 cells **499.P**, 2*P*, 1997
Inositol 1,3,4,5 tetrakisphosphate releases calcium from intracellular stores in permeabilized mouse pancreatic acinar cells **499.P**, 3*P*, 1997
CFTR channel: a regulator of cytosolic calcium $[Ca^{2+}]_i$ in normal and cystic fibrosis human airway epithelial cells **499.P**, 4*P*, 1997
Rapid effects of steroid hormones on free intracellular calcium in the colonic epithelial cell line T84 **499.P**, 5*P*, 1997
Calcium sensitization and calcium release in permeabilized neonatal rat portal vein **499.P**, 6*P*, 1997
Muscarinic receptor-induced calcium mobilization in isolated rat colonic crypts **499.P**, 7*P*, 1997
Effects of modulators of sarcoplasmic reticular function on intracellular Ca^{2+} ($[Ca^{2+}]_i$) and force of rat isolated myometrium **499.P**, 8*P*, 1997
Action of clotrimazole and cetiedil on single Ca^{2+}-activated K^+ channels in membrane patches from human erythrocytes **499.P**, 12*P*, 1997
Identification and function of type 2 and type 3 ryanodine receptors in T84 gut epithelial cells **499.P**, 18*P*, 1997
Calcium signalling in rat cortical neurones and glia in culture following activation of group I metabotropic glutamate receptors (mGluRs) **499.P**, 18*P*, 1997
A comparison of calcium transients derived from electrically stimulated, adult rat ventricular and atrial myocytes in the presence and absence of isoprenaline **499.P**, 31*P*, 1997
Influence of temperature on the effects of cADP-ribose analogues on contraction in guinea-pig isolated ventricular myocytes **499.P**, 32*P*, 1997
Differential responses of electrically stimulated, adult rat ventricular myocytes to isoprenaline following IGF-I or insulin incubation **499.P**, 32*P*, 1997
Capacitative calcium entry is downregulated by protein kinase C (PKC) in a human lung epithelial cell line **499.P**, 36*P*, 1997
The effect of calcium store depletion on the activity of the non-receptor protein tyrosine kinase $p72^{syk}$ in human platelets **499.P**, 36*P*, 1997
The effect of external magnesium on cytosolic free ionized calcium in bovine blood platelets **499.P**, 61*P*, 1997
Effects of cytochrome P450 inhibitors on calcium signalling in rat pancreatic acinar cells **499.P**, 105*P*, 1997
ATP and endothelin-1 preferentially activate a Ca^{2+}-activated Cl^- over K^+, current in rat pulmonary arterial myocytes **499.P**, 129*P*, 1997
IP_4 and its role in Ca^{2+} regulation **499.P**, 2*S*, 1997
Molecular basis of the regulation of inositol 1, 4, 5-trisphosphate ($InsP_3$)-mediated Ca^{2+} release by Ca^{2+} **499.P**, 3*S*, 1997
Local changes in $[Ca^{2+}]$ and their role in cardiac E–C coupling **499.P**, 5*S*, 1997

Multiple mechanisms for calcium mobilization in the sea urchin egg **499.P**, 5*S*, 1997
Inositol polyphosphates and Ca^{2+} signalling **499.P**, 6*S*, 1997
The relationship between tension and slowly varying intracellular calcium concentration in intact frog skeletal muscle **500**, 177, 1997
Effects of lactate on the relative contribution of Ca^{2+} extrusion mechanisms to relaxation in guinea-pig ventricular myocytes **500**, 557, 1997
Measurement of sarcoplasmic reticulum Ca^{2+} content and sarcolemmal Ca^{2+} fluxes in isolated rat ventricular myocytes during spontaneous Ca^{2+} release **501**, 3, 1997
Thrombin-dependent calcium signalling in single human erythroleukaemia cells **501**, 485, 1997
Visualization by confocal microscopy of synaptically evoked calcium transients in dendritic spines from rat organotypic hippocampal cultures **501.P**, 3*P*, 1997
Calcium signalling and neuronal ageing **501.P**, 7*S*, 1997
Inhibition of delayed rectifier K^+ conductance in cultured rat cerebellar granule neurons by kainate **501.P**, 16*P*, 1997
Na^+–Ca^{2+} exchanger shapes the calcium response to kainate in mouse Bergmann glial cells *in situ* **501.P**, 19*P*, 1997
Role of membrane potential in the regulation of capacitative calcium influx in human neutrophil granulocytes **501.P**, 83*P*, 1997
A type of LTP induction is dependent on activation of voltage-gated calcium channels but not NMDA receptors in the rat dentate gyrus *in vitro* **501.P**, 90*P*, 1997
Agonist mobilization of sarcoplasmic reticular calcium during inhibition of Na^+–Ca^{2+} exchange in isolated rat uterine smooth muscle **501.P**, 113*P*, 1997
Na^+–Ca^{2+} exchange does not regulate the cytosolic Ca^{2+} concentation in rat superior cerebral artery smooth muscle cells **501.P**, 118*P*, 1997
Buffering of the cardiac calcium transient by exogenous calcium indicators **501.P**, 132*P*, 1997
Recovery from chemical hypoxia in single rat and guinea-pig myocytes: is there a species difference? **501.P**, 135*P*, 1997
Lymphocyte calcium homeostasis: a cellular model for studying physiology and pathophysiology **501.P**, 150*P*, 1997
The effects of intracellular eosin B on depolarization-induced pH changes in isolated snail neurones **501.P**, 151*P*, 1997
Protein kinase A-dependent and -independent stimulation of exocytosis by cAMP in mouse pancreatic B-cells **502**, 105, 1997
Calcium in sympathetic varicosities of mouse vas deferens during facilitation, augmentation and autoinhibition **502**, 521, 1997
Calcium dependence and distribution of calcium-activated chloride channels in *Xenopus* oocytes **502**, 569, 1997
Lack of regulation by intracellular Ca^{2+} of the hyperpolarization-activated cation current in rat thalamic neurones **503**, 79, 1997
Extracellular nucleotides activate non-selective cation and Ca^{2+}-dependent K^+ channels in rat osteoclasts **503**, 303, 1997
Effects of hypoxia on $[Ca^{2+}]_i$, pH_i and myosin light chain phosphorylation in guinea-pig taenia caeci **503**, 427, 1997
Kinetics of Ca^{2+} release by $InsP_3$ in pig single aortic endothelial cells: evidence for an inhibitory role of cytosolic Ca^{2+} in regulating hormonally evoked Ca^{2+} spikes **504**, 17, 1997
Photodynamic triggering of calcium oscillation in the isolated rat pancreatic acini **504**, 47, 1997
Stimulation-induced changes in $[Ca^{2+}]$ in lizard motor nerve terminals **504**, 83, 1997
Actions of serum and plasma albumin on intracellular Ca^{2+} in human endothelial cells **504**, 315, 1997
Endothelium-dependent frequency modulation of Ca^{2+} signalling in individual vascular smooth muscle cells of the rat **504**, 349, 1997
Effect of saponin treatment on the sarcoplasmic reticulum of rat, cane toad and crustacean (yabby) skeletal muscle **504**, 425, 1997
Calcium homeostatic mechanisms operating in cultured postnatal rat hippocampal neurones following flash photolysis of nitrophenyl-EGTA **504**, 579, 1997
Monitoring cytoplasmic Ca^{2+} in cephalopod chromatophore muscles **504.P**, 2*P*, 1997
Optical imaging of viable, identifiable neurones in the anterior nerve ring of *Caenorhabditis elegans* in a semi-intact preparation **504.P**, 26*P*, 1997
Influences of extracellular pH (pH_o) on the outward current induced by the return of Mg^{2+} to the Ca^{2+}-free medium of the calcium paradox in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Patch-clamp studies of the red cell Ca^{2+}-sensitive K^+ channel in open human red cell ghosts **504.P**, 48*P*, 1997
Effects of the protein kinase A (PKA) inhibitor H89 on the Ca^{2+} current (I_{Ca}) and the Ca^{2+} transient in isolated ferret ventricular myocytes **504.P**, 79*P*, 1997
Comparison of the effects of extracellular and intracellular acidosis on the decline of intracellular Ca^{2+} in isolated rat ventricular myocytes **504.P**, 81*P*, 1997
Cs^+ inhibits spontaneous Ca^{2+} release from the sarcoplasmic reticulum of skinned myocytes from rat hearts **504.P**, 93*P*, 1997
Ruthenium Red as an inhibitor of mitochondrial Ca^{2+} uptake in single adult rat cardiomyocytes **504.P**, 96*P*, 1997
Neomycin and gentamicin act as agonists at the extracellular Ca^{2+}-sensing receptor isolated from rat kidney **504.P**, 139*P*, 1997
Acetylcholine induces intercellular wave-like propagation of $[Ca^{2+}]_i$ in isolated intact rat colonic crypts via muscarinic receptors **504.P**, 148*P*, 1997
Unusual permeation properties in recombinant Ca^{2+} channels containing the human $\alpha 1E$ subunit **504.P**, 161*P*, 1997
Changes in the responsiveness of isolated human hand vein endothelial cells in normal pregnancy **504.P**, 191*P*, 1997
Overshooting cytosolic $[Ca^{2+}]$ after activation of capacitative Ca^{2+} entry to calf pulmonary artery endothelial cells results largely from delayed activation of Ca^{2+} extrusion mechanisms **504.P**, 192*P*, 1997
Calcium-dependent exocytosis in single patch-clamped human umbilical vein endothelial cells **504.P**, 206*P*, 1997
Effects of protein kinase A (PKA) inhibition on excitation–contraction coupling (ECC) in isolated fast-twitch mouse skeletal muscle **504.P**, 233*P*, 1997
Modulation of Ca^{2+}-activated Cl^- currents in rabbit portal vein smooth muscle by an inhibitor of mitochondrial Ca^{2+} uptake **505**, 53, 1997
Characterization of a nicotinamide-adenine dinucleotide-dependent cation channel in the CRI-G1 rat insulinoma cell line **505**, 65, 1997
Variability in frequency and characteristics of Ca^{2+} sparks at different release sites in rat ventricular myocytes **505**, 337, 1997
Apparent Ca^{2+} dissociation constant of Ca^{2+} chelators incorporated non-disruptively into intact human red cells **505**, 403, 1997
Electrical resonance and Ca^{2+} influx in the synaptic terminal of depolarizing bipolar cells from the goldfish retina **505**, 571, 1997
Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons **505**, 605, 1997
$P2Y_2$ receptors are linked to multiple transduction pathways in a human airway epithelial cell line (H441) **505.P**, 33*P*, 1997
$P2Y_2$ receptor occupancy releases stored Ca^{2+} via a single, pertussis toxin-insensitive signal transduction pathway in a human alveolar epithelial cell line (A549) **505.P**, 66*P*, 1997
The effects of metabolic inhibition on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated myometria of pregnant rats **505.P**, 103*P*, 1997
Depolarization-induced Ca^{2+} transients in single smooth muscle cells isolated from pregnant rat uterus **505.P**, 105*P*, 1997

Calcium-activated chloride channel

Calcium-activated chloride channels in bovine pulmonary artery endothelial cells **498**, 381, 1997
Modulation of calcium-activated chloride currents in single smooth muscle cells by diamide **505.P**, 96*P*, 1997

Calcium-activated current

Analysis of current fluctuations during after-hyperpolarization current in dentate granule neurones of the rat hippocampus **499**, 121, 1997

Calcium-activated potassium channel

Ca^{2+}-activated K^+ channels in rat otic ganglion cells: role of Ca^{2+} entry via Ca^{2+} channels and nicotinic receptors **500**, 571, 1997
Contrasting effects of intracellular redox couples on the regulation of maxi-K channels in isolated myocytes from rabbit pulmonary artery **500**, 583, 1997
K^+ channels which contribute to the acetylcholine-induced hyperpolarization in smooth muscle of the guinea-pig submucosal arteriole **501**, 319, 1997
Molecular constituents of maxi K_{Ca} channels in human coronary smooth muscle: predominant $\alpha + \beta$ subunit complexes **502**, 545, 1997

Calcium-activated potassium current

The prostacyclin analogue carbacyclin inhibits Ca^{2+}-activated K^+ current in aortic baroreceptor neurones of rats **501**, 275, 1997
Rapid photorelease of calcium augments the fast potassium conductance of guinea-pig inner hair cells **504.P**, 127*P*, 1997

Calcium buffer

Calcium buffering properties of intracellular calcium stores in rat isolated pancreatic acinar cells **499.P**, 20*P*, 1997

Cytoplasmic calcium buffers in intact human red cells **500**, 139, 1997

Calcium channel

G-protein modulation of N-type calcium channel gating current in human embryonic kidney cells (HEK 293) **498**, 601, 1997

Two types of low-voltage-activated Ca^{2+} channels in neurones of rat laterodorsal thalamic nucleus **499**, 77, 1997

Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca^{2+} channels in rat pinealocytes **499**, 329, 1997

Multiple calcium channels control neurotransmitter release from rat postganglionic sympathetic nerve terminals **499**, 341, 1997

Non-genomic mechanism of 17β-oestradiol-induced inhibition of contraction in mammalian vascular smooth muscle **499**, 497, 1997

Bursts of action potential waveforms relieve G-protein inhibition of recombinant P- and Q-type Ca^{2+} channels **499**, 637, 1997

The role of the L-type Ca^{2+} channel in cholinergic pathways in guinea-pig detrusor smooth muscle **499.P**, 7*P*, 1997

Stable expression of the human cardiac L-type Ca^{2+} channel α_{1C} subunit in human embryonic kidney (HEK 293) cells **499.P**, 34*P*, 1997

The interaction of the carboxyl reagent EDC and the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **499.P**, 38*P*, 1997

Sarcoplasmic reticulum Ca^{2+} release channel: regulation by cytosolic and lumenal Ca^{2+} and calmodulin **499.P**, 2*S*, 1997

Roles of endothelin-1 and T-type Ca^{2+} channels in nitro-L-arginine vasoconstriction of hypertensive rat lungs **499.P**, 11*S*, 1997

Ca^{2+} release-induced inactivation of Ca^{2+} current in rat ventricular myocytes: evidence for local Ca^{2+} signalling **500**, 285, 1997

Protein kinase C requirement of Ca^{2+} channel stimulation by intracellular ATP in guinea-pig basilar artery smooth muscle cells **500**, 311, 1997

Hypoxia inhibits the recombinant α_{1C} subunit of the human cardiac L-type Ca^{2+} channel **500**, 551, 1997

Ca^{2+}-activated K^+ channels in rat otic ganglion cells: role of Ca^{2+} entry via Ca^{2+} channels and nicotinic receptors **500**, 571, 1997

Regulation of the cytosolic Ca^{2+} concentration by Ca^{2+} stores in single smooth muscle cells from rat cerebral arteries **501**, 497, 1997

Endothelin-1 (ET-1) inhibits L-type Ca^{2+} channels via the ET_A receptor subtype in cultured rat cerebellar granule cells **501.P**, 18*P*, 1997

Assessing the physiological generation of inactivation of a human presynaptic Ca^{2+} channel **501.P**, 23*P*, 1997

The effects of amyloid β protein (1–40) on calcium channel currents in cultured rat cerebellar granule neurones **501.P**, 28*P*, 1997

When are class I mGluRs necessary for hippocampal LTP in rats? **501.P**, 99*P*, 1997

A regulation of L-type calcium channels in intestinal smooth muscle cells by protein kinases **501.P**, 118*P*, 1997

Hypoxia inhibits recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **501.P**, 146*P*, 1997

Inhibition of human recombinant L-type cardiac Ca^{2+} channel α_{1C} subunits expressed in HEK 293 cells by isobutylmethylxanthine **501.P**, 146*P*, 1997

Extracellular divalent cations block a cation non-selective conductance unrelated to calcium channels in rat cardiac muscle **502**, 235, 1997

Voltage-dependent binding and calcium channel current inhibition by an anti-α_{1D} subunit antibody in rat dorsal root ganglion neurones and guinea-pig myocytes **502**, 307, 1997

Receptors couple to L-type calcium channels via distinct G_o proteins in rat neuroendocrine cell lines **502**, 321, 1997

Role of Q-type Ca^{2+} channels in vasopressin secretion from neurohypophysial terminals of the rat **502**, 351, 1997

Effects of extracellular pH on receptor-mediated Ca^{2+} influx in A7r5 rat smooth muscle cells: involvement of two different types of channel **503**, 237, 1997

L-, N- and T- but neither P- nor Q-type Ca^{2+} channels control vasopressin-induced Ca^{2+} influx in magnocellular vasopressin neurones isolated from the rat supraoptic nucleus **503**, 253, 1997

Ca^{2+} and Na^+ permeability of high-threshold Ca^{2+} channels and their voltage-dependent block by Mg^{2+} ions in chick sensory neurones **504**, 1, 1997

P-type calcium current reduced by antisense oligonucleotide against α_{1A} subunits in cultured cerebellar Purkinje cells **504.P**, 50*P*, 1997

A 'double step' depolarization distinguishes between 'Ca^{2+}-induced Ca^{2+} release' and 'voltage-activated Ca^{2+} release' in ventricular myocytes from the guinea-pig heart **504.P**, 82*P*, 1997

Nifedipine inhibits regulatory volume decrease in insulin-secreting cells **504.P**, 138*P*, 1997

Effects of nifedipine and ω-conotoxin GVIA on 5-hydroxytryptamine-mediated increases in mesenteric afferent discharge in the anaesthetized rat **504.P**, 148*P*, 1997

Alternative splicing in the fourth domain of the Ca^{2+} channel α_{1B}-subunit can account for the expression of kinetically distinct variants of the N-type Ca^{2+} channel in the nervous system of the rat **504.P**, 156*P*, 1997

The involvement of the I–II loop of the voltage-dependent calcium channel α_{1B} in G protein modulation by $G_{\beta\gamma}$: studies using the calcium channel β_2 subunit that slows calcium channel inactivation **504.P**, 157*P*, 1997

Different presynaptic Ca^{2+} channels influence evoked EPSCs and spontaneous, miniature EPSCs in rodent spinal lamina I and II neurones **504.P**, 175*P*, 1997

Differential actions of ω-conotoxin GVIA on transmitter release at single excitatory and inhibitory synapses onto granule cells in adult rat cerebellum **504.P**, 175*P*, 1997

Differential G protein subunit basis for biophysically distinct inhibitions of I_{Ca} by muscarinic receptors in isolated sympathetic neurones **504.P**, 176*P*, 1997

Molecular machinery of excitation–contraction coupling in striated muscle **504.P**, 11*S*, 1997

Hypoxia-induced inhibition of calcium channels in guinea-pig taenia caeci smooth muscle cells **505**, 107, 1997

Calcium current

Myogenic contraction by modulation of voltage-dependent calcium currents in isolated rat cerebral arteries **498**, 371, 1997

G protein-dependent inhibition of L-type Ca^{2+} currents by acetylcholine in mouse pancreatic B-cells **499**, 65, 1997

Ca^{2+}-induced Ca^{2+} release mediates Ca^{2+} transients evoked by single action potentials in rabbit vagal afferent neurones **499**, 315, 1997

Effect of calcium on transient outward current in *Helix aspersa* neurones *in vitro* **499.P**, 131*P*, 1997

Calcium currents in cultured D1 and F76 neurones of *Helix aspersa* **499.P**, 132*P*, 1997

Opposing effects of phorbol esters on transmitter release and calcium currents at frog motor nerve endings **501**, 41, 1997

Physiological expression of the 'window' component of I_T in rat and cat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997

The effect of the venom of the Chilli Rose Tarantula *Phrixotrichus spatulatus* on the L-type Ca^{2+} current in isolated guinea-pig ventricular myocytes **501.P**, 130*P*, 1997

Ca^{2+} release from the sarcoplasmic reticulum activated by membrane depolarization in the absence of Ca^{2+} entry in guinea-pig heart cells at 37 °C **501.P**, 133*P*, 1997

Calcium sparks and excitation–contraction coupling in phospholamban-deficient mouse ventricular myocytes **503**, 21, 1997

Longitudinal distribution of Na^+ and Ca^{2+} channels and β-adrenoceptors on the sarcolemmal membrane of frog cardiomyocytes **503**, 471, 1997

Effects of FMRFamide on L-type and T-type calcium currents in isolated heart cells from the squid, *Loligo forbesii* **504.P**, 11*P*, 1997

Calcium currents in the buccal motoneurons of the pond snail, *Lymnaea stagnalis* **504.P**, 16*P*, 1997

Calcium currents in identified *Lymnaea* neurones are depressed by fenchone **504.P**, 21*P*, 1997

Calcium currents in cardiac myocytes of squid *Alloteuthis subulata*, *Loligo forbesii* and *L. vulgaris* **504.P**, 21*P*, 1997

Action potentials, L-type Ca^{2+} current and delayed rectifier K^+ current recorded from isolated rabbit atrioventricular nodal cells are modulated by the anti-arrhythmic agent mexiletine **504.P**, 89*P*, 1997

Post-tetanic depression of excitatory synaptic transmission by inactivation of the presynaptic calcium current **504.P**, 174*P*, 1997

Modulation of Ca^{2+} and Ca^{2+}-dependent conductances in mammalian respiratory neurones **504.P**, 25*S*, 1997

Synergistic activation of guinea-pig cardiac cystic fibrosis transmembrane conductance regulator by the tyrosine kinase inhibitor genistein and cAMP **505**, 23, 1997

The 'window' component of the low threshold Ca^{2+} current produces input signal amplification and bistability in cat and rat thalamocortical neurones **505**, 689, 1997

Calcium-dependent potassium channel

Single-channel recordings of large conductance Ca^{2+}-activated K^+ channels from guinea-pig inner hair cells **501.P**, 147*P*, 1997

Outward currents in smooth muscle cells isolated from sheep mesenteric lymphatics **503**, 1, 1997
Epoxyeicosatrienoic acids activate a high-conductance, Ca^{2+}-dependent K^+ channel on pig coronary artery endothelial cells **504**, 537, 199

Calcium entry

Delayed autoregulation of the Ca^{2+} signals resulting from capacitative Ca^{2+} entry in bovine pulmonary artery endothelial cells **498**, 351, 1997
Depletion of both IP_3-sensitive and ryanodine-sensitive calcium stores activates capacitative calcium entry in smooth muscle cells isolated from the mouse anococcygeus **499.P**, 2*P*, 1997
Regulation of a non-capacitative bivalent cation entry pathway by vasopressin in A7r5 rat smooth muscle cells **499.P**, 3*P*, 1997

Calcium imaging

Imaging the hierarchical Ca^{2+} signalling system in HeLa cells **499**, 307, 1997
Serotonin-induced intercellular calcium waves in salivary glands of the blowfly *Calliphora erythrocephala* **500**, 17, 1997
Distribution of sarcomere length and intracellular calcium in mouse skeletal muscle following stretch-induced injury **502**, 649, 1997

Calcium influx

Role of membrane potential in the regulation of capacitative calcium influx in human neutrophil granulocytes **501.P**, 83*P*, 1997
Emptying of intracellular Ca^{2+} stores stimulates Ca^{2+} entry in mouse pancreatic β-cells by both direct and indirect mechanisms **503**, 387, 1997
Relationship between L-type Ca^{2+} currents and Ca^{2+} sparks in rat ventricular myocytes **504.P**, 92*P*, 1997

Calcium oscillation

Growth hormone-releasing hormone triggers pacemaker activity and persistent Ca^{2+} oscillations in rat somatotrophs **493**, 613, 1997
Oscillin: an intracellular protein that triggers cytoplasmic Ca^{2+} oscillations **499.P**, 4*S*, 1997
Modulation of stimulus–secretion coupling in single rat gonadotrophs **504**, 705, 1997

Calcium pump

Cytoplasmic calcium buffers in intact human red cells **500**, 139, 1997
Role of the plasma membrane Na^+–Ca^{2+} exchanger, Ca^{2+}–H^+ pump and mitochondria in regulation of basal cytoplasmic calcium in cultured rat cerebellar granule cells **504.P**, 53*P*, 1997

Calcium receptor

Mechanism of extracellular Ca^{2+} receptor-stimulated hormone release from sheep thyroid parafollicular cells **502**, 31, 1997

Calcium regulation

Delayed autoregulation of the Ca^{2+} signals resulting from capacitative Ca^{2+} entry in bovine pulmonary artery endothelial cells **498**, 351, 1997
Molecular regulation of the Na^+–Ca^{2+} exchanger **504.P**, 9*S*, 1997

Calcium release

Imaging the hierarchical Ca^{2+} signalling system in HeLa cells **499**, 307, 1997
Intracellular alkalinization mobilizes calcium from agonist-sensitive pools in rat lacrimal acinar cells **499**, 601, 1997
Calcium-induced calcium release (CICR) in human primary culture renal proximal tubule cells mediated by dopamine D1 receptor activation **499.P**, 6*P*, 1997
Calcium release from ATP-sensitive stores, evoked by okadaic acid in the human umbilical vein endothelial cell line, ECV 304 **499.P**, 42*P*, 1997
Sarcoplasmic reticulum Ca^{2+} release channel: regulation by cytosolic and lumenal Ca^{2+} and calmodulin **499.P**, 2*S*, 1997
Effect of calcium release channel regulators on ryanodine receptor association **499.P**, 5*S*, 1997
Functional evidence for calcium-induced calcium release in isolated rat vibrissal Merkel cell mechanoreceptors **500**, 29, 1997
Ca^{2+} release-induced inactivation of Ca^{2+} current in rat ventricular myocytes: evidence for local Ca^{2+} signalling **500**, 285, 1997
Dual effects of tetracaine on spontaneous calcium release in rat ventricular myocytes **500**, 297, 1997
The immunophilin FK506-binding protein modulates Ca^{2+} release channel closure in rat heart **500**, 343, 1997
Functional and morphological features of skeletal muscle from mutant mice lacking both type 1 and type 3 ryanodine receptors **501**, 305, 1997
Effects of cyclopiazonic acid on caffeine-induced Ca^{2+} release in isolated saponin skinned frog skeletal muscle fibres **501.P**, 144*P*, 1997
Release and sequestration of calcium by ryanodine-sensitive stores in rat hippocampal neurones **502**, 13, 1997
Calcium release from intracellular stores evoked by extracellular ATP in a *Xenopus* renal epithelial cell line **502**, 365, 1997
The effect of tetracaine on spontaneous Ca^{2+} release and sarcoplasmic reticulum calcium content in rat ventricular myocytes **502**, 471, 1997
Relationship between L-type Ca^{2+} currents and Ca^{2+} sparks in rat ventricular myocytes **504.P**, 92*P*, 1997
Intramembrane charge movement and sarcoplasmic calcium release in enzymatically isolated mammalian skeletal muscle fibres **505**, 371, 1997
Partial depletion of sarcoplasmic reticulum calcium does not prevent calcium sparks in rat ventricular myocytes **505**, 665, 1997
BDM stimulates Ca^{2+} release from the SR in intact, isolated rat ventricular myocytes **505.P**, 92*P*, 1997

Calcium sensitivity

Sarcomere length dependence of the rate of tension redevelopment and submaximal tension in rat and rabbit skinned skeletal muscle fibres **501**, 607, 1997
Molecular constituents of maxi K_{Ca} channels in human coronary smooth muscle: predominant $\alpha + \beta$ subunit complexes **502**, 545, 1997

Calcium signalling

IFN-γ-induced decrease in SERCA protein and depletion of intracellular calcium store(s) is associated with loss of cell growth and apoptosis in a human submandibular gland cell line **501.P**, 157*P*, 1997

Calcium store

Role of Ca^{2+} stores in Ca^{2+} signalling in rat isolated resistance-sized cerebral artery smooth muscle **499.P**, 5*P*, 1997
Serotonin-induced intercellular calcium waves in salivary glands of the blowfly *Calliphora erythrocephala* **500**, 17, 1997
Dynamical relationship between intracellular Ca^{2+} stores and stores-operated Ca^{2+} entry pathway in mouse brain microglia: long-term activation of capacitative Ca^{2+} entry **501.P**, 21*P*, 1997
When are class I mGluRs necessary for hippocampal LTP in rats? **501.P**, 99*P*, 1997
Ca^{2+} handling by rat myocardium exposed to ATP solutions of different $[Ca^{2+}]$ and Ca^{2+}-buffering capacity **504.P**, 95*P*, 1997

Calcium transient

The role of the L-type Ca^{2+} channel in cholinergic pathways in guinea-pig detrusor smooth muscle **499.P**, 7*P*, 1997
Effect of the immunosupressant FK506 on excitation–contraction coupling and outward K^+ currents in rat ventricular myocytes **501**, 509, 1997
Decay of calcium transients after electrical stimulation in rat fast- and slow-twitch skeletal muscle fibres **501**, 573, 1997
Spatial heterogeneity of intracellular Ca^{2+} signals in axons of basket cells from rat cerebellar slices **502**, 509, 1997
Calcium sparks and excitation–contraction coupling in phospholamban-deficient mouse ventricular myocytes **503**, 21, 1997
Effects of triiodothyronine (T_3) on the expression of SERCA2a and phospholamban and on calcium transients in isolated adult rat cardiomyocytes **504.P**, 94*P*, 1997
Localized detection of action potential-induced presynaptic calcium transients at a *Xenopus* neuromuscular junction **505**, 585, 1997

Calcium transpo.t

The effects of cyclopiazonic acid and low Na^+ on $[Ca^{2+}]_i$ and force in isolated rat gastric smooth muscle **501.P**, 112*P*, 1997

Calmodulin

Reduced levels of α-calmodulin-dependent protein kinase II (αCaMKII) in the temporal cortex of Alzheimer's disease cases compared with an age-matched group **499.P**, 42*P*, 1997
Sarcoplasmic reticulum Ca^{2+} release channel: regulation by cytosolic and lumenal Ca^{2+} and calmodulin **499.P**, 2*S*, 1997

Calyx of Held

Post-tetanic depression of excitatory synaptic transmission by inactivation of the presynaptic calcium current **504.P**, 174*P*, 1997

cAMP

Modulation of the human cardiac sodium channel α-subunit by cAMP-dependent protein kinase and the responsible sequence domain **498**, 309, 1997
Selective downregulation of an inactivating K^+ conductance by analogues of cAMP in mouse Schwann cells **499**, 655, 1997
Cl^- secretion by fish gill respiratory-like cells in culture and its hormonal control **499.P**, 17*P*, 1997
Modulation of dog atrial swelling-induced chloride current by cAMP: protein kinase A-dependent and -independent pathways **500**, 111, 1997
The effects of calcium buffering and cyclic AMP on mechano-electrical transduction in turtle auditory hair cells **501**, 111, 1997

Activation of f-channels by cAMP analogues in macropatches from rabbit sino-atrial node myocytes **501**, 565, 1997
Protein kinase A-dependent and -independent stimulation of exocytosis by cAMP in mouse pancreatic B-cells **502**, 105, 1997
cAMP-dependent reversal of opioid- and prostaglandin-mediated depression of the isolated respiratory network in newborn rats **504**, 127, 1997
Up-regulation of SGLT1 by cyclic AMP in isolated rat jejunum **504.P**, 147*P*, 1997
Modulation of the pulmonary chemoreflex by cyclic adenosine monophosphate (cAMP) within the nucleus tractus solitarii (NTS) of the anaesthetized rat **504.P**, 201*P*, 1997

Capillary
Involvement of vascular endothelial growth factor in capillary growth as a result of chronic electrical stimulation of skeletal muscle in conscious rats **499.P**, 39*P*, 1997
Two components of blood–brain barrier disruption in the rat **503**, 613, 1997
Evidence for interleukin-1β mediating enhanced permeability responses to bradykinin in single pial venular capillaries of anaesthetized rats **505.P**, 53*P*, 1997

Capsaicin
Use-dependent outward rectification of capsaicin-activated current in adult rat dorsal root ganglion neurones in culture **499.P**, 14*P*, 1997
Fractional Ca^{2+} currents through capsaicin- and proton-activated ion channels in rat dorsal root ganglion neurones **503**, 67, 1997
Inflammatory mediators at acidic pH activate capsaicin receptors in cultured sensory neurones from newborn rats **504.P**, 177*P*, 1997
The effect of capsaicin on renal pain signalling systems in humans and Wistar rats **505.P**, 39*P*, 1997
Calcineurin inhibition prevents development of outward rectification of capsaicin-activated current in adult rat dorsal root ganglion (DRG) neurones in culture **505.P**, 40*P*, 1997

Carbon dioxide
Do respiratory-related chemical and behavioural stimuli interact to drive breathing in man? **499.P**, 69*P*, 1997
Development of carotid chemoreceptor dynamic and steady-state sensitivity to CO_2 in the newborn lamb **503**, 187, 1997
Air hunger and respiratory motor output associated with raising end-tidal CO_2 (P_{ET,CO_2}) in awake humans **505.P**, 29*P*, 1997

Cardiac muscle
Active and passive forces of isolated myofibrils from cardiac and fast skeletal muscle of the frog **500**, 535, 1997
Hypoxia inhibits the recombinant α_{1C} subunit of the human cardiac L-type Ca^{2+} channel **500**, 551, 1997
Effects of α- and β-adrenoceptor stimulation on the power–frequency relationship of isolated rat ventricular trabeculae **501.P**, 136*P*, 1997
'Voltage-activated Ca^{2+} release' – a novel mechanism for Ca^{2+} release from the sarcoplasmic reticulum – in heart cells from rabbit rat and guinea-pig and its dependence on internal [cyclic AMP] **501.P**, 139*P*, 1997
Extracellular divalent cations block a cation non-selective conductance unrelated to calcium channels in rat cardiac muscle **502**, 235, 1997
Molecular constituents of maxi K_{Ca} channels in human coronary smooth muscle: predominant $\alpha + \beta$ subunit complexes **502**, 545, 1997
Dynamics of viscoelastic properties of rat cardiac sarcomeres during the diastolic interval: involvement of Ca^{2+} **502**, 661, 1997
Laser temperature jump experiments on mammalian (rat) cardiac muscle fibres **504.P**, 62*P*, 1997
Distribution of *cftr* mRNA in rabbit left ventricular myocardium **504.P**, 74*P*, 1997
Comparison of the effects of extracellular and intracellular acidosis on the decline of intracellular Ca^{2+} in isolated rat ventricular myocytes **504.P**, 81*P*, 1997
Tetracaine only transiently inhibits contractions of rat isolated ventricular myocytes **504.P**, 82*P*, 1997
Ca^{2+} handling by rat myocardium exposed to ATP solutions of different $[Ca^{2+}]$ and Ca^{2+}-buffering capacity **504.P**, 95*P*, 1997
Adenosine activation of ATP-sensitive (K_{ATP}) potassium current via protein kinase C (PKC) in rat ventricular myocytes **504.P**, 154*P*, 1997
Mechanism of action of endothelin in rat cardiac muscle: cross-bridge kinetics and myosin light chain phosphorylation **505**, 217, 1997
Sarcoplasmic reticulum Ca^{2+} content, L-type Ca^{2+} current and the Ca^{2+} transient in rat myocytes during β-adrenergic stimulation **505**, 385, 1997

Cardiac myocyte
The effect of Ca^{2+}-calmodulin-dependent protein kinase II on cardiac excitation–contraction coupling in ferret ventricular myocytes **501**, 17, 1997
Swelling-activated chloride current in isolated ventricular myocytes from *Callithrix jacchus* the common marmoset **501.P**, 130*P*, 1997
Brief exposure to hydrogen peroxide shortens action potential and calcium transient durations in left ventricular endocardial myocytes isolated from a rabbit coronary artery ligation model of heart failure **501.P**, 138*P*, 1997
Longitudinal distribution of Na^+ and Ca^{2+} channels and β-adrenoceptors on the sarcolemmal membrane of frog cardiomyocytes **503**, 471, 1997
Membrane currents underlying the modified electrical activity of guinea-pig ventricular myocytes exposed to hyperosmotic solution **504**, 135, 1997
The cardiac Na^+–Ca^{2+} exchanger is not modulated by cytoskeletal disruption or stabilization in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Outward currents in isolated human cardiac atrial myocytes **504.P**, 77*P*, 1997
Effects of the protein kinase A (PKA) inhibitor H89 on the Ca^{2+} current (I_{Ca}) and the Ca^{2+} transient in isolated ferret ventricular myocytes **504.P**, 79*P*, 1997
Isolation of human myocytes from left ventricular sections of patients with end-stage heart failure **504.P**, 88*P*, 1997
Relationship between L-type Ca^{2+} currents and Ca^{2+} sparks in rat ventricular myocytes **504.P**, 92*P*, 1997
Myristyl FRCRCFa: a membrane-permeant blocker of the Na^+–Ca^{2+} exchanger that is effective when applied extracellularly to rabbit cardiac ventricular myocytes **504.P**, 92*P*, 1997
Cs^+ inhibits spontaneous Ca^{2+} release from the sarcoplasmic reticulum of skinned myocytes from rat hearts **504.P**, 93*P*, 1997
Does levosimendan increase calcium load in guinea-pig isolated ventricular myocytes? **504.P**, 94*P*, 1997
Effects of triiodothyronine (T_3) on the expression of SERCA2a and phospholamban and on calcium transients in isolated adult rat cardiomyocytes **504.P**, 94*P*, 1997
Ruthenium Red as an inhibitor of mitochondrial Ca^{2+} uptake in single adult rat cardiomyocytes **504.P**, 96*P*, 1997

Cardiac neurone
Cardiac afferent inputs to the nucleus tractus solitarii (NTS) in the cat **504.P**, 198*P*, 1997

Cardiac output
The shape of indicator dilution curves used for cardiac output measurement in man **498**, 225, 1997
Cardiovascular oxygen transport in exercising humans in microgravity **499.P**, 74*P*, 1997

Cardiac reflex
Further evidence that central 5-HT_{1A} receptors are involved in the reflex activation of cardiac vagal preganglionic neurones in anaesthetized rabbits **504.P**, 197*P*, 1997

Cardiovascular response
A comparative study of cardiovascular, endocrine and behavioural effects of betamethasone and dexamethasone administration to fetal sheep **499**, 217, 1997
Cardiovascular adaptations to chronic systemic hypoxia: modulation of vasoconstrictor and vasodilator influences **499.P**, 12*S*, 1997
Oxygen transport and utilization during feeding in the young lamb **503**, 195, 1997
Activation of the insular cortex during dynamic exercise in humans **503**, 277, 1997
Visualization and computational study of flow at model planar and non-planar end-to-side arterial bypass grafts **504.P**, 44*P*, 1997
Development of cardiovascular control in the chick embryo **504.P**, 22*S*, 1997
Cardiovascular development in late gestation fetal sheep and young lambs following modest maternal nutrient restriction in early gestation **505.P**, 18*P*, 1997
Co-regulation of somatosensory and autonomic systems from the periaqueductal grey matter and modulation by the raphe nuclei **505.P**, 7*S*, 1997
Cardiovascular/nociceptive interplay: afferents and brainstem nuclei **505.P**, 9*S*, 1997

Carotid body
Muscarinic and nicotinic receptors raise intracellular Ca^{2+} levels in rat carotid body type I cells **498**, 327, 1997
A novel oxygen-sensitive potassium current in rat carotid body type I cells **498**, 649, 1997

Properties of ionic currents from isolated adult rat carotid body chemoreceptor cells: effect of hypoxia **499**, 429, 1997
A comparison of O_2-sensitive K^+ currents in chronically hypoxic and immature normoxic rat type I carotid body cells **499.P**, 14*S*, 1997
Developmental changes in isolated rat type I carotid body cell K^+ currents and their modulation by hypoxia **501**, 49, 1997
Chloride currents induced by hypotonic solutions in isolated rat carotid body type I cells **501.P**, 60*P*, 1997
Multiple effects of nordihydroguaiaretic acid (NDGA) on ionic currents in isolated rat type I carotid body cells **501.P**, 60*P*, 1997
Left ventricular inotropic responses to selective stimulation of the carotid and aortic bodies in the anaesthetized cat **501.P**, 78*P*, 1997
Reflex cardiac dromotropic responses to stimulation of the carotid and aortic chemoreceptors in the anaesthetized cat **502**, 461, 1997
Development of carotid chemoreceptor dynamic and steady-state sensitivity to CO_2 in the newborn lamb **503**, 187, 1997
Swelling- and cAMP-activated Cl^- currents in isolated rat carotid body type I cells **503**, 497, 1997
Synapse formation and hypoxic signalling in co-cultures of rat petrosal neurones and carotid body type 1 cells **503**, 599, 1997
Dose-dependent modulation of carotid body CO_2–O_2 interaction by carbon monoxide **504.P**, 201*P*, 1997
Inhibition of adult rat carotid body type I cell K^+ currents by combined hypoxic and acidotic stimuli **504.P**, 202*P*, 1997

Cat

Spatial and temporal frequency selectivity of cells in area 21a of the cat **501**, 405, 1997
Influence of interocular input on receptive field structure of complex neurones in cat striate cortex **501.P**, 120*P*, 1997
Actions of compounds manipulating the nitric oxide system in the cat primary visual cortex **504**, 467, 1997
Neuronal activity in microzones of the cerebellar c3 zone in the cat during a visually guided reach-retrieval task **504.P**, 64*P*, 1997
Opposite direction preference between neighbouring neurones in striate cortex of the anaesthetized cat **504.P**, 123*P*, 1997

Catecholamine

Developmental loss of hypoxic chemosensitivity in rat adrenomedullary chromaffin cells **498**, 503, 1997
Mechanisms of adaptation of cultured rat carotid body chemoreceptors to chronic hypoxia *in vitro* **499.P**, 15*S*, 1997
Catecholamine-synthesizing vagal preganglionic neurones in the dorsal motonucleus of the vagus nerve in rat **501.P**, 76*P*, 1997
Hypoxia-induced catecholamine secretion in isolated newborn rat adrenal chromaffin cells is mimicked by inhibition of mitochondrial respiration **504**, 175, 1997
The effect of altitude hypoxia on glucose homeostasis in men **504**, 241, 1997

Cation channel

Channel modulation by tyrosine phosphorylation in an identified leech neuron **498**, 135, 1997
Purinoceptor-operated cationic channels in human B lymphocytes **498**, 143, 1997
Activation of a novel non-selective cation channel by alloxan and H_2O_2 in the rat insulin-secreting cell line CRI-G1 **501**, 59, 1997
ATP-gated cation channels **504.P**, 12*S*, 1997
Characterization of a nicotinamide-adenine dinucleotide-dependent cation channel in the CRI-G1 rat insulinoma cell line **505**, 65, 1997

Cation current

α_1-Adrenoceptor activation of a non-selective cation current in rabbit portal vein by 1,2-diacyl-*sn*-glycerol **499**, 417, 1997
Extracellular divalent cations block a cation non-selective conductance unrelated to calcium channels in rat cardiac muscle **502**, 235, 1997
Lack of regulation by intracellular Ca^{2+} of the hyperpolarization-activated cation current in rat thalamic neurones **503**, 79, 1997
Tachykinin-induced activation of non-specific cation conductance via NK_3 neurokinin receptors in guinea-pig intracardiac neurones **504**, 65, 1997
On the nature of anomalous rectification in thalamocortical neurones of the cat ventrobasal thalamus *in vitro* **505**, 727, 1997

Cell death

L-DOPA increases motoneurone death following axotomy in postnatal rats **504.P**, 214*P*, 1997

Cell line

Rapid effects of steroid hormones on free intracellular calcium in the colonic epithelial cell line T84 **499.P**, 5*P*, 1997
Transient oscillations of [^{3}H]DADLE binding with membrane vesicles produced by NG108-15 cells **499.P**, 23*P*, 1997
The influence of the 5′ untranslated region of aromatic amino acid decarboxylase transcripts on translation in endocrine and kidney cell lines **499.P**, 122*P*, 1997

Cell volume

Taurine efflux and cell volume regulation in superficial cerebral cortical slices prepared from chronically hyponatraemic rats **499.P**, 58*P*, 1997
Modulation of dog atrial swelling-induced chloride current by cAMP: protein kinase A-dependent and -independent pathways **500**, 111, 1997
Swelling-activated chloride current in isolated ventricular myocytes from *Callithrix jacchus* the common marmoset **501.P**, 130*P*, 1997
P-glycoprotein is not a swelling-activated Cl^- channel; possible role as a Cl^- channel regulator **502**, 249, 1997
Effect of cell shrinkage on permeability of cultured bovine aortic endothelia and frog mesenteric capillaries **503**, 413, 1997
Volume-activated DIDS-sensitive whole-cell chloride currents in trout red blood cells **504**, 57, 1997
Extracellular space volume and geometry in the developing rat spinal cord: effects of potassium and hyposmotic stress **504.P**, 168*P*, 1997

Central nervous system

Evidence that central 5-HT_{2B} and 5-HT_{2A} receptors play a role in cardiovascular regulation in the anaesthetized rat **501.P**, 71*P*, 1997

Central pattern generator

Rhythmic motor activity and interlimb co-ordination in the developing pouch young of a wallaby (*Macropus eugenii*) **501**, 623, 1997

Cerebellum

Dynamic properties of nitric oxide release from parallel fibres in rat cerebellar slices **498**, 443, 1997
Zn^{2+} and benzodiazepines alter deactivation of GABA responses in cultured murine cerebellar granule cells **499.P**, 27*P*, 1997
Postsynaptic $GABA_A$ receptor occupancy depends on receptor number at synapses on stellate cells in the rat cerebellum **501.P**, 10*P*, 1997
CNQX increases the frequency of $GABA_A$ receptor-mediated synaptic currents in granule cells of the rat cerebellum **501.P**, 11*P*, 1997
Spillover: a possible mechanism underlying differences between spontaneous and evoked IPSCs in granule cells in rat cerebellar slices **501.P**, 12*P*, 1997
Excitatory transmitter release at single mossy fibre–granule cell synapses of adult rat cerebellum **501.P**, 15*P*, 1997
Neurons in the lateral cerebellum of a monkey (*Macaca mulatta*) code for a particular visuomotor task but not for the motor command **501.P**, 38*P*, 1997
The effects of temporary inactivation of the cerebellar- and basal ganglia-receiving areas of the macaque monkey thalamus during goal-directed and internally generated limb movements **501.P**, 39*P*, 1997
Long-lasting enhancement of mossy fibre–granule cell transmission induced by high frequency stimulation **501.P**, 91*P*, 1997
Bilateral disruption of conditioned responses after unilateral blockade of cerebellar output in the decerebrate ferret **502**, 189, 1997
Gating of cutaneous input to cerebellar climbing fibres during a reaching task in the cat **502**, 203, 1997
Currents evoked in Bergmann glial cells by parallel fibre stimulation in rat cerebellar slices **502**, 335, 1997
Spatial heterogeneity of intracellular Ca^{2+} signals in axons of basket cells from rat cerebellar slices **502**, 509, 1997
Frequency-dependent actions of benzodiazepines on $GABA_A$ receptors in cultured murine cerebellar granule cells **503**, 353, 1997
Changes in initiation of orienting gaze shifts after muscimol inactivation of the caudal fastigial nucleus in the cat **503**, 657, 1997
Fast (mainly 30-100 Hz) oscillations in the cat cerebellothalamic pathway and their synchronization with cortical potentials **504**, 153, 1997
Recording step-related changes in transmission in spino-olivocerebellar paths in the awake behaving cat **504.P**, 57*P*, 1997
Neuronal activity in microzones of the cerebellar c3 zone in the cat during a visually guided reach-retrieval task **504.P**, 64*P*, 1997
Activation of climbing fibre pathways to the rat cerebellar cortex by cerebral corticofugal pathways **504.P**, 113*P*, 1997
Cystine–glutamate exchange and the regulation of extracellular glutamate concentration, $[glu]_o$, in rat brain slices **504.P**, 172*P*, 1997
Differential actions of ω-conotoxin GVIA on transmitter release at single excitatory and inhibitory synapses onto granule cells in adult rat cerebellum **504.P**, 175*P*, 1997
Movement-related gating of spino-olivocerebellar pathways in the awake cat **504.P**, 16*S*, 1997

Cerebral blood flow

The relation between local cerebral blood flow and extracellular glucose concentration in rat striatum **499.P**, 51*P*, 1997

Role of cerebral blood flow changes in hypoxic ventilatory decline in humans **501.P**, 66*P*, 1997

Effect of a neuronal nitric oxide synthase blocker on eucapnic hypoxic and hypercapnic cerebral blood flow in the anaesthetized rat **501.P**, 66*P*, 1997

Dynamics of the cerebral blood flow response to step decreases in end-tidal P_{CO_2} in humans **505.P**, 22*P*, 1997

Reduction of arterial P_{CO_2} at the onset of syncope in man **505.P**, 28*P*, 1997

Cerebral cortex

Chronic intracortical microstimulation of cat auditory cortex using a 100 penetrating electrode array **499.P**, 87*P*, 1997

Activity-dependent properties of synaptic transmission at two classes of connections made by rat neocortical pyramidal axons *in vitro* **502**, 131, 1997

Bilateral disruption of conditioned responses after unilateral blockade of cerebellar output in the decerebrate ferret **502**, 189, 1997

Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons **505**, 605, 1997

Action potential initiation and propagation in rat neocortical pyramidal neurons **505**, 617, 1997

Cerebrospinal fluid

In vitro and *in vivo* evidence for a rapid clearance of cerebrospinal fluid-borne amyloid β-peptide into blood and appreciable accumulation by cerebral arteries **505.P**, 53*P*, 1997

cGMP

Antagonists of the cGMP-gated conductance of vertebrate rods block the photocurrent in scallop ciliary photoreceptors **500**, 367, 1997

Stimulation of cyclic GMP production in Caco-2 colonocytes by a nitric oxide substrate and donor **504.P**, 152*P*, 1997

Channel blockade

Mechanism of memantine block of NMDA-activated channels in rat retinal ganglion cells: uncompetitive antagonism **499**, 27, 1997

Differential block of external divalent cations on E4031-sensitive and -insensitive K^+ currents in sino-atrial node and atrial cells of the rabbit **499.P**, 10*P*, 1997

Channel gating

Solvent-dependent rate-limiting steps in the conformational change of sodium channel gating in squid giant axon **498**, 109, 1997

Delayed rectifier current of bullfrog sympathetic neurons: ion–ion competition, asymmetrical block and effects of ions on gating **499**, 403, 1997

Gating charge and ionic currents associated with quinidine block of human Kv1.5 delayed rectifier channels **499**, 661, 1997

Amino terminal-dependent gating of the potassium channel rat eag is compensated by a mutation in the S4 segment **502**, 537, 1997

Asymmetric functioning or co-operative activation of the voltage-gated sodium channel, as investigated with synthetic voltage sensors in planar lipid bilayers **504.P**, 49*P*, 1997

Modal activity of a large conductance potassium channel recorded from rat motor cortex fused nerve terminals **504.P**, 160*P*, 1997

Charge movement

G-protein modulation of N-type calcium channel gating current in human embryonic kidney cells (HEK 293) **498**, 601, 1997

Gating charge and ionic currents associated with quinidine block of human Kv1.5 delayed rectifier channels **499**, 661, 1997

A surface potential change in the membranes of frog skeletal muscle is associated with excitation–contraction coupling **499**, 787, 1997

Dual actions of tetracaine on intramembrane charge in amphibian striated muscle **501**, 589, 1997

Charge movement in cut twitch fibres of *Rana temporaria* containing 0·1 mM EGTA **503**, 563, 1997

Intramembrane charge movement and sarcoplasmic calcium release in enzymatically isolated mammalian skeletal muscle fibres **505**, 371, 1997

Chemoreceptor

Developmental loss of hypoxic chemosensitivity in rat adrenomedullary chromaffin cells **498**, 503, 1997

Long-term influence of neonatal hypoxia on catecholamine activity in carotid bodies and brainstem cell groups of the rat **498**, 523, 1997

Integrated phrenic responses to carotid afferent stimulation in adult rats following perinatal hyperoxia **500**, 787, 1997

Chemosensory and cholinergic stimulation of fictive respiration in isolated CNS of neonatal opossum **501**, 425, 1997

Reflex cardiac dromotropic responses to stimulation of the carotid and aortic chemoreceptors in the anaesthetized cat **502**, 461, 1997

Development of carotid chemoreceptor dynamic and steady-state sensitivity to CO_2 in the newborn lamb **503**, 187, 1997

Cardiac afferent inputs to the nucleus tractus solitarii (NTS) in the cat **504.P**, 198*P*, 1997

Dose-dependent modulation of carotid body CO_2–O_2 interaction by carbon monoxide **504.P**, 201*P*, 1997

Inhibition of adult rat carotid body type I cell K^+ currents by combined hypoxic and acidotic stimuli **504.P**, 202*P*, 1997

Chloride

Outward rectifier chloride channels in the basolateral membrane of crypts isolated from mouse distal colon **499.P**, 30*P*, 1997

Chloride ion concentration in bovine ciliary epithelial cells and changes therein induced by cell swelling and regulatory volume decrease **499.P**, 58*P*, 1997

Activation of two inward chloride pumps in rat arterial smooth muscle by noradrenaline *in vitro* **501.P**, 116*P*, 1997

Thromboxane A_2, released by the anti-tumour drug irinotecan, is a novel stimulator of Cl^- secretion in isolated rat colon **505**, 133, 1997

Luminal and basolateral endothelin inhibit chloride reabsorption in the mouse thick ascending limb via a Ca^{2+}-independent pathway **505**, 749, 1997

The shrinkage of human erythrocytes at high pH in media between 200 and 400 mosmol l^{-1}, and in the presence of 50 mM lactate **505.P**, 109*P*, 1997

Chloride channel

Calcium-activated chloride channels in bovine pulmonary artery endothelial cells **498**, 381, 1997

Regulation of an outwardly rectifying Cl^- conductance in single proximal tubule cells isolated from frog kidney **498**, 409, 1997

Analysis of a protein region involved in permeation and gating of the voltage-gated *Torpedo* chloride channel ClC-0 **498**, 691, 1997

Inhibition of the inward-rectifying Cl^- channel in rat choroid plexus by a decrease in extracellular pH **498**, 703, 1997

Three different Cl^- channels in the bovine ciliary epithelium activated by hypotonic stress **499**, 379, 1997

Analysis of the function of wild-type murine CFTR stably expressed in CHO cells **499.P**, 59*P*, 1997

Novel activation stimulus of chloride channels by potassium in human osteoblasts and human leukaemic T lymphocytes **500**, 653, 1997

pH-dependent interactions of Cd^{2+} and a carboxylate blocker with the rat ClC-1 chloride channel and its R304E mutant in the Sf-9 insect cell line **501**, 355, 1997

P-glycoprotein is not a swelling-activated Cl^- channel; possible role as a Cl^- channel regulator **502**, 249, 1997

Chloride channel blockers inhibit myogenic tone in rat cerebral arteries **502**, 259, 1997

Calcium dependence and distribution of calcium-activated chloride channels in *Xenopus* oocytes **502**, 569, 1997

Agonist action of taurine on glycine receptors in rat supraoptic magnocellular neurones: possible role in osmoregulation **502**, 609, 1997

Glucose-induced swelling in rat pancreatic β-cells **504**, 191, 1997

Analysis of the regulation of murine CFTR Cl^- channels expressed in CHO cells **504.P**, 143*P*, 1997

Primary cultured fetal rat distal lung epithelial (FDLE) cells exhibit a PGE_2-stimulated, outward-rectifying anion conductance **505.P**, 65*P*, 1997

Chloride conductance

Chloride currents induced by hypotonic solutions in isolated rat carotid body type I cells **501.P**, 60*P*, 1997

Chloride conductance in mouse muscle is subject to post-transcriptional compensation of the functional Cl^- channel 1 gene dosage **504**, 75, 1997

Chloride current

Calcium-activated chloride current in normal mouse sympathetic ganglion cells **498**, 397, 1997

Rebound stimulation of the cAMP-regulated Cl^- current by acetylcholine in guinea-pig ventricular myocytes **499**, 105, 1997

Modulation of dog atrial swelling-induced chloride current by cAMP: protein kinase A-dependent and -independent pathways **500**, 111, 1997

A swelling-activated chloride current in rat sympathetic neurones **501**, 555, 1997

Swelling- and cAMP-activated Cl^- currents in isolated rat carotid body type I cells **503**, 497, 1997

Volume-activated DIDS-sensitive whole-cell chloride currents in trout red blood cells **504**, 57, 1997

Different time courses of Na^+–Ca^{2+} exchange and Ca^{2+}-activated chloride current in isolated ferret ventricular myocytes **504.P**, 91*P*, 1997
Synergistic activation of guinea-pig cardiac cystic fibrosis transmembrane conductance regulator by the tyrosine kinase inhibitor genistein and cAMP **505**, 23, 1997
Swelling-induced Cl^- current in guinea-pig atrial myocytes: inhibition by glibenclamide **505**, 41, 1997
Modulation of Ca^{2+}-activated Cl^- currents in rabbit portal vein smooth muscle by an inhibitor of mitochondrial Ca^{2+} uptake **505**, 53, 1997
Ca^{2+} current and Ca^{2+}-activated chloride current in isolated smooth muscle cells of the sheep urethra **505**, 121, 1997

Chloride secretion

Chloride secretion in the trachea of null cystic fibrosis mice: the effects of transfection with pTrial10-CFTR2 **499**, 677, 1997
Site of Cl^- hypersecretion in distal colon from fasted rats **499.P**, 15*P*, 1997
Stimulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **501**, 517, 1997
Fluid transport across cultures of human tracheal glands is altered in cystic fibrosis **501**, 637, 1997
Tetrahydrobiopterin regulates cyclic GMP-dependent electrogenic Cl^- secretion in mouse ileum *in vitro* **503**, 347, 1997
Bradykinin stimulates chloride secretion in an inner medullary collecting duct cell line (mIMCD-3) **504.P**, 140*P*, 1997
Do activators of Cl^- secretion show synergism in rat native distal colon *in vitro*? **504.P**, 149*P*, 1997

Chloride transport

Cl^- secretion by fish gill respiratory-like cells in culture and its hormonal control **499.P**, 17*P*, 1997
pH gradient effects on chloride transport across basolateral membrane vesicles from guinea-pig jejunum **500**, 385, 1997

Cholecystokinin

Fatty acid-induced cholecystokinin secretion from STC-1 cells depends on acyl chain length and requires a free carboxyl group **499.P**, 101*P*, 1997
Activation of intestinal afferents by endogenous CCK in the proximal jejunum of the anaesthetized rat **499.P**, 102*P*, 1997
Mechanism of interaction between the islet hormones and cholecystokinin-octapeptide in isolated rat pancreatic segments and acini **501.P**, 156*P*, 1997
Local opioid inhibition and morphine dependence of supraoptic nucleus oxytocin neurones in the rat *in vivo* **505**, 145, 1997
Cholecystokinin (CCK) regulates somatostatin secretion through both the CCK-A and CCK-B/gastrin receptors in sheep **505**, 811, 1997

Chondrocyte

Molecular identification of NHE isoform 3 in bovine articular chondrocytes **504.P**, 134*P*, 1997

Choroid plexus

Inhibition of the inward-rectifying Cl^- channel in rat choroid plexus by a decrease in extracellular pH **498**, 703, 1997
Albumin transfer across the choroid plexus of South American opossum (*Monodelphis domestica*) **499**, 179, 1997
The transport of nucleosides across the perfused choroid plexus of the sheep **505.P**, 48*P*, 1997
Cerebral drug penetration and metabolism at the blood–cerebrospinal fluid barrier: an *in vitro* approach **505.P**, 51*P*, 1997

Chromaffin cell

Drastic facilitation by α-latrotoxin of bovine chromaffin cell exocytosis without measurable enhancement of Ca^{2+} entry or $[Ca^{2+}]_i$ **502**, 481, 1997

Circadian rhythm

Oscillation of gap junction electrical coupling in the mouse pancreatic islets of Langerhans **498**, 753, 1997
Membrane properties and synaptic inputs of suprachiasmatic nucleus neurons in rat brain slices **499**, 141, 1997
Is energy expenditure in the hamster primarily under homeostatic or circadian control? **501**, 449, 1997
Neurones in the supraoptic nucleus of the rat are regulated by a projection from the suprachiasmatic nucleus **502**, 149, 1997
The projection from the suprachiasmatic nucleus of the rat to the supraoptic nucleus is mediated by glutamate and GABA **504.P**, 53*P*, 1997
Variation of electroencephalographic activity during non-rapid eye movement and rapid eye movement sleep with phase of circadian melatonin rhythm in humans **505**, 851, 1997

Cochlea

Variation in expression of the outer hair cell P2X receptor conductance along the guinea-pig cochlea **498**, 717, 1997
Single-channel recordings of large conductance Ca^{2+}-activated K^+ channels from guinea-pig inner hair cells **501.P**, 14*P*, 1997
Conditional expression of the α9 acetylcholine receptor subunit in immortalized cell lines from the mouse cochlea **504.P**, 126*P*, 1997
Integrating *in vitro*, *in situ* and *in vivo* experimental data in a three-dimensional finite element model of the cochlea **504.P**, 56*P*, 1997
Harmonic distortion in cochlear mechanics **504.P**, 125*P*, 1997
Computational demonstration that Brownian motion of inner hair cell stereocilia may enhance the ability to detect low level auditory tones from auditory nerve spiking patterns **504.P**, 127*P*, 1997
Rapid photorelease of calcium augments the fast potassium conductance of guinea-pig inner hair cells **504.P**, 127*P*, 1997
ATP-activated currents in outer hair cells and in supporting cells of the guinea-pig cochlea in the presence of ADP and adenosine **504.P**, 130*P*, 1997
Electrical properties of a conditionally immortalized cell line derived from the cochlea of the H-2Kb-tsA58 transgenic mouse **504.P**, 130*P*, 1997
The effects of lowering extracellular $[Ca^{2+}]$ on the structure of the stereociliary bundle of turtle cochlear hair cells **504.P**, 131*P*, 1997

Colon

Muscarinic receptor-induced calcium mobilization in isolated rat colonic crypts **499.P**, 7*P*, 1997
Site of Cl^- hypersecretion in distal colon from fasted rats **499.P**, 15*P*, 1997
Outward rectifier chloride channels in the basolateral membrane of crypts isolated from mouse distal colon **499.P**, 30*P*, 1997
Characterizing the Cl^- hypersecretion in rat distal colon *in vitro* induced by dietary deprivation: involvement of basolateral K^+ current **499.P**, 100*P*, 1997
A method of measuring amiloride-sensitive fluid transport *in vitro* in human endoscopic colonic biopsies using confocal microscopy **499.P**, 109*P*, 1997
Characterization of apical potassium channels induced in rat distal colon during potassium adaptation **501**, 537, 1997
Mass spectrometric determination of HCO_3^- permeability and carbonic anhydrase activity in intact guinea-pig colon epithelium **502**, 679, 1997
Acetylcholine induces intercellular wave-like propagation of $[Ca^{2+}]_i$ in isolated intact rat colonic crypts via muscarinic receptors **504.P**, 148*P*, 1997
Do activators of Cl^- secretion show synergism in rat native distal colon *in vitro*? **504.P**, 149*P*, 1997
Stimulation of cyclic GMP production in Caco-2 colonocytes by a nitric oxide substrate and donor **504.P**, 152*P*, 1997
Thromboxane A_2, released by the anti-tumour drug irinotecan, is a novel stimulator of Cl^- secretion in isolated rat colon **505**, 133, 1997

Colour vision

Colour adaptation modifies the long-wave *versus* middle-wave cone weights and temporal phases in human luminance (but not red–green) mechanism **499**, 227, 1997
Human visual-evoked potentials reflect isolation of the blue-cone pathway **499.P**, 86*P*, 1997

Computer

A data acquisition and signal processing system for electrophysiology **499.P**, 46*P*, 1997
CAL programs for teaching practical and theoretical neuroscience **499.P**, 47*P*, 1997
Non-invasive recording of embryo activity in the egg of the cuttlefish, *Sepia officinalis* **504.P**, 3*P*, 1997
UMDS Respiratory System Courseware: a computer-aided learning package for medical and dental undergraduate teaching **505.P**, 2*P*, 1997
Computer-assisted learning tutorial support for basic first year undergraduate physiology practicals, and its use by students **505.P**, 2*P*, 1997

Computer modelling

Pacemaker activity in a sensory ending with multiple encoding sites: the cat muscle spindle primary ending **498**, 177, 1997
Regulation of anion secretion by cyclic AMP and Ca^{2+} in a computer model of the rat pancreatic ductal epithelium **499.P**, 31*P*, 1997
Integrating *in vitro*, *in situ* and *in vivo* experimental data in a three-dimensional finite element model of the cochlea **504.P**, 56*P*, 1997

Conductance

Shaker B K^+ conductance in Na^+ solutions lacking K^+ ions: a remarkably stable non-conducting state produced by membrane depolarizations **499**, 3, 1997
Cation permeability of a cloned rat epithelial amiloride-sensitive Na^+ channel **504**, 287, 1997

Contraction
Effects of modulators of sarcoplasmic reticular function on intracellular Ca^{2+} ($[Ca^{2+}]_i$) and force of rat isolated myometrium **499.P**, 8*P*, 1997
Tendon organ sensitivity to steady-state isotonic contraction of in-series motor units in feline peroneus tertius muscle **500**, 227, 1997
Sarcomere dynamics and contraction-induced injury to maximally activated single muscle fibres from soleus muscles of rats **500**, 523, 1997
Agonist mobilization of sarcoplasmic reticular calcium during inhibition of Na^+–Ca^{2+} exchange in isolated rat uterine smooth muscle **501.P**, 113*P*, 1997
An investigation into the role of pH in gastric smooth muscle **501.P**, 114*P*, 1997
Buffering of the cardiac calcium transient by exogenous calcium indicators **501.P**, 132*P*, 1997
The effects of mild trypsin digestion on resting tension and calcium sensitivity in skinned rat cardiac cells **501.P**, 140*P*, 1997
Peptides homologous to extracellular loop motifs of connexin 43 reversibly abolish rhythmic contractile activity in rabbit arteries **503**, 99, 1997
Adenosine formation in contracting primary rat skeletal muscle cells and endothelial cells in culture **504**, 695, 1997
A thin-slice preparation of cuttlefish mantle muscle for study of contraction **504.P**, 3*P*, 1997
Dose-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **504.P**, 75*P*, 1997
Tetracaine only transiently inhibits contractions of rat isolated ventricular myocytes **504.P**, 82*P*, 1997
Effect of nickel on contraction in the isolated guinea-pig papillary muscle **504.P**, 90*P*, 1997
Does levosimendan increase calcium load in guinea-pig isolated ventricular myocytes? **504.P**, 94*P*, 1997
The effects of thapsigargin on agonist-induced contractile responses in isolated human detrusor smooth muscle **505.P**, 97*P*, 1997

Contrast sensitivity
Modelling the variation in the contrast of natural scenes, and the function of contrast normalization in the mammalian visual cortex **504.P**, 123*P*, 1997
Linear transduction of natural stimuli by dark-adapted and light-adapted rods of the salamander, *Ambystoma tigrinum* **505**, 193, 1997

Copper
The effect of copper on zinc uptake into human erythyrocytes **499.P**, 26*P*, 1997

Corticoptrophin
The influence of corticotrophin releasing hormone on human myometrial contractility *in vitro* **499.P**, 8*P*, 1997
Mechanism underlying corticotropin-releasing hormone (CRH) triggered cytosolic Ca^{2+} rise in identified rat corticotrophs **504**, 367, 1997

Cortisol
Diurnal variation of growth hormone responses to acutely administered dexamethasone in healthy male volunteers **505.P**, 13*P*, 1997

Cotransport
Regulation of intracellular sodium in cultured rat hippocampal neurones **499**, 573, 1997
Oxygen dependence of urea-activated KCl cotransport in equine red cells **499.P**, 59*P*, 1997
Exercise and the equine red cell KCl cotransporter **501.P**, 154*P*, 1997
Oxygenation and KCl cotransport in sheep red cells **501.P**, 154*P*, 1997
Magnesium and the O_2 dependence of KCl cotransport in LK sheep red cells **504.P**, 136*P*, 1997
The Na^+-dependent acid extrusion mechanism in rat cerebellar astrocytes **504.P**, 185*P*, 1997
Alanine-induced volume regulatory decrease in single proximal tubule cells isolated from frog kidney **505.P**, 108*P*, 1997

Creatine
The effect of creatine and carbohydrate ingestion on muscle creatine and glycogen accumulation following glycogen-depleting exercise in man **499.P**, 74*P*, 1997

Cross-bridge
Cross-bridge detachment and attachment following a step stretch imposed on active single frog muscle fibres **498**, 3, 1997

Cross-correlation
Cross-correlation analysis of motor unit activity recorded from two separate thumb muscles during development in man **499**, 255, 1997

Cutaneous afferent
Paraesthesiae induced by prolonged high frequency stimulation of human cutaneous afferents **501**, 461, 1997

Cyclic adenosine monophosphate, see cAMP

Cyclic guanosine monophosphate, see cGMP

Cystic fibrosis
Chloride secretion in the trachea of null cystic fibrosis mice: the effects of transfection with pTrial10-CFTR2 **499**, 677, 1997
CFTR channel: a regulator of cytosolic calcium $[Ca^{2+}]_i$ in normal and cystic fibrosis human airway epithelial cells **499.P**, 4*P*, 1997
Analysis of the function of wild-type murine CFTR stably expressed in CHO cells **499.P**, 59*P*, 1997
Na^+–H^+ exchange in normal and cystic fibrotic mouse jejunal crypts **499.P**, 60*P*, 1997
Fluid transport across cultures of human tracheal glands is altered in cystic fibrosis **501**, 637, 1997
Mechanism of glibenclamide inhibition of cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in a murine cell line **503**, 333, 1997
Analysis of the regulation of murine CFTR Cl^- channels expressed in CHO cells **504.P**, 143*P*, 1997
A functional CFTR protein is required for mouse intestinal cAMP-, cGMP- and Ca^{2+}-dependent HCO_3^- secretion **505**, 411, 1997

Cystine
Cystine–glutamate exchange and the regulation of extracellular glutamate concentration, $[glu]_o$, in rat brain slices **504.P**, 172*P*, 1997

Cytokine
Reinterpretation of endothelial cell gaps induced by vasoactive mediators in guinea-pig, mouse and rat: many are transcellular pores **504**, 747, 1997
LIF mRNA distribution in lumbar spinal cord and its modification by peripheral inflammation and nerve injury **505.P**, 42*P*, 1997

Cytoskeleton
Calmodulin and calmodulin-binding proteins in mast cells: relationship to the cytoskeleton and to secretion **499.P**, 19*P*, 1997
Irregular fluctuations in opiate antagonist binding with immune cells **499.P**, 41*P*, 1997
The cardiac Na^+–Ca^{2+} exchanger is not modulated by cytoskeletal disruption or stabilization in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Visualization of actin filaments and microtubules in non-fixed outer hair cells using laser scanning confocal microscopy **504.P**, 129*P*, 1997

Dehydration
Hypohydration and intermittent supramaximal running performance in humans **499.P**, 76*P*, 1997

Delayed rectifier
Characterization of the delayed rectifier potassium current in rat isolated ventricular myocytes **499.P**, 10*P*, 1997
The effect of ryanodine on the delayed rectifier potassium current in single cells isolated from the guinea-pig sino-atrial node **501.P**, 139*P*, 1997
Outward currents in smooth muscle cells isolated from sheep mesenteric lymphatics **503**, 1, 1997
Selective enhancement of the slow component of delayed rectifier K^+ current in guinea-pig atrial cells by external ATP **503**, 45, 1997

Dendrite
Calcium-activated chloride current in normal mouse sympathetic ganglion cells **498**, 397, 1997
Conditional dendritic oscillators in a lobster mechanoreceptor neurone **499**, 161, 1997
Physiology and anatomy of synaptic connections between thick tufted pyramidal neurones in the developing rat neocortex **500**, 409, 1997
Dendritic and somatic glutamate receptor channels in rat cerebellar Purkinje cells **501**, 77, 1997
An analysis of LTP of EPSCs evoked by minimal stimulation and recorded from dendrites of CA1 pyramidal cells in rat hippocampal slices **501.P**, 100*P*, 1997
Action potential propagation into the presynaptic dendrites of rat mitral cells **504**, 359, 1997
Action potential initiation and propagation in rat neocortical pyramidal neurons **505**, 617, 1997

Denervation
Uninjured motoneurones to partially denervated rat hindlimb muscles are susceptible to nerve injury during late postnatal development **501.P**, 97*P*, 1997
The effect of chronic denervation on left ventricular carbohydrate and fat metabolism in the anaesthetized dog **501.P**, 124*P*, 1997
Chronic cardiac denervation in anaesthetized dogs up-regulates the utilization of [^{14}C]palmitate **504.P**, 188*P*, 1997

Dentate gyrus
Potassium currents in acutely isolated human hippocampal dentate granule cells **498**, 73, 1997
The p38 MAP kinase inhibitor SB203580 antagonizes the inhibitory effect of IL-1β on long-term potentiation in the rat dentate gyrus *in vitro* **501.P**, 86*P*, 1997
Functional nicotinic ACh receptors on interneurones in the rat hippocampus **504**, 603, 1997

Depolarization
The effects of picrotoxin on the spontaneous dorsal root potentials in the spinalized rat **501.P**, 46*P*, 1997
Depolarization-induced Ca^{2+} transients in single smooth muscle cells isolated from pregnant rat uterus **505.P**, 105*P*, 1997

Desensitization
Use-dependent outward rectification of capsaicin-activated current in adult rat dorsal root ganglion neurones in culture **499.P**, 14*P*, 1997
Non-NMDA receptors modulate respiratory drive in fetal sheep **501**, 415, 1997
Desensitization shortens the high-quantal-content endplate current time course in frog muscle with intact cholinesterase **502**, 641, 1997
Calcineurin inhibition prevents development of outward rectification of capsaicin-activated current in adult rat dorsal root ganglion (DRG) neurones in culture **505.P**, 40*P*, 1997

Development
Synchronization of GABAergic interneuronal network in CA3 subfield of neonatal rat hippocampal slices **498**, 763, 1997
Albumin transfer across the choroid plexus of South American opossum (*Monodelphis domestica*) **499**, 179, 1997
Cross-correlation analysis of motor unit activity recorded from two separate thumb muscles during development in man **499**, 255, 1997
Postnatal development of the leptin system in rats **499.P**, 123*P*, 1997
Integrated phrenic responses to carotid afferent stimulation in adult rats following perinatal hyperoxia **500**, 787, 1997
Blockade of angiotensin II type 1 (AT_1) receptors enhances baroreflex performance in the anaesthetized developing rat **501.P**, 74*P*, 1997
Uptake and storage of serotonin in rodent thalamocortical neurons during postnatal development **501.P**, 94*P*, 1997
Evidence for heterosynaptic depression of vibrissae responses in rat barrel cortex **501.P**, 94*P*, 1997
Cell death and the elimination of topographic errors in the hamster retinocollicular projection **501.P**, 95*P*, 1997
Retinal activity is necessary for the rearrangement of the geniculo-cortical map in the Syrian hamster **501.P**, 96*P*, 1997
Uninjured motoneurones to partially denervated rat hindlimb muscles are susceptible to nerve injury during late postnatal development **501.P**, 97*P*, 1997
Reg-2 a secreted protein expressed solely by developing and regenerating motor and sensory neurons **501.P**, 98*P*, 1997
Gradients of glial fibrillary acidic protein (GFAP) immunoreactivity in the developing spinal cord of the opossum *Monodelphis domestica* **501.P**, 101*P*, 1997
Non-invasive recording of embryo activity in the egg of the cuttlefish, *Sepia officinalis* **504.P**, 3*P*, 1997
Number and diameter of axons innervating lateral muscle of the sea bream (*Sparus aurata*) during development **504.P**, 14*P*, 1997
Permanent changes of spinal cord reflexes after peripheral nerve lesions in neonatal rats **504.P**, 168*P*, 1997
Intracellular tetanization of CA3 neurones induces long-term potentiation (LTP) of mossy fibre synapses in juvenile rat hippocampal slices **504.P**, 180*P*, 1997
Angiotensin II receptors within the nucleus of the solitary tract attenuate the baroreceptor vagal reflex in the anaesthetized developing rat **504.P**, 196*P*, 1997
L-DOPA increases motoneurone death following axotomy in postnatal rats **504.P**, 214*P*, 1997
Postnatal changes in excitation–contraction coupling in rat skeletal muscle **504.P**, 226*P*, 1997
Development of the respiratory rhythm generator in the chick hindbrain **504.P**, 228*S*, 1997
Expression of the NG2 chondroitin sulphate proteoglycan in the anterior medullary velum of the adult rat **505.P**, 47*P*, 1997

Diabetes
Activity of system y^+ and nitric oxide synthase in gastric glands isolated from diabetic rabbits **499.P**, 41*P*, 1997
Fatigue and recovery in the diaphragm muscle *in vitro* of untreated and metformin-treated diabetic rats **501.P**, 56*P*, 1997
Diabetes mellitus increases nitric oxide synthase binding sites in the rabbit urinary bladder neck: functional implications **501.P**, 106*P*, 1997
Diabetes mellitus promotes phlorizin-insensitive but not SGLT-mediatd glucose transport across isolated rat renal brush-border membrane **504.P**, 141*P*, 1997
Altered excitability and conduction velocity in the rat hippocampus *in vitro* as a result of chronic hyperglycaemia **504.P**, 184*P*, 1997
Clinical and molecular insights into diabetes insipidus **505.P**, 3*S*, 1997

Diadenosine polyphosphate
Diadenosine polyphosphates evoke Ca^{2+} transients in guinea-pig brain via receptors distinct from those for ATP **504**, 327, 1997

Diaphragm
On the intercostal muscle compensation for diaphragmatic paralysis in the dog **500**, 245, 1997
Fatigue and recovery in the diaphragm muscle *in vitro* of untreated and metformin-treated diabetic rats **501.P**, 56*P*, 1997

Diastole
Dynamics of viscoelastic properties of rat cardiac sarcomeres during the diastolic interval: involvement of Ca^{2+} **502**, 661, 1997

Diet
Time course of gastrointestinal transit adaptation to high-fat diet in the rat **504.P**, 150*P*, 1997
Effect of pre-exercise dietary manipulation on the IGF-1 and IGFBP-1 response to prolonged exercise in elite cyclists **504.P**, 151*P*, 1997

Diffusion
Extracellular space volume and geometry in the developing rat spinal cord: effects of potassium and hyposmotic stress **504.P**, 168*P*, 1997

Dihydropyridine
Voltage-dependent binding and calcium channel current inhibition by an anti-α_{1D} subunit antibody in rat dorsal root ganglion neurones and guinea-pig myocytes **502**, 307, 1997

Disynaptic pathway
Evidence from motoneurone synchronization for disynaptic pathways in the control of inspiratory motoneurones in the cat **503**, 673, 1997

Diving
Paddling induced fluctuations in differential air sac pressure in diving Tufted ducks (*Aythya fuligula*) **501.P**, 62*P*, 1997

Dopamine
Calcium-induced calcium release (CICR) in human primary culture renal proximal tubule cells mediated by dopamine D1 receptor activation **499.P**, 6*P*, 1997
Fast synaptic activity induced by dopamine on sympathetic preganglionic neurones in the neonatal rat spinal cord transverse slice is not mediated by glycine GABA or excitatory amino acids **501.P**, 82*P*, 1997
Effect of age on rat striatal G protein activation by dopamine and serotonin **501.P**, 171*P*, 1997
Inhibitory actions of dopamine in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 24*P*, 1997
Modulation of ligand-gated ion channel function in insect neurones **504.P**, 4*S*, 1997
Modulation of ventilatory sensitivity to hypoxia by dopamine and domperidone before and after prolonged exposure to hypoxia in humans **505.P**, 26*P*, 1997

Dorsal horn
Functional distribution of three types of Na^+ channel on soma and processes of dorsal horn neurones of rat spinal cord **503**, 371, 1997
Inhibition and facilitation of nociceptive responses by stimulation in the periaqueductal grey: potential importance during integrated defence activity **505.P**, 8*S*, 1997

Dorsal root ganglion
Spike-evoked suppression and burst patterning in dorsal root ganglion neurons of the rat **501**, 183, 1997
Nerve growth factor (NGF) inhibits the expression of neuronal nitric oxide synthase (nNOS) in neurones in dissociated cultures of neonatal rat dorsal root ganglia **501.P**, 97*P*, 1997
Scorpion toxin block of the early K^+ current ($I_{K(f)}$) in rat dorsal root ganglion neurones **503**, 285, 1997

Intracellular recordings from dorsal root ganglion (DRG) neurones in the anaesthetized guinea-pig to allow comparisons of afferent receptive and cytochemical properties **504.P**, 58*P*, 1997
The distribution of cyclo-oxygenase-1 and CGRP in a population of rat dorsal root ganglion cells **504.P**, 100*P*, 1997
Inhibition of ATP-activated current by zinc in dorsal root ganglion neurones of bullfrog **505**, 641, 1997

Electrical stimulation
Chronic intracortical microstimulation of cat auditory cortex using a 100 penetrating electrode array **499.P**, 87*P*, 1997
The use of proto-oncogene expression to distinguish the crucial component (s) of electrical stimulation that induces transformation of the rabbit latissimus dorsi muscle **499.P**, 115*P*, 1997
The effects of transcutaneous electrical nerve stimulation (TENS) upon unilateral nerve conduction mechanical pain and tactile thresholds in humans **501.P**, 46*P*, 1997
Effect of midbrain stimulations on thermoregulatory vasomotor responses in rats **503**, 177, 1997
The effect of Octreotide on the induction of proto-oncogenes c-Fos and c-Jun, in rabbit latissimus dorsi by high-frequency electrical stimulation **504.P**, 229*P*, 1997

Electromyogram
On the intercostal muscle compensation for diaphragmatic paralysis in the dog **500**, 245, 1997
Coherent oscillations in monkey motor cortex and hand muscle EMG show task-dependent modulation **501**, 225, 1997
The role of short latency spinal stretch reflexes in human lower leg muscles when landing from a jump **501.P**, 42*P*, 1997
Firing pattern of type-identified wrist extensor motor units during wrist extension and hand clenching in humans **504**, 735, 1997

Electrophysiology
Temperature sensitivity of neurones in slices of the rat spinal cord **498**, 483, 1997
Oscillation of gap junction electrical coupling in the mouse pancreatic islets of Langerhans **498**, 753, 1997
Electrophysiological properties of neurones in the internal and external submucous plexuses of newborn pig small intestine **498**, 773, 1997
A data acquisition and signal processing system for electrophysiology **499.P**, 46*P*, 1997
Scrapie infection alters the membrane and synaptic properties of mouse hippocampal CA1 pyramidal neurones **500**, 1, 1997
Co-ordination of contractile activity in guinea-pig mesenteric lymphatics **500**, 235, 1997
Unusual low-affinity benzodiazepine-insensitive $GABA_A$ receptors in cultured rat O-2A progenitor cells **501.P**, 20*P*, 1997
Construction of complete equivalent cables for passive dendritic trees of arbitrary geometry and their application to the analysis of voltage transients **501.P**, 32*P*, 1997
Membrane currents of cultured smooth muscle cells from the guinea-pig urinary bladder **501.P**, 111*P*, 1997
Electrophysiological effects of regional sustained stretch in the ventricle of the pig heart *in situ* **501.P**, 128*P*, 1997
Electrogram fractionation in the long QT syndrome and as modelled in perfused heart by inhibition of inactivation of SCN5A-encoded ion channels **501.P**, 129*P*, 1997
Swelling-activated chloride current in isolated ventricular myocytes from *Callithrix jacchus* the common marmoset **501.P**, 130*P*, 1997
A brain slice preparation of the cephalopod optic lobe **504.P**, 2*P*, 1997
A new version of the Strathclyde Electrophysiology software package running within the Microsoft Windows environment **504.P**, 57*P*, 1997
Intracellular recordings from dorsal root ganglion (DRG) neurones in the anaesthetized guinea-pig to allow comparisons of afferent receptive and cytochemical properties **504.P**, 58*P*, 1997
A dual high-frequency voltage-controlled oscillator (VCO) for audible detection of slow potential changes **504.P**, 59*P*, 1997
A versatile heated superfusion system suitable for whole-cell and excised patch-clamp experiments at mammalian temperatures **504.P**, 60*P*, 1997
Trigeminal neurones that receive non-nociceptive vibrissal input in the anaesthetized rat: effects of convergent nociceptive input from the dura-mater and of a $5\text{-}HT_{1B/1D}$ agonist **504.P**, 103*P*, 1997
Electrophysiological characterization of human brain type IIA Na^+ channel α subunits stably expressed in a mammalian cell line **504.P**, 154*P*, 1997
Unusual permeation properties in recombinant Ca^{2+} channels containing the human $\alpha 1E$ subunit **504.P**, 161*P*, 1997
Altered excitability and conduction velocity in the rat hippocampus *in vitro* as a result of chronic hyperglycaemia **504.P**, 184*P*, 1997
Functional connections between the hippocampus and hypothalamic nuclei in a stationary tissue culture model **504.P**, 222*P*, 1997
The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type **505**, 299, 1997
Morphology and membrane properties of neurones in the cat ventrobasal thalamus *in vitro* **505**, 707, 1997
On the nature of anomalous rectification in thalamocortical neurones of the cat ventrobasal thalamus *in vitro* **505**, 727, 1997
An electrophysiological investigation into the neural connections between the arcuate nucleus, median eminence and paraventricular nucleus in the urethane-anaesthetized rat **505.P**, 10*P*, 1997
Axotomy-induced changes in electrophysiological properties of slowly conducting mouse primary sensory afferent neurones *in vitro* **505.P**, 42*P*, 1997

Electroretinogram
Kinetics of post-bleach recovery of maximal response and amplification constant in human rod photoreceptors **504.P**, 30*P*, 1997

Embryo
Development of the respiratory rhythm generator in the chick hindbrain **504.P**, 22*S*, 1997
Development of cardiovascular control in the chick embryo **504.P**, 22*S*, 1997

Endoplasmic reticulum
Calcium-dependent calcium mobilization associated with the mitochondria in bovine endothelial cells **499.P**, 36*P*, 1997

Endorphin
cAMP-dependent reversal of opioid- and prostaglandin-mediated depression of the isolated respiratory network in newborn rats **504**, 127, 1997

Endothelial cell
Delayed autoregulation of the Ca^{2+} signals resulting from capacitative Ca^{2+} entry in bovine pulmonary artery endothelial cells **498**, 351, 1997
Hyperpolarization of isolated capillaries from guinea-pig heart induced by K^+ channel openers and glucose deprivation **502**, 397, 1997
Actions of serum and plasma albumin on intracellular Ca^{2+} in human endothelial cells **504**, 315, 1997
Epoxyeicosatrienoic acids activate a high-conductance, Ca^{2+}-dependent K^+ channel on pig coronary artery endothelial cells **504**, 537, 1997
Comparison of the phenotype of immortalized brain endothelial cells (RBE4) with *in situ* brain endothelium: a lectin and antibody study **505.P**, 54*P*, 1997

Endothelin
Endothelin-1 potently stimulates chloride secretion and inhibits Na^+–glucose absorption in human intestine *in vitro* **499**, 391, 1997
Endothelin-1 in bovine milk **499.P**, 65*P*, 1997
Roles of endothelin-1 and T-type Ca^{2+} channels in nitro-L-arginine vasoconstriction of hypertensive rat lungs **499.P**, 11*S*, 1997
Endothelin-1 (ET-1) inhibits L-type Ca^{2+} channels via the ET_A receptor subtype in cultured rat cerebellar granule cells **501.P**, 18*P*, 1997
Endothelin-1 receptors and nitric oxide synthase in externally stented porcine venous–arterial grafts **501.P**, 107*P*, 1997
Mechanism of action of endothelin in rat cardiac muscle: cross-bridge kinetics and myosin light chain phosphorylation **505**, 217, 1997
Luminal and basolateral endothelin inhibit chloride reabsorption in the mouse thick ascending limb via a Ca^{2+}-independent pathway **505**, 749, 1997

Endothelium
Calcium-activated chloride channels in bovine pulmonary artery endothelial cells **498**, 381, 1997
A novel mechanosensitive cationic channel from the endothelium of rat aorta **498**, 419, 1997
Three different Cl^- channels in the bovine ciliary epithelium activated by hypotonic stress **499**, 379, 1997
Rolling neutrophils are precisely localized by reacting rapidly to signals (IL-8 and PAF) presented on the surface of endothelial cells **499.P**, 20*P*, 1997
Calcium-dependent calcium mobilization associated with the mitochondria in bovine endothelial cells **499.P**, 36*P*, 1997
Calcium release from ATP-sensitive stores, evoked by okadaic acid in the human umbilical vein endothelial cell line, ECV 304 **499.P**, 42*P*, 1997
Effect of endothelial removal on isometric tension development by isolated pulmonary arterial rings in response to changes in extracellular pH and P_{CO_2} **499.P**, 71*P*, 1997

Endothelial-derived superoxide anions in pig coronary arteries: evidence from lucigenin chemiluminescence and histochemical techniques **500**, 331, 1997

Evidence against the involvement of cytochrome P450 metabolites in endothelium-dependent hyperpolarization of the rat main mesenteric artery **501**, 331, 1997

Hyperglycaemia impairs endothelium-dependent relaxation and increases noradrenergic contractility in rabbit corpus cavernosal smooth muscle **501.P**, 117*P*, 1997

Effect of cell shrinkage on permeability of cultured bovine aortic endothelia and frog mesenteric capillaries **503**, 413, 1997

Kinetics of Ca^{2+} release by $InsP_3$ in pig single aortic endothelial cells: evidence for an inhibitory role of cytosolic Ca^{2+} in regulating hormonally evoked Ca^{2+} spikes **504**, 17, 1997

Functional electrical properties of the endothelium in lymphatic vessels of the guinea-pig mesentery **504**, 439, 1997

Epoxyeicosatrienoic acids activate a high-conductance, Ca^{2+}-dependent K^+ channel on pig coronary artery endothelial cells **504**, 537, 1997

Reinterpretation of endothelial cell gaps induced by vasoactive mediators in guinea-pig, mouse and rat: many are transcellular pores **504**, 747, 1997

The expression of ion channels on freshly isolated human pulmonary artery and hand vein endothelial cells **504.P**, 158*P*, 1997

Changes in the responsiveness of isolated human hand vein endothelial cells in normal pregnancy **504.P**, 191*P*, 1997

Endothelium-dependent, acetylcholine-mediated relaxation of rat coronary arteries. Influence of mode of contraction in Wistar–Kyoto and spontaneously hypertensive rats **504.P**, 191*P*, 1997

Overshooting cytosolic $[Ca^{2+}]$ after activation of capacitative Ca^{2+} entry to calf pulmonary artery endothelial cells results largely from delayed activation of Ca^{2+} extrusion mechanisms **504.P**, 192*P*, 1997

Hyperglycaemia induces insulin resistance in human fetal endothelial cells isolated from gestational diabetic pregnancies **504.P**, 205*P*, 1997

Calcium-dependent exocytosis in single patch-clamped human umbilical vein endothelial cells **504.P**, 206*P*, 1997

The effect of isohydric hypercapnia on depolarization-induced tension in isolated pulmonary rings **505.P**, 32*P*, 1997

Effects of mild nutritional restriction in early pregnancy on pregnant sheep resistance vessel responses to endogenous vasoactive agents *in vitro* **505.P**, 99*P*, 1997

Endothelium-derived hyperpolarizing factor

Endothelium-derived hyperpolarizing factor (EDHF) contributes to the enhanced relaxation of pregnant rat isolated small mesenteric resistance arteries **505.P**, 99*P*, 1997

Endothelium-derived relaxing factor (EDRF)

Acetylcholine-induced K^+ currents in smooth muscle cells of intact rat small arteries **500**, 617, 1997

Endplate

Desensitization shortens the high-quantal-content endplate current time course in frog muscle with intact cholinesterase **502**, 641, 1997

Energy

Channelling free energy into work in biological processes **499.P**, 21*S*, 1997

Is energy expenditure in the hamster primarily under homeostatic or circadian control? **501**, 449, 1997

Enteric nervous system

Electrophysiological properties of neurones in the internal and external submucous plexuses of newborn pig small intestine **498**, 773, 1997

Basal release of nitric oxide induces an oscillatory motor pattern in canine colon **499**, 773, 1997

Excitatory and inhibitory motor reflexes in the isolated guinea-pig stomach **501**, 197, 1997

Orally projecting interneurones in the guinea-pig small intestine **505**, 473, 1997

Enterocyte

pH_o dependence of pH_i in mouse isolated small intestinal enterocytes **499.P**, 105*P*, 1997

The absorption of plant phenylpropanoids across isolated rat small intestine **504.P**, 152*P*, 1997

Enterotoxin

Tachykinin NK-2 receptor antagonist MEN 10,627 selectively inhibits fluid secretion induced by luminal enterotoxin *E. coli* STa in the rat intestine *in vivo* **499.P**, 100*P*, 1997

Entorhinal cortex

Presubicular and parasubicular cortical neurons of the rat: functional separation of deep and superficial neurons *in vitro* **501**, 387, 1997

Enzyme

The influence of the 5′ untranslated region of aromatic amino acid decarboxylase transcripts on translation in endocrine and kidney cell lines **499.P**, 122*P*, 1997

Maximum rate of oxygen uptake by human skeletal muscle in relation to maximal activities of enzymes in the Krebs cycle **501**, 455, 1997

Epidermal growth factor

Modulation of Na^+,K^+-ATPase activity by a tyrosine phosphorylation process in rat proximal convoluted tubule **498**, 99, 1997

Epilepsy

Potassium currents in acutely isolated human hippocampal dentate granule cells **498**, 73, 1997

Low-calcium epileptiform discharges are sensitive to glutamatergic receptor antagonists in the rat hippocampal slice *in vitro* **499.P**, 96*P*, 1997

Non-voltage-operated calcium current (I_{nl}) activated by potassium ions in rat hippocampal pyramidal neurons **501.P**, 31*P*, 1997

Influence of hypoosmolality on the blood–brain barrier permeability during epileptic seizures **505.P**, 57*P*, 1997

Epithelial cell

Intracellular alkalinization mobilizes calcium from agonist-sensitive pools in rat lacrimal acinar cells **499**, 601, 1997

Identification and function of type 2 and type 3 ryanodine receptors in T84 gut epithelial cells **499.P**, 18*P*, 1997

Capacitative calcium entry is downregulated by protein kinase C (PKC) in a human lung epithelial cell line **499.P**, 36*P*, 1997

Characterization of apical potassium channels induced in rat distal colon during potassium adaptation **501**, 537, 1997

The effect of nitric oxide on the electrophysiology of isolated human nasal epithelial cells **505.P**, 24*P*, 1997

Asthmatic nasal epithelial cells are refractory to nitric oxide **505.P**, 24*P*, 1997

Epithelial transport

Three different Cl^- channels in the bovine ciliary epithelium activated by hypotonic stress **499**, 379, 1997

Two K^+-selective conductances in single proximal tubule cells isolated from frog kidney are regulated by ATP **500**, 605, 1997

Epithelium

Regulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **499.P**, 16*P*, 1997

Identification of a cation non-selective channel in the basolateral membrane of single proximal tubule cells isolated from frog kidney **499.P**, 56*P*, 1997

Chloride ion concentration in bovine ciliary epithelial cells and changes therein induced by cell swelling and regulatory volume decrease **499.P**, 58*P*, 1997

Stimulation of anion secretion by β-adrenoceptors in the mouse endometrial epithelium **501**, 517, 1997

Alanine uptake regulates a volume-sensitive, Ca^{2+}-permeable conductance in single proximal tubule cells isolated from frog kidney **504.P**, 138*P*, 1997

Inhibition of insulin action on transepithelial transport and membrane capacitance in cultured toad kidney cells by a blocker of exocytosis **504.P**, 140*P*, 1997

Epidermal growth factor (EGF) up-regulates the amiloride-sensitive Na^+ conductance of cultured adult rat alveolar pneumocytes **505.P**, 65*P*, 1997

$P2Y_2$ receptor occupancy releases stored Ca^{2+} via a single, pertussis toxin-insensitive signal transduction pathway in a human alveolar epithelial cell line (A549) **505.P**, 66*P*, 1997

EPSC

Effect, number and location of synapses made by single pyramidal cells onto aspiny interneurones of cat visual cortex **500**, 689, 1997

Excitatory transmitter release at single mossy fibre–granule cell synapses of adult rat cerebellum **501.P**, 15*P*, 1997

Immunoglobulins from motoneurone disease patients enhance glutamate release from rat hippocampal neurones in culture **504**, 103, 1997

Simultaneous recordings of whole-cell postsynaptic currents of motoneurones, of dorsal root-evoked ventral root potentials and of dorsal root compound action potentials in rat hemisected spinal cord preparation *in vitro* **504.P**, 62*P*, 1997

Different presynaptic Ca^{2+} channels influence evoked EPSCs and spontaneous, miniature EPSCs in rodent spinal lamina I and II neurones **504.P**, 175*P*, 1997

Presynaptic $GABA_B$ and adenosine A_1 receptors regulate synaptic transmission to rat substantia nigra reticulata neurones **505**, 153, 1997

EPSP

Brief train depression and facilitation at pyramid–interneurone connections in slices of rat hippocampus; paired recordings with biocytin filling **501.P**, 9*P*, 1997

Fosphenytoin but not gabapentin reduces excitatory postsynaptic potentials in cortical neurones from ethanol-withdrawn mice *in vitro* **501.P**, 15*P*, 1997

Regulation of muscarinic acetylcholine receptor-mediated synaptic responses by adenosine receptors in the rat hippocampus **502**, 75, 1997

Functional identification of the input–output transforms of motoneurones in the rat and cat **504**, 401, 1997

Responses of dorsal column nuclei (DCN) neurones to dorsal root stimulation in a brainstem–spinal cord preparation **504.P**, 102*P*, 1997

A γ/β frequency shift induced by recurrent EPSP expression in the rat hippocampal slice **504.P**, 179*P*, 1997

A simple model predicts the non-linearity in summation of postsynaptic potentials and the chemical synaptic and gap junction conductances in spinal motoneurons of young *Xenopus* tadpoles **504.P**, 182*P*, 1997

Non-linear summation of chemically mediated postsynaptic potentials in the motoneurons of young *Xenopus* tadpoles **504.P**, 182*P*, 1997

Erythrocyte

Study of interrelations between haematological parameters, transport ATPase activity and deformability of erythrocytes from various mammals **499.P**, 24*P*, 1997

The effect of copper on zinc uptake into human erythyrocytes **499.P**, 26*P*, 1997

Purine transport in horse erythrocytes: evidence for a polymorphism in the transport of hypoxanthine via a sodium-dependent cotransporter **499.P**, 50*P*, 1997

The temperature dependence of D-glucose and D-mannose inhibition of L-sorbose exit from human erythrocytes **499.P**, 53*P*, 1997

Oxygen dependence of urea-activated KCl cotransport in equine red cells **499.P**, 59*P*, 1997

The red cell glucose transporter – a functional approach **499.P**, 18*S*, 1997

The kinetics of human erythrocyte sugar transport **499.P**, 19*S*, 1997

Exercise and the equine red cell KCl cotransporter **501.P**, 154*P*, 1997

Oxygenation and KCl cotransport in sheep red cells **501.P**, 154*P*, 1997

Mammalian amino acid transport system y^+ revisited: specificity and cation dependence of the interaction with neutral amino acids **504.P**, 137*P*, 1997

Molecular and functional identification of a KCl co-transporter in the human erythroleukaemic cell line, K562 **504.P**, 143*P*, 1997

Excitability

Excitability changes in human cutaneous afferents induced by prolonged repetitive axonal activity **500**, 255, 1997

A novel role for HERG K^+ channels: spike-frequency adaptation **501**, 313, 1997

Paraesthesiae induced by prolonged high frequency stimulation of human cutaneous afferents **501**, 461, 1997

Excitation

Regulation of Na^+–K^+ pump activity in contracting rat muscle **503**, 571, 1997

Mechanisms of neural excitation and inhibition of the heart of *Mercenaria mercenaria* **504.P**, 26*P*, 1997

Excitation–contraction coupling

Relationship between depolarization-induced force responses and Ca^{2+} content in skeletal muscle fibres of rat and toad **498**, 571, 1997

Basal release of nitric oxide induces an oscillatory motor pattern in canine colon **499**, 773, 1997

A surface potential change in the membranes of frog skeletal muscle is associated with excitation–contraction coupling **499**, 787, 1997

Local changes in $[Ca^{2+}]$ and their role in cardiac E–C coupling **499.P**, 5*S*, 1997

'Quantal' calcium release operated by membrane voltage in frog skeletal muscle **501**, 289, 1997

Dual actions of tetracaine on intramembrane charge in amphibian striated muscle **501**, 589, 1997

Ca^{2+} release from the sarcoplasmic reticulum activated by membrane depolarization in the absence of Ca^{2+} entry in guinea-pig heart cells at 37 °C **501.P**, 133*P*, 1997

'Voltage-activated Ca^{2+} release' – a novel mechanism for Ca^{2+} release from the sarcoplasmic reticulum – in heart cells from rabbit rat and guinea-pig and its dependence on internal [cyclic AMP] **501.P**, 139*P*, 1997

Small event Ca^{2+} release: a probable precursor of Ca^{2+} sparks in frog skeletal muscle **502**, 3, 1997

Calcium sparks and excitation–contraction coupling in phospholamban-deficient mouse ventricular myocytes **503**, 21, 1997

Charge movement in cut twitch fibres of *Rana temporaria* containing 0·1 mM EGTA **503**, 563, 1997

A rapidly activating sustained K^+ current modulates repolarization and excitation–contraction coupling in adult mouse ventricle **504**, 557, 1997

Calcium-induced release of strontium ions from the sarcoplasmic reticulum of rat cardiac ventricular myocytes **504**, 565, 1997

Different excitation–contraction (EC) coupling mechanisms in squid and cuttlefish mantle muscle **504.P**, 15*P*, 1997

A 'double step' depolarization distinguishes between 'Ca^{2+}-induced Ca^{2+} release' and 'voltage-activated Ca^{2+} release' in ventricular myocytes from the guinea-pig heart **504.P**, 82*P*, 1997

Molecular machinery of excitation–contraction coupling in striated muscle **504.P**, 11*S*, 1997

Variability in frequency and characteristics of Ca^{2+} sparks at different release sites in rat ventricular myocytes **505**, 337, 1997

Excitatory amino acid

G-protein-mediated desensitization of metabotropic glutamatergic and muscarinic responses in CA3 cells in rat hippocampus **500**, 487, 1997

Immunolocalization of NMDA receptor subunits 1 and 2a/b on neurones in the nucleus tractus solitarii and in the vagal motor nuclei of the rat **501.P**, 75*P*, 1997

Responses of dorsal column nuclei (DCN) neurones to dorsal root stimulation in a brainstem–spinal cord preparation **504.P**, 102*P*, 1997

Excitatory postsynaptic current, see EPSC

Excitatory postsynaptic potential, see EPSP

Exercise

The decrease of maximal oxygen consumption in hypoxia: a mirror image of the oxygen equilibrium curve **498**, 231, 1997

Exercise-induced stimulation of murine macrophage chemotaxis: role of corticosterone and prolactin as mediators **498**, 729, 1997

Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage **499**, 833, 1997

Individual differences in breathlessness during exercise, as related to ventilatory chemosensitivities in humans **499**, 843, 1997

Ventilatory drive in poikilocapnic *vs.* normocapnic hypoxic exercise in humans **499.P**, 70*P*, 1997

Cardiovascular oxygen transport in exercising humans in microgravity **499.P**, 74*P*, 1997

The effect of creatine and carbohydrate ingestion on muscle creatine and glycogen accumulation following glycogen-depleting exercise in man **499.P**, 74*P*, 1997

Human power output and the effect of acute heat stress during repeated bouts of sprint exercise **499.P**, 75*P*, 1997

Influence of pre-exercise acidification on the V_{O_2}/power output ratio in humans **499.P**, 75*P*, 1997

Hypohydration and intermittent supramaximal running performance in humans **499.P**, 76*P*, 1997

The effect of intermittent high intensity exercise on human plasma glutamine concentration **499.P**, 77*P*, 1997

Muscle activation monitored using the twitch interpolation technique in elderly men and women over 80 years of age undergoing strength training **499.P**, 80*P*, 1997

Does weight-training exercise increase bone mineral density in post-menopausal women? **499.P**, 81*P*, 1997

Effect of high intensity exercise on circulating insulin-like growth factors and their binding proteins in trained cyclists **499.P**, 82*P*, 1997

The interplay of central and peripheral factors in limiting maximal O_2 consumption in man after prolonged bed rest **501**, 677, 1997

Sprint training enhances ionic regulation during intense exercise in men **501**, 687, 1997

Enhanced pulmonary and active skeletal muscle gas exchange during intense exercise after sprint training in men **501**, 703, 1997

Pedal frequency and ventilation during cycle ergometer exercise in man **501.P**, 58*P*, 1997

Time dependence of the off-transient VO_2 kinetics following heavy-intensity exercise in humans **501.P**, 59*P*, 1997

Anaplerotic processes in human skeletal muscle during brief dynamic exercise **502**, 703, 1997

The effects of breathing He–O_2 mixtures on maximal oxygen consumption in normoxic and hypoxic men **503**, 215, 1997
Activation of the insular cortex during dynamic exercise in humans **503**, 277, 1997
Lymph flow dynamics in exercising human skeletal muscle as detected by scintography **504**, 233, 1997
Dissociation between lactate and proton exchange in muscle during intense exercise in man **504**, 489, 1997
Effect of pre-exercise dietary manipulation on the IGF-1 and IGFBP-1 response to prolonged exercise in elite cyclists **504.P**, 151*P*, 1997
Spinal monoaminergic modulation of the exercise pressor response in goats **504.P**, 196*P*, 1997
Resistive load detection and perception of the magnitude of added inspiratory resistances during submaximal steady-state exercise in normal humans **504.P**, 209*P*, 1997
Abnormal regional blood flow responses during and after exercise in human sympathetic denervation **505**, 841, 1997
Ventilatory response to the imagination of exercise and altered perception of exercise load under hypnosis **505.P**, 29*P*, 1997
Avoiding 'pseudo lactate thresholds' from pulmonary gas exchange indices during incremental exercise **505.P**, 31*P*, 1997

Exocytosis

Drastic facilitation by α-latrotoxin of bovine chromaffin cell exocytosis without measurable enhancement of Ca^{2+} entry or $[Ca^{2+}]_i$ **502**, 481, 1997
Rapid ATP-dependent priming of secretory granules precedes Ca^{2+}-induced exocytosis in mouse pancreatic B-cells **503**, 399, 1997
Modulation of stimulus–secretion coupling in single rat gonadotrophs **504**, 705, 1997
Inhibition of insulin action on transepithelial transport and membrane capacitance in cultured toad kidney cells by a blocker of exocytosis **504.P**, 140*P*, 1997

Eye

The effect of decreasing target duration on accuracy of reflexive and remembered saccades in man **499.P**, 79*P*, 1997
Eye movement response to linear acceleration steps in humans: visual enhancement and suppression **499.P**, 87*P*, 1997
Bilateral disruption of conditioned responses after unilateral blockade of cerebellar output in the decerebrate ferret **502**, 189, 1997
Amplitude factors affecting oculo-manual tracking responses to pseudorandom target motion stimuli **504.P**, 112*P*, 1997
Anticipatory smooth pursuit eye movements are enhanced by a short-term store **504.P**, 112*P*, 1997
Effects of a structured background on anticipatory ocular pursuit **504.P**, 113*P*, 1997
Binocular response to roll-motion in man **505.P**, 78*P*, 1997
Evidence for segregation of timing and velocity storage in ocular pursuit **505.P**, 79*P*, 1997
Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation: a mapping study over the frontal cortex in man **505.P**, 80*P*, 1997
The gap effect on human smooth pursuit latency: single, centrifugal and centripetal tasks **505.P**, 80*P*, 1997

Facilitation

Intracortical facilitation and inhibition after transcranial magnetic stimulation in conscious humans **498**, 817, 1997
Relief from intracellular polyamine block underlies activity-dependent facilitation of currents through Ca^{2+}-permeable AMPAR channels **501.P**, 18*P*, 1997

Fatigue

The effect of stimulation frequency on skeletal muscle blood flow in the anaesthetized rat **499.P**, 22*P*, 1997
Fatigue and recovery in the diaphragm muscle *in vitro* of untreated and metformin-treated diabetic rats **501.P**, 56*P*, 1997
The effect of prolonged changes in blood gases and pH on performance and fatigue in the upper airway muscles of the anaesthetized rat **501.P**, 63*P*, 1997

Fatty acid

Initial effects of *Yucca shidigera* extract and high strength yeast culture on ovine ruminal fermentation of hay *in vitro* **501.P**, 160*P*, 1997

Feeding

Influence of milk availability and maternal care on the feeding rate of the spontaneously hypertensive rat (SHR) pup **499.P**, 64*P*, 1997
Factors controlling immediate-early gene expression in rat gastric corpus mucosa **499.P**, 122*P*, 1997
Oxygen transport and utilization during feeding in the young lamb **503**, 195, 1997

Fetus

A comparative study of cardiovascular, endocrine and behavioural effects of betamethasone and dexamethasone administration to fetal sheep **499**, 217, 1997
Ion channels in fetal human trachealis **499.P**, 68*P*, 1997
Cardiovascular development in late gestation fetal sheep and young lambs following modest maternal nutrient restriction in early gestation **505.P**, 18*P*, 1997
Primary cultured fetal rat distal lung epithelial (FDLE) cells exhibit a PGE_2-stimulated, outward-rectifying anion conductance **505.P**, 65*P*, 1997

Finger

Monitoring of finger movements and hand muscle EMGs during mechanically perturbed writing tasks **504.P**, 63*P*, 1997

Fish

Cl^- secretion by fish gill respiratory-like cells in culture and its hormonal control **499.P**, 17*P*, 1997
Reflective communication in schooling fish **504.P**, 4*P*, 1997
Number and diameter of axons innervating lateral muscle of the sea bream (*Sparus aurata*) during development **504.P**, 14*P*, 1997
A new radioimmunoassay for the measurement of urotensin II concentration in plasma of the flounder, *Platichthys flesus* **504.P**, 22*P*, 1997
Recovery of white muscle fibres isolated from dogfish **504.P**, 38*P*, 1997
Predicting force generation by lamprey muscle stimulated intermittently during imposed sinusoidal length changes **504.P**, 38*P*, 1997
Molecular characterization of two novel Elasmobranch urea transporters **504.P**, 139*P*, 1997

Fluid balance

The effects of substrate and fluid provision on exercise capacity in a hot environment **499.P**, 77*P*, 1997
A subpopulation of fenestrated vasa recta (VR) in the rat renal papilla closely associated with collecting ducts (CD) may enhance solute and fluid exchange **501.P**, 164*P*, 1997

Fluorescence

Decay of calcium transients after electrical stimulation in rat fast- and slow-twitch skeletal muscle fibres **501**, 573, 1997
Two-photon excitation imaging of living mammalian tissue slices and cultured cells *in vitro* **501.P**, 29*P*, 1997
The effects of intracellular eosin B on depolarization-induced pH changes in isolated snail neurones **501.P**, 151*P*, 1997
Spatial heterogeneity of intracellular Ca^{2+} signals in axons of basket cells from rat cerebellar slices **502**, 509, 1997

Force

The biphasic force–velocity relationship in frog muscle fibres and its evaluation in terms of cross-bridge function **503**, 141, 1997
The role of the sarcolemmal Ca^{2+}-ATPase in the pH transients associated with contraction in rat smooth muscle **505**, 329, 1997

Forskolin

Inhibition of glucose uptake by forskolin in rat isolated gastric glands **499.P**, 109*P*, 1997

Free radical

Evaluation of purine nucleotide loss, lipid peroxidation and ultrastructural alterations in post-hypoxic hepatocytes **498**, 511, 1997
Activation of a novel non-selective cation channel by alloxan and H_2O_2 in the rat insulin-secreting cell line CRI-G1 **501**, 59, 1997
Two components of blood–brain barrier disruption in the rat **503**, 613, 1997

Frog

Effects of sodium removal on the oscillatory response to prolonged stimulation in frog olfactory receptor cells **499.P**, 88*P*, 1997

Frusemide

Intracellular pH and calcium in frog early distal tubule: effects of transport inhibitors **498**, 49, 1997

Fura-2

Regulation of secretory granule recruitment and exocytosis at rat neurohypophysial nerve endings **498**, 735, 1997
Regulation of the cytosolic Ca^{2+} concentration by Ca^{2+} stores in single smooth muscle cells from rat cerebral arteries **501**, 497, 1997

Fusimotor

Pacemaker activity in a sensory ending with multiple encoding sites: the cat muscle spindle primary ending **498**, 177, 1997

Fusimotor patterns in cat jaw muscles inferred from comparison of spindle behaviour in active and passive movements **501.P**, 39*P*, 1997
Discharge of human muscle spindle afferents innervating ankle dorsiflexors during target isometric contractions **504**, 221, 1997
Mental rehearsal of motor tasks recruits α-motoneurones but fails to recruit human fusimotor neurones selectively **505**, 259, 1997
Differences in input from group II muscle afferents to γ-motoneurones of five hindlimb muscles **505.P**, 76*P*, 1997
The influence of bag_2 intrafusal fibre contraction on primary muscle spindle afferent behaviour in the cat **505.P**, 76*P*, 1997
Noradrenaline and its α_2-agonists counteract activation of γ-motoneurones **505.P**, 77*P*, 1997

G protein

G-protein modulation of N-type calcium channel gating current in human embryonic kidney cells (HEK 293) **498**, 601, 1997
Exotoxin-insensitive G proteins mediate synaptically evoked muscarinic sodium current in rabbit sympathetic neurones **498**, 627, 1997
Bursts of action potential waveforms relieve G-protein inhibition of recombinant P- and Q-type Ca^{2+} channels **499**, 637, 1997
Membrane-delimited modulation of NMDA currents by metabotropic glutamate receptor subtypes 1/5 in cultured mouse cortical neurons **499**, 721, 1997
G protein-coupled EP_3 receptors in alveolar epithelium regulate perinatal Na^+ homeostasis in the guinea-pig lung **499.P**, 56*P*, 1997
G-protein-mediated desensitization of metabotropic glutamatergic and muscarinic responses in CA3 cells in rat hippocampus **500**, 487, 1997
Enhanced G protein activation by interleukin-1β in frontal cortical membranes prepared from aged rats **501.P**, 170*P*, 1997
Receptors couple to L-type calcium channels via distinct G_o proteins in rat neuroendocrine cell lines **502**, 321, 1997
Calcium release from intracellular stores evoked by extracellular ATP in a *Xenopus* renal epithelial cell line **502**, 365, 1997
Different G proteins mediate somatostatin-induced inward rectifier K^+ currents in murine brain and endocrine cells **502**, 559, 1997
Differential effects of endothelin-1 on basal and isoprenaline-enhanced Ca^{2+} current in guinea-pig ventricular myocytes **503**, 55, 1997
Identification of regions that regulate the expression and activity of G protein-gated inward rectifier K^+ channels in *Xenopus* oocytes **503**, 547, 1997
Modulation of inwardly rectifying potassium channels in cultured bovine pulmonary artery endothelial cells **504**, 545, 1997
The involvement of the I–II loop of the voltage-dependent calcium channel α_{1B} in G protein modulation by $G_{\beta\gamma}$: studies using the calcium channel β_2 subunit that slows calcium channel inactivation **504.P**, 157*P*, 1997
Differential G protein subunit basis for biophysically distinct inhibitions of I_{Ca} by muscarinic receptors in isolated sympathetic neurones **504.P**, 176*P*, 1997
Muscarinic inhibition of the M-current is mediated by the α subunit of Gq **504.P**, 176*P*, 1997
A C-terminal peptide of the GIRK1 subunit directly blocks the G protein-activated K^+ channel (GIRK) expressed in *Xenopus* oocytes **505**, 13, 1997

GABA

Protein kinase A-mediated enhancement of miniature IPSC frequency by noradrenaline in rat cerebellar stellate cells **498**, 165, 1997
Synchronization of GABAergic interneuronal network in CA3 subfield of neonatal rat hippocampal slices **498**, 763, 1997
Nitric oxide regulates NMDA-driven GABAergic inputs to type I neurones of the rat paraventricular nucleus **499**, 733, 1997
Local synaptic release of glutamate from neurons in the rat hypothalamic arcuate nucleus **499**, 747, 1997
Zn^{2+} and benzodiazepines alter deactivation of GABA responses in cultured murine cerebellar granule cells **499.P**, 27*P*, 1997
Run-down of the $GABA_A$ response under experimental ischaemia in acutely dissociated CA1 pyramidal neurones of the rat **500**, 673, 1997
Fast IPSPs elicited via multiple synaptic release sites by different types of GABAergic neurone in the cat visual cortex **500**, 715, 1997
Modulation by adenosine of GABA-activated current in rat dorsal root ganglion neurons **501**, 67, 1997
Spillover: a possible mechanism underlying differences between spontaneous and evoked IPSCs in granule cells in rat cerebellar slices **501.P**, 12*P*, 1997
Different roles of neuronal and glial GABA transporters in rat cerebellar slices **501.P**, 13*P*, 1997
Unusual low-affinity benzodiazepine-insensitive $GABA_A$ receptors in cultured rat O-2A progenitor cells **501.P**, 20*P*, 1997
GABA in the developing rat optic nerve **501.P**, 22*P*, 1997
Interchangeable discharge patterns of neurons in caudal nucleus tractus solitarii in rat slices: role of GABA and NMDA **504**, 611, 1997
Different roles for $GABA_A$ and $GABA_B$ receptors in visual processing in the rat superior colliculus **504**, 629, 1997
Modulation of ligand-gated ion channel function in insect neurones **504.P**, 4*S*, 1997
Sr^{2+} supports depolarization-induced suppression of inhibition and provides new evidence for a presynaptic expression mechanism in rat hippocampal slices **505**, 307, 1997
ATP enhances GABA release from glial cells of the rat retina **505.P**, 46*P*, 1997
$GABA_A$ receptor expression in the rat optic nerve **505.P**, 46*P*, 1997

GABA receptor

Glutamate receptor-mediated synaptic excitation in axons of the lamprey **499**, 443, 1997
Modulation and desensitization of human $GABA_A$ receptor isoforms expressed in oocytes: effects of the δ subunit **499.P**, 124*P*, 1997
$GABA_B$ receptor-mediated inhibition of spontaneous inhibitory synaptic currents in rat midbrain culture **500**, 739, 1997
Modulation by adenosine of GABA-activated current in rat dorsal root ganglion neurons **501**, 67, 1997
Postsynaptic $GABA_A$ receptor occupancy depends on receptor number at synapses on stellate cells in the rat cerebellum **501.P**, 10*P*, 1997
Implication of Na^+ channels and $GABA_A$ receptors in growth and malignancy of glial tumours **501.P**, 21*P*, 1997
$GABA_A$ receptor-mediated IPSCs in rat thalamic sensory nuclei: patterns of discharge and tonic modulation by $GABA_B$ autoreceptors **502**, 91, 1997
Agonist action of taurine on glycine receptors in rat supraoptic magnocellular neurones: possible role in osmoregulation **502**, 609, 1997
Inhibition of spontaneous EPSCs and IPSCs by presynaptic $GABA_B$ receptors on rat supraoptic magnocellular neurons **504**, 113, 1997
Multiple modulatory effects of the neuroactive steroid pregnanolone on $GABA_A$ receptor in frog pituitary melanotrophs **504**, 387, 1997
Responses of dorsal column nuclei (DCN) neurones to dorsal root stimulation in a brainstem–spinal cord preparation **504.P**, 102*P*, 1997
$GABA_A$ and $GABA_B$ receptors are involved in vagal afferent inhibitory input to neurones in the nucleus tractus solitarii (NTS) of anaesthetized rats **504.P**, 197*P*, 1997
Single channel properties of recombinant $GABA_A$ receptors containing $\gamma 2$ or δ subtypes expressed with $\alpha 1$ and $\beta 3$ subtypes in mouse L929 cells **505**, 283, 1997
Identification of a Zn^{2+} binding site on the murine $GABA_A$ receptor complex: dependence on the second transmembrane domain of β subunits **505**, 633, 1997
$GABA_A$ receptor expression in the rat optic nerve **505.P**, 46*P*, 1997

Gait

Adaptation of the human gait pattern to body unloading **505.P**, 83*P*, 1997

Gall bladder

The contractile action of bradykinin on human gall-bladder *in vitro* **499.P**, 107*P*, 1997

Ganglion

Histamine H_1 receptor activation blocks two classes of potassium current, $I_{K(rest)}$ and I_{AHP}, to excite ferret vagal afferents **503**, 533, 1997
The removal of acetylcholine by diffusion at nicotinic synapses in the rat otic ganglion **505**, 165, 1997

Gap junction

Modulation of hybrid bass retinal gap junctional channel gating by nitric oxide **499**, 689, 1997
Biophysical properties of heterotypic gap junctions newly formed between two types of insect cells **499**, 701, 1997
Sodium channel distribution within the rabbit atrioventricular node as analysed by confocal microscopy **501**, 263, 1997
Gap-junction coupling low-pass filtering and rhythm generation in rat sympathetic preganglionic neurones *in vitro* **501.P**, 26*P*, 1997
The spontaneous behaviour of rat island of Calleja granule cells *in vitro*: participation of gap junctions? **501.P**, 26*P*, 1997
Peptides homologous to extracellular loop motifs of connexin 43 reversibly abolish rhythmic contractile activity in rabbit arteries **503**, 99, 1997
Inwardly rectifying, voltage-dependent and resting potassium currents in rat pancreatic acinar cells in primary culture **504**, 259, 1997

Gap-junctional communication in ganglion cells of the embryonic chick retina **504.P**, 170*P*, 1997

Gastric acid

Regulation by gastric acid of the processing of progastrin-derived peptides in rat antral mucosa **502**, 409, 1997

Gastric emptying

The effect of fat and glucose solutions on the rate of gastric emptying and energy delivery to the small intestine in man **499.P**, 78*P*, 1997

Gastric gland

Diabetes and insulin-induced stimulation of L-arginine transport and nitric oxide synthesis in rabbit isolated gastric glands **498**, 787, 1997

Inhibition of glucose uptake by forskolin in rat isolated gastric glands **499.P**, 109*P*, 1997

Gastrin

Effects of *Ostertagia ostertagi* on gastrin gene expression and gastrin-related responses in the calf **498**, 809, 1997

Increased gastrin release following distension of the rat stomach after antral denervation **499.P**, 104*P*, 1997

The effects of inhibiting gastric acid secretion on the post-translational processing of progastrin **499.P**, 104*P*, 1997

Regulation by gastric acid of the processing of progastrin-derived peptides in rat antral mucosa **502**, 409, 1997

Increased sensitivity of gastrin cells to gastric distension following antral denervation in the rat **503**, 169, 1997

Cholecystokinin (CCK) regulates somatostatin secretion through both the CCK-A and CCK-B/gastrin receptors in sheep **505**, 811, 1997

Gastrointestinal motility

Role of caloric content on gastric emptying in humans **498**, 553, 1997

Effect of pancreatic polypeptide on rat dorsal vagal complex neurons **499**, 475, 1997

Basal release of nitric oxide induces an oscillatory motor pattern in canine colon **499**, 773, 1997

Spatial patterns of fasting and fed antropyloric pressure waves in humans **503**, 455, 1997

Time course of gastrointestinal transit adaptation to high-fat diet in the rat **504.P**, 150*P*, 1997

Development of electrical rhythmicity in the murine gastrointestinal tract is specifically encoded in the tunica muscularis **505**, 241, 1997

Orally projecting interneurones in the guinea-pig small intestine **505**, 473, 1997

Gene expression

Effects of *Ostertagia ostertagi* on gastrin gene expression and gastrin-related responses in the calf **498**, 809, 1997

Expression of the human heart inwardly rectifying K^+ channel (HH-IRK1) gene in cytotrophoblast cells (CYTS) isolated from human term placenta **499.P**, 64*P*, 1997

Factors controlling immediate-early gene expression in rat gastric corpus mucosa **499.P**, 122*P*, 1997

Oxygen-regulated gene expression in mammalian cells **499.P**, 13*S*, 1997

Reg-2 a secreted protein expressed solely by developing and regenerating motor and sensory neurons **501.P**, 98*P*, 1997

A model for characterization of gene expression in response to regional workload changes in the anaesthetized pig myocardium *in situ* **501.P**, 127*P*, 1997

Effects of desoxycorticosterone corticosterone and glycyrrhetinic acid on sodium appetite and c-*fos* expression in rat **501.P**, 166*P*, 1997

Perinatal changes in expression of aquaporin-4 and other water and ion transporters in rat lung **505**, 3, 1997

Quantification of ROMK mRNA expression in rat kidney by competitive polymerase chain reaction (PCR) **505.P**, 115*P*, 1997

Glial cell

Intracellular ATP activates inwardly rectifying K^+ channels in human and monkey retinal Müller (glial) cells **500**, 593, 1997

Na^+–Ca^{2+} exchanger shapes the calcium response to kainate in mouse Bergmann glial cells *in situ* **501.P**, 19*P*, 1997

Unusual low-affinity benzodiazepine-insensitive $GABA_A$ receptors in cultured rat O-2A progenitor cells **501.P**, 20*P*, 1997

Dynamical relationship between intracellular Ca^{2+} stores and stores-operated Ca^{2+} entry pathway in mouse brain microglia: long-term activation of capacitative Ca^{2+} entry **501.P**, 21*P*, 1997

GABA in the developing rat optic nerve **501.P**, 22*P*, 1997

Mechanism of oxidative stress-induced intracellular acidosis in rat cerebellar astrocytes and C_6 glioma cells **502**, 161, 1997

Currents evoked in Bergmann glial cells by parallel fibre stimulation in rat cerebellar slices **502**, 335, 1997

ATP enhances GABA release from glial cells of the rat retina **505.P**, 46*P*, 1997

$GABA_A$ receptor expression in the rat optic nerve **505.P**, 46*P*, 1997

Expression of the NG2 chondroitin sulphate proteoglycan in the anterior medullary velum of the adult rat **505.P**, 47*P*, 1997

In vivo effects of fibroblast growth factor-2 (FGF-2) on the development of oligodendrocytes in the anterior medullary velum of the rat **505.P**, 47*P*, 1997

The effects of bradykinin on a cell culture model of the blood–brain barrier (BBB) **505.P**, 49*P*, 1997

Glibenclamide

Swelling-induced Cl^- current in guinea-pig atrial myocytes: inhibition by glibenclamide **505**, 41, 1997

Glucocorticoid

The glucocorticoid hypothesis of age-related hippocampal neurodegeneration **501.P**, 8*S*, 1997

Glucose

Evidence for uncoupling of oxygen and glucose utilization during neuronal activation in rat striatum **498**, 497, 1997

Effects of elevated D-glucose on intracellular Ca^{2+} in human macro- and microvascular endothelium **499.P**, 40*P*, 1997

The relation between local cerebral blood flow and extracellular glucose concentration in rat striatum **499.P**, 51*P*, 1997

The temperature dependence of D-glucose and D-mannose inhibition of L-sorbose exit from human erythrocytes **499.P**, 53*P*, 1997

The effect of fat and glucose solutions on the rate of gastric emptying and energy delivery to the small intestine in man **499.P**, 78*P*, 1997

Inhibition of glucose uptake by forskolin in rat isolated gastric glands **499.P**, 109*P*, 1997

The red cell glucose transporter – a functional approach **499.P**, 18*S*, 1997

Relating the structure of the glucose transporter to function **499.P**, 19*S*, 1997

Evidence of two mechanisms for the activation of the glucose transporter GLUT1 by anisomycin: p38(MAP kinase) activation and protein synthesis inhibition in mammalian cells **504**, 517, 1997

Extracellular glucose turnover in the striatum of unanaesthetized rats measured by quantitative microdialysis **504**, 721, 1997

Hyperglycaemia induces insulin resistance in human fetal endothelial cells isolated from gestational diabetic pregnancies **504.P**, 205*P*, 1997

Glucose transport

The effect of glucose transport inhibitors on vicinal dione produced potassium loss from human red cells **499.P**, 51*P*, 1997

Intestinal assimilation of dextran in man **499.P**, 110*P*, 1997

The kinetics of human erythrocyte sugar transport **499.P**, 19*S*, 1997

Kinetics of the multidrug transporter (P-glycoprotein) and its reversal **499.P**, 21*S*, 1997

Proteins that interact with the glucose transporter: implications for function **499.P**, 22*S*, 1997

Diabetes mellitus promotes phlorizin-insensitive but not SGLT-mediatd glucose transport across isolated rat renal brush-border membrane **504.P**, 141*P*, 1997

Glutamate

Synchronization of GABAergic interneuronal network in CA3 subfield of neonatal rat hippocampal slices **498**, 763, 1997

Local synaptic release of glutamate from neurons in the rat hypothalamic arcuate nucleus **499**, 747, 1997

Stimulated release of lactate in freely moving rats is dependent on the uptake of glutamate **499**, 825, 1997

The effect of chemical hypoxia on isolated rat myocytes perfused in the absence or presence of glutamate **499.P**, 33*P*, 1997

Single activations of recombinant NMDA NR1a/NR2A receptors recorded in one-channel patches **501.P**, 13*P*, 1997

Transmitter release and quantal size at cerebellar climbing fibre–Purkinje cell synapses of the rat **501.P**, 14*P*, 1997

Currents evoked in Bergmann glial cells by parallel fibre stimulation in rat cerebellar slices **502**, 335, 1997

Protective and modulatory effect of gangliosides in rat cerebellar granule cells and brain synaptosomes exposed to toxic glutamate concentrations **504.P**, 25*P*, 1997

Isolation of rat ventricular myocytes in the presence of glutamate increases the NADH to NAD^+ ratio and improves recovery of cells from chemical hypoxia **504.P**, 85*P*, 1997
Glutamate receptors mediate TTX-resistant synchronous activity in the rat hippocampus **504.P**, 171*P*, 1997
Cystine–glutamate exchange and the regulation of extracellular glutamate concentration, $[glu]_o$, in rat brain slices **504.P**, 172*P*, 1997
Calcium-independent release of glutamate in simulated ischaemia, sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices **504.P**, 173*P*, 1997
Fast concentration jumps on recombinant NMDA NR1a/NR2A and NR1a/NR2D channels expressed in *Xenopus* oocytes **504.P**, 173*P*, 1997
Glutamate-induced activity in oxytocin neurones *in vitro* is principally mediated via non-NMDA receptors **504.P**, 222*P*, 1997

Glutamate receptor
Quisqualate-preferring metabotropic glutamate receptor activates Na^+–Ca^{2+} exchange in rat basolateral amygdala neurones **499**, 87, 1997
Glutamate receptor-mediated synaptic excitation in axons of the lamprey **499**, 443, 1997
Modulation of plateau properties in dorsal horn neurones in a slice preparation of the turtle spinal cord **499**, 459, 1997
Membrane-delimited modulation of NMDA currents by metabotropic glutamate receptor subtypes 1/5 in cultured mouse cortical neurons **499**, 721, 1997
Calcium signalling in rat cortical neurones and glia in culture following activation of group I metabotropic glutamate receptors (mGluRs) **499.P**, 18*P*, 1997
Altered high frequency synaptic transmission and short-term potentiation in mice lacking $mGlu_7$ receptors: studies in the hippocampus *in vitro* **501.P**, 8*P*, 1997
Non-competitive antagonism of cloned and native AMPA/kainate receptors by adamantane derivatives **501.P**, 17*P*, 1997
Activation of an inward current by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **501.P**, 27*P*, 1997
Potentation of synaptic transmission in the rat dentate gyrus *in vitro* by the type I metabotropic glutamate receptor agonist (*S*)-3,5-dihydroxyphenylglycine (DHPG) **501.P**, 90*P*, 1997
Metabotropic glutamate receptor group II agonist inhibition of LTP induction in the dentate gyrus *in vitro* **501.P**, 99*P*, 1997
Group 1 metabotropic glutamate receptors contribute to bidirectional modulation of synaptic plasticity in freely moving rats **501.P**, 100*P*, 1997
Permeation and block of rat GluR6 glutamate receptor channels by internal and external polyamines **502**, 575, 1997
Control of rat GluR6 glutamate receptor open probability by protein kinase A and calcineurin **503**, 513, 1997
Metabotropic synaptic regulation of intrinsic response properties of turtle spinal motoneurones **504**, 97, 1997
Characterization of the inward current induced by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **504**, 649, 1997
Age-related functional changes of the glutamate receptor channels in rat Meynert neurones **504**, 665, 1997
Characterization of nematode glutamate receptors **504.P**, 25*P*, 1997
Metabotropic glutamate receptor activation causes sporadic appearance of oscillatory activity of inhibitory postsynaptic potentials in slices of rat visual cortex **504.P**, 171*P*, 1997
Synaptic plasticity in the ventral septal area (VSA) of juvenile rats *in vitro* induced by activation of metabotropic glutamate receptors **504.P**, 212*P*, 1997
Long-term depression of synaptic transmission in the CA1 region of the adult rat hippocampus *in vitro* **504.P**, 212*P*, 1997
Block of open channels of recombinant AMPA receptors and native AMPA/kainate receptors by adamantane derivatives **505**, 655, 1997

Glutathione
Decreased endothelial cell glutathione and enhanced susceptibility to nitric oxide in an endothelial/glioma cell co-culture blood–brain barrier system **505.P**, 50*P*, 1997

Glycine
Aminergic modulation of glycine release in a spinal network controlling swimming in *Xenopus laevis* **503**, 111, 1997
Glycine receptors in cultured chick sympathetic neurons are excitatory and trigger neurotransmitter release **504**, 683, 1997

Glycogen
Effects of reduced muscle glycogen concentration on force, Ca^{2+} release and contractile protein function in intact mouse skeletal muscle **498**, 17, 1997
Insulin regulation of glycogen synthase kinase 3 in cultured human myoblasts **499.P**, 44*P*, 1997
The effect of creatine and carbohydrate ingestion on muscle creatine and glycogen accumulation following glycogen-depleting exercise in man **499.P**, 74*P*, 1997
Correlation between the ability to respond to T-system depolarization and the glycogen content of mechanically skinned fibres of the cane toad **505.P**, 89*P*, 1997

Gonadotrophin
Effects of acute changes in oestrogen on muscle function of the first dorsal interosseus muscle in humans **500**, 265, 1997

Granule cell
Zn^{2+} and benzodiazepines alter deactivation of GABA responses in cultured murine cerebellar granule cells **499.P**, 27*P*, 1997
Excitatory transmitter release at single mossy fibre–granule cell synapses of adult rat cerebellum **501.P**, 15*P*, 1997
The spontaneous behaviour of rat island of Calleja granule cells *in vitro*: participation of gap junctions? **501.P**, 26*P*, 1997
Novel glutamate- and GABA-independent synaptic depolarization in granule cells of guinea-pig hippocampus **504**, 641, 1997
The effect of external magnesium ions on the activation kinetics of a standing outward potassium current ($I_{K,so}$) in cultured rat cerebellar granule neurons **504.P**, 170*P*, 1997

Growth
Natriuretic peptide type C receptor (NPR-C) inhibits DNA synthesis in transfected cells **505.P**, 112*P*, 1997
An NPR-C type of natriuretic peptide receptor can trigger apoptosis in rat astrocytes **505.P**, 113*P*, 1997

Growth factor
Involvement of vascular endothelial growth factor in capillary growth as a result of chronic electrical stimulation of skeletal muscle in conscious rats **499.P**, 39*P*, 1997
Correlation of PDGF-α receptor mRNA expression with stages of oligodendrocyte differentiation in the isolated anterior medullary velum of the rat brain **501.P**, 32*P*, 1997
In vivo effects of fibroblast growth factor-2 (FGF-2) on the development of oligodendrocytes in the anterior medullary velum of the rat **505.P**, 47*P*, 1997

Growth hormone
Growth hormone-releasing hormone triggers pacemaker activity and persistent Ca^{2+} oscillations in rat somatotrophs **493**, 613, 1997
Diurnal variation of growth hormone responses to acutely administered dexamethasone in healthy male volunteers **505.P**, 13*P*, 1997

GTP
G protein involvement in hypoxic hyperpolarization of CA1 neurons *in vitro* **504.P**, 179*P*, 1997

Guanosine triphosphate, see GTP

Guinea-pig
Intracellular recordings from dorsal root ganglion (DRG) neurones in the anaesthetized guinea-pig to allow comparisons of afferent receptive and cytochemical properties **504.P**, 58*P*, 1997
Consequences of metabolic inhibition in smooth muscle isolated from guinea-pig stomach **505**, 229, 1997

Gut
Surface electrogastrographic evidence of foregut dysmotility in persistent hyperinsulinaemic hypoglycaemia of infancy (PHHI) **499.P**, 108*P*, 1997
Perception and gut reflexes induced by stimulation of gastrointestinal thermoreceptors in humans **502**, 215, 1997

Hair cell
Variation in expression of the outer hair cell P2X receptor conductance along the guinea-pig cochlea **498**, 717, 1997
The effects of calcium buffering and cyclic AMP on mechano-electrical transduction in turtle auditory hair cells **501**, 111, 1997
Single-channel recordings of large conductance Ca^{2+}-activated K^+ channels from guinea-pig inner hair cells **501.P**, 147*P*, 1997
Staining pattern of isolated inner hair cells of the guinea-pig cochlea using the fluorescent probe FM1-43 **504.P**, 30*P*, 1997
Harmonic distortion in cochlear mechanics **504.P**, 125*P*, 1997
Acetylcholine-activated currents in outer hair cells recorded under conditions designed to reduce potassium currents **504.P**, 126*P*, 1997

Rapid photorelease of calcium augments the fast potassium conductance of guinea-pig inner hair cells **504.P**, 127*P*, 1997
Computational demonstration that Brownian motion of inner hair cell stereocilia may enhance the ability to detect low level auditory tones from auditory nerve spiking patterns **504.P**, 127*P*, 1997
Conditional immortalization of supporting cells from mammalian vestibular sensory epithelia **504.P**, 128*P*, 1997
Visualization of actin filaments and microtubules in non-fixed outer hair cells using laser scanning confocal microscopy **504.P**, 129*P*, 1997
Electrical properties of a conditionally immortalized cell line derived from the cochlea of the H-2Kb-tsA58 transgenic mouse **504.P**, 130*P*, 1997
ATP-activated currents in outer hair cells and in supporting cells of the guinea-pig cochlea in the presence of ADP and adenosine **504.P**, 130*P*, 1997
The effects of lowering extracellular [Ca^{2+}] on the structure of the stereociliary bundle of turtle cochlear hair cells **504.P**, 131*P*, 1997

Halothane

Effects of blockade of glycinergic synapses on sensory transmission and the action of halothane in the urethane-anaesthetized rat **499.P**, 92*P*, 1997

Hand

A comparison of population and single-unit activity recorded from identified cortico-motoneuronal (CM) cells during precision grip in the macaque monkey **501.P**, 37*P*, 1997
Phasic activity in the human erector spinae during repetitive hand movements **504**, 727, 1997

Heart

Differential block of external divalent cations on E4031-sensitive and -insensitive K^+ currents in sino-atrial node and atrial cells of the rabbit **499.P**, 10*P*, 1997
Acute vasodilator response to bacterial lipopolysaccharide in the rat isolated perfused heart: involvement of lipoxygenase but not cyclo-oxygenase metabolites **499.P**, 21*P*, 1997
A 'rectification residue' in the pore region of the cardiac muscarinic K^+ channel, GIRK1-CIR **499.P**, 130*P*, 1997
Expression of the cardiac muscarinic receptor, muscarinic K^+ channel and a receptor kinase in CHO cells: desensitization on application of ACh **499.P**, 131*P*, 1997
3-Hydroxybutyrate blocks the transient K^+ outward current in myocardial mouse cells in a stereoselective fashion **500**, 85, 1997
Cardiac dynamic and chronotropic responses to sustained hypoxia in older humans **501.P**, 68*P*, 1997
Modulation of vagally induced changes in cardiac atrioventricular conduction by nitric oxide in the anaesthetized ferret **501.P**, 70*P*, 1997
Further evidence for nitric oxide modulation of vagal bradycardia in the anaesthetized ferret **501.P**, 79*P*, 1997
Validation of the conductance catheter method for measuring volume changes in the human left ventricle **501.P**, 80*P*, 1997
Studies in the anaesthetized dog of coronary microvascular function downstream from an artery with intraluminal thrombus **501.P**, 124*P*, 1997
A model for characterization of gene expression in response to regional workload changes in the anaesthetized pig myocardium *in situ* **501.P**, 127*P*, 1997
Glutamine is superior to glutamate in enhancing post-ischaemic recovery of the isolated perfused working rat heart **501.P**, 127*P*, 1997
Sodium and calcium components of intramembrane charge movements in guinea-pig ventricular heart cells **501.P**, 129*P*, 1997
The effect of the venom of the Chilli Rose Tarantula *Phrixotrichus spatulatus* on the L-type Ca^{2+} current in isolated guinea-pig ventricular myocytes **501.P**, 130*P*, 1997
Differential sensitivities of the two components of the delayed rectifier potassium current to metabolic inhibition in guinea-pig isolated ventricular myocytes **501.P**, 131*P*, 1997
Alteration of sarcolemmal and sarcoplasmic reticulum calcium fluxes in isolated rat ventricular myocytes produced by modulation of calcium-induced calcium release **501.P**, 133*P*, 1997
Magnesium efflux and contractility under ischaemic conditions in the isolated rat heart **501.P**, 135*P*, 1997
The effect of pyruvate on Krebs buffer pH and lactate efflux from ischaemic and reperfused isolated rat hearts **501.P**, 136*P*, 1997
Glutamine affords cardioprotection and enhances recovery by a dose-dependent effect in the isolated perfused working rat heart **501.P**, 137*P*, 1997
Oscillatory work absorbed by chemically skinned ventricular trabeculae is reduced in a coronary artery ligation model of left ventricular dysfunction in the rabbit **501.P**, 138*P*, 1997
The effects of mild trypsin digestion on resting tension and calcium sensitivity in skinned rat cardiac cells **501.P**, 140*P*, 1997
Propofol improves myocardial protection during ischaemic cardioplegic arrest and reperfusion in isolated Langendorff guinea-pig hearts **501.P**, 141*P*, 1997
Glutamine but not glutamate improves myocardial protection with cardioplegic solution in isolated guinea-pig hearts **501.P**, 141*P*, 1997
Reflex cardiac dromotropic responses to stimulation of the carotid and aortic chemoreceptors in the anaesthetized cat **502**, 461, 1997
Effects of development and thyroid hormone on K^+ currents and K^+ channel gene expression in rat ventricle **504**, 271, 1997
The role of Na^+–Ca^{2+} exchange current in electrical restitution in ferret ventricular cells **504**, 301, 1997
A rapidly activating sustained K^+ current modulates repolarization and excitation–contraction coupling in adult mouse ventricle **504**, 557, 1997
Calcium-induced release of strontium ions from the sarcoplasmic reticulum of rat cardiac ventricular myocytes **504**, 565, 1997
Calcium currents in cardiac myocytes of squid *Alloteuthis subulata*, *Loligo forbesii* and *L. vulgaris* **504.P**, 21*P*, 1997
Polycentric control of the heart and pericardium by cholinergic inhibitory and serotonergic excitatory nerves in polyplacophoran molluscs **504.P**, 24*P*, 1997
Mechanisms of neural excitation and inhibition of the heart of *Mercenaria mercenaria* **504.P**, 26*P*, 1997
A computer model of pacemaker shift within the rabbit sinoatrial node **504.P**, 70*P*, 1997
Ionic current changes in single isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to failure **504.P**, 72*P*, 1997
Characteristics of L-leucine transport into sarcolemmal vesicles and isolated cardiac myocytes prepared from rat heart **504.P**, 73*P*, 1997
Distribution of *cftr* mRNA in rabbit left ventricular myocardium **504.P**, 74*P*, 1997
Dose-dependent inotropic effects of halothane, isoflurane and sevoflurane on rat ventricular myocytes **504.P**, 75*P*, 1997
Effects of prostaglandin $F_{2\alpha}$ on contractility, L-type Ca^{2+} currents, Ca^{2+} transients and intracellular pH in rat ventricular myocytes **504.P**, 80*P*, 1997
The effects of ischaemic and hypoxic preconditioning on the paced-evoked response in the isolated rabbit heart **504.P**, 84*P*, 1997
Short warm crystalloid cardioplegic perfusion following cold cardioplegic arrest (hot shot) improves functional and metabolic recovery upon reperfusion in the Langendorff perfused guinea-pig hearts **504.P**, 86*P*, 1997
Isolation of human myocytes from left ventricular sections of patients with end-stage heart failure **504.P**, 88*P*, 1997
Effect of nickel on contraction in the isolated guinea-pig papillary muscle **504.P**, 90*P*, 1997
Potentiation of vagally mediated tachycardia by atropine in the anaesthetized dog **504.P**, 194*P*, 1997
Molecular physiology of inwardly rectifying K^+ channels **504.P**, 11*S*, 1997
Molecular physiology of the HERG K^+ channel and the elusive h-channel **504.P**, 12*S*, 1997
ATP-dependent desensitization of the muscarinic K^+ channel in rat atrial cells **505**, 77, 1997
Effects of sympathetic nerve stimulation on membrane potential, $[Ca^{2+}]_i$ and force in the arrested sinus venosus of the toad, *Bufo marinus* **505**, 513, 1997
Partial depletion of sarcoplasmic reticulum calcium does not prevent calcium sparks in rat ventricular myocytes **505**, 665, 1997
A rapid cryoclamp for snap-freezing the isolated blood-perfused rabbit cardiac papillary muscle preparation at different times in the contraction cycle for electron-probe X-ray microanalysis **505.P**, 3*P*, 1997
An electronic feedback circuit to control a peristaltic pump for constant-pressure perfusion of isolated hearts or other organs **505.P**, 4*P*, 1997
The neuronal NOS inhibitor, TRIM, attenuates vagal chronotropic and dromotropic actions on the heart of the anaesthetized ferret **505.P**, 31*P*, 1997
Heart work and body size **505.P**, 68*P*, 1997
In celebration of 100 years of the isolated perfused heart – Langendorff revisited **505.P**, 69*P*, 1997
The distribution of Mg in ferret ventricular papillae in Tyrode solution and on Na^+ removal **505.P**, 92*P*, 1997

Heart rate

Does heart rate or phase of cardiac cycle at triggering affect the performance of elite marksmen? **501.P**, 6*P*, 1997

Bovine spongiform encephalopathy (BSE) disrupts heart rate variability (HRV) **501.P**, 69*P*, 1997
Cardiorespiratory responses to upper airway negative pressure in the decerebrate rabbit **501.P**, 80*P*, 1997
Biphasic chronotropic effect of nitric oxide in the isolated guinea-pig sino-atrial node/atrial preparation **501.P**, 125*P*, 1997
Effect of nifedipine on the rate response to vagal stimulation following inhibition of nitric oxide in the isolated guinea-pig atria **501.P**, 126*P*, 1997
Variations in cardiac responses of free ranging harbour (*Phoca vitulina*) and grey (*Halichoerus grypus*) seals in response to differing activity patterns **504.P**, 6*P*, 1997
The chronotropic response to nitric oxide in the isolated guinea-pig atria is not affected by β-adrenergic blockade **504.P**, 83*P*, 1997
Further evidence that central 5-HT_{1A} receptors are involved in the reflex activation of cardiac vagal preganglionic neurones in anaesthetized rabbits **504.P**, 197*P*, 1997
Selective vagal C-fibre efferent stimulation evokes both chronotropic and dromotropic responses in anaesthetized rabbits **504.P**, 208*P*, 1997
The nitric oxide donor molsidomine can increase heart rate independent of changes in arterial blood pressure in anaesthetized rabbits **505.P**, 19*P*, 1997
The central expiratory drive to vagal cardiac pre-ganglionic neurones in the anaesthetized cat **505.P**, 22*P*, 1997

Hepatocyte

Evaluation of purine nucleotide loss, lipid peroxidation and ultrastructural alterations in post-hypoxic hepatocytes **498**, 511, 1997

High altitude

A perspective on high altitude polycythaemia **499.P**, 8*S*, 1997
Birds over Mount Everest: extreme hypoxia tolerance **499.P**, 9*S*, 1997
Ventilatory acclimatization to altitude: alterations in respiratory control and associated mechanisms **499.P**, 14*S*, 1997
Ammonium chloride, P_{CO_2} and oxygenation at simulated high altitude in man **505.P**, 27*P*, 1997

Hippocampus

Osmolarity modulates K^+ channel function on rat hippocampal interneurons but not CA1 pyramidal neurons **498**, 679, 1997
Spatially synchronous fast oscillations following two-site tetanic stimulation in the CA1 subregion of the rat hippocampal slice *in vitro* **499.P**, 96*P*, 1997
Single K^+ channels in dissociated neurones of rat hippocampus **499.P**, 132*P*, 1997
Scrapie infection alters the membrane and synaptic properties of mouse hippocampal CA1 pyramidal neurones **500**, 1, 1997
Synapse-selective impairment of NMDA receptor functions in mice lacking NMDA receptor $\epsilon 1$ or $\epsilon 2$ subunit **500**, 401, 1997
Excitatory synaptic site heterogeneity during paired pulse plasticity in CA1 pyramidal cells in rat hippocampus *in vitro* **500**, 441, 1997
Disinhibition of rat hippocampal pyramidal cells by GABAergic afferents from the septum **500**, 463, 1997
Presubicular and parasubicular cortical neurons of the rat: functional separation of deep and superficial neurons *in vitro* **501**, 387, 1997
Brief train depression and facilitation at pyramid–interneurone connections in slices of rat hippocampus; paired recordings with biocytin filling **501.P**, 9*P*, 1997
Non-voltage-operated calcium current (I_{gl}) activated by potassium ions in rat hippocampal pyramidal neurons **501.P**, 31*P*, 1997
A type of LTP induction is dependent on activation of voltage-gated calcium channels but not NMDA receptors in the rat dentate gyrus *in vitro* **501.P**, 90*P*, 1997
Stress enables the induction of long-term depression by standard low frequency stimulation in freely behaving rat **501.P**, 92*P*, 1997
Metabotropic glutamate receptor group II agonist inhibition of LTP induction in the dentate gyrus *in vitro* **501.P**, 99*P*, 1997
Group 1 metabotropic glutamate receptors contribute to bidirectional modulation of synaptic plasticity in freely moving rats **501.P**, 100*P*, 1997
Modulation of the activity of the Na^+–H^+ exchanger by noradrenaline in acutely dissociated adult rat hippocampal CA1 neurones **501.P**, 150*P*, 1997
Getting lost: synaptic mechanisms and network dynamics in the aged hippocampus **501.P**, 2*S*, 1997
Pharmacological properties of CA1 pyramidal cells in the aged rat **501.P**, 3*S*, 1997
Increased adrenocortical secretion in ageing: a conversion to its adaptive role **501.P**, 8*S*, 1997
Release and sequestration of calcium by ryanodine-sensitive stores in rat hippocampal neurones **502**, 13, 1997
Modulation of endogenous firing patterns by osmolarity in rat hippocampal neurones **502**, 175, 1997
Spatiotemporal patterns of γ frequency oscillations tetanically induced in the rat hippocampal slice **502**, 591, 1997
Activation of NMDA receptors is necessary for the induction of associative long-term potentiation in area CA1 of the rat hippocampal slice **504**, 379, 1997
Calcium homeostatic mechanisms operating in cultured postnatal rat hippocampal neurones following flash photolysis of nitrophenyl-EGTA **504**, 579, 1997
Novel glutamate- and GABA-independent synaptic depolarization in granule cells of guinea-pig hippocampus **504**, 641, 1997
Ifenprodil selectively reduces the open probability of high conductance
Dual effect of memantine on NMDA channels in acutely isolated rat hippocampal neurones **504.P**, 52*P*, 1997
NMDA channels in dentate gyrus granule cells from 0-day-old rats **504.P**, 52*P*, 1997
Glutamate receptors mediate TTX-resistant synchronous activity in the rat hippocampus **504.P**, 171*P*, 1997
Calcium-independent release of glutamate in simulated ischaemia, sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices **504.P**, 173*P*, 1997
G protein involvement in hypoxic hyperpolarization of CA1 neurons *in vitro* **504.P**, 179*P*, 1997
A γ/β frequency shift induced by recurrent EPSP expression in the rat hippocampal slice **504.P**, 179*P*, 1997
The effects of morphine on fast oscillations in the rat hippocampal slice **504.P**, 183*P*, 1997
Altered excitability and conduction velocity in the rat hippocampus *in vitro* as a result of chronic hyperglycaemia **504.P**, 184*P*, 1997
Long-term depression of synaptic transmission in the CA1 region of the adult rat hippocampus *in vitro* **504.P**, 212*P*, 1997
Role of ryanodine receptors in long-term potentiation in the CA1 region of the rat hippocampal slice *in vitro* **504.P**, 218*P*, 1997
Functional connections between the hippocampus and hypothalamic nuclei in a stationary tissue culture model **504.P**, 222*P*, 1997
Sr^{2+} supports depolarization-induced suppression of inhibition and provides new evidence for a presynaptic expression mechanism in rat hippocampal slices **505**, 307, 1997
Assessment of the reliability of amplitude histograms from excitatory synapses in rat hippocampal CA1 *in vitro* **505**, 443, 1997
Quantal analysis of excitatory synapses in rat hippocampal CA1 *in vitro* during low-frequency depression **505**, 457, 1997

Histamine

Effect of histamine on intestinal afferent nerve discharge in the anaesthetized rat **499.P**, 102*P*, 1997
Evidence for the involvement of histaminergic neurones in the regulation of the rat oxytocinergic system during pregnancy and parturition **501**, 649, 1997
Differing effects of histamine and serotonin on microvascular permeability in anaesthetized rats **501**, 657, 1997
Histamine H_1 receptor activation blocks two classes of potassium current, $I_{K(rest)}$ and I_{AHP}, to excite ferret vagal afferents **503**, 533, 1997

History

Replicating experiments on nitro-aerial particles **505.P**, 69*P*, 1997

Hormone

A longitudinal analysis of muscle strength in middle-aged women of different hormonal status **501.P**, 170*P*, 1997
Inhibition of insulin action on transepithelial transport and membrane capacitance in cultured toad kidney cells by a blocker of exocytosis **504.P**, 140*P*, 1997
Neuroendocrinological effects of fluid loading in normal human males **505.P**, 14*P*, 1997
Renal responsiveness during pregnancy and lactation **505.P**, 2*S*, 1997

Human

Evidence for nitric oxide-mediated sympathetic forearm vasodilatation in humans **498**, 531, 1997

Colour adaptation modifies the long-wave *versus* middle-wave cone weights and temporal phases in human luminance (but not red–green) mechanism **499**, 227, 1997

Cross-correlation analysis of motor unit activity recorded from two separate thumb muscles during development in man **499**, 255, 1997

Recurrent inhibition between motor nuclei innervating opposing wrist muscles in the human upper limb **499**, 267, 1997

Gadolinium has no effect on the contractions induced by hyposmolar solutions in human detrusor muscle **499.P**, 34*P*, 1997

Insulin regulation of glycogen synthase kinase 3 in cultured human myoblasts **499.P**, 44*P*, 1997

Ion channels in fetal human trachealis **499.P**, 68*P*, 1997

Changes in pharyngeal calibre during breaths preceding obstructive sleep apnoea in humans **499.P**, 69*P*, 1997

Ventilatory drive in poikilocapnic *vs.* normocapnic hypoxic exercise in humans **499.P**, 70*P*, 1997

Influence of pre-exercise acidification on the V_{O_2}/power output ratio in humans **499.P**, 75*P*, 1997

Effect of high intensity exercise on circulating insulin-like growth factors and their binding proteins in trained cyclists **499.P**, 82*P*, 1997

Eye movement response to linear acceleration steps in humans: visual enhancement and suppression **499.P**, 87*P*, 1997

Temporary relief of induced pain by repetitive magnetic stimulation of human parietal lobe **499.P**, 88*P*, 1997

Na^+–K^+-ATPase activity in normal and cystic fibrosis (CF) intestine **499.P**, 106*P*, 1997

Assessing the physiological generation of inactivation of a human presynaptic Ca^{2+} channel **501.P**, 23*P*, 1997

Cross-finger timings in sixteen naive recorder players **501.P**, 45*P*, 1997

Task-dependent changes in rhythmic motor output during voluntary elbow movement in man **501.P**, 48*P*, 1997

Effect of cycling cadence on lactate profiles during incremental cycle ergometry in trained cyclists **501.P**, 52*P*, 1997

Phasic activity in the human erector spinae during repetitive hand movements **504**, 727, 1997

Monitoring of finger movements and hand muscle EMGs during mechanically perturbed writing tasks **504.P**, 63*P*, 1997

Outward currents in isolated human cardiac atrial myocytes **504.P**, 77*P*, 1997

Isolation of human myocytes from left ventricular sections of patients with end-stage heart failure **504.P**, 88*P*, 1997

Disturbance of human joint position sense in Parkinson's disease **504.P**, 117*P*, 1997

The effect of ingesting fat-containing solutions on plasma free fatty acids and triacylglycerol concentrations in man and rat **504.P**, 150*P*, 1997

Human vaginal blood flow – absolute assessment by a new, quantitative heat wash-out method **504.P**, 188*P*, 1997

Changes in the responsiveness of isolated human hand vein endothelial cells in normal pregnancy **504.P**, 191*P*, 1997

Resistive load detection and perception of the magnitude of added inspiratory resistances during submaximal steady-state exercise in normal humans **504.P**, 209*P*, 1997

Mental rehearsal of motor tasks recruits α-motoneurones but fails to recruit human fusimotor neurones selectively **505**, 259, 1997

Ammonium chloride, P_{CO_2} and oxygenation at simulated high altitude in man **505.P**, 27*P*, 1997

Ventilatory response to added inspiratory resistance during rapid eye movement sleep in humans **505.P**, 32*P*, 1997

Evidence for segregation of timing and velocity storage in ocular pursuit **505.P**, 79*P*, 1997

The gap effect on human smooth pursuit latency: single, centrifugal and centripetal tasks **505.P**, 80*P*, 1997

Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation: a mapping study over the frontal cortex in man **505.P**, 80*P*, 1997

Reflexes evoked in the trapezius muscle by electrical stimulation of the third and fourth cervical nerves in humans **505.P**, 82*P*, 1997

Adaptation of the human gait pattern to body unloading **505.P**, 83*P*, 1997

Large conductance Ca^{2+}-dependent K^+ channels in myocytes from human pulmonary artery **505.P**, 97*P*, 1997

The effects of thapsigargin on agonist-induced contractile responses in isolated human detrusor smooth muscle **505.P**, 97*P*, 1997

5-Hydroxytryptamine

5-Hydroxytryptamine (5-HT) receptors mediating secretion by rat ileum *in vitro* **499.P**, 107*P*, 1997

Serotonin-induced intercellular calcium waves in salivary glands of the blowfly *Calliphora erythrocephala* **500**, 17, 1997

Disruptive effects of monoamine oxidase A inhibition on mouse barrelfield formation: determination of a critical developmental period **501.P**, 104*P*, 1997

Enhancement of polysynaptic reflexes in the decerebrated rabbit by 8-hydroxy-2-(di-*n*-propylamino)tetralin (8-OH-DPAT) does not involve 5-HT_{1D} receptors **504.P**, 104*P*, 1997

Effects of nifedipine and ω-conotoxin GVIA on 5-hydroxytryptamine-mediated increases in mesenteric afferent discharge in the anaesthetized rat **504.P**, 148*P*, 1997

Tonic inhibition of spinal reflexes mediated through 5-HT_{1A}-receptors in decerebrated and in anaesthetized rabbits subjected to different levels of surgical preparation **505.P**, 36*P*, 1997

Hyperaemia

The effect of stimulation frequency on skeletal muscle blood flow in the anaesthetized rat **499.P**, 22*P*, 1997

Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no effect of nitric oxide (NO) **501.P**, 67*P*, 1997

Hypercapnia

Effect of endothelial removal on isometric tension development by isolated pulmonary arterial rings in response to changes in extracellular pH and P_{CO_2} **499.P**, 71*P*, 1997

The ventilatory response to CO_2 in humans before and after 8 h of isocapnic/poikilocapnic hypoxia **505.P**, 28*P*, 1997

The effect of isohydric hypercapnia on depolarization-induced tension in isolated pulmonary rings **505.P**, 32*P*, 1997

Hyperglycaemia

Hyperglycaemia impairs endothelium-dependent relaxation and increases noradrenergic contractility in rabbit corpus cavernosal smooth muscle **501.P**, 117*P*, 1997

Hyperoxia

The fetal guinea-pig lung near term displays a rise in αENaC mRNA expression that is independent of labour **501.P**, 63*P*, 1997

Hyperpolarization

Differential control of the hyperpolarization-activated current (i_f) by cAMP gating and phosphatase inhibition in rabbit sino-atrial node myocytes **500**, 643, 1997

K^+ channels which contribute to the acetylcholine-induced hyperpolarization in smooth muscle of the guinea-pig submucosal arteriole **501**, 319, 1997

Activation of f-channels by cAMP analogues in macropatches from rabbit sino-atrial node myocytes **501**, 565, 1997

Neurotensin inhibition of the hyperpolarization-activated cation current (I_h) in the rat substantia nigra pars compacta implicates the protein kinase C pathway **503**, 87, 1997

Hypertension

Influence of milk availability and maternal care on the feeding rate of the spontaneously hypertensive rat (SHR) pup **499.P**, 64*P*, 1997

Role of reactive oxygen species in hypoxic pulmonary hypertension **499.P**, 108, 1997

Roles of endothelin-1 and T-type Ca^{2+} channels in nitro-L-arginine vasoconstriction of hypertensive rat lungs **499.P**, 118, 1997

Vascular effects of octreotide in the portal hypertensive rat **501.P**, 108*P*, 1997

Vascular reactivity of the *in vitro* mesenteric arterial bed of spontaneously hypertensive and Wistar-Kyoto rat strains after cross-fostering **505.P**, 100*P*, 1997

Hypertrophy

A model for characterization of gene expression in response to regional workload changes in the anaesthetized pig myocardium *in situ* **501.P**, 127*P*, 1997

Arrhythmogenic transient inward current is generated by three ionic mechanisms in single isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **501.P**, 134*P*, 1997

Ionic current changes in single isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to failure **504.P**, 72*P*, 1997

Hypocapnia

The CO_2 sensitivity of breathing at raised temperatures during hypocapnia in the rat **501.P**, 57*P*, 1997

Dynamics of the cerebral blood flow response to step decreases in end-tidal P_{CO_2} in humans **505.P**, 22*P*, 1997
Ventilatory responses to hypoxia and hypercapnia after passive hyperventilation in humans **505.P**, 27*P*, 1997

Hypothalamus

Modulation of $GABA_A$ receptor-mediated IPSCs by neuroactive steroids in a rat hypothalamo-hypophyseal coculture model **500**, 475, 1997
Activation of an inward current by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **501.P**, 27*P*, 1997
Onset of bursting in oxytocin cells in suckled rats **503**, 625, 1997
Characterization of the inward current induced by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **504**, 649, 1997
Isolation of the hypothalamus raises the temperature at which warming restarts breathing during hypocapnic apnoea in the anaesthetized rat **504.P**, 203*P*, 1997
Functional connections between the hippocampus and hypothalamic nuclei in a stationary tissue culture model **504.P**, 222*P*, 1997
Local opioid inhibition and morphine dependence of supraoptic nucleus oxytocin neurones in the rat *in vivo* **505**, 145, 1997

Hypothermia

Short warm crystalloid cardioplegic perfusion following cold cardioplegic arrest (hot shot) improves functional and metabolic recovery upon reperfusion in the Langendorff perfused guinea-pig hearts **504.P**, 86*P*, 1997

Hypoxia

The decrease of maximal oxygen consumption in hypoxia: a mirror image of the oxygen equilibrium curve **498**, 231, 1997
Evaluation of purine nucleotide loss, lipid peroxidation and ultrastructural alterations in post-hypoxic hepatocytes **498**, 511, 1997
A novel oxygen-sensitive potassium current in rat carotid body type I cells **498**, 649, 1997
Properties of ionic currents from isolated adult rat carotid body chemoreceptor cells: effect of hypoxia **499**, 429, 1997
Chronic hypoxia suppresses pharmacomechanical coupling of the uterine artery in near-term pregnant sheep **499**, 551, 1997
The effect of chemical hypoxia on isolated rat myocytes perfused in the absence or presence of glutamate **499.P**, 33*P*, 1997
The effect of hypoxia on 5′-nucleotidase activity in synaptosomes of the right and left rat brain hemispheres **499.P**, 41*P*, 1997
Forskolin-induced relaxation of isolated large and small pulmonary arteries from chronically hypoxic rats **499.P**, 68*P*, 1997
Effect of ambient temperature on the ventilatory response to hypoxia in chronically hypoxic and normoxic post-neonatal rats **499.P**, 70*P*, 1997
Ventilatory drive in poikilocapnic *vs.* normocapnic hypoxic exercise in humans **499.P**, 70*P*, 1997
Pulmonary and systemic vascular resistance during 8 h of isocapnic hypoxia in humans **499.P**, 118*P*, 1997
Does chronic systemic hypoxia induce angiogenesis in skeletal muscle of the rat? **499.P**, 118*P*, 1997
A perspective on high altitude polycythaemia **499.P**, 8*S*, 1997
Origins of chronic hypoxaemia in clinical practice **499.P**, 8*S*, 1997
Birds over Mount Everest: extreme hypoxia tolerance **499.P**, 9*S*, 1997
Haemodynamic, metabolic and growth consequences of sustained hypoxia in mature and perinatal rats, studied in isolated perfused lungs **499.P**, 10*S*, 1997
Role of reactive oxygen species in hypoxic pulmonary hypertension **499.P**, 10*S*, 1997
Cardiovascular adaptations to chronic systemic hypoxia: modulation of vasoconstrictor and vasodilator influences **499.P**, 12*S*, 1997
Effect of prolonged hypoxia on breathing in the fetus and neonate **499.P**, 13*S*, 1997
A comparison of O_2-sensitive K^+ currents in chronically hypoxic and immature normoxic rat type I carotid body cells **499.P**, 14*S*, 1997
Mechanisms involved in increased iron uptake across rat duodenal brush-border membrane during hypoxia **500**, 379, 1997
Hypoxia inhibits the recombinant α_{1C} subunit of the human cardiac L-type Ca^{2+} channel **500**, 551, 1997
Developmental changes in isolated rat type I carotid body cell K^+ currents and their modulation by hypoxia **501**, 49, 1997
The effects of chronic hypoxia on renal function in the rat **501**, 243, 1997
The roles of adenosine in regulating the respiratory and cardiovascular systems in chronically hypoxic, adult rats **501**, 439, 1997
Effects of chronic hypoxia from birth on ventilatory CO_2–O_2 interaction in the rat **501.P**, 57*P*, 1997
Effect of a neuronal nitric oxide synthase blocker on eucapnic hypoxic and hypercapnic cerebral blood flow in the anaesthetized rat **501.P**, 66*P*, 1997
Role of cerebral blood flow changes in hypoxic ventilatory decline in humans **501.P**, 66*P*, 1997
Cardiac dynamic and chronotropic responses to sustained hypoxia in older humans **501.P**, 68*P*, 1997
Activation of AMP-activated protein kinase (AMPK) inhibits a methacholine-induced contraction in bovine bronchial rings **501.P**, 115*P*, 1997
Recovery from chemical hypoxia in single rat and guinea-pig myocytes: is there a species difference? **501.P**, 135*P*, 1997
Hypoxia inhibits recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **501.P**, 146*P*, 1997
Selective inhibition of a slow-inactivating voltage-dependent K^+ channel in rat PC12 cells by hypoxia **502**, 293, 1997
Effects of hypoxia on $[Ca^{2+}]_i$, pH_i and myosin light chain phosphorylation in guinea-pig taenia caeci **503**, 427, 1997
Oxygen deprivation inhibits Na^+ current in rat hippocampal neurones via protein kinase C **503**, 479, 1997
Synapse formation and hypoxic signalling in co-cultures of rat petrosal neurones and carotid body type 1 cells **503**, 599, 1997
Hypoxia-induced catecholamine secretion in isolated newborn rat adrenal chromaffin cells is mimicked by inhibition of mitochondrial respiration **504**, 175, 1997
Dissociation between lactate and proton exchange in muscle during intense exercise in man **504**, 489, 1997
Hypoxia causes rapid multiphasic depolarization of an identified cockroach (*Periplaneta americana*) motoneurone **504.P**, 27*P*, 1997
The effect of hypoxia on the rabbit sino-atrial node **504.P**, 84*P*, 1997
The effects of ischaemic and hypoxic preconditioning on the paced-evoked response in the isolated rabbit heart **504.P**, 84*P*, 1997
Isolation of rat ventricular myocytes in the presence of glutamate increases the NADH to NAD^+ ratio and improves recovery of cells from chemical hypoxia **504.P**, 85*P*, 1997
Development of cardiovascular control in the chick embryo **504.P**, 22*S*, 1997
Hypoxia-induced inhibition of calcium channels in guinea-pig taenia caeci smooth muscle cells **505**, 107, 1997
Modulation of ventilatory sensitivity to hypoxia by dopamine and domperidone before and after prolonged exposure to hypoxia in humans **505.P**, 26*P*, 1997
Ammonium chloride, P_{CO_2} and oxygenation at simulated high altitude in man **505.P**, 27*P*, 1997
The ventilatory response to CO_2 in humans before and after 8 h of isocapnic/poikilocapnic hypoxia **505.P**, 28*P*, 1997
The effects of metabolic inhibition on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated myometria of pregnant rats **505.P**, 103*P*, 1997

Immune response

Exercise-induced stimulation of murine macrophage chemotaxis: role of corticosterone and prolactin as mediators **498**, 729, 1997
Irregular fluctuations in opiate antagonist binding with immune cells **499.P**, 41*P*, 1997
Effect of the immunosupressant FK506 on excitation–contraction coupling and outward K^+ currents in rat ventricular myocytes **501**, 509, 1997

Immunoglobulin

Three distinct regions are responsible for conferring affinity of the human high affinity immunoglobulin receptor FcγRI **499.P**, 123*P*, 1997
Immunoglobulins from motoneurone disease patients enhance glutamate release from rat hippocampal neurones in culture **504**, 103, 1997

Inactivation

The effects of tetrodotoxin-induced muscle paralysis on the physiological properties of muscle units and their innervating motoneurons in rat **499**, 207, 1997
Pore mutations in *Shaker* K^+ channels distinguish between the sites of tetraethylammonium blockade and C-type inactivation **499**, 361, 1997
Human Na^+ channel fast and slow inactivation in paramyotonia congenita mutants expressed in *Xenopus laevis* **499**, 589, 1997
K^+ accumulation and K^+ conductance inactivation during action potential trains in giant axons of the squid *Sepioteuthis* **500**, 355, 1997
Functional differences in Na^+ channel gating between fast-spiking interneurones and principal neurones of rat hippocampus **505**, 593, 1997

Inflammation
Vagal branches involved in inhibition of bradykinin-induced synovial plasma extravasation by intrathecal nicotine and noxious stimulation in the rat **498**, 473, 1997
Metronidazole inhibits transport changes associated with inflammation in the mouse colon *in vivo* and *in vitro* **499.P**, 101*P*, 1997
Vascular reactivity to acetylcholine is attenuated in the acutely inflamed rabbit synovium **501.P**, 106*P*, 1997
Reduced action potential (AP) duration in nociceptive dorsal root ganglion (DRG) neurones projecting to inflamed tissue in guinea-pigs **504.P**, 100*P*, 1997
Inflammatory mediators at acidic pH activate capsaicin receptors in cultured sensory neurones from newborn rats **504.P**, 177*P*, 1997

Inhibition
Intracortical facilitation and inhibition after transcranial magnetic stimulation in conscious humans **498**, 817, 1997
Disinhibition of rat hippocampal pyramidal cells by GABAergic afferents from the septum **500**, 463, 1997
Effect, number and location of synapses made by single pyramidal cells onto aspiny interneurones of cat visual cortex **500**, 689, 1997
Fast IPSPs elicited via multiple synaptic release sites by different types of GABAergic neurone in the cat visual cortex **500**, 715, 1997
The response of the nucleus reticularis giganto-cellularis pars alpha to noxious stimuli and its role in descending inhibition of lamina V dorsal horn neurones in the rat **501.P**, 47*P*, 1997
The major termination of the anterior pretectal nucleus efferents in the medulla is a principal origin of descending inhibition in the rat **501.P**, 47*P*, 1997
Detrusor relaxation following magnetic stimulation of the sacral roots in healthy men **501.P**, 53*P*, 1997
Mechanisms of neural excitation and inhibition of the heart of *Mercenaria mercenaria* **504.P**, 26*P*, 1997

Inhibitory postsynaptic current, see IPSC

Inhibitory postsynaptic potential, see IPSP

Innervation
Innervation ratio and motor unit force in large muscles: a study of chronically stimulated cat medial gastrocnemius **499**, 809, 1997

Inositol 1,4,5-trisphosphate
Annual Review Prize Lecture. Elementary and global aspects of calcium signalling **499**, 291, 1997
Chronic hypoxia suppresses pharmacomechanical coupling of the uterine artery in near-term pregnant sheep **499**, 551, 1997
Differential effects of cytosolic Ca^{2+} on types 1 and 3 inositol 1,4,5-trisphosphate receptor over-expressed in insect Sf9 cells **499.P**, 2*P*, 1997
Another look at regulation of the inositol 1, 4, 5-trisphosphate receptor **499.P**, 2*S*, 1997
IP_4 and its role in Ca^{2+} regulation **499.P**, 2*S*, 1997
Regulation of IP_3 receptors **499.P**, 2*S*, 1997
Molecular basis of the regulation of inositol 1, 4, 5-trisphosphate ($InsP_3$)-mediated Ca^{2+} release by Ca^{2+} **499.P**, 3*S*, 1997
Kinetics of Ca^{2+} release by $InsP_3$ in pig single aortic endothelial cells: evidence for an inhibitory role of cytosolic Ca^{2+} in regulating hormonally evoked Ca^{2+} spikes **504**, 17, 1997
Photodynamic triggering of calcium oscillation in the isolated rat pancreatic acini **504**, 47, 1997
The $InsP_3$ receptor from olfactory cilia fused to planar lipid bilayers: conductance properties and recovery by ATP **504.P**, 157*P*, 1997

Inositol polyphosphate
Inositol 1,3,4,5 tetrakisphosphate releases calcium from intracellular stores in permeabilized mouse pancreatic acinar cells **499.P**, 3*P*, 1997
Inositol polyphosphates and Ca^{2+} signalling **499.P**, 6*S*, 1997

Insect
Biophysical properties of heterotypic gap junctions newly formed between two types of insect cells **499**, 701, 1997
Background sodium channels are necessary for maintenance of beating pacemaker activity in insect neurosecretory cells **504.P**, 27*P*, 1997
Hypoxia causes rapid multiphasic depolarization of an identified cockroach (*Periplaneta americana*) motoneurone **504.P**, 27*P*, 1997
Central neurosecretion and neuromodulation in the moth *Manduca sexta*: serotonin in the olfactory pathway **504.P**, 4*S*, 1997

Insulin
Modulation of Na^+,K^+-ATPase activity by a tyrosine phosphorylation process in rat proximal convoluted tubule **498**, 99, 1997
Electrogenic arginine transport mediates stimulus–secretion coupling in mouse pancreatic β-cells **499**, 625, 1997
Insulin regulation of glycogen synthase kinase 3 in cultured human myoblasts **499.P**, 44*P*, 1997
Activation of a novel non-selective cation channel by alloxan and H_2O_2 in the rat insulin-secreting cell line CRI-G1 **501**, 59, 1997
Protein kinase A-dependent and -independent stimulation of exocytosis by cAMP in mouse pancreatic B-cells **502**, 105, 1997
Rapid ATP-dependent priming of secretory granules precedes Ca^{2+}-induced exocytosis in mouse pancreatic B-cells **503**, 399, 1997
The effect of altitude hypoxia on glucose homeostasis in men **504**, 241, 1997
Leptin activates ATP-sensitive potassium channels in the rat insulin-secreting cell line, CRI-G1 **504**, 527, 1997
Pituitary adenylate cyclase-activating polypeptide (PACAP) is an islet substance serving as an intra-islet amplifier of glucose-induced insulin secretion in rats **505**, 319, 1997

Insulin-like growth factor
Differential responses of electrically stimulated, adult rat ventricular myocytes to isoprenaline following IGF-I or insulin incubation **499.P**, 32*P*, 1997
Effect of high intensity exercise on circulating insulin-like growth factors and their binding proteins in trained cyclists **499.P**, 82*P*, 1997

Interleukin
Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage **499**, 833, 1997
The p38 MAP kinase inhibitor SB203580 antagonizes the inhibitory effect of IL-1β on long-term potentiation in the rat dentate gyrus *in vitro* **501.P**, 86*P*, 1997
Impaired ability of aged rats to sustain long-term potentiation may result from increased hippocampal expression of interleukin-1β **501.P**, 87*P*, 1997
Interleukin (IL)-1β induces nitric oxide (NO) and prostaglandin (PG)E_2 synthesis in cultures of rat ovarian cells and inhibits steroidogenesis: are ovarian macrophages target cells for IL-1β? **501.P**, 166*P*, 1997
Enhanced G protein activation by interleukin-1β in frontal cortical membranes prepared from aged rats **501.P**, 170*P*, 1997

Interneurone
Osmolarity modulates K^+ channel function on rat hippocampal interneurons but not CA1 pyramidal neurons **498**, 679, 1997
Brief train depression and facilitation at pyramid–interneurone connections in slices of rat hippocampus; paired recordings with biocytin filling **501.P**, 9*P*, 1997
Single axon IPSPs generated in pyramidal cells by basket and bistratified interneurones in rat hippocampal slices are enhanced by pentobarbitone **501.P**, 10*P*, 1997
A confocal microscopic analysis of contacts formed by serotoninergic and noradrenergic axons with electrophysiologically characterized spinal interneurons in the anaesthetized cat **501.P**, 40*P*, 1997
Novel glutamate- and GABA-independent synaptic depolarization in granule cells of guinea-pig hippocampus **504**, 641, 1997
Metabotropic glutamate receptor activation causes sporadic appearance of oscillatory activity of inhibitory postsynaptic potentials in slices of rat visual cortex **504.P**, 171*P*, 1997
Functional differences in Na^+ channel gating between fast-spiking interneurones and principal neurones of rat hippocampus **505**, 593, 1997

Intestine
Endothelin-1 potently stimulates chloride secretion and inhibits Na^+–glucose absorption in human intestine *in vitro* **499**, 391, 1997
Na^+–H^+ exchange in normal and cystic fibrotic mouse jejunal crypts **499.P**, 60*P*, 1997
Intestinal localization of the human peptide transporter, hPepT1 **499.P**, 61*P*, 1997
Tachykinin NK-2 receptor antagonist MEN 10,627 selectively inhibits fluid secretion induced by luminal enterotoxin *E. coli* STa in the rat intestine *in vivo* **499.P**, 100*P*, 1997
Metronidazole inhibits transport changes associated with inflammation in the mouse colon *in vivo* and *in vitro* **499.P**, 101*P*, 1997
Activation of intestinal afferents by endogenous CCK in the proximal jejunum of the anaesthetized rat **499.P**, 102*P*, 1997
Transepithelial permeability of ranitidine across rat ileum and Caco-2 monolayers is modified by P-glycoprotein **499.P**, 110*P*, 1997
The effect of ingesting fat-containing solutions on plasma free fatty acids and triacylglycerol concentrations in man and rat **504.P**, 150*P*, 1997
A functional CFTR protein is required for mouse intestinal cAMP-, cGMP- and Ca^{2+}-dependent HCO_3^- secretion **505**, 411, 1997

Intracellular calcium

The role of ATP in the regulation of intracellular Ca^{2+} release in single fibres of mouse skeletal muscle **498**, 587, 1997

Annual Review Prize Lecture. Elementary and global aspects of calcium signalling **499**, 291, 1997

Ca^{2+} feedback inhibition of cAMP reponses induced by 41-residue corticotrophin releasing-factor in acutely dispersed rat anterior pituitary cells **499.P**, 19*P*, 1997

Calcium buffering properties of intracellular calcium stores in rat isolated pancreatic acinar cells **499.P**, 20*P*, 1997

Effects of elevated D-glucose on intracellular Ca^{2+} in human macro- and microvascular endothelium **499.P**, 40*P*, 1997

The effects of arginine vasopressin on $[Ca^{2+}]_i$ in a mouse cortical collecting duct cell line (M-1) **499.P**, 43*P*, 1997

The functional structure of intracellular calcium stores **499.P**, 28, 1997

Simultaneous measurement of intracellular Ca^{2+} and asynchronous transmitter release from the same crayfish bouton **501**, 251, 1997

Effects of sympathetic nerve stimulation on membrane potential, $[Ca^{2+}]_i$ and force in the arrested sinus venosus of the toad, *Bufo marinus* **505**, 513, 1997

Intracellular pH

Intracellular pH and calcium in frog early distal tubule: effects of transport inhibitors **498**, 49, 1997

Regulation of intracellular pH in salamander retinal rods **498**, 61, 1997

The effect of intracellular pH on contractile function of intact, single fibres of mouse muscle declines with increasing temperature **500**, 193, 1997

Modulation of the activity of the Na^+–H^+ exchanger by noradrenaline in acutely dissociated adult rat hippocampal CA1 neurones **501.P**, 150*P*, 1997

The effects of intracellular eosin B on depolarization-induced pH changes in isolated snail neurones **501.P**, 151*P*, 1997

Intracellular sodium

Spatiotemporal gradients of intra-axonal $[Na^+]$ after transection and resealing in lizard peripheral myelinated axons **498**, 295, 1997

Kinetic properties of unitary Na^+-dependent K^+ channels in inside-out patches from isolated guinea-pig ventricular myocytes **500**, 39, 1997

Invertebrate

A brain slice preparation of the cephalopod optic lobe **504.P**, 2*P*, 1997

Consequences of colour-blindness for cuttlefish camouflage **504.P**, 23*P*, 1997

Inward rectification

Inwardly rectifying potassium channels expressed by gene transfection into the Green Monkey kidney cell line COS-1 **499**, 369, 1997

A 'rectification residue' in the pore region of the cardiac muscarinic K^+ channel, GIRK1-CIR **499.P**, 130*P*, 1997

Corticotropin releasing hormone inhibits an inwardly rectifying potassium current in rat corticotropes **502**, 265, 1997

Different G proteins mediate somatostatin-induced inward rectifier K^+ currents in murine brain and endocrine cells **502**, 559, 1997

Permeation and block of rat GluR6 glutamate receptor channels by internal and external polyamines **502**, 575, 1997

Identification of regions that regulate the expression and activity of G protein-gated inward rectifier K^+ channels in *Xenopus* oocytes **503**, 547, 1997

Ion channel

An ATP-gated cation channel with some P2Z-like characteristics in gastric smooth muscle cells of toad **498**, 427, 1997

Properties of ionic currents from isolated adult rat carotid body chemoreceptor cells: effect of hypoxia **499**, 429, 1997

Outward rectifier chloride channels in the basolateral membrane of crypts isolated from mouse distal colon **499.P**, 30*P*, 1997

ATP and endothelin-1 preferentially activate a Ca^{2+}-activated Cl^- over K^+, current in rat pulmonary arterial myocytes **499.P**, 129*P*, 1997

A 'rectification residue' in the pore region of the cardiac muscarinic K^+ channel, GIRK1-CIR **499.P**, 130*P*, 1997

Expression of the cardiac muscarinic receptor, muscarinic K^+ channel and a receptor kinase in CHO cells: desensitization on application of ACh **499.P**, 131*P*, 1997

'Quantal' calcium release operated by membrane voltage in frog skeletal muscle **501**, 289, 1997

Multiple effects of nordihydroguaiaretic acid (NDGA) on ionic currents in isolated rat type I carotid body cells **501.P**, 60*P*, 1997

Sodium and calcium components of intramembrane charge movements in guinea-pig ventricular heart cells **501.P**, 129*P*, 1997

Ionic currents in ventricular myocytes of the blue mussel, *Mytilus edulis* **504.P**, 12*P*, 1997

Single-channel properties of P2X ATP receptors in rat cerebellar slices **504.P**, 51*P*, 1997

Electrophysiological characterization of human brain type IIA Na^+ channel α subunits stably expressed in a mammalian cell line **504.P**, 154*P*, 1997

The expression of ion channels on freshly isolated human pulmonary artery and hand vein endothelial cells **504.P**, 158*P*, 1997

The voltage-gated sodium channel molecule **504.P**, 8*S*, 1997

Molecular cloning, characterization and assignment of smooth muscle K^+ channels **504.P**, 10*S*, 1997

Intrinsic ionic mechanisms contribute to the control of thymulin release from thymic epithelia of rat *in vitro* **505.P**, 14*P*, 1997

Large conductance Ca^{2+}-dependent K^+ channels in myocytes from human pulmonary artery **505.P**, 97*P*, 1997

Ion current

Simultaneous measurements of pH and ionic currents from smooth muscle cells isolated from the guinea-pig ureter **501.P**, 112*P*, 1997

Ionic current changes in single isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to failure **504.P**, 72*P*, 1997

Outward currents in isolated human cardiac atrial myocytes **504.P**, 77*P*, 1997

Ion flux

On-line measurements of micromolar ionized magnesium concentrations ($[Mg^{2+}]$) in either an extra- or intracellular milieu using Mg^{2+} macroelectrodes **501.P**, 3*P*, 1997

A rapid cryoclamp for snap-freezing the isolated blood-perfused rabbit cardiac papillary muscle preparation at different times in the contraction cycle for electron-probe X-ray microanalysis **505.P**, 3*P*, 1997

Ion selectivity

On-line measurements of micromolar ionized magnesium concentrations ($[Mg^{2+}]$) in either an extra- or intracellular milieu using Mg^{2+} macroelectrodes **501.P**, 3*P*, 1997

Cation permeability of a cloned rat epithelial amiloride-sensitive Na^+ channel **504**, 287, 1997

Ion transport

Endothelin-1 potently stimulates chloride secretion and inhibits Na^+–glucose absorption in human intestine *in vitro* **499**, 391, 1997

Characterization of the ground state permeability of the red blood cell membrane to K^+ and Na^+ based on an electroneutral $K^+(Na^+)$–H^+ exchange process **504.P**, 135*P*, 1997

Molecular and functional identification of a KCl co-transporter in the human erythroleukaemic cell line, K562 **504.P**, 143*P*, 1997

IPSC

$GABA_A$ receptor-mediated IPSCs in rat thalamic sensory nuclei: patterns of discharge and tonic modulation by $GABA_B$ autoreceptors **502**, 91, 1997

Novel circuits allowing intrathalamic interactions between modality-related nuclei in the rat dorsal thalamus **504.P**, 169*P*, 1997

Presynaptic $GABA_B$ and adenosine A_1 receptors regulate synaptic transmission to rat substantia nigra reticulata neurones **505**, 153, 1997

Sr^{2+} supports depolarization-induced suppression of inhibition and provides new evidence for a presynaptic expression mechanism in rat hippocampal slices **505**, 307, 1997

IPSP

Single axon IPSPs generated in pyramidal cells by basket and bistratified interneurones in rat hippocampal slices are enhanced by pentobarbitone **501.P**, 10*P*, 1997

Iron transport

Mechanisms involved in increased iron uptake across rat duodenal brush-border membrane during hypoxia **500**, 379, 1997

Ischaemia

The effect of pyruvate on the calcium-dependent mitochondrial pore during ischaemia and reperfusion of isolated rat hearts **499.P**, 14*P*, 1997

The effects of amiloride, allopurinol and indomethacin on blood flow and performance in ischaemic hindlimb muscles in the rat **499.P**, 21*P*, 1997

Ischaemic skeletal muscle hyperaemia in the anaesthetized cat: no contribution of A_{2A} adenosine receptors **500**, 205, 1997

Run-down of the $GABA_A$ response under experimental ischaemia in acutely dissociated CA1 pyramidal neurones of the rat **500**, 673, 1997

Glutamine is superior to glutamate in enhancing post-ischaemic recovery of the isolated perfused working rat heart **501.P**, 127*P*, 1997

Magnesium efflux and contractility under ischaemic conditions in the isolated rat heart **501.P**, 135*P*, 1997

The effect of pyruvate on Krebs buffer pH and lactate efflux from ischaemic and reperfused isolated rat hearts **501.P**, 136*P*, 1997

Glutamine affords cardioprotection and enhances recovery by a dose-dependent effect in the isolated perfused working rat heart **501.P**, 137*P*, 1997

Glutamine but not glutamate improves myocardial protection with cardioplegic solution in isolated guinea-pig hearts **501.P**, 141*P*, 1997

Propofol improves myocardial protection during ischaemic cardioplegic arrest and reperfusion in isolated Langendorff guinea-pig hearts **501.P**, 141*P*, 1997

Stimulation of α_1-adrenoceptors and protein kinase C-mediated activation of ecto-5′-nucleotidase in rat hearts *in vivo* **503**, 119, 1997

The effects of ischaemic and hypoxic preconditioning on the paced-evoked response in the isolated rabbit heart **504.P**, 84*P*, 1997

The electrophysiological effects of ischaemia and ischaemic preconditioning on the isolated rabbit papillary muscle **504.P**, 85*P*, 1997

Short warm crystalloid cardioplegic perfusion following cold cardioplegic arrest (hot shot) improves functional and metabolic recovery upon reperfusion in the Langendorff perfused guinea-pig hearts **504.P**, 86*P*, 1997

Intracellular Ca^{2+} and ischaemic cell death in neonatal white matter glia *in situ* **504.P**, 167*P*, 1997

Calcium-independent release of glutamate in simulated ischaemia, sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices **504.P**, 173*P*, 1997

Ischaemic damage in the kidney: comparison of the effects of three flush preservation fluids in the prevention of warm ischaemic damage in a rat kidney ischaemia model **505.P**, 114*P*, 1997

Isometric contraction

Sarcomere length dependence of the rate of tension redevelopment and submaximal tension in rat and rabbit skinned skeletal muscle fibres **501**, 607, 1997

Isoprenaline

Effects of acetylcholine on the Na^+–K^+ pump current in guinea-pig ventricular myocytes **501**, 527, 1997

Sarcoplasmic reticulum Ca^{2+} content, L-type Ca^{2+} current and the Ca^{2+} transient in rat myocytes during β-adrenergic stimulation **505**, 385, 1997

Isoprenaline induces constriction at α_1-adrenoreceptors in large rat pulmonary arteries **505.P**, 101*P*, 1997

Jaw muscle

Fusimotor patterns in cat jaw muscles inferred from comparison of spindle behaviour in active and passive movements **501.P**, 39*P*, 1997

Fusimotor influence on jaw muscle spindle activity during swallowing-related movements in the cat **503**, 157, 1997

Jejunum

Effect of histamine on intestinal afferent nerve discharge in the anaesthetized rat **499.P**, 102*P*, 1997

The effect of erythromycin on jejunal motility and ion transport in the anaesthetized rat **504.P**, 146*P*, 1997

Up-regulation of SGLT1 by cyclic AMP in isolated rat jejunum **504.P**, 147*P*, 1997

The absorption of plant phenylpropanoids across isolated rat small intestine **504.P**, 152*P*, 1997

Joint

Spatial variation in sympathetic influences on the vasculature of the synovium and medial collateral ligament of the rabbit knee joint **503**, 435, 1997

Hyaluronan secretion into the synovial cavity of rabbit knees and comparison with albumin turnover **503**, 645, 1997

A simple technique for recording activity in primary afferent fibres in the anterior medullary velum of the anaesthetized cat **505.P**, 8*P*, 1997

Extraction of kinematic-based information during motor learning **505.P**, 81*P*, 1997

Kainate

Inhibition of delayed rectifier K^+ conductance in cultured rat cerebellar granule neurons by kainate **501.P**, 16*P*, 1997

Possible role of GluR5 glutamate receptors in spinal nociceptive processing in the anaesthetized rat **504.P**, 101*P*, 1997

Kidney

Renal handling of guanidino compounds in rat and rabbit **499**, 561, 1997

Anti-peptide antibodies as probes of the structure and subcellular distribution of the sodium-dependent nucleoside transporter, rCNT1 **499.P**, 50*P*, 1997

Thirsting reverses both the diuresis and decreases in aquaporin-2 (AQP2) expression in rat kidney inner medulla produced by the specific V2 receptor antagonist OPC31260 **499.P**, 57*P*, 1997

Effect of renal perfusion pressure (RPP) reduction on kidney function and plasma renin activity (PRA) in the anaesthetized rat **499.P**, 60*P*, 1997

A subpopulation of fenestrated vasa recta (VR) in the rat renal papilla closely associated with collecting ducts (CD) may enhance solute and fluid exchange **501.P**, 164*P*, 1997

Alanine uptake regulates a volume-sensitive, Ca^{2+}-permeable conductance in single proximal tubule cells isolated from frog kidney **504.P**, 138*P*, 1997

Bradykinin stimulates chloride secretion in an inner medullary collecting duct cell line (mIMCD-3) **504.P**, 140*P*, 1997

Diabetes mellitus promotes phlorizin-insensitive but not SGLT-mediatd glucose transport across isolated rat renal brush-border membrane **504.P**, 141*P*, 1997

Effect of renal perfusion pressure (RPP) reduction and nerve stimulation on PRA and renal renin and angiotensinogen (Ang) mRNA in the anaesthetized rat **504.P**, 210*P*, 1997

Electrically induced vasomotor responses and their propagation in rat renal vessels *in vivo* **505**, 493, 1997

The effect of capsaicin on renal pain signalling systems in humans and Wistar rats **505.P**, 39*P*, 1997

Alanine-induced volume regulatory decrease in single proximal tubule cells isolated from frog kidney **505.P**, 108*P*, 1997

Effect of pH on reabsorptive fluxes during *in vivo* microperfusion of Henle's loop in anaesthetized rats **505.P**, 109*P*, 1997

Renal medullary ion content (tissue admittance) during spontaneous variations of medullary blood flow in the rat: data from simultaneous recording **505.P**, 111*P*, 1997

Brain angiotensin II (AII) and renal nerve-mediated antinatriuresis in anaesthetized stroke prone spontaneously hypertensive rats (SHRSP) **505.P**, 112*P*, 1997

Ischaemic damage in the kidney: comparison of the effects of three flush preservation fluids in the prevention of warm ischaemic damage in a rat kidney ischaemia model **505.P**, 114*P*, 1997

Quantification of ROMK mRNA expression in rat kidney by competitive polymerase chain reaction (PCR) **505.P**, 115*P*, 1997

Renal handling of aluminium in anaesthetized rats: micropuncture measurements in proximal tubules **505.P**, 115*P*, 1997

Kinase

Effect of ATP depletion and phosphatase/kinase inhibitors on organic osmolyte transport in human erythrocytes **501.P**, 155*P*, 1997

Kinetics

Frequency-dependent actions of benzodiazepines on $GABA_A$ receptors in cultured murine cerebellar granule cells **503**, 353, 1997

Single channel properties of recombinant $GABA_A$ receptors containing $\gamma 2$ or δ subtypes expressed with $\alpha 1$ and $\beta 3$ subtypes in mouse L929 cells **505**, 283, 1997

Labyrinth

Dissociations between behavioural recovery and restoration of vestibular activity in the unilabyrinthectomized guinea-pig **500**, 509, 1997

Lacrimal gland

Light and electron microscopic investigations of age-related morphological changes of male rat lacrimal glands **504.P**, 34*P*, 1997

Lactate

Stimulated release of lactate in freely moving rats is dependent on the uptake of glutamate **499**, 825, 1997

Effects of lactate on the relative contribution of Ca^{2+} extrusion mechanisms to relaxation in guinea-pig ventricular myocytes **500**, 557, 1997

Lactate as a substrate for energy metabolism in isolated rabbit vagus nerve **501.P**, 27*P*, 1997

Effect of cycling cadence on lactate profiles during incremental cycle ergometry in trained cyclists **501.P**, 52*P*, 1997

The contribution of glia to nervous tissue metabolism **504.P**, 6*S*, 1997

Avoiding 'pseudo lactate thresholds' from pulmonary gas exchange indices during incremental exercise **505.P**, 31*P*, 1997

Lactation

The renal responsiveness to oxytocin in the lactating rat **504.P**, 222*P*, 1997

Renal responsiveness during pregnancy and lactation **505.P**, 2*S*, 1997

Lateral geniculate nucleus

Retinal activity is necessary for the rearrangement of the geniculo-cortical map in the Syrian hamster **501.P**, 96*P*, 1997

Spatial-frequency tuning of neurons in area 17 and area 18 of the anaesthetized ferret **501.P**, 120*P*, 1997

Learning
Mechanisms of associative learning in young and ageing hippocampus **501.P**, 6*S*, 1997
Computer-assisted learning tutorial support for basic first year undergraduate physiology practicals, and its use by students **505.P**, 2*P*, 1997
Release of putative amino acid neurotransmitters in the brain of the domestic chick following exposure learning (imprinting) **505.P**, 60*P*, 1997
Extraction of kinematic-based information during motor learning **505.P**, 81*P*, 1997

Leptin
Leptin activates ATP-sensitive potassium channels in the rat insulin-secreting cell line, CRI-G1 **504**, 527, 1997

Leucocyte
Purinoceptor-operated cationic channels in human B lymphocytes **498**, 143, 1997
Xanthine oxidase in human skeletal muscle following eccentric exercise: a role in inflammation **498**, 239, 1997
The effects of amiloride, allopurinol and indomethacin on blood flow and performance in ischaemic hindlimb muscles in the rat **499.P**, 21*P*, 1997
Contribution of selectins to leucocyte sequestration in pulmonary microvessels by intravital microscopy in rabbits **501**, 375, 1997

Light response
Antagonists of the cGMP-gated conductance of vertebrate rods block the photocurrent in scallop ciliary photoreceptors **500**, 367, 1997

Lipopolysaccharide
Comparison of the effects of *E. coli* lipopolysaccharide given by intrajugular and intracoeliac routes in the sheep **501.P**, 160*P*, 1997

Lithium
The shape of indicator dilution curves used for cardiac output measurement in man **498**, 225, 1997
Renal tubular lithium reabsorption in potassium-depleted rats **501**, 663, 1997

Liver
The effect of acute liver failure upon the permeability of the blood–brain barrier of the rat *in vivo* **501.P**, 161*P*, 1997
Hepatocellular maturation and maintenance of the blood–brain barrier in the rat **505.P**, 51*P*, 1997

Locomotion
Predicting force generation by lamprey muscle stimulated intermittently during imposed sinusoidal length changes **504.P**, 38*P*, 1997
An *in vitro* preparation to investigate proprioceptive co-ordination between the basal leg joints of the crayfish, *Pacifastacus leniusculus*, during fictive locomotion **504.P**, 64*P*, 1997
Short- (P1) and medium-latency (P2) cutaneous reflexes show different phase-dependent modulation during human walking **504.P**, 115*P*, 1997
Co-ordinated activity in sympathetic and somatic motor outflows from the spinal cord in a novel trunk–hindquarters preparation of adult mouse **504.P**, 199*P*, 1997
Gating of sensations and reflexes during human gait **504.P**, 18*S*, 1997
Hopping evoked by electrical stimulation in the mesencephalon of the acute decerebrate rabbit **505.P**, 5*P*, 1997

Locus coeruleus
Long-term influence of neonatal hypoxia on catecholamine activity in carotid bodies and brainstem cell groups of the rat **498**, 523, 1997

Long-term depression
Dynamic properties of nitric oxide release from parallel fibres in rat cerebellar slices **498**, 443, 1997
Stress enables the induction of long-term depression by standard low frequency stimulation in freely behaving rat **501.P**, 92*P*, 1997
An analysis of LTP of EPSCs evoked by minimal stimulation and recorded from dendrites of CA1 pyramidal cells in rat hippocampal slices **501.P**, 100*P*, 1997
Group 1 metabotropic glutamate receptors contribute to bidirectional modulation of synaptic plasticity in freely moving rats **501.P**, 100*P*, 1997
Synaptic plasticity in the ventral septal area (VSA) of juvenile rats *in vitro* induced by activation of metabotropic glutamate receptors **504.P**, 212*P*, 1997
Long-term depression of synaptic transmission in the CA1 region of the adult rat hippocampus *in vitro* **504.P**, 212*P*, 1997

Long-term potentiation
Visualization by confocal microscopy of synaptically evoked calcium transients in dendritic spines from rat organotypic hippocampal cultures **501.P**, 3*P*, 1997
2-Deoxyglucose-induced long-term potentiation in CA1 neurons of rat hippocampal slices is sensitive to blockers of protein tyrosine kinases **501.P**, 86*P*, 1997
The p38 MAP kinase inhibitor SB203580 antagonizes the inhibitory effect of IL-1β on long-term potentiation in the rat dentate gyrus *in vitro* **501.P**, 86*P*, 1997
Induction of long-term potentiation *in vivo* in rat dentate gyrus is accompanied by an increase in phosphorylation of receptor tyrosine kinase **501.P**, 87*P*, 1997
Impaired ability of aged rats to sustain long-term potentiation may result from increased hippocampal expression of interleukin-1β **501.P**, 87*P*, 1997
Evidence that long-term potentiation in rat dentate gyrus utilizes phospholipase C as a coincidence detector: investigation of the interaction between arachidonic acid and the metabotropic glutamate receptor agonist 1-amino-cyclopentane-1 3-dicarboxylate **501.P**, 88*P*, 1997
Associative LTP requires activation of NMDA receptors in area CA1 of rat hippocampal slices **501.P**, 89*P*, 1997
Evidence indicating a role for nerve growth factor in long-term potentiation in the dentate gyrus of the rat **501.P**, 89*P*, 1997
A type of LTP induction is dependent on activation of voltage-gated calcium channels but not NMDA receptors in the rat dentate gyrus *in vitro* **501.P**, 90*P*, 1997
Potentation of synaptic transmission in the rat dentate gyrus *in vitro* by the type I metabotropic glutamate receptor agonist (*S*)-35-dihydroxyphenyl-glycine (DHPG) **501.P**, 90*P*, 1997
Stimulation on the positive phase of hippocampal θ-rhythm induces long-term potentiation which can be reversed by stimulation on the negative phase in area CA1 *in vivo* **501.P**, 93*P*, 1997
Metabotropic glutamate receptor group II agonist inhibition of LTP induction in the dentate gyrus *in vitro* **501.P**, 99*P*, 1997
Melatonin blocks the induction of long-term potentiation in the CA1 region of the rat hippocampal slice **501.P**, 101*P*, 1997
Synaptic plasticity in the medial perforant pathway is blocked by the selective nNOS inhibitor 1-(2-trifluoromethylphenyl) imidazole in the rat dentate gyrus *in vitro* **501.P**, 102*P*, 1997
Comparison of young and old animals with regard to synapse restructuring associated with hippocampal long-term potentiation **501.P**, 4*S*, 1997
Age-related changes in synaptic plasticity in rat hippocampus **501.P**, 5*S*, 1997
Activation of NMDA receptors is necessary for the induction of associative long-term potentiation in area CA1 of the rat hippocampal slice **504**, 379, 1997
Role of ryanodine receptors in long-term potentiation in the CA1 region of the rat hippocampal slice *in vitro* **504.P**, 218*P*, 1997
An involvement of calcium/calmodulin protein kinase II (CaM-KII) in the molecular switch activated by mGluRs in rat hippocampal slices *in vitro* **504.P**, 219*P*, 1997

Loop of Henle
Effect of barium on sodium reabsorption in perfused loops of Henle in anaesthetized rats **501.P**, 164*P*, 1997

Lung
Contribution of selectins to leucocyte sequestration in pulmonary microvessels by intravital microscopy in rabbits **501**, 375, 1997
The fetal guinea-pig lung near term displays a rise in αENaC mRNA expression that is independent of labour **501.P**, 63*P*, 1997
The effects of raised pH on force in isolated rat lung strip **501.P**, 114*P*, 1997
Effect of pulmonary lymphatic obstruction on rabbit urine flow **503**, 833, 1997
Perinatal changes in expression of aquaporin-4 and other water and ion transporters in rat lung **505**, 3, 1997
Effect of mercuric chloride ($HgCl_2$) on hydraulic conductance of *in vivo* rabbit lung **505.P**, 23*P*, 1997
Epidermal growth factor (EGF) up-regulates the amiloride-sensitive Na^+ conductance of cultured adult rat alveolar pneumocytes **505.P**, 65*P*, 1997

Lymph system
Co-ordination of contractile activity in guinea-pig mesenteric lymphatics **500**, 235, 1997
Lymph flow pattern in the intact thoracic duct in sheep **503**, 223, 1997
Effect of pulmonary lymphatic obstruction on rabbit urine flow **503**, 833, 1997

Lymph flow dynamics in exercising human skeletal muscle as detected by scintography **504**, 233, 1997

Functional electrical properties of the endothelium in lymphatic vessels of the guinea-pig mesentery **504**, 439, 1997

Characterization of a calcium-dependent chloride current in isolated sheep mesenteric lymphatic smooth muscle cells **505.P**, 96*P*, 1997

Lymphocyte

A charybdotoxin-insensitive conductance in human T lymphocytes: T cell membrane potential is set by distinct K^+ channels **503**, 317, 1997

Macrophage

Exercise-induced stimulation of murine macrophage chemotaxis: role of corticosterone and prolactin as mediators **498**, 729, 1997

Magnesium

Inwardly rectifying potassium channels expressed by gene transfection into the Green Monkey kidney cell line COS-1 **499**, 369, 1997

The effect of external magnesium on cytosolic free ionized calcium in bovine blood platelets **499.P**, 61*P*, 1997

On-line measurements of micromolar ionized magnesium concentrations ($[Mg^{2+}]$) in either an extra- or intracellular milieu using Mg^{2+} macroelectrodes **501.P**, 3*P*, 1997

Magnesium efflux and contractility under ischaemic conditions in the isolated rat heart **501.P**, 135*P*, 1997

Ca^{2+} and Na^+ permeability of high-threshold Ca^{2+} channels and their voltage-dependent block by Mg^{2+} ions in chick sensory neurones **504**, 1, 1997

The interaction of nucleotides with the tolbutamide block of cloned ATP-sensitive K^+ channel currents expressed in *Xenopus* oocytes: a reinterpretation **504**, 35, 1997

Magnesium and the O_2 dependence of KCl cotransport in LK sheep red cells **504.P**, 136*P*, 1997

The effect of external magnesium ions on the activation kinetics of a standing outward potassium current ($I_{K,so}$) in cultured rat cerebellar granule neurons **504.P**, 170*P*, 1997

Characterization of a nicotinamide-adenine dinucleotide-dependent cation channel in the CRI-G1 rat insulinoma cell line **505**, 65, 1997

The distribution of Mg in ferret ventricular papillae in Tyrode solution and on Na^+ removal **505.P**, 92*P*, 1997

Magnetic resonance imaging

Changes in brain size in normal human pregnancy **499.P**, 79*P*, 1997

Neuroendocrinological effects of fluid loading in normal human males **505.P**, 14*P*, 1997

Activation of human hypoglossal motor nuclei during voluntary tongue contraction detected using functional magnetic resonance imaging (fMRI) **505.P**, 83*P*, 1997

Magnetic stimulation

Intracortical facilitation and inhibition after transcranial magnetic stimulation in conscious humans **498**, 817, 1997

Temporary relief of induced pain by repetitive magnetic stimulation of human parietal lobe **499.P**, 88*P*, 1997

Evidence suggesting a transcortical pathway from cutaneous foot afferents to tibialis anterior motoneurones in man **501**, 473, 1997

Recruitment and facilitation of the corticospinal system revealed using transcranial magnetic stimulation in incomplete spinal cord injury patients **501.P**, 43*P*, 1997

Compound motor-evoked potentials elicited by transcranial magnetic stimulation in man after severe brain damage **501.P**, 44*P*, 1997

Detrusor relaxation following magnetic stimulation of the sacral roots in healthy men **501.P**, 53*P*, 1997

Diaphragm function assessed by multi-pulse magnetic stimulation of the phrenic nerves in man **501.P**, 56*P*, 1997

Plasticity in human cortical swallowing motor representation induced by pharyngeal stimulation **504.P**, 114*P*, 1997

Spatial facilitation of human motor responses by near-threshold magnetic stimulation of parietal and frontal areas **504.P**, 115*P*, 1997

Mast cell

Calmodulin and calmodulin-binding proteins in mast cells: relationship to the cytoskeleton and to secretion **499.P**, 19*P*, 1997

Mechano-electrical transduction

Functional evidence for calcium-induced calcium release in isolated rat vibrissal Merkel cell mechanoreceptors **500**, 29, 1997

Mechanoreceptor

Conditional dendritic oscillators in a lobster mechanoreceptor neurone **499**, 161, 1997

Functional evidence for calcium-induced calcium release in isolated rat vibrissal Merkel cell mechanoreceptors **500**, 29, 1997

Role of joint receptors in modulation of inspiratory intercostal activity by rib motion in dogs **503**, 445, 1997

Mechanosensitive channel

A novel mechanosensitive cationic channel from the endothelium of rat aorta **498**, 419, 1997

Voltage-induced slow activation and deactivation of mechanosensitive channels in *Xenopus* oocytes **505**, 551, 1997

Melatonin

Melatonin blocks the induction of long-term potentiation in the CA1 region of the rat hippocampal slice **501.P**, 101*P*, 1997

Variation of electroencephalographic activity during non-rapid eye movement and rapid eye movement sleep with phase of circadian melatonin rhythm in humans **505**, 851, 1997

Membrane

Latent addition in motor and sensory fibres of human peripheral nerve **498**, 277, 1997

Transient oscillations of [^{3}H]DADLE binding with membrane vesicles produced by NG108-15 cells **499.P**, 23*P*, 1997

Characterization of the ground state permeability of the red blood cell membrane to K^+ and Na^+ based on an electroneutral $K^+(Na^+)$–H^+ exchange process **504.P**, 135*P*, 1997

Identification of a Zn^{2+} binding site on the murine $GABA_A$ receptor complex: dependence on the second transmembrane domain of β subunits **505**, 633, 1997

Membrane current

Membrane properties and synaptic inputs of suprachiasmatic nucleus neurons in rat brain slices **499**, 141, 1997

Membrane potential

Role of membrane potential in the regulation of capacitative calcium influx in human neutrophil granulocytes **501.P**, 83*P*, 1997

The effect of insulin on the membrane potential of extensor digitorum longus and diaphragm muscles of mature and old rats **501.P**, 142*P*, 1997

Chloride channel blockers inhibit myogenic tone in rat cerebral arteries **502**, 259, 1997

Interactions between neuropeptide Y and the adenylate cyclase pathway in rat mesenteric small arteries: role of membrane potential **502**, 281, 1997

The electrogenic effects of Na^+–K^+-ATPase in rat auditory thalamus **502**, 375, 1997

Hyperpolarization of isolated capillaries from guinea-pig heart induced by K^+ channel openers and glucose deprivation **502**, 397, 1997

A charybdotoxin-insensitive conductance in human T lymphocytes: T cell membrane potential is set by distinct K^+ channels **503**, 317, 1997

Glucose-induced swelling in rat pancreatic β-cells **504**, 191, 1997

Membrane transport

Anti-peptide antibodies as probes of the structure and subcellular distribution of the sodium-dependent nucleoside transporter, rCNT1 **499.P**, 50*P*, 1997

G protein-coupled EP_3 receptors in alveolar epithelium regulate perinatal Na^+ homeostasis in the guinea-pig lung **499.P**, 56*P*, 1997

The kinetics of human erythrocyte sugar transport **499.P**, 19*S*, 1997

Evidence of two mechanisms for the activation of the glucose transporter GLUT1 by anisomycin: p38(MAP kinase) activation and protein synthesis inhibition in mammalian cells **504**, 517, 1997

Memory

The effect of decreasing target duration on accuracy of reflexive and remembered saccades in man **499.P**, 79*P*, 1997

Mesenteric artery

Stretch-activated whole-cell currents in smooth muscle cells from mesenteric resistance artery of guinea-pig **501**, 343, 1997

Peptides homologous to extracellular loop motifs of connexin 43 reversibly abolish rhythmic contractile activity in rabbit arteries **503**, 99, 1997

Messenger RNA

Postnatal development of the leptin system in rats **499.P**, 123*P*, 1997

Metabolism

Enhanced pulmonary and active skeletal muscle gas exchange during intense exercise after sprint training in men **501**, 703, 1997

Lactate as a substrate for energy metabolism in isolated rabbit vagus nerve **501.P**, 27*P*, 1997

The effect of chronic denervation on left ventricular carbohydrate and fat metabolism in the anaesthetized dog **501.P**, 124*P*, 1997

Anaplerotic processes in human skeletal muscle during brief dynamic exercise **502**, 703, 1997
Chronic cardiac denervation in anaesthetized dogs up-regulates the utilization of [^{14}C]palmitate **504.P**, 188*P*, 1997
The contribution of glia to nervous tissue metabolism **504.P**, 6*S*, 1997
Consequences of metabolic inhibition in smooth muscle isolated from guinea-pig stomach **505**, 229, 1997
How the thyroid controls metabolism in the rat: different roles for triiodothyronine and diiodothyronines **505**, 529, 1997
Cerebral drug penetration and metabolism at the blood–cerebrospinal fluid barrier: an *in vitro* approach **505.P**, 51*P*, 1997

Microcirculation
The effect of passive tilting on microvascular parameters in the human calf: a strain gauge plethysmography study **498**, 541, 1997
Differing effects of histamine and serotonin on microvascular permeability in anaesthetized rats **501**, 657, 1997

Microdialysis
Stimulated release of lactate in freely moving rats is dependent on the uptake of glutamate **499**, 825, 1997
Desensitization of human adipose tissue to adrenaline stimulation studied by microdialysis **500**, 271, 1997
Extracellular glucose turnover in the striatum of unanaesthetized rats measured by quantitative microdialysis **504**, 721, 1997
Local opioid inhibition and morphine dependence of supraoptic nucleus oxytocin neurones in the rat *in vivo* **505**, 145, 1997

Microfibril
Microfibrils provide non-linear elastic behaviour in the abdominal artery of the lobster *Homarus americanus* **499**, 513, 1997

Micropuncture
Renal tubular lithium reabsorption in potassium-depleted rats **501**, 663, 1997

Microscopy
Capillary growth in overloaded rat skeletal muscle: an ultrastructural study **499.P**, 39*P*, 1997
A non-scanning, coherent fibre-optic microscope **499.P**, 46*P*, 1997
A method of measuring amiloride-sensitive fluid transport *in vitro* in human endoscopic colonic biopsies using confocal microscopy **499.P**, 109*P*, 1997

Mitochondria
Mitochondria accumulate Ca^{2+} following intense glutamate stimulation of cultured rat forebrain neurones **498**, 31, 1997
Dual effects of Na-azide on the whole-cell K_{ATP} current in isolated mouse pancreatic β-cells **499.P**, 11*P*, 1997
The effect of pyruvate on the calcium-dependent mitochondrial pore during ischaemia and reperfusion of isolated rat hearts **499.P**, 14*P*, 1997
Calcium-dependent calcium mobilization associated with the mitochondria in bovine endothelial cells **499.P**, 36*P*, 1997
The effect of pyruvate on Krebs buffer pH and lactate efflux from ischaemic and reperfused isolated rat hearts **501.P**, 136*P*, 1997
Calcium homeostatic mechanisms operating in cultured postnatal rat hippocampal neurones following flash photolysis of nitrophenyl-EGTA **504**, 579, 1997
Ruthenium Red as an inhibitor of mitochondrial Ca^{2+} uptake in single adult rat cardiomyocytes **504.P**, 96*P*, 1997

Modelling
Time dependence of the off-transient VO_2 kinetics following heavy-intensity exercise in humans **501.P**, 59*P*, 1997
Cation permeability of a cloned rat epithelial amiloride-sensitive Na^+ channel **504**, 287, 1997
Visualization and computational study of flow at model planar and non-planar end-to-side arterial bypass grafts **504.P**, 44*P*, 1997
A computer model of pacemaker shift within the rabbit sinoatrial node **504.P**, 70*P*, 1997
Computer simulation of water and sodium ions in models of the nicotinic acetylcholine receptor **504.P**, 158*P*, 1997
The 'window' component of the low threshold Ca^{2+} current produces input signal amplification and bistability in cat and rat thalamocortical neurones **505**, 689, 1997
Dynamics of the cerebral blood flow response to step decreases in end-tidal P_{CO_2} in humans **505.P**, 22*P*, 1997

Mollusc
Ionic currents in ventricular myocytes of the blue mussel, *Mytilus edulis* **504.P**, 12*P*, 1997
Single-cell neuropeptide profiling in marine invertebrates by MALDI mass spectrometry **504.P**, 18*P*, 1997
Actions of propofol on neurones from the snail CNS and rat neocortex *in vitro* **504.P**, 23*P*, 1997
Polycentric control of the heart and pericardium by cholinergic inhibitory and serotonergic excitatory nerves in polyplacophoran molluscs **504.P**, 24*P*, 1997
The distribution and functions of NO in invertebrates: significance of feeding ecology and non-enzymatic NO production **504.P**, 3*S*, 1997

Monkey
Inhibition of nitroxidergic nerve function by neurogenic acetylcholine in monkey cerebral arteries **498**, 453, 1997
Quantitative assessment of phase locking in discharge of identified pyramidal tract neurones during 25 Hz oscillations in monkey motor cortex **501.P**, 36*P*, 1997
A comparison of population and single-unit activity recorded from identified cortico-motoneuronal (CM) cells during precision grip in the macaque monkey **501.P**, 37*P*, 1997
Anatomical and electrophysiological comparison of cortico-motoneuronal projections from primary motor cortex and supplementary motor area in the macaque monkey **505.P**, 84*P*, 1997

Morphine
The effects of morphine on fast oscillations in the rat hippocampal slice **504.P**, 183*P*, 1997

Motoneurone
Spindle and motoneuronal contributions to the phase advance of the human stretch reflex and the reduction of tremor **498**, 249, 1997
Opposing effects of phorbol esters on transmitter release and calcium currents at frog motor nerve endings **501**, 41, 1997
Uninjured motoneurones to partially denervated rat hindlimb muscles are susceptible to nerve injury during late postnatal development **501.P**, 97*P*, 1997
Reg-2 a secreted protein expressed solely by developing and regenerating motor and sensory neurons **501.P**, 98*P*, 1997
Control of motor units in human flexor digitorum profundus under different proprioceptive conditions **502**, 693, 1997
Regulation of quantal secretion by neurotrophic factors at developing motoneurons in *Xenopus* cell cultures **503**, 129, 1997
Functional identification of the input–output transforms of motoneurones in the rat and cat **504**, 401, 1997
Firing pattern of type-identified wrist extensor motor units during wrist extension and hand clenching in humans **504**, 735, 1997
Number and diameter of axons innervating lateral muscle of the sea bream (*Sparus aurata*) during development **504.P**, 14*P*, 1997
Simultaneous recordings of whole-cell postsynaptic currents of motoneurones, of dorsal root-evoked ventral root potentials and of dorsal root compound action potentials in rat hemisected spinal cord preparation *in vitro* **504.P**, 62*P*, 1997
Comparison of frequencygrams, post-stimulus histograms and cross-correlograms in assessing γ motoneurone actions on feline muscle spindles **504.P**, 116*P*, 1997
N-methyl-D-aspartate (NMDA) receptors in the ventral horn in C57BL/6J normal and dystrophic mice *in vitro* **504.P**, 213*P*, 1997
Effect of axotomy on the subpopulations of NMDA receptors in the spinal cord of the neonatal rat **504.P**, 218*P*, 1997
Anatomical and electrophysiological comparison of cortico-motoneuronal projections from primary motor cortex and supplementary motor area in the macaque monkey **505.P**, 84*P*, 1997

Motor control
Rhythmic motor activity and interlimb co-ordination in the developing pouch young of a wallaby (*Macropus eugenii*) **501**, 623, 1997
Neurons in the lateral cerebellum of a monkey (*Macaca mulatta*) code for a particular visuomotor task but not for the motor command **501.P**, 38*P*, 1997
The role of short latency spinal stretch reflexes in human lower leg muscles when landing from a jump **501.P**, 42*P*, 1997
Task-dependent changes in rhythmic motor output during voluntary elbow movement in man **501.P**, 48*P*, 1997
Gating of cutaneous input to cerebellar climbing fibres during a reaching task in the cat **502**, 203, 1997
Control of motor units in human flexor digitorum profundus under different proprioceptive conditions **502**, 693, 1997
Recording step-related changes in transmission in spino-olivocerebellar paths in the awake behaving cat **504.P**, 57*P*, 1997

Short- (P1) and medium-latency (P2) cutaneous reflexes show different phase-dependent modulation during human walking **504.P**, 115*P*, 1997
Movement-related gating of spino-olivocerebellar pathways in the awake cat **504.P**, 16*S*, 1997
Sensory gating during movement: how and why? **504.P**, 16*S*, 1997
Breathing and the inferior olive **504.P**, 26*S*, 1997
Extraction of kinematic-based information during motor learning **505.P**, 81*P*, 1997

Motor cortex

Coherent oscillations in monkey motor cortex and hand muscle EMG show task-dependent modulation **501**, 225, 1997
A complex wavelet-transform approach to power and coherence measurement from non-stationary data **501.P**, 36*P*, 1997
Quantitative assessment of phase locking in discharge of identified pyramidal tract neurones during 25 Hz oscillations in monkey motor cortex **501.P**, 36*P*, 1997
A comparison of population and single-unit activity recorded from identified cortico-motoneuronal (CM) cells during precision grip in the macaque monkey **501.P**, 37*P*, 1997
Recruitment and facilitation of the corticospinal system revealed using transcranial magnetic stimulation in incomplete spinal cord injury patients **501.P**, 43*P*, 1997
Activation of climbing fibre pathways to the rat cerebellar cortex by cerebral corticofugal pathways **504.P**, 113*P*, 1997
Spatial facilitation of human motor responses by near-threshold magnetic stimulation of parietal and frontal areas **504.P**, 115*P*, 1997
Modal activity of a large conductance potassium channel recorded from rat motor cortex fused nerve terminals **504.P**, 160*P*, 1997
Corticospinal projection to the rectus abdominis muscles in man: a study using transcranial magnetic stimulation **505.P**, 84*P*, 1997
Anatomical and electrophysiological comparison of cortico-motoneuronal projections from primary motor cortex and supplementary motor area in the macaque monkey **505.P**, 84*P*, 1997

Motor unit

The effects of tetrodotoxin-induced muscle paralysis on the physiological properties of muscle units and their innervating motoneurons in rat **499**, 207, 1997
Innervation ratio and motor unit force in large muscles: a study of chronically stimulated cat medial gastrocnemius **499**, 809, 1997
Firing pattern of type-identified wrist extensor motor units during wrist extension and hand clenching in humans **504**, 735, 1997

Mouse

Analysis of the function of wild-type murine CFTR stably expressed in CHO cells **499.P**, 59*P*, 1997
3-Hydroxybutyrate blocks the transient K^+ outward current in myocardial mouse cells in a stereoselective fashion **500**, 85, 1997
Migration and lamination of neuronal precursors in cultured cortical slices of embryonic mouse brain **501.P**, 103*P*, 1997
Chloride conductance in mouse muscle is subject to post-transcriptional compensation of the functional Cl^- channel 1 gene dosage **504**, 75, 1997
Effects of neurotrophic factors on spontaneous transmitter release at neonatal mouse neuromuscular junctions **504.P**, 216*P*, 1997

Movement

Collection of spatiotemporal and load data simultaneously during rat gait **499.P**, 47*P*, 1997
The effect of decreasing target duration on accuracy of reflexive and remembered saccades in man **499.P**, 79*P*, 1997
Neurons in the lateral cerebellum of a monkey (*Macaca mulatta*) code for a particular visuomotor task but not for the motor command **501.P**, 38*P*, 1997
The effects of temporary inactivation of the cerebellar- and basal ganglia-receiving areas of the macaque monkey thalamus during goal-directed and internally generated limb movements **501.P**, 39*P*, 1997
Vibration-induced errors of human voluntary ankle movements are reduced in Parkinson's disease **501.P**, 44*P*, 1997
Task-dependent changes in rhythmic motor output during voluntary elbow movement in man **501.P**, 48*P*, 1997
The contribution of otoliths and semicircular canals to the perception of two-dimensional passive whole-body motion in humans **502**, 223, 1997
The influence of modality of metronome and modality of sensory feedback on human temporal-tracking performance **504.P**, 118*P*, 1997
Role of the cortical and striatal cholinergic systems in the performance of learned movements in rats **504.P**, 119*P*, 1997
Breathing and the inferior olive **504.P**, 26*S*, 1997

Mucus

A new histological technique shows a continuous adherent mucus layer in rat and human stomach **499.P**, 103*P*, 1997

Multidrug resistance

ABC transporters, channels and channel regulators **504.P**, 8*S*, 1997

Muscarinic receptor

Exotoxin-insensitive G proteins mediate synaptically evoked muscarinic sodium current in rabbit sympathetic neurones **498**, 627, 1997
Rebound stimulation of the cAMP-regulated Cl^- current by acetylcholine in guinea-pig ventricular myocytes **499**, 105, 1997
The nitric oxide/cGMP pathway is not involved in $I_{K(M)}$ inhibition by acetylcholine in M1 receptor-transformed rodent NG108-15 cells **499.P**, 13*P*, 1997
G-protein-mediated desensitization of metabotropic glutamatergic and muscarinic responses in CA3 cells in rat hippocampus **500**, 487, 1997
In vivo downregulation of M_2 receptors revealed by measurement of muscarinic K^+ current in cultured guinea-pig atrial myocytes **501**, 549, 1997
Voltage-dependent interaction between the muscarinic ACh receptor and proteins of the exocytic machinery **504**, 251, 1997
Muscarinic Ca^{2+} responses resistant to muscarinic antagonists at perisynaptic Schwann cells of the frog neuromuscular junction **504**, 337, 1997
Muscarinic inhibition of the M-current is mediated by the α subunit of Gq **504.P**, 176*P*, 1997
Differential G protein subunit basis for biophysically distinct inhibitions of I_{Ca} by muscarinic receptors in isolated sympathetic neurones **504.P**, 176*P*, 1997

Muscle

Cross-bridge detachment and attachment following a step stretch imposed on active single frog muscle fibres **498**, 3, 1997
Recurrent inhibition between motor nuclei innervating opposing wrist muscles in the human upper limb **499**, 267, 1997
Annual Review Prize Lecture. Elementary and global aspects of calcium signalling **499**, 291, 1997
Human Na^+ channel fast and slow inactivation in paramyotonia congenita mutants expressed in *Xenopus laevis* **499**, 589, 1997
Human power output and the effect of acute heat stress during repeated bouts of sprint exercise **499.P**, 75*P*, 1997
Muscle activation monitored using the twitch interpolation technique in elderly men and women over 80 years of age undergoing strength training **499.P**, 80*P*, 1997
The effect of 17-day head-down bedrest on human triceps surae contractile properties **499.P**, 81*P*, 1997
The effect of 21 and 42 days of mechanical stimulation on collagen in the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997
The relationship between tension and slowly varying intracellular calcium concentration in intact frog skeletal muscle **500**, 177, 1997
Detachment of low-force bridges contributes to the rapid tension transients of skinned rabbit skeletal muscle fibres **501**, 149, 1997
Active and passive forces of isolated myofibrils from cardiac and fast skeletal muscle of the frog **500**, 535, 1997
Maximum rate of oxygen uptake by human skeletal muscle in relation to maximal activities of enzymes in the Krebs cycle **501**, 455, 1997
The interplay of central and peripheral factors in limiting maximal O_2 consumption in man after prolonged bed rest **501**, 677, 1997
Cross-finger timings in sixteen naive recorder players **501.P**, 45*P*, 1997
Effect of ageing on rat geniohyoid and sternohyoid muscle contractile properties *in vitro* **501.P**, 62*P*, 1997
A longitudinal analysis of muscle strength in middle-aged women of different hormonal status **501.P**, 170*P*, 1997
Chemo-mechanical energy transduction in relation to myosin isoform composition in skeletal muscle fibres of the rat **502**, 449, 1997
Anaplerotic processes in human skeletal muscle during brief dynamic exercise **502**, 703, 1997
Medium-latency stretch reflexes of foot and leg muscles analysed by cooling the lower limb in standing humans **503**, 691, 1997
Monitoring cytoplasmic Ca^{2+} in cephalopod chromatophore muscles **504.P**, 2*P*, 1997
A thin-slice preparation of cuttlefish mantle muscle for study of contraction **504.P**, 3*P*, 1997
FaRPs and their effects on the contractility of isolated muscle strips from the liver fluke, *Fasciola hepatica* **504.P**, 10*P*, 1997

Mechanism of action of a stimulatory peptide AF3 (AVPGVLRFamide) in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 11*P*, 1997

Pharyngeal muscle cell action potentials recorded from *Caenorhabditis elegans* **504.P**, 15*P*, 1997

Different excitation–contraction (EC) coupling mechanisms in squid and cuttlefish mantle muscle **504.P**, 15*P*, 1997

The effect of FMRFamide-related peptides on the pharyngeal and somatic musculature of the nematode roundworm *Ascaris suum* **504.P**, 19*P*, 1997

Structure–activity relationship of FMRFamide and related peptides on buccal muscle of *Busycon canaliculatum* **504.P**, 20*P*, 1997

The electrophysiological effects of ischaemia and ischaemic preconditioning on the isolated rabbit papillary muscle **504.P**, 85*P*, 1997

Postnatal changes in excitation–contraction coupling in rat skeletal muscle **504.P**, 226*P*, 1997

Role in fast inactivation of the IV/S4-S5 loop of the human muscle Na^+ channel probed by cysteine mutagenesis **505**, 345, 1997

A rapid cryoclamp for snap-freezing the isolated blood-perfused rabbit cardiac papillary muscle preparation at different times in the contraction cycle for electron-probe X-ray microanalysis **505.P**, 3*P*, 1997

Differences in input from group II muscle afferents to γ-motoneurones of five hindlimb muscles **505.P**, 76*P*, 1997

Anatomical demonstration of a trigeminal motor innervation of digastricus pars occipitomandibularis (retractor mandibulae) muscle in the rabbit **505.P**, 77*P*, 1997

Reflexes evoked in the trapezius muscle by electrical stimulation of the third and fourth cervical nerves in humans **505.P**, 82*P*, 1997

Meridional X-ray diffraction intensity changes during sinusoidal length oscillations in skeletal muscle fibres of *Rana temporaria* **505.P**, 88*P*, 1997

Delayed onset muscle soreness: relevance of induction method on signs and symptoms in humans **505.P**, 88*P*, 1997

Muscle contraction

Cross-bridge detachment and attachment following a step stretch imposed on active single frog muscle fibres **498**, 3, 1997

Myogenic contraction by modulation of voltage-dependent calcium currents in isolated rat cerebral arteries **498**, 371, 1997

Gadolinium has no effect on the contractions induced by hyposmolar solutions in human detrusor muscle **499.P**, 34*P*, 1997

The effect of 17-day head-down bedrest on human triceps surae contractile properties **499.P**, 81*P*, 1997

The use of proto-oncogene expression to distinguish the crucial component(s) of electrical stimulation that induces transformation of the rabbit latissimus dorsi muscle **499.P**, 115*P*, 1997

The effect of intracellular pH on contractile function of intact, single fibres of mouse muscle declines with increasing temperature **500**, 193, 1997

Functional improvement of damaged adult mouse muscle by implantation of primary myoblasts **500**, 775, 1997

ATPase kinetics on activation of rabbit and frog permeabilized isometric muscle fibres: a real time phosphate assay **501**, 125, 1997

Activation of AMP-activated protein kinase (AMPK) inhibits a methacholine-induced contraction in bovine bronchial rings **501.P**, 115*P*, 1997

Small event Ca^{2+} release: a probable precursor of Ca^{2+} sparks in frog skeletal muscle **502**, 3, 1997

Mechanical study of rat soleus muscle using caged ATP and X-ray diffraction: high ADP affinity of slow cross-bridges **502**, 433, 1997

The biphasic force–velocity relationship in frog muscle fibres and its evaluation in terms of cross-bridge function **503**, 141, 1997

Discharge of human muscle spindle afferents innervating ankle dorsiflexors during target isometric contractions **504**, 221, 1997

Recovery of white muscle fibres isolated from dogfish **504.P**, 38*P*, 1997

Predicting force generation by lamprey muscle stimulated intermittently during imposed sinusoidal length changes **504.P**, 38*P*, 1997

Sarcomere length changes during isometric twitch contractions in mammalian (rat) muscle fibres **504.P**, 39*P*, 1997

The effects of nitric oxide on the maximum shortening velocity of frog and mouse skeletal muscle **504.P**, 228*P*, 1997

Mechanism of action of endothelin in rat cardiac muscle: cross-bridge kinetics and myosin light chain phosphorylation **505**, 217, 1997

Contraction of the human diaphragm during rapid postural adjustments **505**, 539, 1997

Correlation between the ability to respond to T-system depolarization and the glycogen content of mechanically skinned fibres of the cane toad **505.P**, 89*P*, 1997

Muscle damage

Xanthine oxidase in human skeletal muscle following eccentric exercise: a role in inflammation **498**, 239, 1997

Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage **499**, 833, 1997

Stress proteins and protection of skeletal muscle against contraction-induced skeletal muscle damage in anaesthetized mice **499.P**, 9*P*, 1997

Sarcomere dynamics and contraction-induced injury to maximally activated single muscle fibres from soleus muscles of rats **500**, 523, 1997

Muscle fatigue

Effects of reduced muscle glycogen concentration on force, Ca^{2+} release and contractile protein function in intact mouse skeletal muscle **498**, 17, 1997

Muscle fatigue with hyperthyroidism: the importance of Na^+ channel concentration relative to that of the Na^+–K^+ pump **504.P**, 230*P*, 1997

Muscle fibre

The biphasic force–velocity relationship in frog muscle fibres and its evaluation in terms of cross-bridge function **503**, 141, 1997

Chloride conductance in mouse muscle is subject to post-transcriptional compensation of the functional Cl^- channel 1 gene dosage **504**, 75, 1997

Muscle mechanics

Muscle spindle

Pacemaker activity in a sensory ending with multiple encoding sites: the cat muscle spindle primary ending **498**, 177, 1997

Spindle and motoneuronal contributions to the phase advance of the human stretch reflex and the reduction of tremor **498**, 249, 1997

Fusimotor patterns in cat jaw muscles inferred from comparison of spindle behaviour in active and passive movements **501.P**, 39*P*, 1997

Fusimotor influence on jaw muscle spindle activity during swallowing-related movements in the cat **503**, 157, 1997

Role of joint receptors in modulation of inspiratory intercostal activity by rib motion in dogs **503**, 445, 1997

Discharge of human muscle spindle afferents innervating ankle dorsiflexors during target isometric contractions **504**, 221, 1997

Comparison of frequencygrams, post-stimulus histograms and cross-correlograms in assessing γ motoneurone actions on feline muscle spindles **504.P**, 116*P*, 1997

Stretch and the generator current at the frog muscle spindle: evidence for a mechanical basis of rapid adaptation **504.P**, 122*P*, 1997

Structural changes in the capsule of frog muscle spindle during intrafusal fibre contraction **504.P**, 122*P*, 1997

Mental rehearsal of motor tasks recruits α-motoneurones but fails to recruit human fusimotor neurones selectively **505**, 259, 1997

The influence of bag_2 intrafusal fibre contraction on primary muscle spindle afferent behaviour in the cat **505.P**, 76*P*, 1997

Muscle strength

Effects of acute changes in oestrogen on muscle function of the first dorsal interosseus muscle in humans **500**, 265, 1997

Muscular dystrophy

Similarity of ATP-dependent K^+ channels in skeletal muscle fibres from normal and mutant mdx mice **498**, 319, 1997

N-methyl-D-aspartate (NMDA) receptors in the ventral horn in C57BL/6J normal and dystrophic mice *in vitro* **504.P**, 213*P*, 1997

Myelin

Spatiotemporal gradients of intra-axonal $[Na^+]$ after transection and resealing in lizard peripheral myelinated axons **498**, 295, 1997

Myenteric plexus

Characterization of vagal pathways mediating gastric accommodation reflex in rats **504**, 479, 1997

Myocardium

α_1-Adrenoceptor-mediated negative inotropy of adrenaline in rat myocardium **499**, 195, 1997

Myocyte

The effect of chemical hypoxia on isolated rat myocytes perfused in the absence or presence of glutamate **499.P**, 33*P*, 1997

ATP modulation of dwell-time kinetics of K_{ATP} channels in isolated guinea-pig ventricular myocytes **499.P**, 128*P*, 1997

Kinetic properties of unitary Na^+-dependent K^+ channels in inside-out patches from isolated guinea-pig ventricular myocytes **500**, 39, 1997

Recovery from chemical hypoxia in single rat and guinea-pig myocytes: is there a species difference? **501.P**, 135*P*, 1997

Ionic currents in ventricular myocytes of the blue mussel, *Mytilus edulis* **504.P**, 12*P*, 1997

Propafenone inhibits the delayed rectifier K^+ current in isolated rabbit atrioventricular nodal myocytes **504.P**, 76*P*, 1997
BDM stimulates Ca^{2+} release from the SR in intact, isolated rat ventricular myocytes **505.P**, 92*P*, 1997

Myometrium
The influence of corticotrophin releasing hormone on human myometrial contractility *in vitro* **499.P**, 8*P*, 1997
Characterization of thromboxane (TP) receptors in cultured human myometrial cells **499.P**, 44*P*, 1997
The expression of natriuretic peptide receptors in pregnant human myometrium **505.P**, 98*P*, 1997
Changes in the expression of TGFβ receptors and TGFβ1 in the human myometrium in late pregnancy **505.P**, 102*P*, 1997

Myosin
Possible role of atypical protein kinase C activated by arachidonic acid in Ca^{2+} sensitization of rabbit smooth muscle **500**, 95, 1997
Energetic cost of activation processes during contraction of swine arterial smooth muscle **501**, 213, 1997
Chemo-mechanical energy transduction in relation to myosin isoform composition in skeletal muscle fibres of the rat **502**, 449, 1997

Nasal secretion
Sympathetic and parasympathetic interaction in vascular and secretory control of the nasal mucosa in anaesthetized dogs **505**, 823, 1997

Natriuretic peptide
Exaggerated activity of the guanylate cyclase-coupled receptor of atrial natriuretic peptide (ANP) cosegregates with hypertension in F2 descendents of Wistar Kyoto (WKY) and spontaneously hypertensive (SHR) rats **501.P**, 165*P*, 1997
Natriuretic peptide type C receptor (NPR-C) inhibits DNA synthesis in transfected cells **505.P**, 112*P*, 1997
An NPR-C type of natriuretic peptide receptor can trigger apoptosis in rat astrocytes **505.P**, 113*P*, 1997

Nematode
Mechanism of action of a stimulatory peptide AF3 (AVPGVLRFamide) in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 11*P*, 1997
Pharyngeal muscle cell action potentials recorded from *Caenorhabditis elegans* **504.P**, 15*P*, 1997
The effect of FMRFamide-related peptides on the pharyngeal and somatic musculature of the nematode roundworm *Ascaris suum* **504.P**, 19*P*, 1997
Inhibitory actions of dopamine in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 24*P*, 1997
Characterization of nematode glutamate receptors **504.P**, 25*P*, 1997

Neocortex
Fast IPSPs elicited via multiple synaptic release sites by different types of GABAergic neurone in the cat visual cortex **500**, 715, 1997
Evidence for heterosynaptic depression of vibrissae responses in rat barrel cortex **501.P**, 94*P*, 1997
Migration and lamination of neuronal precursors in cultured cortical slices of embryonic mouse brain **501.P**, 103*P*, 1997

Neonate
Influence of milk availability and maternal care on the feeding rate of the spontaneously hypertensive rat (SHR) pup **499.P**, 64*P*, 1997
A comparison of the mechanically and electrically evoked flexion reflex as a quantifiable measure of responses to innocuous and noxious skin stimulation in human neonates **501.P**, 98*P*, 1997
Hypoxia-induced catecholamine secretion in isolated newborn rat adrenal chromaffin cells is mimicked by inhibition of mitochondrial respiration **504**, 175, 1997
Intracellular Ca^{2+} and ischaemic cell death in neonatal white matter glia *in situ* **504.P**, 167*P*, 1997
Characteristics of the respiratory network in an arterially perfused preparation of the neonatal rat **504.P**, 200*P*, 1997

Nerve
Nitric oxide donors cause a reversible block of conduction in rat central and peripheral demyelinated axons **499.P**, 13*P*, 1997
On-going and reflex synaptic events in rat superior cervical ganglion cells **501**, 165, 1997
Lactate as a substrate for energy metabolism in isolated rabbit vagus nerve **501.P**, 27*P*, 1997
The effects of transcutaneous electrical nerve stimulation (TENS) upon unilateral nerve conduction mechanical pain and tactile thresholds in humans **501.P**, 46*P*, 1997
Diaphragm function assessed by multi-pulse magnetic stimulation of the phrenic nerves in man **501.P**, 56*P*, 1997
Cardiorespiratory responses to upper airway negative pressure in the decerebrate rabbit **501.P**, 80*P*, 1997
Polycentric control of the heart and pericardium by cholinergic inhibitory and serotonergic excitatory nerves in polyplacophoran molluscs **504.P**, 24*P*, 1997
Nerve grafting within the CNS: regrowth and functional reconnections of severed respiratory pathways **504.P**, 27*S*, 1997
Focal changes in nerve, muscle and connective tissue density in human idiopathic bladder **505.P**, 101*P*, 1997

Nerve growth factor
Brain-derived neurotrophic factor and nerve growth factor potentiate excitatory synaptic transmission in the rat visual cortex **498**, 153, 1997
Evidence indicating a role for nerve growth factor in long-term potentiation in the dentate gyrus of the rat **501.P**, 89*P*, 1997
Nerve growth factor (NGF) inhibits the expression of neuronal nitric oxide synthase (nNOS) in neurones in dissociated cultures of neonatal rat dorsal root ganglia **501.P**, 97*P*, 1997

Nerve injury
NFκB expression in rat sensory neurons is down-regulated after peripheral nerve injury **499.P**, 124*P*, 1997
Permanent changes of spinal cord reflexes after peripheral nerve lesions in neonatal rats **504.P**, 168*P*, 1997
The effects of neonatal median nerve injury on the responsiveness of tactile neurones within the cuneate nucleus of the cat **505**, 759, 1997
Quantitative analysis of cuneate neurone responsiveness in the cat in association with reversible, partial deafferentation **505**, 769, 1997
LIF and NGF induce noradrenergic fibre sprouting in the intact dorsal root ganglion of adult rats *in vivo* **505.P**, 41*P*, 1997
Neurotrophin receptor protein and mRNA expression in regenerating retinal ganglion cell axons after transection of the rat optic nerve **505.P**, 43*P*, 1997

Neuroendocrinology
Local synaptic release of glutamate from neurons in the rat hypothalamic arcuate nucleus **499**, 747, 1997
Agonist action of taurine on glycine receptors in rat supraoptic magnocellular neurones: possible role in osmoregulation **502**, 609, 1997

Neurohypophysis
Role of Q-type Ca^{2+} channels in vasopressin secretion from neurohypophysial terminals of the rat **502**, 351, 1997
L-, N- and T- but neither P- nor Q-type Ca^{2+} channels control vasopressin-induced Ca^{2+} influx in magnocellular vasopressin neurones isolated from the rat supraoptic nucleus **503**, 253, 1997

Neurokinin
In vivo comparison of two cardiorespiratory reflexes in NK1 knockout, heterozygous and wild-type mice **504.P**, 200*P*, 1997

Neuromodulation
Long-term facilitation of ventilation following repeated hypoxic episodes in awake goats **499**, 543, 1997
Effects of FMRFamide on L-type and T-type calcium currents in isolated heart cells from the squid, *Loligo forbesii* **504.P**, 11*P*, 1997
Nitric oxide in *Octopus*: the distribution of putative NOS activity in central and peripheral tissues **504.P**, 17*P*, 1997
Further evidence for a role for nitric oxide in the modulation of *Achatina* and *Helix* heart activity **504.P**, 18*P*, 1997
Spinal monoaminergic modulation of the exercise pressor response in goats **504.P**, 196*P*, 1997
Extrinsic and intrinsic neuromodulation of motor systems: physiological mechanisms for behavioural flexibility **504.P**, 2*S*, 1997
Multiple peptide modulators in small neural networks **504.P**, 2*S*, 1997

Neuromuscular junction
Synaptic vesicle recycle time and releasable pool size in motor nerve terminals of rat fast- and slow-twitch muscles **499.P**, 28*P*, 1997
The contribution of postsynaptic folds to the safety factor for neuromuscular transmission in rat fast- and slow-twitch muscles **500**, 165, 1997
Stimulation-induced changes in $[Ca^{2+}]$ in lizard motor nerve terminals **504**, 83, 1997
Muscarinic Ca^{2+} responses resistant to muscarinic antagonists at perisynaptic Schwann cells of the frog neuromuscular junction **504**, 337, 1997

Effects of neurotrophic factors on spontaneous transmitter release at neonatal mouse neuromuscular junctions **504.P**, 216*P*, 1997
Perisynaptic Schwann cells at the frog neuromuscular junction resemble astrocytes **504.P**, 5*S*, 1997
Localized detection of action potential-induced presynaptic calcium transients at a *Xenopus* neuromuscular junction **505**, 585, 1997

Neurone
The newborn rabbit sino-atrial node expresses a neuronal type I-like Na^+ channel **498**, 641, 1997
Molecular determinants of NMDA receptor function in GABAergic neurones of rat forebrain **499**, 47, 1997
Calcium signalling in rat cortical neurones and glia in culture following activation of group I metabotropic glutamate receptors (mGluRs) **499.P**, 18*P*, 1997
The spatial frequency tuning of neurons in area 17 of the anaesthetized ferret **499.P**, 86*P*, 1997
Dissociations between behavioural recovery and restoration of vestibular activity in the unilabyrinthectomized guinea-pig **500**, 509, 1997
The creation of 'synaptic space' in the superficial dorsal horn by lesioning descending spinal pathways does not elicit sprouting of Aβ-primary afferent neurones in the adult rat **501.P**, 48*P*, 1997
Substance P preferentially inhibits the large conductance class of neuronal nicotinic ACh receptor channels expressed in parasympathetic neurones of rat intracardiac ganglia **501.P**, 70*P*, 1997
Calcium signalling and neuronal ageing **501.P**, 7*S*, 1997
Differential Na^+–K^+-ATPase activity in rat lemniscal and non-lemniscal auditory thalami **502**, 387, 1997
Volatile anaesthetics and barbiturates have differential effects on time constant and input capacitance of identified molluscan neurones **504.P**, 16*P*, 1997
Protective and modulatory effect of gangliosides in rat cerebellar granule cells and brain synaptosomes exposed to toxic glutamate concentrations **504.P**, 25*P*, 1997
Optical imaging of viable, identifiable neurones in the anterior nerve ring of *Caenorhabditis elegans* in a semi-intact preparation **504.P**, 26*P*, 1997
Background sodium channels are necessary for maintenance of beating pacemaker activity in insect neurosecretory cells **504.P**, 27*P*, 1997
Hypoxia causes rapid multiphasic depolarization of an identified cockroach (*Periplaneta americana*) motoneurone **504.P**, 27*P*, 1997
Alternative splicing in the fourth domain of the Ca^{2+} channel α_{1B}-subunit can account for the expression of kinetically distinct variants of the N-type Ca^{2+} channel in the nervous system of the rat **504.P**, 156*P*, 1997
Inflammatory mediators at acidic pH activate capsaicin receptors in cultured sensory neurones from newborn rats **504.P**, 177*P*, 1997
Microinjection of bicuculline into the hypothalamic paraventricular nucleus causes a glutamate-dependent excitation of rostral ventrolateral medullary vasomotor neurones in the anaesthetized rat **504.P**, 208*P*, 1997
L-DOPA increases motoneurone death following axotomy in postnatal rats **504.P**, 214*P*, 1997
Intermediate and chronic experience-dependent modification of receptive fields of neurons in ventral posterior medial nucleus (VPm) in the adult rat **504.P**, 215*P*, 1997
Morphology and membrane properties of neurones in the cat ventrobasal thalamus *in vitro* **505**, 707, 1997
Calcineurin inhibition prevents development of outward rectification of capsaicin-activated current in adult rat dorsal root ganglion (DRG) neurones in culture **505.P**, 40*P*, 1997

Neuropeptide
Role of ganglionic cotransmission in sympathetic control of the isolated bullfrog aorta **498**, 201, 1997
Fos induced by emetic stimuli correlates with substance P immunoreactivity in the ferret brainstem **499.P**, 106*P*, 1997
FaRPs and their effects on the contractility of isolated muscle strips from the liver fluke, *Fasciola hepatica* **504.P**, 10*P*, 1997
Mechanism of action of a stimulatory peptide AF3 (AVPGVLRFamide) in the motor nervous system of the parasitic nematode *Ascaris suum* **504.P**, 11*P*, 1997
Single-cell neuropeptide profiling in marine invertebrates by MALDI mass spectrometry **504.P**, 18*P*, 1997
The effects of pQPPLPRYamide on identified central neurones of *Helix aspersa* **504.P**, 19*P*, 1997

Neuropeptide Y
Interactions between neuropeptide Y and the adenylate cyclase pathway in rat mesenteric small arteries: role of membrane potential **502**, 281, 1997
Sympathetic and parasympathetic interaction in vascular and secretory control of the nasal mucosa in anaesthetized dogs **505**, 823, 1997

Neurosecretion
Regulation of secretory granule recruitment and exocytosis at rat neurohypophysial nerve endings **498**, 735, 1997
Kinetic analysis of the phosphorylation-dependent interactions of synapsin I with rat brain synaptic vesicles **504**, 501, 1997

Neurotensin
Neurotensin inhibition of the hyperpolarization-activated cation current (I_h) in the rat substantia nigra pars compacta implicates the protein kinase C pathway **503**, 87, 1997

Neurotransmitter
Multiple calcium channels control neurotransmitter release from rat postganglionic sympathetic nerve terminals **499**, 341, 1997
Simultaneous measurement of intracellular Ca^{2+} and asynchronous transmitter release from the same crayfish bouton **501**, 251, 1997
Voltage-dependent interaction between the muscarinic ACh receptor and proteins of the exocytic machinery **504**, 251, 1997
Glycine receptors in cultured chick sympathetic neurons are excitatory and trigger neurotransmitter release **504**, 683, 1997
Release of putative amino acid neurotransmitters in the brain of the domestic chick following exposure learning (imprinting) **505.P**, 60*P*, 1997

Neutrophil
Voltage-gated proton conductance **504.P**, 9*S*, 1997

Nickel
Effect of nickel on contraction in the isolated guinea-pig papillary muscle **504.P**, 90*P*, 1997

Nicotinic receptor
Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca^{2+} channels in rat pinealocytes **499**, 329, 1997
Recombinant nicotinic receptors, expressed in *Xenopus* oocytes, do not resemble native rat sympathetic ganglion receptors in single-channel behaviour **500**, 123, 1997
Ca^{2+}-activated K^+ channels in rat otic ganglion cells: role of Ca^{2+} entry via Ca^{2+} channels and nicotinic receptors **500**, 571, 1997
Characterization of vagal pathways mediating gastric accommodation reflex in rats **504**, 479, 1997
The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type **505**, 299, 1997

Nitric oxide
Dynamic properties of nitric oxide release from parallel fibres in rat cerebellar slices **498**, 443, 1997
Inhibition of nitroxidergic nerve function by neurogenic acetylcholine in monkey cerebral arteries **498**, 453, 1997
Evidence for nitric oxide-mediated sympathetic forearm vasodilatation in humans **498**, 531, 1997
Diabetes and insulin-induced stimulation of L-arginine transport and nitric oxide synthesis in rabbit isolated gastric glands **498**, 787, 1997
Modulation of hybrid bass retinal gap junctional channel gating by nitric oxide **499**, 689, 1997
Nitric oxide regulates NMDA-driven GABAergic inputs to type I neurones of the rat paraventricular nucleus **499**, 733, 1997
Nitric oxide donors cause a reversible block of conduction in rat central and peripheral demyelinated axons **499.P**, 13*P*, 1997
Contractions and relaxations evoked by nitric oxide in human urinary bladder **499.P**, 35*P*, 1997
Transport of radiolabelled [^{14}C]monomethyl-L-arginine and [^{3}H]nitro-L-arginine in the isolated perfused rat pancreas: role of nitric oxide synthase in the regulation of vascular tone and secretion **499.P**, 38*P*, 1997
Activity of system y^+ and nitric oxide synthase in gastric glands isolated from diabetic rabbits **499.P**, 41*P*, 1997
Endothelial-derived superoxide anions in pig coronary arteries: evidence from lucigenin chemiluminescence and histochemical techniques **500**, 331, 1997
Excitatory and inhibitory motor reflexes in the isolated guinea-pig stomach **501**, 197, 1997
Sympathetic nerve traffic correlates with the release of nitric oxide in humans: implications for blood pressure control **501**, 671, 1997
Effect of a neuronal nitric oxide synthase blocker on eucapnic hypoxic and hypercapnic cerebral blood flow in the anaesthetized rat **501.P**, 66*P*, 1997

Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no effect of nitric oxide (NO) **501.P**, 67*P*, 1997
Modulation of vagally induced changes in cardiac atrioventricular conduction by nitric oxide in the anaesthetized ferret **501.P**, 70*P*, 1997
Further evidence for nitric oxide modulation of vagal bradycardia in the anaesthetized ferret **501.P**, 79*P*, 1997
Nerve growth factor (NGF) inhibits the expression of neuronal nitric oxide synthase (nNOS) in neurones in dissociated cultures of neonatal rat dorsal root ganglia **501.P**, 97*P*, 1997
Synaptic plasticity in the medial perforant pathway is blocked by the selective nNOS inhibitor 1-(2-trifluoromethylphenyl) imidazole in the rat dentate gyrus *in vitro* **501.P**, 102*P*, 1997
Vascular reactivity to acetylcholine is attenuated in the acutely inflamed rabbit synovium **501.P**, 106*P*, 1997
Endothelin-1 receptors and nitric oxide synthase in externally stented porcine venous–arterial grafts **501.P**, 107*P*, 1997
Biphasic chronotropic effect of nitric oxide in the isolated guinea-pig sino-atrial node/atrial preparation **501.P**, 125*P*, 1997
Effect of nifedipine on the rate response to vagal stimulation following inhibition of nitric oxide in the isolated guinea-pig atria **501.P**, 126*P*, 1997
Interleukin (IL)-1β induces nitric oxide (NO) and prostaglandin (PG)E_2 synthesis in cultures of rat ovarian cells and inhibits steroidogenesis: are ovarian macrophages target cells for IL-1β? **501.P**, 166*P*, 1997
Differential effects of endothelin-1 on basal and isoprenaline-enhanced Ca^{2+} current in guinea-pig ventricular myocytes **503**, 55, 1997
Tetrahydrobiopterin regulates cyclic GMP-dependent electrogenic Cl^- secretion in mouse ileum *in vitro* **503**, 347, 1997
Endothelium-dependent frequency modulation of Ca^{2+} signalling in individual vascular smooth muscle cells of the rat **504**, 349, 1997
Actions of compounds manipulating the nitric oxide system in the cat primary visual cortex **504**, 467, 1997
Characterization of vagal pathways mediating gastric accommodation reflex in rats **504**, 479, 1997
The distribution and action of nitric oxide in the jellyfish *Aglantha digitale* (Hydromedusae: Trachylina) **504.P**, 13*P*, 1997
Nitric oxide in *Octopus*: the distribution of putative NOS activity in central and peripheral tissues **504.P**, 17*P*, 1997
Further evidence for a role for nitric oxide in the modulation of *Achatina* and *Helix* heart activity **504.P**, 18*P*, 1997
Distribution and effect of nitric oxide on nerve and acetylcholine-evoked secretory responses in the isolated rat pancreas **504.P**, 34*P*, 1997
The chronotropic response to nitric oxide in the isolated guinea-pig atria is not affected by β-adrenergic blockade **504.P**, 83*P*, 1997
Effects of NOS inhibition on the spinal potency of a μ-opioid agonist in the anaesthetized rat **504.P**, 105*P*, 1997
Stimulation of cyclic GMP production in Caco-2 colonocytes by a nitric oxide substrate and donor **504.P**, 152*P*, 1997
A transient dilatation of isolated, pressurized rat cerebral resistance arteries in response to step changes in pressure is mediated by endothelial-dependent NO activation of guanylate cyclase **504**, 190*P*, 1997
Changes in upper and lower airway nitric oxide concentration associated with upper respiratory tract infection – a possible naso-bronchial link? **504.P**, 203*P*, 1997
Hyperglycaemia induces insulin resistance in human fetal endothelial cells isolated from gestational diabetic pregnancies **504.P**, 205*P*, 1997
The distribution and functions of NO in invertebrates: significance of feeding ecology and non-enzymatic NO production **504.P**, 3*S*, 1997
Nitric oxide and exercise-induced hypotension in human sympathetic denervation **505.P**, 18*P*, 1997
The nitric oxide donor molsidomine can increase heart rate independent of changes in arterial blood pressure in anaesthetized rabbits **505.P**, 19*P*, 1997
Asthmatic nasal epithelial cells are refractory to nitric oxide **505.P**, 24*P*, 1997
The effect of nitric oxide on the electrophysiology of isolated human nasal epithelial cells **505.P**, 24*P*, 1997
The neuronal NOS inhibitor, TRIM, attenuates vagal chronotropic and dromotropic actions on the heart of the anaesthetized ferret **505.P**, 31*P*, 1997
Decreased endothelial cell glutathione and enhanced susceptibility to nitric oxide in an endothelial/glioma cell co-culture blood–brain barrier system **505.P**, 50*P*, 1997
Light-evoked release of nitric oxide (NO) from the rabbit retina **505.P**, 61*P*, 1997

Nitric oxide synthase
Diabetes mellitus increases nitric oxide synthase binding sites in the rabbit urinary bladder neck: functional implications **501.P**, 106*P*, 1997
Effects of inhibition of nitric oxide synthase and guanylate cyclase on responses to vasoconstrictors in rat *in vivo* and *in vitro* **501.P**, 107*P*, 1997

Nitrous oxide
The effect of nitrous oxide on sensory transmission in the urethane-anaesthetized rat **499.P**, 92*P*, 1997

NMDA
Mechanism of memantine block of NMDA-activated channels in rat retinal ganglion cells: uncompetitive antagonism **499**, 27, 1997
Activity-dependent properties of synaptic transmission at two classes of connections made by rat neocortical pyramidal axons *in vitro* **502**, 131, 1997
Interchangeable discharge patterns of neurons in caudal nucleus tractus solitarii in rat slices: role of GABA and NMDA **504**, 611, 1997

NMDA receptor
Mitochondria accumulate Ca^{2+} following intense glutamate stimulation of cultured rat forebrain neurones **498**, 31, 1997
Molecular determinants of NMDA receptor function in GABAergic neurones of rat forebrain **499**, 47, 1997
Membrane-delimited modulation of NMDA currents by metabotropic glutamate receptor subtypes 1/5 in cultured mouse cortical neurons **499**, 721, 1997
Synapse-selective impairment of NMDA receptor functions in mice lacking NMDA receptor ϵ1 or ϵ2 subunit **500**, 401, 1997
Immunolocalization of NMDA receptor subunits 1 and 2a/b on neurones in the nucleus tractus solitarii and in the vagal motor nuclei of the rat **501.P**, 75*P*, 1997
Associative LTP requires activation of NMDA receptors in area CA1 of rat hippocampal slices **501.P**, 89*P*, 1997
Long-lasting enhancement of mossy fibre–granule cell transmission induced by high frequency stimulation **501.P**, 91*P*, 1997
Functionally distinct NMDA receptors mediate horizontal connectivity in layer IV of mouse barrel cortex **501.P**, 93*P*, 1997
Activation of NMDA receptors is necessary for the induction of associative long-term potentiation in area CA1 of the rat hippocampal slice **504**, 379, 1997
Ifenprodil selectively reduces the open probability of high conductance NMDA channels in dentate gyrus granule cells from 0-day-old rats **504.P**, 52*P*, 1997
Dual effect of memantine on NMDA channels in acutely isolated rat hippocampal neurones **504.P**, 52*P*, 1997
N-methyl-D-aspartate (NMDA) receptors in the ventral horn in C57BL/6J normal and dystrophic mice *in vitro* **504.P**, 213*P*, 1997
Effect of axotomy on the subpopulations of NMDA receptors in the spinal cord of the neonatal rat **504.P**, 218*P*, 1997

***N*-methyl-D-aspartate**, see NMDA

Nociception
Presynaptic inhibitory action of opioids on synaptic transmission in the rat periaqueductal grey *in vitro* **498**, 463, 1997
Vagal branches involved in inhibition of bradykinin-induced synovial plasma extravasation by intrathecal nicotine and noxious stimulation in the rat **498**, 473, 1997
Changes in a hindlimb withdrawal reflex in anaesthetized rabbits undergoing surgical preparation for acute electrophysiological experiments **499.P**, 93*P*, 1997
Fos co-localizes with substance P receptor (NK_1) in a subpopulation of rat spinal cord neurons following noxious peripheral stimulation **501.P**, 16*P*, 1997
The relationship between cutaneous C fibre type and antidromic vasodilatation in the rabbit and the rat **503**, 31, 1997
Spinal cord function in a novel arterially perfused trunk–hindquarters preparation of adult mouse **504.P**, 56*P*, 1997
C-*fos* expression in spinal cord of rat following noxious pinch to the forelimb **504.P**, 68*P*, 1997
Reduced action potential (AP) duration in nociceptive dorsal root ganglion (DRG) neurones projecting to inflamed tissue in guinea-pigs **504.P**, 100*P*, 1997
Possible role of GluR5 glutamate receptors in spinal nociceptive processing in the anaesthetized rat **504.P**, 101*P*, 1997
Trigeminal neurones that receive non-nociceptive vibrissal input in the anaesthetized rat: effects of convergent nociceptive input from the dura-mater and of a 5-$HT_{1B/1D}$ agonist **504.P**, 103*P*, 1997

Effects of NOS inhibition on the spinal potency of a μ-opioid agonist in the anaesthetized rat **504.P**, 105*P*, 1997
Supraspinal α_1-adrenoceptor activation enhances α_2-mediated reduction of spinal reflexes in anaesthetized rats **504.P**, 106*P*, 1997
Relationship of substance P to afferent characteristics of dorsal root ganglion neurones in guinea-pig **505**, 177, 1997
Tonic inhibition of spinal reflexes mediated through 5-HT_{1A}-receptors in decerebrated and in anaesthetized rabbits subjected to different levels of surgical preparation **505.P**, 36*P*, 1997
Evidence for contacts between monoaminergic axons and inhibitory neurons of the superficial dorsal horn in the rat spinal cord **505.P**, 37*P*, 1997
The effect of dorsal column (DC) lesions upon the central actions of pancreatic afferent fibres in the rat **505.P**, 39*P*, 1997
The effects of spinalization and naloxone pretreatment on Fos expression in the rat spinal cord following noxious stimulation **505.P**, 40*P*, 1997
Axotomy-induced changes in electrophysiological properties of slowly conducting mouse primary sensory afferent neurones *in vitro* **505.P**, 42*P*, 1997
Co-regulation of somatosensory and autonomic systems from the periaqueductal grey matter and modulation by the raphe nuclei **505.P**, 7*S*, 1997
Inhibition and facilitation of nociceptive responses by stimulation in the periaqueductal grey: potential importance during integrated defence activity **505.P**, 8*S*, 1997

Noise
Analysis of current fluctuations during after-hyperpolarization current in dentate granule neurones of the rat hippocampus **499**, 121, 1997

Non-NMDA receptor
Non-NMDA receptors modulate respiratory drive in fetal sheep **501**, 415, 1997

Non-selective cation channel
Identification of a cation non-selective channel in the basolateral membrane of single proximal tubule cells isolated from frog kidney **499.P**, 56*P*, 1997

Noradrenaline
α_1-Adrenoceptor activation of a non-selective cation current in rabbit portal vein by 1,2-diacyl-*sn*-glycerol **499**, 417, 1997
Restoration of the transient outward potassium current by noradrenaline in chagasic canine epicardium **500**, 75, 1997
Oestrogen and vascular responsiveness in rat small mesenteric artery **501.P**, 108*P*, 1997
Activation of two inward chloride pumps in rat arterial smooth muscle by noradrenaline *in vitro* **501.P**, 116*P*, 1997
Modulation of the activity of the Na^+–H^+ exchanger by noradrenaline in acutely dissociated adult rat hippocampal CA1 neurones **501.P**, 150*P*, 1997
A noradrenergic α_1-receptor antagonist reduces the Fos response in the supraoptic nucleus (SON) to oxytocin-induced uterine activity in the pregnant rat **505.P**, 10*P*, 1997
Noradrenaline and its α_2-agonists counteract activation of γ-motoneurones **505.P**, 77*P*, 1997

Nucleotide
The interaction of nucleotides with the tolbutamide block of cloned ATP-sensitive K^+ channel currents expressed in *Xenopus* oocytes: a reinterpretation **504**, 35, 1997
Adenosine formation in contracting primary rat skeletal muscle cells and endothelial cells in culture **504**, 695, 1997

Nucleus tractus solitarii
Long-term influence of neonatal hypoxia on catecholamine activity in carotid bodies and brainstem cell groups of the rat **498**, 523, 1997
Effect of pancreatic polypeptide on rat dorsal vagal complex neurons **499**, 475, 1997
Evidence for a role of tachykinin NK_1 receptors in mediating synaptic inputs from left ventricular vagal receptors to neurones within the nucleus of the solitary tract (NTS) of mice **501.P**, 75*P*, 1997
Immunolocalization of NMDA receptor subunits 1 and 2a/b on neurones in the nucleus tractus solitarii and in the vagal motor nuclei of the rat **501.P**, 75*P*, 1997
Interchangeable discharge patterns of neurons in caudal nucleus tractus solitarii in rat slices: role of GABA and NMDA **504**, 611, 1997
Angiotensin II receptors within the nucleus of the solitary tract attenuate the baroreceptor vagal reflex in the anaesthetized developing rat **504.P**, 196*P*, 1997
$GABA_A$ and $GABA_B$ receptors are involved in vagal afferent inhibitory input to neurones in the nucleus tractus solitarii (NTS) of anaesthetized rats **504.P**, 197*P*, 1997
Cardiac afferent inputs to the nucleus tractus solitarii (NTS) in the cat **504.P**, 198*P*, 1997
Cardiorespiratory afferent convergence onto solitary tract neurones driven synaptically by pulmonary C-fibres in a working heart–brainstem preparation of mouse **504.P**, 199*P*, 1997

Nutrition
Role of caloric content on gastric emptying in humans **498**, 553, 1997
Effects of mild nutritional restriction in early pregnancy on pregnant sheep resistance vessel responses to endogenous vasoactive agents *in vitro* **505.P**, 99*P*, 1997

Obesity
Arterial baroreflex regulation of renal nerve activity (RNA) and heart rate (HR) in anaesthetized high-fat fed Wistar rats **504.P**, 194*P*, 1997

Octopus
Nitric oxide in *Octopus*: the distribution of putative NOS activity in central and peripheral tissues **504.P**, 17*P*, 1997

Oedema
Influence of hypoosmolality on the blood–brain barrier permeability during epileptic seizures **505.P**, 57*P*, 1997

Oestrogen
Non-genomic mechanism of 17β-oestradiol-induced inhibition of contraction in mammalian vascular smooth muscle **499**, 497, 1997
Effects of acute changes in oestrogen on muscle function of the first dorsal interosseus muscle in humans **500**, 265, 1997
Oestrogen and vascular responsiveness in rat small mesenteric artery **501.P**, 108*P*, 1997
Modulation of stimulus–secretion coupling in single rat gonadotrophs **504**, 705, 1997

Okadaic acid
Calcium release from ATP-sensitive stores, evoked by okadaic acid in the human umbilical vein endothelial cell line, ECV 304 **499.P**, 42*P*, 1997

Olfaction
Effects of sodium removal on the oscillatory response to prolonged stimulation in frog olfactory receptor cells **499.P**, 88*P*, 1997
Evidence implicating a Na^+–Ca^{2+} exchanger in response recovery in isolated frog olfactory receptor cells **504.P**, 125*P*, 1997
The $InsP_3$ receptor from olfactory cilia fused to planar lipid bilayers: conductance properties and recovery by ATP **504.P**, 157*P*, 1997
Central neurosecretion and neuromodulation in the moth *Manduca sexta*: serotonin in the olfactory pathway **504.P**, 4*S*, 1997

Oocyte
Modulation and desensitization of human $GABA_A$ receptor isoforms expressed in oocytes: effects of the δ subunit **499.P**, 124*P*, 1997
Neomycin and gentamicin act as agonists at the extracellular Ca^{2+}-sensing receptor isolated from rat kidney **504.P**, 139*P*, 1997
Voltage-induced slow activation and deactivation of mechanosensitive channels in *Xenopus* oocytes **505**, 551, 1997

Opioid
Presynaptic inhibitory action of opioids on synaptic transmission in the rat periaqueductal grey *in vitro* **498**, 463, 1997
Irregular fluctuations in opiate antagonist binding with immune cells **499.P**, 41*P*, 1997
Effects of U-69593 and MR1452 (κ-opioid receptor agonist and antagonist) on hypothalamic indoleamine concentrations and plasma LH levels in the ovariectomized and steroid-primed rats **499.P**, 97*P*, 1997
Effects of NOS inhibition on the spinal potency of a μ-opioid agonist in the anaesthetized rat **504.P**, 105*P*, 1997
Primary afferent input to spinal LI neurones expressing neurokinin 1 (NK_1) receptors, evidence for both pre- and postsynaptic inhibition by a μ-opioid agonist, in the rat **504.P**, 106*P*, 1997
Naloxone enhancement of the expression of fos-like immunoreactivity in the spinal cord of decerebrated rabbits **504.P**, 107*P*, 1997
Effects of opioid peptides on rat medial vestibular nucleus neurones *in vitro* **504.P**, 166*P*, 1997
Endomorphin 1, a highly selective endogenous μ-opioid agonist, inhibits the firing of rat oxytocin (OT) but not vasopressin (VP) supraoptic nucleus (SON) neurones *in vitro* **505.P**, 11*P*, 1997

Optic nerve
Neurotrophin receptor protein and mRNA expression in regenerating retinal ganglion cell axons after transection of the rat optic nerve **505.P**, 43*P*, 1997

Orientation

The contribution of otoliths and semicircular canals to the perception of two-dimensional passive whole-body motion in humans **502**, 223, 1997

Changes in initiation of orienting gaze shifts after muscimol inactivation of the caudal fastigial nucleus in the cat **503**, 657, 1997

Osmolarity

A swelling-activated chloride current in rat sympathetic neurones **501**, 555, 1997

Chloride currents induced by hypotonic solutions in isolated rat carotid body type I cells **501.P**, 60*P*, 1997

Modulation of endogenous firing patterns by osmolarity in rat hippocampal neurones **502**, 175, 1997

Membrane currents underlying the modified electrical activity of guinea-pig ventricular myocytes exposed to hyperosmotic solution **504**, 135, 1997

Osmosis

The effect of osmotically induced volume changes on the membrane capacitance of guinea-pig cardiac cells **504.P**, 71*P*, 1997

Osteoblast

Immunolocalization of cation exchanger NHE1 and anion exchanger AE2 isoforms in human bone-derived osteoblasts by confocal microscopy **505.P**, 108*P*, 1997

Oxygen

Xanthine oxidase in human skeletal muscle following eccentric exercise: a role in inflammation **498**, 239, 1997

Evidence for uncoupling of oxygen and glucose utilization during neuronal activation in rat striatum **498**, 497, 1997

Oxygen-regulated gene expression in mammalian cells **499.P**, 13*S*, 1997

Oxygen dependence of urea-activated KCl cotransport in equine red cells **499.P**, 59*P*, 1997

Maximum rate of oxygen uptake by human skeletal muscle in relation to maximal activities of enzymes in the Krebs cycle **501**, 455, 1997

The interplay of central and peripheral factors in limiting maximal O_2 consumption in man after prolonged bed rest **501**, 677, 1997

Assessing the redox state of cytochrome aa_3 in skeletal muscle during exhausting muscular exercise in humans by means of near infrared spectroscopy **501.P**, 52*P*, 1997

Time dependence of the off-transient VO_2 kinetics following heavy-intensity exercise in humans **501.P**, 59*P*, 1997

Left ventricular filling as a determinant of gas exchange kinetics **501.P**, 68*P*, 1997

Exercise and the equine red cell KCl cotransporter **501.P**, 154*P*, 1997

Oxygenation and KCl cotransport in sheep red cells **501.P**, 154*P*, 1997

Selective inhibition of a slow-inactivating voltage-dependent K^+ channel in rat PC12 cells by hypoxia **502**, 293, 1997

The effects of breathing He–O_2 mixtures on maximal oxygen consumption in normoxic and hypoxic men **503**, 215, 1997

Paradoxical effect of oxygen administration on breathing stability following post-hyperventilation apnoea in lambs **504**, 199, 1997

Oxygen consumption

The decrease of maximal oxygen consumption in hypoxia: a mirror image of the oxygen equilibrium curve **498**, 231, 1997

Cardiovascular oxygen transport in exercising humans in microgravity **499.P**, 74*P*, 1997

Energetic cost of activation processes during contraction of swine arterial smooth muscle **501**, 213, 1997

Oxytocin

Sustained outward rectification of oxytocinergic neurones in the rat supraoptic nucleus: ionic dependence and pharmacology **500**, 497, 1997

Evidence for the involvement of histaminergic neurones in the regulation of the rat oxytocinergic system during pregnancy and parturition **501**, 649, 1997

Onset of bursting in oxytocin cells in suckled rats **503**, 625, 1997

Glutamate-induced activity in oxytocin neurones *in vitro* is principally mediated via non-NMDA receptors **504.P**, 222*P*, 1997

The renal responsiveness to oxytocin in the lactating rat **504.P**, 222*P*, 1997

A noradrenergic α_1-receptor antagonist reduces the Fos response in the supraoptic nucleus (SON) to oxytocin-induced uterine activity in the pregnant rat **505.P**, 10*P*, 1997

Central actions of oxytocin and vasopressin on behavioural and endocrine responses to stress in the rat **505.P**, 11*P*, 1997

Endomorphin 1, a highly selective endogenous μ-opioid agonist, inhibits the firing of rat oxytocin (OT) but not vasopressin (VP) supraoptic nucleus (SON) neurones *in vitro* **505.P**, 11*P*, 1997

Day/night variation in the firing of vasopressin and oxytocin cells in the rat **505.P**, 13*P*, 1997

Pacemaker

A computer model of pacemaker shift within the rabbit sinoatrial node **504.P**, 70*P*, 1997

Molecular physiology of the HERG K^+ channel and the elusive h-channel **504.P**, 12*S*, 1997

Ionic currents during sustained pacemaker activity in rabbit sino-atrial myocytes **505**, 677, 1997

Pain

Temporary relief of induced pain by repetitive magnetic stimulation of human parietal lobe **499.P**, 88*P*, 1997

The response of the nucleus reticularis giganto-cellularis pars alpha to noxious stimuli and its role in descending inhibition of lamina V dorsal horn neurones in the rat **501.P**, 47*P*, 1997

Biochemical changes in a rat model of neuropathic pain **504.P**, 104*P*, 1997

The effects of 4% amethocaine gel on sensory and autonomic function in the skin of human volunteers **505.P**, 36*P*, 1997

Descending influences differentially modulate superficial lamina I and deep multireceptive dorsal horn neurones in the rat **505.P**, 38*P*, 1997

The effect of capsaicin on renal pain signalling systems in humans and Wistar rats **505.P**, 39*P*, 1997

LIF mRNA distribution in lumbar spinal cord and its modification by peripheral inflammation and nerve injury **505.P**, 42*P*, 1997

Delayed onset muscle soreness: relevance of induction method on signs and symptoms in humans **505.P**, 88*P*, 1997

Cardiovascular/nociceptive interplay: afferents and brainstem nuclei **505.P**, 9*S*, 1997

Paired pulse

Excitatory synaptic site heterogeneity during paired pulse plasticity in CA1 pyramidal cells in rat hippocampus *in vitro* **500**, 441, 1997

Pancreas

Transport of radiolabelled [^{14}C]monomethyl-L-arginine and [^{3}H]nitro-L-arginine in the isolated perfused rat pancreas: role of nitric oxide synthase in the regulation of vascular tone and secretion **499.P**, 38*P*, 1997

Mechanism of interaction between the islet hormones and cholecystokinin-octapeptide in isolated rat pancreatic segments and acini **501.P**, 156*P*, 1997

Inwardly rectifying, voltage-dependent and resting potassium currents in rat pancreatic acinar cells in primary culture **504**, 259, 1997

Distribution and effect of nitric oxide on nerve and acetylcholine-evoked secretory responses in the isolated rat pancreas **504.P**, 34*P*, 1997

Pituitary adenylate cyclase-activating polypeptide (PACAP) is an islet substance serving as an intra-islet amplifier of glucose-induced insulin secretion in rats **505**, 319, 1997

Pancreatic acinar cell

Calcium buffering properties of intracellular calcium stores in rat isolated pancreatic acinar cells **499.P**, 20*P*, 1997

Effects of cytochrome P450 inhibitors on calcium signalling in rat pancreatic acinar cells **499.P**, 105*P*, 1997

Photodynamic triggering of calcium oscillation in the isolated rat pancreatic acini **504**, 47, 1997

Pancreatic β-cell

G protein-dependent inhibition of L-type Ca^{2+} currents by acetylcholine in mouse pancreatic B-cells **499**, 65, 1997

Electrogenic arginine transport mediates stimulus–secretion coupling in mouse pancreatic β-cells **499**, 625, 1997

Emptying of intracellular Ca^{2+} stores stimulates Ca^{2+} entry in mouse pancreatic β-cells by both direct and indirect mechanisms **503**, 387, 1997

Rapid ATP-dependent priming of secretory granules precedes Ca^{2+}-induced exocytosis in mouse pancreatic B-cells **503**, 399, 1997

Glucose-induced swelling in rat pancreatic β-cells **504**, 191, 1997

Nifedipine inhibits regulatory volume decrease in insulin-secreting cells **504.P**, 138*P*, 1997

Regulatory volume increase in β-cells isolated from the rat pancreas **504.P**, 142*P*, 1997

Pancreatic duct

Regulation of anion secretion by cyclic AMP and Ca^{2+} in a computer model of the rat pancreatic ductal epithelium **499.P**, 31*P*, 1997

Paraesthesiae

Excitability changes in human cutaneous afferents induced by prolonged repetitive axonal activity **500**, 255, 1997

Parafollicular cell
Mechanism of extracellular Ca^{2+} receptor-stimulated hormone release from sheep thyroid parafollicular cells **502**, 31, 1997

Paraventricular nucleus
Evidence that vasomotor neurones of the RVLM receive an input from paraventricular neurones of the hypothalamus in the rat **501.P**, 81*P*, 1997
The organization of the PVN projection to the RVLM and sympathetic preganglionic neurones in the spinal cord of the rat **501.P**, 82*P*, 1997
Microinjection of bicuculline into the hypothalamic paraventricular nucleus causes a glutamate-dependent excitation of rostral ventrolateral medullary vasomotor neurones in the anaesthetized rat **504.P**, 208*P*, 1997
An electrophysiological investigation into the neural connections between the arcuate nucleus, median eminence and paraventricular nucleus in the urethane-anaesthetized rat **505.P**, 10*P*, 1997
Nociception, stress and autonomic functions of the hypothalamic paraventricular nucleus **505.P**, 6*S*, 1997

Parkinson's disease
Vibration-induced errors of human voluntary ankle movements are reduced in Parkinson's disease **501.P**, 44*P*, 1997
Disturbance of human joint position sense in Parkinson's disease **504.P**, 117*P*, 1997

Parturition
A noradrenergic α_1-receptor antagonist reduces the Fos response in the supraoptic nucleus (SON) to oxytocin-induced uterine activity in the pregnant rat **505.P**, 10*P*, 1997

Parvalbumin
Decay of calcium transients after electrical stimulation in rat fast- and slow-twitch skeletal muscle fibres **501**, 573, 1997

Patch clamp
Developmental loss of hypoxic chemosensitivity in rat adrenomedullary chromaffin cells **498**, 503, 1997
Osmolarity modulates K^+ channel function on rat hippocampal interneurons but not CA1 pyramidal neurons **498**, 679, 1997
Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca^{2+} channels in rat pinealocytes **499**, 329, 1997
Stable expression of the human cardiac L-type Ca^{2+} channel α_{1C} subunit in human embryonic kidney (HEK 293) cells **499.P**, 34*P*, 1997
Mechanisms of adaptation of cultured rat carotid body chemoreceptors to chronic hypoxia *in vitro* **499.P**, 15*S*, 1997
Dendritic and somatic glutamate receptor channels in rat cerebellar Purkinje cells **501**, 77, 1997
CNQX increases the frequency of $GABA_A$ receptor-mediated synaptic currents in granule cells of the rat cerebellum **501.P**, 11*P*, 1997
Gap-junction coupling low-pass filtering and rhythm generation in rat sympathetic preganglionic neurones *in vitro* **501.P**, 26*P*, 1997
Activation of an inward current by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **501.P**, 27*P*, 1997
Non-voltage-operated calcium current (I_{gl}) activated by potassium ions in rat hippocampal pyramidal neurons **501.P**, 31*P*, 1997
Swelling- and cAMP-activated Cl^- currents in isolated rat carotid body type I cells **503**, 497, 1997
A simple device for dislodging air bubbles from back-filled patch pipettes **504.P**, 59*P*, 1997
An inexpensive, simple, mechanically stable and precision control motorized micromanipulator suitable for experiments on isolated single cells and small multicellular preparations **504.P**, 61*P*, 1997
Acetylcholine-activated currents in outer hair cells recorded under conditions designed to reduce potassium currents **504.P**, 126*P*, 1997
Fast concentration jumps on recombinant NMDA NR1a/NR2A and NR1a/NR2D channels expressed in *Xenopus* oocytes **504.P**, 173*P*, 1997
Tetrodotoxin-blockable calcium currents in rat ventricular myocytes; a third type of cardiac cell sodium current **505**, 353, 1997

Peptide
Role of caloric content on gastric emptying in humans **498**, 553, 1997
Stoichiometry and pH dependence of the rabbit proton-dependent oligopeptide transporter PepT1 **498**, 563, 1997
Intestinal localization of the human peptide transporter, hPepT1 **499.P**, 61*P*, 1997
Regulation by gastric acid of the processing of progastrin-derived peptides in rat antral mucosa **502**, 409, 1997
Electrophysiological analysis of the function of the mammalian renal peptide transporter expressed in *Xenopus laevis* oocytes **504**, 169, 1997
Structure–activity relationship of FMRFamide and related peptides on buccal muscle of *Busycon canaliculatum* **504.P**, 20*P*, 1997
Multiple peptide modulators in small neural networks **504.P**, 2*S*, 1997
Dipeptide transport by rat renal cortex BBMV is mediated by PepT1; functional analysis using ACE inhibitors **505.P**, 110*P*, 1997

Perception
The contribution of otoliths and semicircular canals to the perception of two-dimensional passive whole-body motion in humans **502**, 223, 1997
Resistive load detection and perception of the magnitude of added inspiratory resistances during submaximal steady-state exercise in normal humans **504.P**, 209*P*, 1997

Perfusion
Effect of renal perfusion pressure (RPP) reduction on kidney function and plasma renin activity (PRA) in the anaesthetized rat **499.P**, 60*P*, 1997
A versatile heated superfusion system suitable for whole-cell and excised patch-clamp experiments at mammalian temperatures **504.P**, 60*P*, 1997
An electronic feedback circuit to control a peristaltic pump for constant-pressure perfusion of isolated hearts or other organs **505.P**, 4*P*, 1997

Periaqueductal grey matter
Presynaptic inhibitory action of opioids on synaptic transmission in the rat periaqueductal grey *in vitro* **498**, 463, 1997
Co-regulation of somatosensory and autonomic systems from the periaqueductal grey matter and modulation by the raphe nuclei **505.P**, 7*S*, 1997
Inhibition and facilitation of nociceptive responses by stimulation in the periaqueductal grey: potential importance during integrated defence activity **505.P**, 8*S*, 1997

Permeability
The role of active transport in potassium reabsorption in the proximal convoluted tubule of the anaesthetized rat **500**, 155, 1997
Mass spectrometric determination of HCO_3^- permeability and carbonic anhydrase activity in intact guinea-pig colon epithelium **502**, 679, 1997
Fractional Ca^{2+} currents through capsaicin- and proton-activated ion channels in rat dorsal root ganglion neurones **503**, 67, 1997
Effect of cell shrinkage on permeability of cultured bovine aortic endothelia and frog mesenteric capillaries **503**, 413, 1997
Ca^{2+} and Na^+ permeability of high-threshold Ca^{2+} channels and their voltage-dependent block by Mg^{2+} ions in chick sensory neurones **504**, 1, 1997
Reinterpretation of endothelial cell gaps induced by vasoactive mediators in guinea-pig, mouse and rat: many are transcellular pores **504**, 747, 1997
Ion permeation of thallium (Tl^+) in ROMK1 **504.P**, 144*P*, 1997
Evidence for interleukin-1β mediating enhanced permeability responses to bradykinin in single pial venular capillaries of anaesthetized rats **505.P**, 53*P*, 1997

Perspectives in Physiology
Properties of cloned K_{ATP} channels mimic those of β-cells **498**, 1, 1997
First insights into the operational mode of epithelial peptide transporters **498**, 561, 1997
Single-cell RT-PCR reaches out to the NMDA receptor **499**, 1, 1997
Multiple targets for endothelin-1 in human intestine **499**, 289, 1997
Alterations of Na^+ channel gating in myotonia **499**, 571, 1997
Disinhibition and brain rhythms **500**, 283, 1997
Oxytocin and vasopressin neurones: vive la différence! **500**, 284, 1997
Recombinant Ca^{2+} channels get O_2 sensitive **500**, 549, 1997
Force generation in muscle: time-resolved measurements of ATPase activity using a phosphate-sensitive fluorophore **501**, 1, 1997
To quark or to spark, that is the question **502**, 1, 1997
Coming closer: structure and function of calcium-activated K^+ channels in coronary arteries **502**, 469, 1997
The outside-in story of pH, Ca^{2+} and vascular tone, **503**, 235, 1997
ATP as an osteoclast regulator? **503**, 236, 1997
Phosphorylation targets the functional gating of a glutamate channel **503**, 469, 1997
A more cultured approach to peripheral chemotransduction **503**, 470, 1997
Substance P and nociceptive afferent neurones **505**, 1, 1997
Inactivation of a G protein-coupled inwardly rectifying K^+ channel **505**, 2, 1997
Sympathetic nerves continue to regulate blood flow in exercising muscles **505**, 549, 1997

Pertussis toxin
Receptors couple to L-type calcium channels via distinct G_o proteins in rat neuroendocrine cell lines **502**, 321, 1997

P-glycoprotein
Transepithelial permeability of ranitidine across rat ileum and Caco-2 monolayers is modified by P-glycoprotein **499.P**, 110*P*, 1997
Kinetics of the multidrug transporter (P-glycoprotein) and its reversal **499.P**, 21*S*, 1997
P-glycoprotein is not a swelling-activated Cl^- channel; possible role as a Cl^- channel regulator **502**, 249, 1997
ABC transporters, channels and channel regulators **504.P**, 8*S*, 1997

pH
Stoichiometry and pH dependence of the rabbit proton-dependent oligopeptide transporter PepT1 **498**, 563, 1997
Inhibition of the inward-rectifying Cl^- channel in rat choroid plexus by a decrease in extracellular pH **498**, 703, 1997
Effects of *Ostertagia ostertagi* on gastrin gene expression and gastrin-related responses in the calf **498**, 809, 1997
Interstitial P_{CO_2} and pH, and their role as chemostimulants in the isolated respiratory network of neonatal rats **499**, 527, 1997
Is resting state HCO_3^- secretion in frog gastric fundus mucosa mediated by apical Cl^-–HCO_3^- exchange? **499**, 763, 1997
pH_o dependence of pH_i in mouse isolated small intestinal enterocytes **499.P**, 105*P*, 1997
pH gradient effects on chloride transport across basolateral membrane vesicles from guinea-pig jejunum **500**, 385, 1997
pH-dependent interactions of Cd^{2+} and a carboxylate blocker with the rat ClC-1 chloride channel and its R304E mutant in the Sf-9 insect cell line **501**, 355, 1997
The involvement of cholinergic inputs in mediating the effects of low pH on rat nucleus ambiguus neurones *in vitro* **501.P**, 77*P*, 1997
Simultaneous measurements of pH and ionic currents from smooth muscle cells isolated from the guinea-pig ureter **501.P**, 112*P*, 1997
The effects of raised pH on force in isolated rat lung strip **501.P**, 114*P*, 1997
An investigation into the role of pH in gastric smooth muscle **501.P**, 114*P*, 1997
Mechanism of oxidative stress-induced intracellular acidosis in rat cerebellar astrocytes and C_6 glioma cells **502**, 161, 1997
Fractional Ca^{2+} currents through capsaicin- and proton-activated ion channels in rat dorsal root ganglion neurones **503**, 67, 1997
Effects of extracellular pH on receptor-mediated Ca^{2+} influx in A7r5 rat smooth muscle cells: involvement of two different types of channel **503**, 237, 1997
Influences of extracellular pH (pH_o) on the outward current induced by the return of Mg^{2+} to the Ca^{2+}-free medium of the calcium paradox in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Block of persistent Na^+ current by protons over the physiological pH range in adult rat large sensory neurones in culture **504.P**, 49*P*, 1997
Effects of prostaglandin $F_{2\alpha}$ on contractility, L-type Ca^{2+} currents, Ca^{2+} transients and intracellular pH in rat ventricular myocytes **504.P**, 80*P*, 1997
Comparison of the effects of extracellular and intracellular acidosis on the decline of intracellular Ca^{2+} in isolated rat ventricular myocytes **504.P**, 81*P*, 1997
Voltage-gated proton conductance **504.P**, 9*S*, 1997
The role of the sarcolemmal Ca^{2+}-ATPase in the pH transients associated with contraction in rat smooth muscle **505**, 329, 1997
Effect of pH on reabsorptive fluxes during *in vivo* microperfusion of Henle's loop in anaesthetized rats **505.P**, 109*P*, 1997
The shrinkage of human erythrocytes at high pH in media between 200 and 400 mosmol l^{-1}, and in the presence of 50 mM lactate **505.P**, 109*P*, 1997

pH regulation
Regulation of intracellular pH in salamander retinal rods **498**, 61, 1997
The sharing of pH regulation by the anion exchanger and the bicarbonate transporter in human erythrocytes **499.P**, 23*P*, 1997

Phophatase
Modulation of inwardly rectifying potassium channels in cultured bovine pulmonary artery endothelial cells **504**, 545, 1997

Phosphate
ATPase kinetics on activation of rabbit and frog permeabilized isometric muscle fibres: a real time phosphate assay **501**, 125, 1997

Phospholipid
Kinetic analysis of the phosphorylation-dependent interactions of synapsin I with rat brain synaptic vesicles **504**, 501, 1997

Phosphorylation
Effect of metabolic inhibition on intracellular Ca^{2+}, phosphorylation of myosin regulatory light chain and force in rat smooth muscle **499**, 485, 1997
Differential control of the hyperpolarization-activated current (i_f) by cAMP gating and phosphatase inhibition in rabbit sino-atrial node myocytes **500**, 643, 1997
Induction of long-term potentiation *in vivo* in rat dentate gyrus is accompanied by an increase in phosphorylation of receptor tyrosine kinase **501.P**, 87*P*, 1997
Activation of AMP-activated protein kinase (AMPK) inhibits a methacholine-induced contraction in bovine bronchial rings **501.P**, 115*P*, 1997
Oxygen deprivation inhibits Na^+ current in rat hippocampal neurones via protein kinase C **503**, 479, 1997
Kinetic analysis of the phosphorylation-dependent interactions of synapsin I with rat brain synaptic vesicles **504**, 501, 1997
Effects of the protein kinase A (PKA) inhibitor H89 on the Ca^{2+} current (I_{Ca}) and the Ca^{2+} transient in isolated ferret ventricular myocytes **504.P**, 79*P*, 1997
Effects of protein kinase A (PKA) inhibition on excitation–contraction coupling (ECC) in isolated fast-twitch mouse skeletal muscle **504.P**, 233*P*, 1997

Photoreceptor
Antagonists of the cGMP-gated conductance of vertebrate rods block the photocurrent in scallop ciliary photoreceptors **500**, 367, 1997
Effect of hydroxylamine on photon-like events during dark adaptation in toad rod photoreceptors **501**, 97, 1997
Kinetics of post-bleach recovery of maximal response and amplification constant in human rod photoreceptors **504.P**, 30*P*, 1997
Prolongation by phytic acid of the time constant that dominates bright flash response recovery in rods isolated from the tiger salamander **504.P**, 124*P*, 1997

Pituitary
Modulation of $GABA_A$ receptor-mediated IPSCs by neuroactive steroids in a rat hypothalamo-hypophyseal coculture model **500**, 475, 1997
Pituitary adenylate cyclase-activating polypeptide (PACAP) is an islet substance serving as an intra-islet amplifier of glucose-induced insulin secretion in rats **505**, 319, 1997

Pituitary gland
Ca^{2+} feedback inhibition of cAMP reponses induced by 41-residue corticotrophin releasing-factor in acutely dispersed rat anterior pituitary cells **499.P**, 19*P*, 1997
Corticotropin releasing hormone inhibits an inwardly rectifying potassium current in rat corticotropes **502**, 265, 1997
Mechanisms for stimulation of rat anterior pituitary cells by arginine and other amino acids **502**, 421, 1997
Multiple modulatory effects of the neuroactive steroid pregnanolone on $GABA_A$ receptor in frog pituitary melanotrophs **504**, 387, 1997

Placenta
Expression of the human heart inwardly rectifying K^+ channel (HH-IRK1) gene in cytotrophoblast cells (CYTS) isolated from human term placenta **499.P**, 64*P*, 1997

Plasticity
Associative LTP requires activation of NMDA receptors in area CA1 of rat hippocampal slices **501.P**, 89*P*, 1997
Evidence for heterosynaptic depression of vibrissae responses in rat barrel cortex **501.P**, 94*P*, 1997
Abnormal synaptic transmission in aged APP transgenic mice **501.P**, 95*P*, 1997
Plasticity of Na^+ channels in afferent neurones innervating rat urinary bladder following spinal cord injury **503**, 269, 1997
Plasticity in human cortical swallowing motor representation induced by pharyngeal stimulation **504.P**, 114*P*, 1997
Intracellular tetanization of CA3 neurones induces long-term potentiation (LTP) of mossy fibre synapses in juvenile rat hippocampal slices **504.P**, 180*P*, 1997
Intermediate and chronic experience-dependent modification of receptive fields of neurons in ventral posterior medial nucleus (VPm) in the adult rat **504.P**, 215*P*, 1997
Rapid expansion of the representation of the ipsilateral ear in the adult ferret primary auditory cortex following ablation of the contralateral cochlea **504.P**, 215*P*, 1997
Circular walking as an index of behavioural recovery after unilateral labyrinthectomy in the rat **504.P**, 217*P*, 1997
Plasticity in functional projections of expiratory bulbospinal neurones in the cat **504.P**, 28*S*, 1997

Quantitative analysis of cuneate neurone responsiveness in the cat in association with reversible, partial deafferentation **505**, 769, 1997

Platelet

The effect of calcium store depletion on the activity of the non-receptor protein tyrosine kinase $p72^{syk}$ in human platelets **499.P**, 36*P*, 1997

The effect of external magnesium on cytosolic free ionized calcium in bovine blood platelets **499.P**, 61*P*, 1997

Transport of serotonin and intracellular concentration in platelets of human normal and severe pre-eclamptic pregnancies **504.P**, 205*P*, 1997

Plethysmography

Relationship between venous pressure and tissue volume during venous congestion plethysmography in man **503**, 463, 1997

Polyamine

Relief from intracellular polyamine block underlies activity-dependent facilitation of currents through Ca^{2+}-permeable AMPAR channels **501.P**, 18*P*, 1997

Postsynaptic current

The contribution of postsynaptic folds to the safety factor for neuromuscular transmission in rat fast- and slow-twitch muscles **500**, 165, 1997

Posture

The effect of passive tilting on microvascular parameters in the human calf: a strain gauge plethysmography study **498**, 541, 1997

Human body-segment tilts induced by galvanic stimulation: a vestibularly driven balance protection mechanism **501**, 661, 1997

A comparison of ankle torques in a fictive standing task in man **501.P**, 42*P*, 1997

Phasic activity in the human erector spinae during repetitive hand movements **504**, 727, 1997

Contraction of the human diaphragm during rapid postural adjustments **505**, 539, 1997

Potassium

Is chloride necessary for KCl cotransport activation in HbSS human red blood cells? **499.P**, 30*P*, 1997

Novel activation stimulus of chloride channels by potassium in human osteoblasts and human leukaemic T lymphocytes **500**, 653, 1997

Renal tubular lithium reabsorption in potassium-depleted rats **501**, 663, 1997

Pedal frequency and ventilation during cycle ergometer exercise in man **501.P**, 58*P*, 1997

The effect of acute liver failure upon the permeability of the blood–brain barrier of the rat *in vivo* **501.P**, 161*P*, 1997

The relationship between $[Na^+]_i$ and $[K^+]_i$ during Ca^{2+} depletion in guinea-pig and rat ventricular myocytes **504.P**, 79*P*, 1997

Influence of inhibitors of phospholipase A_2 and cytochrome P450 on K^+ currents in freshly dissociated rat aortic smooth muscle cells **505.P**, 104*P*, 1997

Potassium channel

A novel oxygen-sensitive potassium current in rat carotid body type I cells **498**, 649, 1997

Shaker B K^+ conductance in Na^+ solutions lacking K^+ ions: a remarkably stable non-conducting state produced by membrane depolarizations **499**, 3, 1997

Pore mutations in *Shaker* K^+ channels distinguish between the sites of tetraethylammonium blockade and C-type inactivation **499**, 361, 1997

Inwardly rectifying potassium channels expressed by gene transfection into the Green Monkey kidney cell line COS-1 **499**, 369, 1997

Delayed rectifier current of bullfrog sympathetic neurons: ion–ion competition, asymmetrical block and effects of ions on gating **499**, 403, 1997

Gating charge and ionic currents associated with quinidine block of human Kv1.5 delayed rectifier channels **499**, 661, 1997

Sulphonylurea receptor 2B and Kir6.1 form a sulphonylurea-sensitive but ATP-insensitive K^+ channel **499**, 715, 1997

Calcitonin gene-related peptide (CGRP) activates an ATP-sensitive potassium (K_{ATP}) current in pig coronary vascular smooth muscle cells via cyclic AMP-dependent protein kinase (PKA) **499.P**, 11*P*, 1997

Action of clotrimazole and cetiedil on single Ca^{2+}-activated K^+ channels in membrane patches from human erythrocytes **499.P**, 12*P*, 1997

Expression of the human heart inwardly rectifying K^+ channel (HH-IRK1) gene in cytotrophoblast cells (CYTS) isolated from human term placenta **499.P**, 64*P*, 1997

Single subunit mutations of the murine K^+ channel IRK1 **499.P**, 125*P*, 1997

ATP modulation of dwell-time kinetics of K_{ATP} channels in isolated guinea-pig ventricular myocytes **499.P**, 128*P*, 1997

Single K^+ channels in dissociated neurones of rat hippocampus **499.P**, 132*P*, 1997

A comparison of O_2-sensitive K^+ currents in chronically hypoxic and immature normoxic rat type I carotid body cells **499.P**, 148*S*, 1997

Kinetic properties of unitary Na^+-dependent K^+ channels in inside-out patches from isolated guinea-pig ventricular myocytes **500**, 39, 1997

Shal-type channels contribute to the Ca^{2+}-independent transient outward K^+ current in rat ventricle **500**, 51, 1997

Thyroid hormone regulates postnatal expression of transient K^+ channel isoforms in rat ventricle **500**, 65, 1997

Intracellular ATP activates inwardly rectifying K^+ channels in human and monkey retinal Müller (glial) cells **500**, 593, 1997

Developmental changes in isolated rat type I carotid body cell K^+ currents and their modulation by hypoxia **501**, 49, 1997

A novel role for HERG K^+ channels: spike-frequency adaptation **501**, 313, 1997

Evidence against the involvement of cytochrome P450 metabolites in endothelium-dependent hyperpolarization of the rat main mesenteric artery **501**, 331, 1997

The roles of adenosine in regulating the respiratory and cardiovascular systems in chronically hypoxic, adult rats **501**, 439, 1997

Characterization of apical potassium channels induced in rat distal colon during potassium adaptation **501**, 537, 1997

The role of ion channels in Schwann cell proliferation **501.P**, 19*P*, 1997

The ionic mechanisms underlying the regulation of the excitability of identified rat vagal motoneurones *in vitro* **501.P**, 77*P*, 1997

Large conductance K^+ channels in smooth muscle cells embedded in rabbit cerebral cortex arterioles **501.P**, 109*P*, 1997

A quantitative analysis of the activation and inactivation kinetics of HERG expressed in *Xenopus* oocytes **502**, 45, 1997

Corticotropin releasing hormone inhibits an inwardly rectifying potassium current in rat corticotropes **502**, 265, 1997

Selective inhibition of a slow-inactivating voltage-dependent K^+ channel in rat PC12 cells by hypoxia **502**, 293, 1997

Hyperpolarization of isolated capillaries from guinea-pig heart induced by K^+ channel openers and glucose deprivation **502**, 397, 1997

Activation of small conductance Ca^{2+}-dependent K^+ channels by purinergic agonists in smooth muscle cells of the mouse ileum **502**, 497, 1997

Amino terminal-dependent gating of the potassium channel rat eag is compensated by a mutation in the S4 segment **502**, 537, 1997

Scorpion toxin block of the early K^+ current (I_{Kf}) in rat dorsal root ganglion neurones **503**, 285, 1997

A charybdotoxin-insensitive conductance in human T lymphocytes: T cell membrane potential is set by distinct K^+ channels **503**, 317, 1997

Angiotensin II inhibition of ATP-sensitive K^+ currents in rat arterial smooth muscle cells through protein kinase C **503**, 489, 1997

Identification of regions that regulate the expression and activity of G protein-gated inward rectifier K^+ channels in *Xenopus* oocytes **503**, 547, 1997

The interaction of nucleotides with the tolbutamide block of cloned ATP-sensitive K^+ channel currents expressed in *Xenopus* oocytes: a reinterpretation **504**, 35, 1997

Effects of development and thyroid hormone on K^+ currents and K^+ channel gene expression in rat ventricle **504**, 271, 1997

Action potential propagation into the presynaptic dendrites of rat mitral cells **504**, 359, 1997

Leptin activates ATP-sensitive potassium channels in the rat insulin-secreting cell line, CRI-G1 **504**, 527, 1997

Modulation of inwardly rectifying potassium channels in cultured bovine pulmonary artery endothelial cells **504**, 545, 1997

A novel slow hyperpolarization-activated potassium current ($I_{K(sHA)}$) from a mouse hippocampal cell line **504**, 591, 1997

Patch-clamp studies of the red cell Ca^{2+}-sensitive K^+ channel in open human red cell ghosts **504.P**, 48*P*, 1997

The absence of a Na^+-activated K^+ current ($I_{K.Na}$) in rat ventricular myocytes **504.P**, 78*P*, 1997

Action potentials, L-type Ca^{2+} current and delayed rectifier K^+ current recorded from isolated rabbit atrioventricular nodal cells are modulated by the anti-arrhythmic agent mexiletine **504.P**, 89*P*, 1997

Cloning and expression of the rabbit ventricular HERG homologue (RERG) **504.P**, 89*P*, 1997

Ion permeation of thallium (Tl^+) in ROMK1 **504.P**, 144*P*, 1997

Adenosine activation of ATP-sensitive (K_{ATP}) potassium current via protein kinase C (PKC) in rat ventricular myocytes **504.P**, 154*P*, 1997
Possible topology of the H5 region of an inward rectifier K^+ channel, murine IRK1 **504.P**, 155*P*, 1997
Modal activity of a large conductance potassium channel recorded from rat motor cortex fused nerve terminals **504.P**, 160*P*, 1997
Enhancement of the vasorelaxant potency of nicorandil by metabolic inhibition and adenosine in pig coronary arteries **504.P**, 190*P*, 1997
Inhibition of adult rat carotid body type I cell K^+ currents by combined hypoxic and acidotic stimuli **504.P**, 202*P*, 1997
Molecular physiology of inwardly rectifying K^+ channels **504.P**, 11*S*, 1997
Molecular physiology of the HERG K^+ channel and the elusive h-channel **504.P**, 12*S*, 1997
A C-terminal peptide of the GIRK1 subunit directly blocks the G protein-activated K^+ channel (GIRK) expressed in *Xenopus* oocytes **505**, 13, 1997
ATP-dependent desensitization of the muscarinic K^+ channel in rat atrial cells **505**, 77, 1997
Quantification of ROMK mRNA expression in rat kidney by competitive polymerase chain reaction (PCR) **505.P**, 115*P*, 1997

Potassium conductance

Selective downregulation of an inactivating K^+ conductance by analogues of cAMP in mouse Schwann cells **499**, 655, 1997
K^+ accumulation and K^+ conductance inactivation during action potential trains in giant axons of the squid *Sepioteuthis* **500**, 355, 1997
Inhibition of delayed rectifier K^+ conductance in cultured rat cerebellar granule neurons by kainate **501.P**, 16*P*, 1997

Potassium current

Potassium currents in acutely isolated human hippocampal dentate granule cells **498**, 73, 1997
4-Aminopyridine activates potassium currents by activation of a muscarinic receptor in feline atrial myocytes **498**, 663, 1997
Delayed rectifier current of bullfrog sympathetic neurons: ion–ion competition, asymmetrical block and effects of ions on gating **499**, 403, 1997
Differential block of external divalent cations on E4031-sensitive and -insensitive K^+ currents in sino-atrial node and atrial cells of the rabbit **499.P**, 10*P*, 1997
The nitric oxide/cGMP pathway is not involved in $I_{K(M)}$ inhibition by acetylcholine in M1 receptor-transformed rodent NG108-15 cells **499.P**, 13*P*, 1997
Characterizing the Cl^- hypersecretion in rat distal colon *in vitro* induced by dietary deprivation: involvement of basolateral K^+ current **499.P**, 100*P*, 1997
A new type of fast outward current in neurones of *Helix aspersa in vitro* **499.P**, 132*P*, 1997
Shal-type channels contribute to the Ca^{2+}-independent transient outward K^+ current in rat ventricle **500**, 51, 1997
Thyroid hormone regulates postnatal expression of transient K^+ channel isoforms in rat ventricle **500**, 65, 1997
Restoration of the transient outward potassium current by noradrenaline in chagasic canine epicardium **500**, 75, 1997
Acetylcholine-induced K^+ currents in smooth muscle cells of intact rat small arteries **500**, 617, 1997
Effect of the immunosupressant FK506 on excitation–contraction coupling and outward K^+ currents in rat ventricular myocytes **501**, 509, 1997
In vivo downregulation of M_2 receptors revealed by measurement of muscarinic K^+ current in cultured guinea-pig atrial myocytes **501**, 549, 1997
Actions of cinnamoyl-dihydroxynardol (CDN) a sesquiterpene ester extracted from the herb feverfew on the voltage-dependent outward potassium current of mouse neuroblastoma × rat glioma hybrid (NG108-15) cells **501.P**, 24*P*, 1997
Ethosuximide decreases Ca^{2+}-activated K^+ currents in rat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997
Differential sensitivities of the two components of the delayed rectifier potassium current to metabolic inhibition in guinea-pig isolated ventricular myocytes **501.P**, 131*P*, 1997
A quantitative analysis of the activation and inactivation kinetics of HERG expressed in *Xenopus* oocytes **502**, 45, 1997
Outward potassium currents of supraoptic magnocellular neurosecretory cells isolated from the adult guinea-pig **502**, 61, 1997
Histamine H_1 receptor activation blocks two classes of potassium current, $I_{K(rest)}$ and I_{AHP}, to excite ferret vagal afferents **503**, 553, 1997
Inwardly rectifying, voltage-dependent and resting potassium currents in rat pancreatic acinar cells in primary culture **504**, 259, 1997
Mechanism underlying corticotropin-releasing hormone (CRH) triggered cytosolic Ca^{2+} rise in identified rat corticotrophs **504**, 367, 1997
A rapidly activating sustained K^+ current modulates repolarization and excitation–contraction coupling in adult mouse ventricle **504**, 557, 1997
A novel slow hyperpolarization-activated potassium current ($I_{K(SHA)}$) from a mouse hippocampal cell line **504**, 591, 1997
Propafenone inhibits the delayed rectifier K^+ current in isolated rabbit atrioventricular nodal myocytes **504.P**, 76*P*, 1997
The effect of external magnesium ions on the activation kinetics of a standing outward potassium current ($I_{K,SO}$) in cultured rat cerebellar granule neurons **504.P**, 170*P*, 1997
Reduced outward K^+ conductances generate depolarizing after-potentials in rat supraoptic nucleus neurones **505**, 95, 1997

Potassium transport

The role of active transport in potassium reabsorption in the proximal convoluted tubule of the anaesthetized rat **500**, 155, 1997
Electrogenic K^+ transport by the Na^+–K^+ pump in rat cardiac ventricular myocytes **501**, 33, 1997

Pregnancy

The influence of corticotrophin releasing hormone on human myometrial contractility *in vitro* **499.P**, 8*P*, 1997
Changes in brain size in normal human pregnancy **499.P**, 79*P*, 1997
Evidence for the involvement of histaminergic neurones in the regulation of the rat oxytocinergic system during pregnancy and parturition **501**, 649, 1997
The expression of natriuretic peptide receptors in pregnant human myometrium **505.P**, 98*P*, 1997
Endothelium-derived hyperpolarizing factor (EDHF) contributes to the enhanced relaxation of pregnant rat isolated small mesenteric resistance arteries **505.P**, 99*P*, 1997
Effects of mild nutritional restriction in early pregnancy on pregnant sheep resistance vessel responses to endogenous vasoactive agents *in vitro* **505.P**, 99*P*, 1997
Changes in the expression of TGFβ receptors and TGFβ1 in the human myometrium in late pregnancy **505.P**, 102*P*, 1997
Renal responsiveness during pregnancy and lactation **505.P**, 2*S*, 1997

Pressure

The effect of α-adrenoceptor blockade on the anal canal pressure profile in people with anal fissures **499.P**, 78*P*, 1997
Spatial patterns of fasting and fed antropyloric pressure waves in humans **503**, 455, 1997
Intraoral pressures in the suckling pig **505.P**, 72*P*, 1997

Presynaptic inhibition

$GABA_B$ receptor-mediated inhibition of spontaneous inhibitory synaptic currents in rat midbrain culture **500**, 739, 1997
The effects of picrotoxin on the spontaneous dorsal root potentials in the spinalized rat **501.P**, 46*P*, 1997
Correlation of receptor mRNA expression with mechanisms of constriction in small arteries of the rat hepatic mesentery **504.P**, 189*P*, 1997
Presynaptic $GABA_B$ and adenosine A_1 receptors regulate synaptic transmission to rat substantia nigra reticulata neurones **505**, 153, 1997
A confocal microscopic analysis of axo-axonic contacts on the terminals of a Ib afferent fibre in the lumbo-sacral segments of the cat spinal cord **505.P**, 81*P*, 1997

Progastrin

Amine precursor uptake and decarboxylation: significance for processing of the rat gastrin precursor **501**, 363, 1997

Proprioception

ATP-gated cation channels (P2X purinoceptors) in trigeminal mesencephalic nucleus neurones of the rat **498**, 709, 1997
Control of motor units in human flexor digitorum profundus under different proprioceptive conditions **502**, 693, 1997
An *in vitro* preparation to investigate proprioceptive co-ordination between the basal leg joints of the crayfish, *Pacifastacus leniusculus*, during fictive locomotion **504.P**, 64*P*, 1997
Disturbance of human joint position sense in Parkinson's disease **504.P**, 117*P*, 1997
Autogenetic and reciprocal tonic reflex actions of muscle vibration-evoked afferent input studied in human wrist muscles **504.P**, 119*P*, 1997

Prostacyclin

The prostacyclin analogue carbacyclin inhibits Ca^{2+}-activated K^+ current in aortic baroreceptor neurones of rats **501**, 275, 1997

Prostaglandin

G protein-coupled EP_3 receptors in alveolar epithelium regulate perinatal Na^+ homeostasis in the guinea-pig lung **499.P**, 56*P*, 1997

Effects of prostaglandin $F_{2\alpha}$ on contractility, L-type Ca^{2+} currents, Ca^{2+} transients and intracellular pH in rat ventricular myocytes **504.P**, 80*P*, 1997

Primary cultured fetal rat distal lung epithelial (FDLE) cells exhibit a PGE_2-stimulated, outward-rectifying anion conductance **505.P**, 65*P*, 1997

Protein

Mechanistic studies of the D-galactose–H^+ symport protein (GalP) from *Escherichia coli* **499.P**, 52*P*, 1997

The structure–activity relationship of GalP, the bacterial homologue of the human glucose transport protein, GLUT1 **499.P**, 52*P*, 1997

Proteins that interact with the glucose transporter: implications for function **499.P**, 22*S*, 1997

Protein kinase

Calcitonin gene-related peptide (CGRP) activates an ATP-sensitive potassium (K_{ATP}) current in pig coronary vascular smooth muscle cells via cyclic AMP-dependent protein kinase (PKA) **499.P**, 11*P*, 1997

Capacitative calcium entry is downregulated by protein kinase C (PKC) in a human lung epithelial cell line **499.P**, 36*P*, 1997

Reduced levels of α-calmodulin-dependent protein kinase II (αCaMKII) in the temporal cortex of Alzheimer's disease cases compared with an age-matched group **499.P**, 42*P*, 1997

2-Deoxyglucose-induced long-term potentiation in CA1 neurons of rat hippocampal slices is sensitive to blockers of protein tyrosine kinases **501.P**, 86*P*, 1997

A regulation of L-type calcium channels in intestinal smooth muscle cells by protein kinases **501.P**, 118*P*, 1997

Mechanism underlying corticotropin-releasing hormone (CRH) triggered cytosolic Ca^{2+} rise in identified rat corticotrophs **504**, 367, 1997

An involvement of calcium/calmodulin protein kinase II (CaM-KII) in the molecular switch activated by mGluRs in rat hippocampal slices *in vitro* **504.P**, 219*P*, 1997

Synergistic activation of guinea-pig cardiac cystic fibrosis transmembrane conductance regulator by the tyrosine kinase inhibitor genistein and cAMP **505**, 23, 1997

Protein kinase A

Control of rat GluR6 glutamate receptor open probability by protein kinase A and calcineurin **503**, 513, 1997

Protein kinase C

α_1-Adrenoceptor-mediated negative inotropy of adrenaline in rat myocardium **499**, 195, 1997

Possible role of atypical protein kinase C activated by arachidonic acid in Ca^{2+} sensitization of rabbit smooth muscle **500**, 95, 1997

Protein kinase C requirement of Ca^{2+} channel stimulation by intracellular ATP in guinea-pig basilar artery smooth muscle cells **500**, 311, 1997

Ionic mechanism of the effects of hydrogen peroxide in rat ventricular myocytes **500**, 631, 1997

Opposing effects of phorbol esters on transmitter release and calcium currents at frog motor nerve endings **501**, 41, 1997

Neurotensin inhibition of the hyperpolarization-activated cation current (I_h) in the rat substantia nigra pars compacta implicates the protein kinase C pathway **503**, 87, 1997

Stimulation of α_1-adrenoceptors and protein kinase C-mediated activation of ecto-5′-nucleotidase in rat hearts *in vivo* **503**, 119, 1997

Thrombin receptor activation and protein kinase C (PKC) are involved in selective activity-dependent synapse loss in mouse motoneuron and muscle co-culture **504.P**, 213*P*, 1997

Protein phosphatase

Channel modulation by tyrosine phosphorylation in an identified leech neuron **498**, 135, 1997

Protein phosphorylation

Channel modulation by tyrosine phosphorylation in an identified leech neuron **498**, 135, 1997

Proton current

Voltage-gated proton conductance **504.P**, 9*S*, 1997

Proximal convoluted tubule

Calcium-induced calcium release (CICR) in human primary culture renal proximal tubule cells mediated by dopamine D1 receptor activation **499.P**, 6*P*, 1997

The role of active transport in potassium reabsorption in the proximal convoluted tubule of the anaesthetized rat **500**, 155, 1997

Pulmonary artery

Forskolin-induced relaxation of isolated large and small pulmonary arteries from chronically hypoxic rats **499.P**, 68*P*, 1997

Effect of endothelial removal on isometric tension development by isolated pulmonary arterial rings in response to changes in extracellular pH and P_{CO_2} **499.P**, 71*P*, 1997

Contrasting effects of intracellular redox couples on the regulation of maxi-K channels in isolated myocytes from rabbit pulmonary artery **500**, 583, 1997

The effect of isohydric hypercapnia on depolarization-induced tension in isolated pulmonary rings **505.P**, 32*P*, 1997

Isoprenaline induces constriction at α_1-adrenoreceptors in large rat pulmonary arteries **505.P**, 101*P*, 1997

Pulmonary circulation

Haemodynamic effects of lipoteichoic acid infusion in the anaesthetized pig **504.P**, 189*P*, 1997

Pulmonary reflex

Stimulation of pulmonary C fibres by lactic acid in rats: contributions of H^+ and lactate ions **500**, 319, 1997

Purinoceptor

Purinoceptor-operated cationic channels in human B lymphocytes **498**, 143, 1997

An ATP-gated cation channel with some P2Z-like characteristics in gastric smooth muscle cells of toad **498**, 427, 1997

ATP-gated cation channels (P2X purinoceptors) in trigeminal mesencephalic nucleus neurones of the rat **498**, 709, 1997

Variation in expression of the outer hair cell P2X receptor conductance along the guinea-pig cochlea **498**, 717, 1997

ATP is not a co-transmitter with glutamate at synapses of the rat medial habenula **501.P**, 11*P*, 1997

Calcium release from intracellular stores evoked by extracellular ATP in a *Xenopus* renal epithelial cell line **502**, 365, 1997

Activation of small conductance Ca^{2+}-dependent K^+ channels by purinergic agonists in smooth muscle cells of the mouse ileum **502**, 497, 1997

Selective enhancement of the slow component of delayed rectifier K^+ current in guinea-pig atrial cells by external ATP **503**, 45, 1997

Extracellular nucleotides activate non-selective cation and Ca^{2+}-dependent K^+ channels in rat osteoclasts **503**, 303, 1997

Effects of ATP on sensory receptors in the dental pulp of cats **504.P**, 128*P*, 1997

Inhibition of ATP-activated current by zinc in dorsal root ganglion neurones of bullfrog **505**, 641, 1997

$P2Y_2$ receptors are linked to multiple transduction pathways in a human airway epithelial cell line (H441) **505.P**, 33*P*, 1997

$P2Y_2$ receptor occupancy releases stored Ca^{2+} via a single, pertussis toxin-insensitive signal transduction pathway in a human alveolar epithelial cell line (A549) **505.P**, 66*P*, 1997

Purkinje cell

P-type calcium current reduced by antisense oligonucleotide against α_{1A} subunits in cultured cerebellar Purkinje cells **504.P**, 50*P*, 1997

Pyramidal neurone

Physiology and anatomy of synaptic connections between thick tufted pyramidal neurones in the developing rat neocortex **500**, 409, 1997

An analysis of LTP of EPSCs evoked by minimal stimulation and recorded from dendrites of CA1 pyramidal cells in rat hippocampal slices **501.P**, 100*P*, 1997

Quantal release

The contribution of postsynaptic folds to the safety factor for neuromuscular transmission in rat fast- and slow-twitch muscles **500**, 165, 1997

Effect, number and location of synapses made by single pyramidal cells onto aspiny interneurones of cat visual cortex **500**, 689, 1997

Transmitter release and quantal size at cerebellar climbing fibre–Purkinje cell synapses of the rat **501.P**, 14*P*, 1997

Calibration of an autocorrelation-based method for determining amplitude histogram reliability and quantal size **505**, 425, 1997

Assessment of the reliability of amplitude histograms from excitatory synapses in rat hippocampal CA1 *in vitro* **505**, 443, 1997

Quantal analysis of excitatory synapses in rat hippocampal CA1 *in vitro* during low-frequency depression **505**, 457, 1997

Quantum

Cholinergic agonists decrease quantal output at the frog neuromuscular junction by targeting a calcium channel that can be blocked by ω-conotoxin GVIA **504.P**, 13*P*, 1997

Intracellular tetanization of CA3 neurones induces long-term potentiation (LTP) of mossy fibre synapses in juvenile rat hippocampal slices **504.P**, 180*P*, 1997

Rabbit

Renal handling of guanidino compounds in rat and rabbit **499**, 561, 1997
Activity of system y^+ and nitric oxide synthase in gastric glands isolated from diabetic rabbits **499.P**, 41*P*, 1997
The use of dynamic training to transform the phenotypic properties of the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997
The effect of 21 and 42 days of mechanical stimulation on collagen in the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997
Propafenone inhibits the delayed rectifier K^+ current in isolated rabbit atrioventricular nodal myocytes **504.P**, 76*P*, 1997
The electrophysiological effects of ischaemia and ischaemic preconditioning on the isolated rabbit papillary muscle **504.P**, 85*P*, 1997
Hopping evoked by electrical stimulation in the mesencephalon of the acute decerebrate rabbit **505.P**, 5*P*, 1997

Rat

Two types of low-voltage-activated Ca^{2+} channels in neurones of rat laterodorsal thalamic nucleus **499**, 77, 1997
Renal handling of guanidino compounds in rat and rabbit **499**, 561, 1997
Characterization of the delayed rectifier potassium current in rat isolated ventricular myocytes **499.P**, 10*P*, 1997
The effect of pyruvate on the calcium-dependent mitochondrial pore during ischaemia and reperfusion of isolated rat hearts **499.P**, 14*P*, 1997
Site of Cl^- hypersecretion in distal colon from fasted rats **499.P**, 15*P*, 1997
Apical ATP stimulates electrogenic anion secretion in cultured Sertoli cells from immature rats **499.P**, 16*P*, 1997
Collection of spatiotemporal and load data simultaneously during rat gait **499.P**, 47*P*, 1997
Taurine efflux and cell volume regulation in superficial cerebral cortical slices prepared from chronically hyponatraemic rats **499.P**, 58*P*, 1997
The effect of nitrous oxide on sensory transmission in the urethane-anaesthetized rat **499.P**, 92*P*, 1997
Effects of U-69593 and MR1452 (κ-opioid receptor agonist and antagonist) on hypothalamic indoleamine concentrations and plasma LH levels in the ovariectomized and steroid-primed rats **499.P**, 97*P*, 1997
5-Hydroxytryptamine (5-HT) receptors mediating secretion by rat ileum *in vitro* **499.P**, 107*P*, 1997
Haemodynamic, metabolic and growth consequences of sustained hypoxia in mature and perinatal rats, studied in isolated perfused lungs **499.P**, 108, 1997
The CO_2 sensitivity of breathing at raised temperatures during hypocapnia in the rat **501.P**, 57*P*, 1997
Blockade of angiotensin II type 1 (AT_1) receptors enhances baroreflex performance in the anaesthetized developing rat **501.P**, 74*P*, 1997
Arrhythmogenic transient inward current is generated by three ionic mechanisms in single isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **501.P**, 134*P*, 1997
Different roles for $GABA_A$ and $GABA_B$ receptors in visual processing in the rat superior colliculus **504**, 629, 1997
Age-related functional changes of the glutamate receptor channels in rat Meynert neurones **504**, 665, 1997
Actions of propofol on neurones from the snail CNS and rat neocortex *in vitro* **504.P**, 23*P*, 1997
Distribution and effect of nitric oxide on nerve and acetylcholine-evoked secretory responses in the isolated rat pancreas **504.P**, 34*P*, 1997
Light and electron microscopic investigations of age-related morphological changes of male rat lacrimal glands **504.P**, 34*P*, 1997
The effect of electrical and chemical stimulation of brainstem areas on bladder function in the rat **504.P**, 110*P*, 1997
The effect of erythromycin on jejunal motility and ion transport in the anaesthetized rat **504.P**, 146*P*, 1997
The effect of ingesting fat-containing solutions on plasma free fatty acids and triacylglycerol concentrations in man and rat **504.P**, 150*P*, 1997
G protein involvement in hypoxic hyperpolarization of CA1 neurons *in vitro* **504.P**, 179*P*, 1997
The use of chaos theory to estimate the peak interval sequence (PIS) of synchronized renal nerve activity (RNA) in anaesthetized rats **504.P**, 193*P*, 1997
Arterial baroreflex regulation of renal nerve activity (RNA) and heart rate (HR) in anaesthetized high-fat fed Wistar rats **504.P**, 194*P*, 1997
Angiotensin II (AII) receptor blockade and baroreflex control of renal sympathetic nerve activity (RNA) and heart rate (HR) in DOCA hypertensive anaesthetized rats **504.P**, 195*P*, 1997
Characteristics of the respiratory network in an arterially perfused preparation of the neonatal rat **504.P**, 200*P*, 1997
Patterns and rhythms in single sympathetic neurone activity recorded from the tail artery in anaesthetized Wistar rats **504.P**, 207*P*, 1997
Intermediate and chronic experience-dependent modification of receptive fields of neurons in ventral posterior medial nucleus (VPm) in the adult rat **504.P**, 215*P*, 1997
Circular walking as an index of behavioural recovery after unilateral labyrinthectomy in the rat **504.P**, 217*P*, 1997
Melanin-concentrating hormone and vasopressin release in the rat **504.P**, 223*P*, 1997
Thromboxane A_2, released by the anti-tumour drug irinotecan, is a novel stimulator of Cl^- secretion in isolated rat colon **505**, 133, 1997
Endothelium-derived hyperpolarizing factor (EDHF) contributes to the enhanced relaxation of pregnant rat isolated small mesenteric resistance arteries **505.P**, 99*P*, 1997

Receptive field

Synaptic origin and stimulus dependency of neuronal oscillatory activity in the primary visual cortex of the cat **500**, 751, 1997
Use-dependent modification of receptive fields of neurones in ventral posterior medial nucleus (VPm) in the adult rat **501.P**, 103*P*, 1997
Influence of interocular input on receptive field structure of complex neurones in cat striate cortex **501.P**, 120*P*, 1997

Receptor

Transient oscillations of [^{3}H]DADLE binding with membrane vesicles produced by NG108-15 cells **499.P**, 23*P*, 1997
Characterization of thromboxane (TP) receptors in cultured human myometrial cells **499.P**, 44*P*, 1997
Three distinct regions are responsible for conferring affinity of the human high affinity immunoglobulin receptor FcγRI **499.P**, 123*P*, 1997
Thiol reagents and ATP do not interact with C717 in the SUR1 subunit of the β-cell K_{ATP} channel **499.P**, 129*P*, 1997
Another look at regulation of the inositol 1, 4, 5-trisphosphate receptor **499.P**, 28, 1997
Correlation of PDGF-α receptor mRNA expression with stages of oligodendrocyte differentiation in the isolated anterior medullary velum of the rat brain **501.P**, 32*P*, 1997
Blockade of apamin- and charybdotoxin-sensitive K^+ currents in NTS neurones in rat produces opposite effects on two cardiorespiratory reflexes *in vivo* **501.P**, 73*P*, 1997
Single-channel properties of P2X ATP receptors in rat cerebellar slices **504.P**, 51*P*, 1997
Correlation of receptor mRNA expression with mechanisms of constriction in small arteries of the rat hepatic mesentery **504.P**, 189*P*, 1997
Glutamate-induced activity in oxytocin neurones *in vitro* is principally mediated via non-NMDA receptors **504.P**, 222*P*, 1997
ATP-gated cation channels **504.P**, 128, 1997
The expression of natriuretic peptide receptors in pregnant human myometrium **505.P**, 98*P*, 1997
Changes in the expression of TGFβ receptors and TGFβ1 in the human myometrium in late pregnancy **505.P**, 102*P*, 1997

Red blood cell

Measurement of the distribution of anion exchange function in normal human red cells **499**, 17, 1997
Characterization of the volume-sensitive taurine transport pathway in trout red blood cells using protein kinase and phosphatase inhibitors **499.P**, 24*P*, 1997
Is chloride necessary for KCl cotransport activation in HbSS human red blood cells? **499.P**, 30*P*, 1997
Cytoplasmic calcium buffers in intact human red cells **500**, 139, 1997
Volume-activated DIDS-sensitive whole-cell chloride currents in trout red blood cells **504**, 57, 1997
Patch-clamp studies of the red cell Ca^{2+}-sensitive K^+ channel in open human red cell ghosts **504.P**, 48*P*, 1997
Characterization of the ground state permeability of the red blood cell membrane to K^+ and Na^+ based on an electroneutral $K^+(Na^+)$–H^+ exchange process **504.P**, 135*P*, 1997
Deoxygenation and amino acid transporters in sickle red blood cells **504.P**, 136*P*, 1997

Magnesium and the O_2 dependence of KCl cotransport in LK sheep red cells **504.P**, 136*P*, 1997

Apparent Ca^{2+} dissociation constant of Ca^{2+} chelators incorporated non-disruptively into intact human red cells **505**, 403, 1997

The shrinkage of human erythrocytes at high pH in media between 200 and 400 mosmol l^{-1}, and in the presence of 50 mM lactate **505.P**, 109*P*, 1997

Reflex

On-going and reflex synaptic events in rat superior cervical ganglion cells **501**, 165, 1997

Evidence suggesting a transcortical pathway from cutaneous foot afferents to tibialis anterior motoneurones in man **501**, 473, 1997

A comparison of the mechanically and electrically evoked flexion reflex as a quantifiable measure of responses to innocuous and noxious skin stimulation in human neonates **501.P**, 98*P*, 1997

Medium-latency stretch reflexes of foot and leg muscles analysed by cooling the lower limb in standing humans **503**, 691, 1997

Monitoring of finger movements and hand muscle EMGs during mechanically perturbed writing tasks **504.P**, 63*P*, 1997

Autogenetic and reciprocal tonic reflex actions of muscle vibration-evoked afferent input studied in human wrist muscles **504.P**, 119*P*, 1997

Permanent changes of spinal cord reflexes after peripheral nerve lesions in neonatal rats **504.P**, 168*P*, 1997

Renal function

Regulation of an outwardly rectifying Cl^- conductance in single proximal tubule cells isolated from frog kidney **498**, 409, 1997

The effects of arginine vasopressin on $[Ca^{2+}]_i$ in a mouse cortical collecting duct cell line (M-1) **499.P**, 43*P*, 1997

Identification of a cation non-selective channel in the basolateral membrane of single proximal tubule cells isolated from frog kidney **499.P**, 56*P*, 1997

Two K^+-selective conductances in single proximal tubule cells isolated from frog kidney are regulated by ATP **500**, 605, 1997

The effects of chronic hypoxia on renal function in the rat **501**, 243, 1997

The renal responsiveness to oxytocin in the lactating rat **504.P**, 222*P*, 1997

Electrically induced vasomotor responses and their propagation in rat renal vessels *in vivo* **505**, 493, 1997

Luminal and basolateral endothelin inhibit chloride reabsorption in the mouse thick ascending limb via a Ca^{2+}-independent pathway **505**, 749, 1997

Effect of pH on reabsorptive fluxes during *in vivo* microperfusion of Henle's loop in anaesthetized rats **505.P**, 109*P*, 1997

Renal handling of aluminium in anaesthetized rats: micropuncture measurements in proximal tubules **505.P**, 115*P*, 1997

Renal nerve

The use of chaos theory to estimate the peak interval sequence (PIS) of synchronized renal nerve activity (RNA) in anaesthetized rats **504.P**, 193*P*, 1997

Brachial nerve stimulation and power spectral analysis of blood pressure (BP) and renal nerve activity (RNA) in anaesthetized normotensive and hypertensive rats **504.P**, 193*P*, 1997

Renin

Effect of renal perfusion pressure (RPP) reduction and nerve stimulation on PRA and renal renin and angiotensinogen (Ang) mRNA in the anaesthetized rat **504.P**, 210*P*, 1997

Resistance

Intestinal blood flow is controlled by both feed arteries and microcirculatory resistance vessels in freely moving rats **498**, 215, 1997

Myogenic contraction by modulation of voltage-dependent calcium currents in isolated rat cerebral arteries **498**, 371, 1997

Pulmonary and systemic vascular resistance during 8 h of isocapnic hypoxia in humans **499.P**, 118*P*, 1997

Longitudinal impedance of isolated guinea-pig detrusor smooth muscle **501.P**, 113*P*, 1997

Respiration

Interstitial P_{CO_2} and pH, and their role as chemostimulants in the isolated respiratory network of neonatal rats **499**, 527, 1997

Changes in the central pattern generator may underlie operant conditioning of respiratory behaviour in *Lymnaea* **504.P**, 10*P*, 1997

Contraction of the human diaphragm during rapid postural adjustments **505**, 539, 1997

UMDS Respiratory System Courseware: a computer-aided learning package for medical and dental undergraduate teaching **505.P**, 2*P*, 1997

The central expiratory drive to vagal cardiac pre-ganglionic neurones in the anaesthetized cat **505.P**, 22*P*, 1997

Ventilatory response to added inspiratory resistance during rapid eye movement sleep in humans **505.P**, 32*P*, 1997

Respiratory control

Long-term facilitation of ventilation following repeated hypoxic episodes in awake goats **499**, 543, 1997

Integrated phrenic responses to carotid afferent stimulation in adult rats following perinatal hyperoxia **500**, 787, 1997

Non-NMDA receptors modulate respiratory drive in fetal sheep **501**, 415, 1997

Development of the respiratory rhythm generator in the chick hindbrain **504.P**, 22*S*, 1997

Ventilatory responses to hypoxia and hypercapnia after passive hyperventilation in humans **505.P**, 27*P*, 1997

Respiratory neurone

Evidence from motoneurone synchronization for disynaptic pathways in the control of inspiratory motoneurones in the cat **503**, 673, 1997

Effect of cardiopulmonary C fibre activation on the firing activity of ventral respiratory group neurones in the rat **504**, 453, 1997

Plasticity in functional projections of expiratory bulbospinal neurones in the cat **504.P**, 28*S*, 1997

Characteristics of the respiratory network in an arterially perfused preparation of the neonatal rat **504.P**, 200*P*, 1997

Projections from the nucleus retroambigualis (nRA) to the thoracic spinal cord of the cat studied with the anterograde axonal tracer *Phaseolus vulgaris*-leucoagglutinin (PHA-L) **505.P**, 85*P*, 1997

Respiratory rhythm

Interstitial P_{CO_2} and pH, and their role as chemostimulants in the isolated respiratory network of neonatal rats **499**, 527, 1997

cAMP-dependent reversal of opioid- and prostaglandin-mediated depression of the isolated respiratory network in newborn rats **504**, 127, 1997

Retina

Mechanism of memantine block of NMDA-activated channels in rat retinal ganglion cells: uncompetitive antagonism **499**, 27, 1997

Intracellular ATP activates inwardly rectifying K^+ channels in human and monkey retinal Müller (glial) cells **500**, 593, 1997

Cell death and the elimination of topographic errors in the hamster retinocollicular projection **501.P**, 95*P*, 1997

Gap-junctional communication in ganglion cells of the embryonic chick retina **504.P**, 170*P*, 1997

Electrical resonance and Ca^{2+} influx in the synaptic terminal of depolarizing bipolar cells from the goldfish retina **505**, 571, 1997

Effects of prolonged darkness on the responses of luminosity type horizontal cells in the cyprinid retina **505.P**, 60*P*, 1997

Light-evoked release of nitric oxide (NO) from the rabbit retina **505.P**, 61*P*, 1997

Retinal cone

Colour adaptation modifies the long-wave *versus* middle-wave cone weights and temporal phases in human luminance (but not red–green) mechanism **499**, 227, 1997

Retinal rod

Regulation of intracellular pH in salamander retinal rods **498**, 61, 1997

Effect of hydroxylamine on photon-like events during dark adaptation in toad rod photoreceptors **501**, 97, 1997

Prolongation by phytic acid of the time constant that dominates bright flash response recovery in rods isolated from the tiger salamander **504.P**, 124*P*, 1997

Linear transduction of natural stimuli by dark-adapted and light-adapted rods of the salamander, *Ambystoma tigrinum* **505**, 193, 1997

Ryanodine

Ca^{2+} release from internal stores: role in generating depolarizing after-potentials in rat supraoptic neurones **498**, 339, 1997

Interactions of 21-amino-9α-hydroxy-ryanodine with purified sheep cardiac ryanodine receptor channels (RyR) **499.P**, 17*P*, 1997

Identification and function of type 2 and type 3 ryanodine receptors in T84 gut epithelial cells **499.P**, 18*P*, 1997

Dual actions of tetracaine on intramembrane charge in amphibian striated muscle **501**, 589, 1997

The effect of ryanodine on the delayed rectifier potassium current in single cells isolated from the guinea-pig sino-atrial node **501.P**, 139*P*, 1997

Release and sequestration of calcium by ryanodine-sensitive stores in rat hippocampal neurones **502**, 13, 1997

Ryanodine receptor

Ca^{2+}-induced Ca^{2+} release mediates Ca^{2+} transients evoked by single action potentials in rabbit vagal afferent neurones **499**, 315, 1997

Interactions of 21-amino-9α-hydroxy-ryanodine with purified sheep cardiac ryanodine receptor channels (RyR) **499.P**, 17*P*, 1997

Expression of the RyR2 isoform of the ryanodine receptor/channel complex in human uterine artery smooth muscle (HUASM) cells **499.P**, 37*P*, 1997

The interaction of the carboxyl reagent EDC and the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **499.P**, 38*P*, 1997

Effect of calcium release channel regulators on ryanodine receptor association **499.P**, 5*S*, 1997

Ca^{2+} release-induced inactivation of Ca^{2+} current in rat ventricular myocytes: evidence for local Ca^{2+} signalling **500**, 285, 1997

Dual effects of tetracaine on spontaneous calcium release in rat ventricular myocytes **500**, 297, 1997

The immunophilin FK506-binding protein modulates Ca^{2+} release channel closure in rat heart **500**, 343, 1997

The effect of Ca^{2+}-calmodulin-dependent protein kinase II on cardiac excitation–contraction coupling in ferret ventricular myocytes **501**, 17, 1997

Functional and morphological features of skeletal muscle from mutant mice lacking both type 1 and type 3 ryanodine receptors **501**, 305, 1997

Regulation of the cytosolic Ca^{2+} concentration by Ca^{2+} stores in single smooth muscle cells from rat cerebral arteries **501**, 497, 1997

Gating properties of the lobster skeletal muscle ryanodine receptor **504.P**, 161*P*, 1997

Block of the ryanodine-modified cardiac sarcoplasmic reticulum (SR) Ca^{2+} release channel by *Shaker*B K^+ channel N-type inactivation peptides is influenced by the net charge of the peptide **504.P**, 162*P*, 1997

The interaction of 21-amino-9α-hydroxy-ryanodine with the sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channel is influenced by voltage **504.P**, 163*P*, 1997

Interactions of glycolytic pathway intermediates with sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channels **504.P**, 163*P*, 1997

Role of ryanodine receptors in long-term potentiation in the CA1 region of the rat hippocampal slice *in vitro* **504.P**, 218*P*, 1997

Partial depletion of sarcoplasmic reticulum calcium does not prevent calcium sparks in rat ventricular myocytes **505**, 665, 1997

Salivary gland

Role of submandibular and sublingual saliva in maintenance of taste sensitivity recorded in the chorda tympani of rats **498**, 797, 1997

Upregulation of Na^+–K^+–$2Cl^-$ cotransporter activity in rat parotid acinar cells by muscarinic stimulation **499**, 351, 1997

H^+ transporters in the main excretory duct of the mouse mandibular salivary gland **503**, 583, 1997

Sarcolemmal vesicle

Partition coeffecient of arachidonic acid estimated from pipette aspiration experiments on sarcolemmal vesicles from rabbit skeletal muscle **499.P**, 133*P*, 1997

Mercurial-insensitive aquaporin 4 is firmly anchored to mammalian skeletal muscle fibres **504.P**, 40*P*, 1997

Water permeability of sarcolemmal vesicles from mammalian skeletal muscle measured by pipette aspiration **504.P**, 40*P*, 1997

Sarcoplasmic reticulum

Relationship between depolarization-induced force responses and Ca^{2+} content in skeletal muscle fibres of rat and toad **498**, 571, 1997

Interactions of 21-amino-9α-hydroxy-ryanodine with purified sheep cardiac ryanodine receptor channels (RyR) **499.P**, 17*P*, 1997

The interaction of the carboxyl reagent EDC and the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **499.P**, 38*P*, 1997

Dual effects of tetracaine on spontaneous calcium release in rat ventricular myocytes **500**, 297, 1997

Measurement of sarcoplasmic reticulum Ca^{2+} content and sarcolemmal Ca^{2+} fluxes in isolated rat ventricular myocytes during spontaneous Ca^{2+} release **501**, 3, 1997

The effect of Ca^{2+}-calmodulin-dependent protein kinase II on cardiac excitation–contraction coupling in ferret ventricular myocytes **501**, 17, 1997

'Quantal' calcium release operated by membrane voltage in frog skeletal muscle **501**, 289, 1997

Functional and morphological features of skeletal muscle from mutant mice lacking both type 1 and type 3 ryanodine receptors **501**, 305, 1997

Measurement of sarcoplasmic reticulum calcium content after spontaneous calcium release in isolated rat ventricular myocytes **501.P**, 132*P*, 1997

Alteration of sarcolemmal and sarcoplasmic reticulum calcium fluxes in isolated rat ventricular myocytes produced by modulation of calcium-induced calcium release **501.P**, 133*P*, 1997

Small event Ca^{2+} release: a probable precursor of Ca^{2+} sparks in frog skeletal muscle **502**, 3, 1997

The effect of tetracaine on spontaneous Ca^{2+} release and sarcoplasmic reticulum calcium content in rat ventricular myocytes **502**, 471, 1997

Effect of saponin treatment on the sarcoplasmic reticulum of rat, cane toad and crustacean (yabby) skeletal muscle **504**, 425, 1997

Calcium-induced release of strontium ions from the sarcoplasmic reticulum of rat cardiac ventricular myocytes **504**, 565, 1997

Tetracaine only transiently inhibits contractions of rat isolated ventricular myocytes **504.P**, 82*P*, 1997

A 'double step' depolarization distinguishes between 'Ca^{2+}-induced Ca^{2+} release' and 'voltage-activated Ca^{2+} release' in ventricular myocytes from the guinea-pig heart **504.P**, 82*P*, 1997

Voltage dependence of the Ca^{2+} transient during β-adrenergic stimulation is altered by reducing Ca^{2+} influx in voltage-clamped isolated rat ventricular myocytes **504.P**, 90*P*, 1997

Cs^+ inhibits spontaneous Ca^{2+} release from the sarcoplasmic reticulum of skinned myocytes from rat hearts **504.P**, 93*P*, 1997

Gating properties of the lobster skeletal muscle ryanodine receptor **504.P**, 161*P*, 1997

Block of the ryanodine-modified cardiac sarcoplasmic reticulum (SR) Ca^{2+} release channel by *Shaker*B K^+ channel N-type inactivation peptides is influenced by the net charge of the peptide **504.P**, 162*P*, 1997

The interaction of 21-amino-9α-hydroxy-ryanodine with the sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channel is influenced by voltage **504.P**, 163*P*, 1997

Interactions of glycolytic pathway intermediates with sheep cardiac sarcoplasmic reticulum (SR) Ca^{2+}-release channels **504.P**, 163*P*, 1997

Sarcoplasmic reticulum Ca^{2+} content, L-type Ca^{2+} current and the Ca^{2+} transient in rat myocytes during β-adrenergic stimulation **505**, 385, 1997

Schwann cell

Selective downregulation of an inactivating K^+ conductance by analogues of cAMP in mouse Schwann cells **499**, 655, 1997

The role of ion channels in Schwann cell proliferation **501.P**, 19*P*, 1997

Muscarinic Ca^{2+} responses resistant to muscarinic antagonists at perisynaptic Schwann cells of the frog neuromuscular junction **504**, 337, 1997

Growth control and differentiation in clonally derived rat Schwann cells and Schwann cell progenitors **504.P**, 166*P*, 1997

Perisynaptic Schwann cells at the frog neuromuscular junction resemble astrocytes **504.P**, 5*S*, 1997

Scrapie

Scrapie infection alters the membrane and synaptic properties of mouse hippocampal CA1 pyramidal neurones **500**, 1, 1997

Second messenger

Modulation of the pulmonary chemoreflex by cyclic adenosine monophosphate (cAMP) within the nucleus tractus solitarii (NTS) of the anaesthetized rat **504.P**, 201*P*, 1997

Secretion

Upregulation of Na^+–K^+–$2Cl^-$ cotransporter activity in rat parotid acinar cells by muscarinic stimulation **499**, 351, 1997

Intracellular alkalinization mobilizes calcium from agonist-sensitive pools in rat lacrimal acinar cells **499**, 601, 1997

Calmodulin and calmodulin-binding proteins in mast cells: relationship to the cytoskeleton and to secretion **499.P**, 19*P*, 1997

Characterizing the Cl^- hypersecretion in rat distal colon *in vitro* induced by dietary deprivation: involvement of basolateral K^+ current **499.P**, 100*P*, 1997

Fatty acid-induced cholecystokinin secretion from STC-1 cells depends on acyl chain length and requires a free carboxyl group **499.P**, 101*P*, 1997

5-Hydroxytryptamine (5-HT) receptors mediating secretion by rat ileum *in vitro* **499.P**, 107*P*, 1997

Amine precursor uptake and decarboxylation: significance for processing of the rat gastrin precursor **501**, 363, 1997

The effect of age on protein and peroxidase secretion and morphological changes in the isolated rat lacrimal gland **501.P**, 155*P*, 1997

Increased sensitivity of gastrin cells to gastric distension following antral denervation in the rat **503**, 169, 1997

Calcium-dependent exocytosis in single patch-clamped human umbilical vein endothelial cells **504.P**, 206*P*, 1997

Intrinsic ionic mechanisms contribute to the control of thymulin release from thymic epithelia of rat *in vitro* **505.P**, 14*P*, 1997

Seizure

Modulation of endogenous firing patterns by osmolarity in rat hippocampal neurones **502**, 175, 1997

Selectin

Contribution of selectins to leucocyte sequestration in pulmonary microvessels by intravital microscopy in rabbits **501**, 375, 1997

Sensorimotor control

The influence of modality of metronome and modality of sensory feedback on human temporal-tracking performance **504.P**, 118*P*, 1997

Role of the cortical and striatal cholinergic systems in the performance of learned movements in rats **504.P**, 119*P*, 1997

Sensory neurone

Latent addition in motor and sensory fibres of human peripheral nerve **498**, 277, 1997

Ca^{2+}-induced Ca^{2+} release mediates Ca^{2+} transients evoked by single action potentials in rabbit vagal afferent neurones **499**, 315, 1997

NFκB expression in rat sensory neurons is down-regulated after peripheral nerve injury **499.P**, 124*P*, 1997

Excitability changes in human cutaneous afferents induced by prolonged repetitive axonal activity **500**, 255, 1997

Evidence suggesting a transcortical pathway from cutaneous foot afferents to tibialis anterior motoneurones in man **501**, 473, 1997

Block of persistent Na^+ current by protons over the physiological pH range in adult rat large sensory neurones in culture **504.P**, 49*P*, 1997

A dual high-frequency voltage-controlled oscillator (VCO) for audible detection of slow potential changes **504.P**, 59*P*, 1997

Reduced action potential (AP) duration in nociceptive dorsal root ganglion (DRG) neurones projecting to inflamed tissue in guinea-pigs **504.P**, 100*P*, 1997

Serotonin

Long-term facilitation of ventilation following repeated hypoxic episodes in awake goats **499**, 543, 1997

Differing effects of histamine and serotonin on microvascular permeability in anaesthetized rats **501**, 657, 1997

Evidence that central 5-HT_{2B} and 5-HT_{2A} receptors play a role in cardiovascular regulation in the anaesthetized rat **501.P**, 71*P*, 1997

Uptake and storage of serotonin in rodent thalamocortical neurons during postnatal development **501.P**, 94*P*, 1997

Effect of age on rat striatal G protein activation by dopamine and serotonin **501.P**, 171*P*, 1997

Metabotropic synaptic regulation of intrinsic response properties of turtle spinal motoneurones **504**, 97, 1997

Trigeminal neurones that receive non-nociceptive vibrissal input in the anaesthetized rat: effects of convergent nociceptive input from the dura-mater and of a 5-$HT_{1B/1D}$ agonist **504.P**, 103*P*, 1997

Spinal monoaminergic modulation of the exercise pressor response in goats **504.P**, 196*P*, 1997

Further evidence that central 5-HT_{1A} receptors are involved in the reflex activation of cardiac vagal preganglionic neurones in anaesthetized rabbits **504.P**, 197*P*, 1997

Transport of serotonin and intracellular concentration in platelets of human normal and severe pre-eclamptic pregnancies **504.P**, 205*P*, 1997

Extrinsic and intrinsic neuromodulation of motor systems: physiological mechanisms for behavioural flexibility **504.P**, 2*S*, 1997

Central neurosecretion and neuromodulation in the moth *Manduca sexta*: serotonin in the olfactory pathway **504.P**, 4*S*, 1997

The role of brainstem serotonin (5-HT) receptor subtypes in control of vagal motor activity **504.P**, 25*S*, 1997

Sheep

A comparative study of cardiovascular, endocrine and behavioural effects of betamethasone and dexamethasone administration to fetal sheep **499**, 217, 1997

Initial effects of *Yucca shidigera* extract and high strength yeast culture on ovine ruminal fermentation of hay *in vitro* **501.P**, 160*P*, 1997

Comparison of the effects of *E. coli* lipopolysaccharide given by intrajugular and intracoeliac routes in the sheep **501.P**, 160*P*, 1997

Lymph flow pattern in the intact thoracic duct in sheep **503**, 223, 1997

Ca^{2+} current and Ca^{2+}-activated chloride current in isolated smooth muscle cells of the sheep urethra **505**, 121, 1997

Cardiovascular development in late gestation fetal sheep and young lambs following modest maternal nutrient restriction in early gestation **505.P**, 18*P*, 1997

Shortening velocity

The effect of intracellular pH on contractile function of intact, single fibres of mouse muscle declines with increasing temperature **500**, 193, 1997

Signal transduction

Evidence implicating a Na^+–Ca^{2+} exchanger in response recovery in isolated frog olfactory receptor cells **504.P**, 125*P*, 1997

Single channel

Recombinant nicotinic receptors, expressed in *Xenopus* oocytes, do not resemble native rat sympathetic ganglion receptors in single-channel behaviour **500**, 123, 1997

Sino-atrial node

The newborn rabbit sino-atrial node expresses a neuronal type I-like Na^+ channel **498**, 641, 1997

Differential control of the hyperpolarization-activated current (i_f) by cAMP gating and phosphatase inhibition in rabbit sino-atrial node myocytes **500**, 643, 1997

Activation of f-channels by cAMP analogues in macropatches from rabbit sino-atrial node myocytes **501**, 565, 1997

Biphasic chronotropic effect of nitric oxide in the isolated guinea-pig sino-atrial node/atrial preparation **501.P**, 125*P*, 1997

The effect of ryanodine on the delayed rectifier potassium current in single cells isolated from the guinea-pig sino-atrial node **501.P**, 139*P*, 1997

The effect of hypoxia on the rabbit sino-atrial node **504.P**, 84*P*, 1997

Ionic currents during sustained pacemaker activity in rabbit sino-atrial myocytes **505**, 677, 1997

Site-directed mutagenesis

Single subunit mutations of the murine K^+ channel IRK1 **499.P**, 125*P*, 1997

Skeletal muscle

Similarity of ATP-dependent K^+ channels in skeletal muscle fibres from normal and mutant mdx mice **498**, 319, 1997

Relationship between depolarization-induced force responses and Ca^{2+} content in skeletal muscle fibres of rat and toad **498**, 571, 1997

The role of ATP in the regulation of intracellular Ca^{2+} release in single fibres of mouse skeletal muscle **498**, 587, 1997

A surface potential change in the membranes of frog skeletal muscle is associated with excitation–contraction coupling **499**, 787, 1997

Capillary growth in overloaded rat skeletal muscle: an ultrastructural study **499.P**, 39*P*, 1997

Involvement of vascular endothelial growth factor in capillary growth as a result of chronic electrical stimulation of skeletal muscle in conscious rats **499.P**, 39*P*, 1997

Muscle length changes following strength training of the adductor pollicis muscle **499.P**, 83*P*, 1997

Does chronic systemic hypoxia induce angiogenesis in skeletal muscle of the rat? **499.P**, 118*P*, 1997

Partition coeffecient of arachidonic acid estimated from pipette aspiration experiments on sarcolemmal vesicles from rabbit skeletal muscle **499.P**, 133*P*, 1997

Ischaemic skeletal muscle hyperaemia in the anaesthetized cat: no contribution of A_{2A} adenosine receptors **500**, 205, 1997

Direct observations of sympathetic cholinergic vasodilatation of skeletal muscle small arteries in the cat **500**, 213, 1997

Active and passive forces of isolated myofibrils from cardiac and fast skeletal muscle of the frog **500**, 535, 1997

Functional improvement of damaged adult mouse muscle by implantation of primary myoblasts **500**, 775, 1997

pH-dependent interactions of Cd^{2+} and a carboxylate blocker with the rat ClC-1 chloride channel and its R304E mutant in the Sf-9 insect cell line **501**, 355, 1997

Distribution of sarcomere length and intracellular calcium in mouse skeletal muscle following stretch-induced injury **502**, 649, 1997

Sprint training enhances ionic regulation during intense exercise in men **501**, 687, 1997

Charge movement in cut twitch fibres of *Rana temporaria* containing 0·1 mM EGTA **503**, 563, 1997

Regulation of Na^+–K^+ pump activity in contracting rat muscle **503**, 571, 1997

Lymph flow dynamics in exercising human skeletal muscle as detected by scintography **504**, 233, 1997

Effect of saponin treatment on the sarcoplasmic reticulum of rat, cane toad and crustacean (yabby) skeletal muscle **504**, 425, 1997
Adenosine formation in contracting primary rat skeletal muscle cells and endothelial cells in culture **504**, 695, 1997
Water permeability of sarcolemmal vesicles from mammalian skeletal muscle measured by pipette aspiration **504.P**, 40*P*, 1997
Mercurial-insensitive aquaporin 4 is firmly anchored to mammalian skeletal muscle fibres **504.P**, 40*P*, 1997
Viscous-like resistance to stretch in active mammalian muscle fibres **504.P**, 61*P*, 1997
Effects of the β-agonist clenbuterol on sarcoplasmic reticulum Ca^{2+} release, loading and leak in skinned fast- and slow-twitch mammalian skeletal muscle fibres **504.P**, 226*P*, 1997
The effects of nitric oxide on the maximum shortening velocity of frog and mouse skeletal muscle **504.P**, 228*P*, 1997
The effect of Octreotide on the induction of proto-oncogenes c-Fos and c-Jun, in rabbit latissimus dorsi by high-frequency electrical stimulation **504.P**, 229*P*, 1997
Na^+–K^+ pump stimulation induces recovery of M-wave and tetanic force in rat soleus muscles at reduced Na^+/K^+ gradients **504.P**, 231*P*, 1997
Sodium-withdrawal contractures in fast twitch skeletal muscle of frog elicited by inhibiting sarcoplasmic reticulum Ca^{2+}-ATPase **504.P**, 232*P*, 1997
Changes in fibre water and Na^+, K^+ contents during hyposmotic treatment and excitation in rat soleus muscle **504.P**, 232*P*, 1997
Effects of protein kinase A (PKA) inhibition on excitation–contraction coupling (ECC) in isolated fast-twitch mouse skeletal muscle **504.P**, 233*P*, 1997
Intramembrane charge movement and sarcoplasmic calcium release in enzymatically isolated mammalian skeletal muscle fibres **505**, 371, 1997
Correlation between the ability to respond to T-system depolarization and the glycogen content of mechanically skinned fibres of the cane toad **505.P**, 89*P*, 1997

Skin

Relationship of substance P to afferent characteristics of dorsal root ganglion neurones in guinea-pig **505**, 177, 1997
The effects of 4% amethocaine gel on sensory and autonomic function in the skin of human volunteers **505.P**, 36*P*, 1997

Skinned muscle fibre

Detachment of low-force bridges contributes to the rapid tension transients of skinned rabbit skeletal muscle fibres **501**, 149, 1997
Sarcomere length dependence of the rate of tension redevelopment and submaximal tension in rat and rabbit skinned skeletal muscle fibres **501**, 607, 1997

Sleep

Changes in pharyngeal calibre during breaths preceding obstructive sleep apnoea in humans **499.P**, 69*P*, 1997
Fast (mainly 30-100 Hz) oscillations in the cat cerebellothalamic pathway and their synchronization with cortical potentials **504**, 153, 1997
Variation of electroencephalographic activity during non-rapid eye movement and rapid eye movement sleep with phase of circadian melatonin rhythm in humans **505**, 851, 1997
Ventilatory response to added inspiratory resistance during rapid eye movement sleep in humans **505.P**, 32*P*, 1997

Slow wave

Coherent oscillations in monkey motor cortex and hand muscle EMG show task-dependent modulation **501**, 225, 1997

Small intestine

Electrophysiological properties of neurones in the internal and external submucous plexuses of newborn pig small intestine **498**, 773, 1997
Anti-peptide antibodies as probes of the structure and subcellular distribution of the sodium-dependent nucleoside transporter, rCNT1 **499.P**, 50*P*, 1997
The effect of fat and glucose solutions on the rate of gastric emptying and energy delivery to the small intestine in man **499.P**, 78*P*, 1997
pH_o dependence of pH_i in mouse isolated small intestinal enterocytes **499.P**, 105*P*, 1997
Na^+–K^+-ATPase activity in normal and cystic fibrosis (CF) intestine **499.P**, 106*P*, 1997
Intestinal assimilation of dextran in man **499.P**, 110*P*, 1997
A novel GLYT1 glycine transporter in human small intestine **504.P**, 147*P*, 1997
The absorption of plant phenylpropanoids across isolated rat small intestine **504.P**, 152*P*, 1997

Smooth muscle

An ATP-gated cation channel with some P2Z-like characteristics in gastric smooth muscle cells of toad **498**, 427, 1997
α_1-Adrenoceptor activation of a non-selective cation current in rabbit portal vein by 1,2-diacyl-*sn*-glycerol **499**, 417, 1997
Effect of metabolic inhibition on intracellular Ca^{2+}, phosphorylation of myosin regulatory light chain and force in rat smooth muscle **499**, 485, 1997
Non-genomic mechanism of 17β-oestradiol-induced inhibition of contraction in mammalian vascular smooth muscle **499**, 497, 1997
Sulphonylurea receptor 2B and Kir6.1 form a sulphonylurea-sensitive but ATP-insensitive K^+ channel **499**, 715, 1997
Depletion of both IP_3-sensitive and ryanodine-sensitive calcium stores activates capacitative calcium entry in smooth muscle cells isolated from the mouse anococcygeus **499.P**, 2*P*, 1997
Regulation of a non-capacitative bivalent cation entry pathway by vasopressin in A7r5 rat smooth muscle cells **499.P**, 3*P*, 1997
Role of Ca^{2+} stores in Ca^{2+} signalling in rat isolated resistance-sized cerebral artery smooth muscle **499.P**, 5*P*, 1997
Calcium sensitization and calcium release in permeabilized neonatal rat portal vein **499.P**, 6*P*, 1997
The role of the L-type Ca^{2+} channel in cholinergic pathways in guinea-pig detrusor smooth muscle **499.P**, 7*P*, 1997
Effects of modulators of sarcoplasmic reticular function on intracellular Ca^{2+} ($[Ca^{2+}]_i$) and force of rat isolated myometrium **499.P**, 8*P*, 1997
Calcitonin gene-related peptide (CGRP) activates an ATP-sensitive potassium (K_{ATP}) current in pig coronary vascular smooth muscle cells via cyclic AMP-dependent protein kinase (PKA) **499.P**, 11*P*, 1997
Contractions and relaxations evoked by nitric oxide in human urinary bladder **499.P**, 35*P*, 1997
Expression of the RyR2 isoform of the ryanodine receptor/channel complex in human uterine artery smooth muscle (HUASM) cells **499.P**, 37*P*, 1997
ATP and endothelin-1 preferentially activate a Ca^{2+}-activated Cl^- over K^+, current in rat pulmonary arterial myocytes **499.P**, 129*P*, 1997
Possible role of atypical protein kinase C activated by arachidonic acid in Ca^{2+} sensitization of rabbit smooth muscle **500**, 95, 1997
Co-ordination of contractile activity in guinea-pig mesenteric lymphatics **500**, 235, 1997
Contrasting effects of intracellular redox couples on the regulation of maxi-K channels in isolated myocytes from rabbit pulmonary artery **500**, 583, 1997
Energetic cost of activation processes during contraction of swine arterial smooth muscle **501**, 213, 1997
Stretch-activated whole-cell currents in smooth muscle cells from mesenteric resistance artery of guinea-pig **501**, 343, 1997
Membrane currents of cultured smooth muscle cells from the guinea-pig urinary bladder **501.P**, 111*P*, 1997
Agonist mobilization of sarcoplasmic reticular calcium during inhibition of Na^+–Ca^{2+} exchange in isolated rat uterine smooth muscle **501.P**, 113*P*, 1997
Longitudinal impedance of isolated guinea-pig detrusor smooth muscle **501.P**, 113*P*, 1997
The effects of raised pH on force in isolated rat lung strip **501.P**, 114*P*, 1997
An investigation into the role of pH in gastric smooth muscle **501.P**, 114*P*, 1997
Intracellular Na^+ measurements in guinea-pig ureteric smooth muscle using SBFI **501.P**, 115*P*, 1997
Activation of two inward chloride pumps in rat arterial smooth muscle by noradrenaline *in vitro* **501.P**, 116*P*, 1997
A regulation of L-type calcium channels in intestinal smooth muscle cells by protein kinases **501.P**, 118*P*, 1997
Na^+–Ca^{2+} exchange does not regulate the cytosolic Ca^{2+} concentation in rat superior cerebral artery smooth muscle cells **501.P**, 118*P*, 1997
Activation of small conductance Ca^{2+}-dependent K^+ channels by purinergic agonists in smooth muscle cells of the mouse ileum **502**, 497, 1997
Outward currents in smooth muscle cells isolated from sheep mesenteric lymphatics **503**, 1, 1997
Tetrodotoxin-sensitive sodium current in sheep lymphatic smooth muscle **503**, 13, 1997
Effects of hypoxia on $[Ca^{2+}]_i$, pH_i and myosin light chain phosphorylation in guinea-pig taenia caeci **503**, 427, 1997
Angiotensin II inhibition of ATP-sensitive K^+ currents in rat arterial smooth muscle cells through protein kinase C **503**, 489, 1997

Functional electrical properties of the endothelium in lymphatic vessels of the guinea-pig mesentery **504**, 439, 1997
A transient dilatation of isolated, pressurized rat cerebral resistance arteries in response to step changes in pressure is mediated by endothelial-dependent NO activation of guanylate cyclase **504**, 190*P*, 1997
Molecular cloning, characterization and assignment of smooth muscle K^+ channels **504.P**, 10*S*, 1997
Modulation of Ca^{2+}-activated Cl^- currents in rabbit portal vein smooth muscle by an inhibitor of mitochondrial Ca^{2+} uptake **505**, 53, 1997
Hypoxia-induced inhibition of calcium channels in guinea-pig taenia caeci smooth muscle cells **505**, 107, 1997
Ca^{2+} current and Ca^{2+}-activated chloride current in isolated smooth muscle cells of the sheep urethra **505**, 121, 1997
Consequences of metabolic inhibition in smooth muscle isolated from guinea-pig stomach **505**, 229, 1997
Characterization of a calcium-dependent chloride current in isolated sheep mesenteric lymphatic smooth muscle cells **505.P**, 96*P*, 1997
Modulation of calcium-activated chloride currents in single smooth muscle cells by diamide **505.P**, 96*P*, 1997
Large conductance Ca^{2+}-dependent K^+ channels in myocytes from human pulmonary artery **505.P**, 97*P*, 1997
A developmental study of the sympathetic innervation of rat iris arterioles **505.P**, 100*P*, 1997
Focal changes in nerve, muscle and connective tissue density in human idiopathic bladder **505.P**, 101*P*, 1997
The effects of metabolic inhibition on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated myometria of pregnant rats **505.P**, 103*P*, 1997
Differential regulation of human airway smooth muscle cell proliferation and phenotype by components of the extracellular matrix **505.P**, 105*P*, 1997
The rhythmical bursting behaviour of single sympathetic fibres innervating the caudal ventral tail artery in anaesthetized rats is not driven by sensory afferents from the tail **505.P**, 106*P*, 1997

Snail

Changes in the central pattern generator may underlie operant conditioning of respiratory behaviour in *Lymnaea* **504.P**, 10*P*, 1997
Volatile anaesthetics and barbiturates have differential effects on time constant and input capacitance of identified molluscan neurones **504.P**, 16*P*, 1997
Calcium currents in the buccal motoneurons of the pond snail, *Lymnaea stagnalis* **504.P**, 16*P*, 1997
Further evidence for a role for nitric oxide in the modulation of *Achatina* and *Helix* heart activity **504.P**, 18*P*, 1997
The effects of pQPPLPRYamide on identified central neurones of *Helix aspersa* **504.P**, 19*P*, 1997
Calcium currents in identified *Lymnaea* neurones are depressed by fenchone **504.P**, 21*P*, 1997

Sodium

Mitochondria accumulate Ca^{2+} following intense glutamate stimulation of cultured rat forebrain neurones **498**, 31, 1997
Regulation of intracellular sodium in cultured rat hippocampal neurones **499**, 573, 1997
Effects of sodium removal on the oscillatory response to prolonged stimulation in frog olfactory receptor cells **499.P**, 88*P*, 1997
Intracellular Na^+ measurements in guinea-pig ureteric smooth muscle using SBFI **501.P**, 115*P*, 1997
Effects of desoxycorticosterone corticosterone and glycyrrhetinic acid on sodium appetite and c-*fos* expression in rat **501.P**, 166*P*, 1997
The absence of a Na^+-activated K^+ current ($I_{K,Na}$) in rat ventricular myocytes **504.P**, 78*P*, 1997
The relationship between $[Na^+]_i$ and $[K^+]_i$ during Ca^{2+} depletion in guinea-pig and rat ventricular myocytes **504.P**, 79*P*, 1997
The Na^+-dependent acid extrusion mechanism in rat cerebellar astrocytes **504.P**, 185*P*, 1997
Epidermal growth factor (EGF) up-regulates the amiloride-sensitive Na^+ conductance of cultured adult rat alveolar pneumocytes **505.P**, 65*P*, 1997

Sodium–calcium exchange

The role of Na^+–Ca^{2+} exchange current in electrical restitution in ferret ventricular cells **504**, 301, 1997
Characterization of the inward current induced by metabotropic glutamate receptor stimulation in rat ventromedial hypothalamic neurones **504**, 649, 1997

Sodium channel

Solvent-dependent rate-limiting steps in the conformational change of sodium channel gating in squid giant axon **498**, 109, 1997
Latent addition in motor and sensory fibres of human peripheral nerve **498**, 277, 1997
Modulation of the human cardiac sodium channel α-subunit by cAMP-dependent protein kinase and the responsible sequence domain **498**, 309, 1997
Quisqualate-preferring metabotropic glutamate receptor activates Na^+–Ca^{2+} exchange in rat basolateral amygdala neurones **499**, 87, 1997
Human Na^+ channel fast and slow inactivation in paramyotonia congenita mutants expressed in *Xenopus laevis* **499**, 589, 1997
Sodium channel distribution within the rabbit atrioventricular node as analysed by confocal microscopy **501**, 263, 1997
Na^+–Ca^{2+} exchanger shapes the calcium response to kainate in mouse Bergmann glial cells *in situ* **501.P**, 19*P*, 1997
Implication of Na^+ channels and $GABA_A$ receptors in growth and malignancy of glial tumours **501.P**, 21*P*, 1997
The fetal guinea-pig lung near term displays a rise in αENaC mRNA expression that is independent of labour **501.P**, 63*P*, 1997
The effects of cyclopiazonic acid and low Na^+ on $[Ca^{2+}]_i$ and force in isolated rat gastric smooth muscle **501.P**, 112*P*, 1997
Na^+–Ca^{2+} exchange does not regulate the cytosolic Ca^{2+} concentation in rat superior cerebral artery smooth muscle cells **501.P**, 118*P*, 1997
Electrogram fractionation in the long QT syndrome and as modelled in perfused heart by inhibition of inactivation of SCN5A-encoded ion channels **501.P**, 129*P*, 1997
Lymphocyte calcium homeostasis: a cellular model for studying physiology and pathophysiology **501.P**, 150*P*, 1997
Plasticity of Na^+ channels in afferent neurones innervating rat urinary bladder following spinal cord injury **503**, 269, 1997
Functional distribution of three types of Na^+ channel on soma and processes of dorsal horn neurones of rat spinal cord **503**, 371, 1997
Action potential propagation into the presynaptic dendrites of rat mitral cells **504**, 359, 1997
Background sodium channels are necessary for maintenance of beating pacemaker activity in insect neurosecretory cells **504.P**, 27*P*, 1997
The cardiac Na^+–Ca^{2+} exchanger is not modulated by cytoskeletal disruption or stabilization in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Role of the plasma membrane Na^+–Ca^{2+} exchanger, Ca^{2+}–H^+ pump and mitochondria in regulation of basal cytoplasmic calcium in cultured rat cerebellar granule cells **504.P**, 53*P*, 1997
The effect of osmotically induced volume changes on the membrane capacitance of guinea-pig cardiac cells **504.P**, 71*P*, 1997
Myristyl FRCRCFa: a membrane-permeant blocker of the Na^+–Ca^{2+} exchanger that is effective when applied extracellularly to rabbit cardiac ventricular myocytes **504.P**, 92*P*, 1997
Evidence implicating a Na^+–Ca^{2+} exchanger in response recovery in isolated frog olfactory receptor cells **504.P**, 125*P*, 1997
Electrophysiological characterization of human brain type IIA Na^+ channel α subunits stably expressed in a mammalian cell line **504.P**, 154*P*, 1997
Postnatal changes in excitation–contraction coupling in rat skeletal muscle **504.P**, 226*P*, 1997
Muscle fatigue with hyperthyroidism: the importance of Na^+ channel concentration relative to that of the Na^+–K^+ pump **504.P**, 230*P*, 1997
Sodium-withdrawal contractures in fast twitch skeletal muscle of frog elicited by inhibiting sarcoplasmic reticulum Ca^{2+}-ATPase **504.P**, 232*P*, 1997
The voltage-gated sodium channel molecule **504.P**, 8*S*, 1997
Molecular regulation of the Na^+–Ca^{2+} exchanger **504.P**, 9*S*, 1997
Role in fast inactivation of the IV/S4-S5 loop of the human muscle Na^+ channel probed by cysteine mutagenesis **505**, 345, 1997
Functional differences in Na^+ channel gating between fast-spiking interneurones and principal neurones of rat hippocampus **505**, 593, 1997

Sodium current

Exotoxin-insensitive G proteins mediate synaptically evoked muscarinic sodium current in rabbit sympathetic neurones **498**, 627, 1997
The newborn rabbit sino-atrial node expresses a neuronal type I-like Na^+ channel **498**, 641, 1997
Ionic mechanism of the effects of hydrogen peroxide in rat ventricular myocytes **500**, 631, 1997
Tetrodotoxin-sensitive sodium current in sheep lymphatic smooth muscle **503**, 13, 1997

Longitudinal distribution of Na^+ and Ca^{2+} channels and β-adrenoceptors on the sarcolemmal membrane of frog cardiomyocytes **503**, 471, 1997
Oxygen deprivation inhibits Na^+ current in rat hippocampal neurones via protein kinase C **503**, 479, 1997
Block of persistent Na^+ current by protons over the physiological pH range in adult rat large sensory neurones in culture **504.P**, 49*P*, 1997
Tetrodotoxin-blockable calcium currents in rat ventricular myocytes; a third type of cardiac cell sodium current **505**, 353, 1997

Sodium–hydrogen exchange

Intracellular pH and calcium in frog early distal tubule: effects of transport inhibitors **498**, 49, 1997
Na^+–H^+ exchange in normal and cystic fibrotic mouse jejunal crypts **499.P**, 60*P*, 1997
H^+ transporters in the main excretory duct of the mouse mandibular salivary gland **503**, 583, 1997
Regulatory volume increase in β-cells isolated from the rat pancreas **504.P**, 142*P*, 1997
The Na^+-dependent acid extrusion mechanism in rat cerebellar astrocytes **504.P**, 185*P*, 1997

Sodium–magnesium exchange

The distribution of Mg in ferret ventricular papillae in Tyrode solution and on Na^+ removal **505.P**, 92*P*, 1997

Sodium–potassium ATPase

Regulation of intracellular sodium in cultured rat hippocampal neurones **499**, 573, 1997
Nucleotide-dependent release of $Co(NH_3)_4ATP$ tightly bound to inactivated pig kidney Na^+, K^+-ATPase **499.P**, 25*P*, 1997
Na^+–K^+-ATPase activity in normal and cystic fibrosis (CF) intestine **499.P**, 106*P*, 1997
Electrogenic K^+ transport by the Na^+–K^+ pump in rat cardiac ventricular myocytes **501**, 33, 1997
The electrogenic effects of Na^+–K^+-ATPase in rat auditory thalamus **502**, 375, 1997
Differential Na^+–K^+-ATPase activity in rat lemniscal and non-lemniscal auditory thalami **502**, 387, 1997
Photoinactivation of FITC-modified pig kidney Na^+,K^+-ATPase by TNP-8N_3-ADP: simultaneous occupation of two nucleotide sites on the minimal enzyme unit **504.P**, 35*P*, 1997
Na^+–K^+ pump stimulation induces recovery of M-wave and tetanic force in rat soleus muscles at reduced Na^+/K^+ gradients **504.P**, 231*P*, 1997

Sodium–potassium pump

Spatiotemporal gradients of intra-axonal $[Na^+]$ after transection and resealing in lizard peripheral myelinated axons **498**, 295, 1997
Nucleotide-dependent release of $Co(NH_3)_4ATP$ tightly bound to inactivated pig kidney Na^+, K^+-ATPase **499.P**, 25*P*, 1997
Electrogenic K^+ transport by the Na^+–K^+ pump in rat cardiac ventricular myocytes **501**, 33, 1997
Effects of acetylcholine on the Na^+–K^+ pump current in guinea-pig ventricular myocytes **501**, 527, 1997
Regulation of Na^+–K^+ pump activity in contracting rat muscle **503**, 571, 1997
Influences of extracellular pH (pH_o) on the outward current induced by the return of Mg^{2+} to the Ca^{2+}-free medium of the calcium paradox in isolated guinea-pig ventricular myocytes **504.P**, 45*P*, 1997
Reduced Na^+ pump capacity in cardiomyocytes from rats with congestive heart failure due to myocardial infarction **504.P**, 88*P*, 1997

Software

A new version of the Strathclyde Electrophysiology software package running within the Microsoft Windows environment **504.P**, 57*P*, 1997

Soleus muscle

Sarcomere dynamics and contraction-induced injury to maximally activated single muscle fibres from soleus muscles of rats **500**, 523, 1997
Mechanical study of rat soleus muscle using caged ATP and X-ray diffraction: high ADP affinity of slow cross-bridges **502**, 433, 1997

Somatosensory system

Disruptive effects of monoamine oxidase A inhibition on mouse barrelfield formation: determination of a critical developmental period **501.P**, 104*P*, 1997
Novel circuits allowing intrathalamic interactions between modality-related nuclei in the rat dorsal thalamus **504.P**, 169*P*, 1997
Movement-related modulation of tactile feedback **504.P**, 17*S*, 1997
The effects of neonatal median nerve injury on the responsiveness of tactile neurones within the cuneate nucleus of the cat **505**, 759, 1997
Quantitative analysis of cuneate neurone responsiveness in the cat in association with reversible, partial deafferentation **505**, 769, 1997
Cardiovascular/nociceptive interplay: afferents and brainstem nuclei **505.P**, 9*S*, 1997

Somatostatin

Different G proteins mediate somatostatin-induced inward rectifier K^+ currents in murine brain and endocrine cells **502**, 559, 1997
Cholecystokinin (CCK) regulates somatostatin secretion through both the CCK-A and CCK-B/gastrin receptors in sheep **505**, 811, 1997

Somatotroph

Growth hormone-releasing hormone triggers pacemaker activity and persistent Ca^{2+} oscillations in rat somatotrophs **493**, 613, 1997

Spermine

Permeation and block of rat GluR6 glutamate receptor channels by internal and external polyamines **502**, 575, 1997

Spinal cord

Temperature sensitivity of neurones in slices of the rat spinal cord **498**, 483, 1997
Recurrent inhibition between motor nuclei innervating opposing wrist muscles in the human upper limb **499**, 267, 1997
Changes in a hindlimb withdrawal reflex in anaesthetized rabbits undergoing surgical preparation for acute electrophysiological experiments **499.P**, 93*P*, 1997
Fos co-localizes with substance P receptor (NK_1) in a subpopulation of rat spinal cord neurons following noxious peripheral stimulation **501.P**, 16*P*, 1997
A confocal microscopic analysis of contacts formed by serotoninergic and noradrenergic axons with electrophysiologically characterized spinal interneurons in the anaesthetized cat **501.P**, 40*P*, 1997
The creation of 'synaptic space' in the superficial dorsal horn by lesioning descending spinal pathways does not elicit sprouting of Aβ-primary afferent neurones in the adult rat **501.P**, 48*P*, 1997
Fast synaptic activity induced by dopamine on sympathetic preganglionic neurones in the neonatal rat spinal cord transverse slice is not mediated by glycine GABA or excitatory amino acids **501.P**, 82*P*, 1997
Gradients of glial fibrillary acidic protein (GFAP) immunoreactivity in the developing spinal cord of the opossum *Monodelphis domestica* **501.P**, 101*P*, 1997
Functional distribution of three types of Na^+ channel on soma and processes of dorsal horn neurones of rat spinal cord **503**, 371, 1997
Spinal cord function in a novel arterially perfused trunk–hindquarters preparation of adult mouse **504.P**, 56*P*, 1997
Simultaneous recordings of whole-cell postsynaptic currents of motoneurones, of dorsal root-evoked ventral root potentials and of dorsal root compound action potentials in rat hemisected spinal cord preparation *in vitro* **504.P**, 62*P*, 1997
C-*fos* expression in spinal cord of rat following noxious pinch to the forelimb **504.P**, 68*P*, 1997
Possible role of GluR5 glutamate receptors in spinal nociceptive processing in the anaesthetized rat **504.P**, 101*P*, 1997
Enhancement of polysynaptic reflexes in the decerebrated rabbit by 8-hydroxy-2-(di-*n*-propylamino)tetralin (8-OH-DPAT) does not involve 5-HT_{1D} receptors **504.P**, 104*P*, 1997
Primary afferent input to spinal LI neurones expressing neurokinin 1 (NK_1) receptors, evidence for both pre- and postsynaptic inhibition by a μ-opioid agonist, in the rat **504.P**, 106*P*, 1997
Supraspinal α_1-adrenoceptor activation enhances α_2-mediated reduction of spinal reflexes in anaesthetized rats **504.P**, 106*P*, 1997
Naloxone enhancement of the expression of fos-like immunoreactivity in the spinal cord of decerebrated rabbits **504.P**, 107*P*, 1997
Extracellular space volume and geometry in the developing rat spinal cord: effects of potassium and hyposmotic stress **504.P**, 168*P*, 1997
Different presynaptic Ca^{2+} channels influence evoked EPSCs and spontaneous, miniature EPSCs in rodent spinal lamina I and II neurones **504.P**, 175*P*, 1997
Plasticity in functional projections of expiratory bulbospinal neurones in the cat **504.P**, 28*S*, 1997
Tonic inhibition of spinal reflexes mediated through 5-HT_{1A}-receptors in decerebrated and in anaesthetized rabbits subjected to different levels of surgical preparation **505.P**, 36*P*, 1997
Evidence for contacts between monoaminergic axons and inhibitory neurons of the superficial dorsal horn in the rat spinal cord **505.P**, 37*P*, 1997
Descending influences differentially modulate superficial lamina I and deep multireceptive dorsal horn neurones in the rat **505.P**, 38*P*, 1997

The effects of spinalization and naloxone pretreatment on Fos expression in the rat spinal cord following noxious stimulation **505.P**, 40*P*, 1997
LIF mRNA distribution in lumbar spinal cord and its modification by peripheral inflammation and nerve injury **505.P**, 42*P*, 1997
Projections from the nucleus retroambigualis (nRA) to the thoracic spinal cord of the cat studied with the anterograde axonal tracer *Phaseolus vulgaris*-leucoagglutinin (PHA-L) **505.P**, 85*P*, 1997
Presynaptic modulation of afferent inflows to spinal sensory systems **505.P**, 10*S*, 1997

Spinal injury
Recruitment and facilitation of the corticospinal system revealed using transcranial magnetic stimulation in incomplete spinal cord injury patients **501.P**, 43*P*, 1997

Spinal reflex
Some quantitative estimates of convergence on human spinal interneurones from a study of occlusion **501.P**, 41*P*, 1997
Differences in input from group II muscle afferents to γ-motoneurones of five hindlimb muscles **505.P**, 76*P*, 1997
Noradrenaline and its α_2-agonists counteract activation of γ-motoneurones **505.P**, 77*P*, 1997

Squid
Solvent-dependent rate-limiting steps in the conformational change of sodium channel gating in squid giant axon **498**, 109, 1997
K^+ accumulation and K^+ conductance inactivation during action potential trains in giant axons of the squid *Sepioteuthis* **500**, 355, 1997
Effects of FMRFamide on L-type and T-type calcium currents in isolated heart cells from the squid, *Loligo forbesii* **504.P**, 11*P*, 1997
Different excitation–contraction (EC) coupling mechanisms in squid and cuttlefish mantle muscle **504.P**, 15*P*, 1997
Calcium currents in cardiac myocytes of squid *Alloteuthis subulata*, *Loligo forbesii* and *L. vulgaris* **504.P**, 21*P*, 1997

Steroid hormone
Rapid effects of steroid hormones on free intracellular calcium in the colonic epithelial cell line T84 **499.P**, 5*P*, 1997
Multiple modulatory effects of the neuroactive steroid pregnanolone on $GABA_A$ receptor in frog pituitary melanotrophs **504**, 387, 1997

Stimulation
Innervation ratio and motor unit force in large muscles: a study of chronically stimulated cat medial gastrocnemius **499**, 809, 1997
The effect of 21 and 42 days of mechanical stimulation on collagen in the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997

Stoichiometry
Stoichiometry and pH dependence of the rabbit proton-dependent oligopeptide transporter PepT1 **498**, 563, 1997

Stomach
A new histological technique shows a continuous adherent mucus layer in rat and human stomach **499.P**, 103*P*, 1997
Increased gastrin release following distension of the rat stomach after antral denervation **499.P**, 104*P*, 1997
Factors controlling immediate-early gene expression in rat gastric corpus mucosa **499.P**, 122*P*, 1997
Excitatory and inhibitory motor reflexes in the isolated guinea-pig stomach **501**, 197, 1997
Spatial patterns of fasting and fed antropyloric pressure waves in humans **503**, 455, 1997

Stress
Stress proteins and protection of skeletal muscle against contraction-induced skeletal muscle damage in anaesthetized mice **499.P**, 9*P*, 1997
Stress enables the induction of long-term depression by standard low frequency stimulation in freely behaving rat **501.P**, 92*P*, 1997
Increased adrenocortical secretion in ageing: a conversion to its adaptive role **501.P**, 8*S*, 1997
Forearm sympathetic withdrawal and vasodilatation during mental stress in humans **504**, 211, 1997
Evidence of two mechanisms for the activation of the glucose transporter GLUT1 by anisomycin: p38(MAP kinase) activation and protein synthesis inhibition in mammalian cells **504**, 517, 1997
Central actions of oxytocin and vasopressin on behavioural and endocrine responses to stress in the rat **505.P**, 11*P*, 1997

Stretch
Electrophysiological effects of regional sustained stretch in the ventricle of the pig heart *in situ* **501.P**, 128*P*, 1997
The effect of the venom of the Chilli Rose Tarantula *Phrixotrichus spatulatus* on the L-type Ca^{2+} current in isolated guinea-pig ventricular myocytes **501.P**, 130*P*, 1997
The effects of mild trypsin digestion on resting tension and calcium sensitivity in skinned rat cardiac cells **501.P**, 140*P*, 1997
Distribution of sarcomere length and intracellular calcium in mouse skeletal muscle following stretch-induced injury **502**, 649, 1997

Stretch reflex
Spindle and motoneuronal contributions to the phase advance of the human stretch reflex and the reduction of tremor **498**, 249, 1997

Stretch-activated channel
Stretch-activated whole-cell currents in smooth muscle cells from mesenteric resistance artery of guinea-pig **501**, 343, 1997
Voltage-induced slow activation and deactivation of mechanosensitive channels in *Xenopus* oocytes **505**, 551, 1997

Strychnine
Effects of blockade of glycinergic synapses on sensory transmission and the action of halothane in the urethane-anaesthetized rat **499.P**, 92*P*, 1997

Substance P
Modulation of plateau properties in dorsal horn neurones in a slice preparation of the turtle spinal cord **499**, 459, 1997
Fos co-localizes with substance P receptor (NK_1) in a subpopulation of rat spinal cord neurons following noxious peripheral stimulation **501.P**, 16*P*, 1997
Substance P preferentially inhibits the large conductance class of neuronal nicotinic ACh receptor channels expressed in parasympathetic neurones of rat intracardiac ganglia **501.P**, 70*P*, 1997
Evidence for a role of tachykinin NK_1 receptors in mediating synaptic inputs from left ventricular vagal receptors to neurones within the nucleus of the solitary tract (NTS) of mice **501.P**, 75*P*, 1997
Tachykinin-induced activation of non-specific cation conductance via NK_3 neurokinin receptors in guinea-pig intracardiac neurones **504**, 65, 1997
Primary afferent input to spinal LI neurones expressing neurokinin 1 (NK_1) receptors, evidence for both pre- and postsynaptic inhibition by a μ-opioid agonist, in the rat **504.P**, 106*P*, 1997
In vivo comparison of two cardiorespiratory reflexes in NK1 knockout, heterozygous and wild-type mice **504.P**, 200*P*, 1997
Relationship of substance P to afferent characteristics of dorsal root ganglion neurones in guinea-pig **505**, 177, 1997

Suprachiasmatic nucleus
Membrane properties and synaptic inputs of suprachiasmatic nucleus neurons in rat brain slices **499**, 141, 1997
Neurones in the supraoptic nucleus of the rat are regulated by a projection from the suprachiasmatic nucleus **502**, 149, 1997
The projection from the suprachiasmatic nucleus of the rat to the supraoptic nucleus is mediated by glutamate and GABA **504.P**, 53*P*, 1997
Suprachiasmatic and retinal projections to the arcuate nucleus in the rat **505.P**, 12*P*, 1997

Supraoptic nucleus
Sustained outward rectification of oxytocinergic neurones in the rat supraoptic nucleus: ionic dependence and pharmacology **500**, 497, 1997
Outward potassium currents of supraoptic magnocellular neurosecretory cells isolated from the adult guinea-pig **502**, 61, 1997
Neurones in the supraoptic nucleus of the rat are regulated by a projection from the suprachiasmatic nucleus **502**, 149, 1997
L-, N- and T- but neither P- nor Q-type Ca^{2+} channels control vasopressin-induced Ca^{2+} influx in magnocellular vasopressin neurones isolated from the rat supraoptic nucleus **503**, 253, 1997
Onset of bursting in oxytocin cells in suckled rats **503**, 625, 1997
Inhibition of spontaneous EPSCs and IPSCs by presynaptic $GABA_B$ receptors on rat supraoptic magnocellular neurons **504**, 113, 1997
The projection from the suprachiasmatic nucleus of the rat to the supraoptic nucleus is mediated by glutamate and GABA **504.P**, 53*P*, 1997
Reduced outward K^+ conductances generate depolarizing after-potentials in rat supraoptic nucleus neurones **505**, 95, 1997
Endomorphin 1, a highly selective endogenous μ-opioid agonist, inhibits the firing of rat oxytocin (OT) but not vasopressin (VP) supraoptic nucleus (SON) neurones *in vitro* **505.P**, 11*P*, 1997

Swallowing
Fusimotor influence on jaw muscle spindle activity during swallowing-related movements in the cat **503**, 157, 1997

Swimming
The distribution and action of nitric oxide in the jellyfish *Aglantha digitale* (Hydromedusae: Trachylina) **504.P**, 13*P*, 1997

Sympathetic nervous system
Intestinal blood flow is controlled by both feed arteries and microcirculatory resistance vessels in freely moving rats **498**, 215, 1997
Multiple calcium channels control neurotransmitter release from rat postganglionic sympathetic nerve terminals **499**, 341, 1997
Direct observations of sympathetic cholinergic vasodilatation of skeletal muscle small arteries in the cat **500**, 213, 1997
On-going and reflex synaptic events in rat superior cervical ganglion cells **501**, 165, 1997
Spatial variation in sympathetic influences on the vasculature of the synovium and medial collateral ligament of the rabbit knee joint **503**, 435, 1997
Forearm sympathetic withdrawal and vasodilatation during mental stress in humans **504**, 211, 1997
Co-ordinated activity in sympathetic and somatic motor outflows from the spinal cord in a novel trunk–hindquarters preparation of adult mouse **504.P**, 199*P*, 1997
Effects of sympathetic nerve stimulation on membrane potential, $[Ca^{2+}]_i$ and force in the arrested sinus venosus of the toad, *Bufo marinus* **505**, 513, 1997
LIF and NGF induce noradrenergic fibre sprouting in the intact dorsal root ganglion of adult rats *in vivo* **505.P**, 41*P*, 1997
Nociception, stress and autonomic functions of the hypothalamic paraventricular nucleus **505.P**, 6*S*, 1997

Sympathetic neurone
Calcium-activated chloride current in normal mouse sympathetic ganglion cells **498**, 397, 1997
Recombinant nicotinic receptors, expressed in *Xenopus* oocytes, do not resemble native rat sympathetic ganglion receptors in single-channel behaviour **500**, 123, 1997
A swelling-activated chloride current in rat sympathetic neurones **501**, 555, 1997
Calcium in sympathetic varicosities of mouse vas deferens during facilitation, augmentation and autoinhibition **502**, 521, 1997
Glycine receptors in cultured chick sympathetic neurons are excitatory and trigger neurotransmitter release **504**, 683, 1997
Spinal cord function in a novel arterially perfused trunk–hindquarters preparation of adult mouse **504.P**, 56*P*, 1997

Sympathetic postganglionic neurone
Sympathetic nerve traffic correlates with the release of nitric oxide in humans: implications for blood pressure control **501**, 671, 1997
Patterns and rhythms in single sympathetic neurone activity recorded from the tail artery in anaesthetized Wistar rats **504.P**, 207*P*, 1997
The rhythmical bursting behaviour of single sympathetic fibres innervating the caudal ventral tail artery in anaesthetized rats is not driven by sensory afferents from the tail **505.P**, 106*P*, 1997

Sympathetic preganglionic neurone
Gap-junction coupling low-pass filtering and rhythm generation in rat sympathetic preganglionic neurones *in vitro* **501.P**, 26*P*, 1997
Anatomic evidence for a vasopressin input to sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **501.P**, 78*P*, 1997
The organization of the PVN projection to the RVLM and sympathetic preganglionic neurones in the spinal cord of the rat **501.P**, 82*P*, 1997
Fast synaptic activity induced by dopamine on sympathetic preganglionic neurones in the neonatal rat spinal cord transverse slice is not mediated by glycine GABA or excitatory amino acids **501.P**, 82*P*, 1997

Synapse
Glutamate receptor-mediated synaptic excitation in axons of the lamprey **499**, 443, 1997
Modulation of hybrid bass retinal gap junctional channel gating by nitric oxide **499**, 689, 1997
Synaptic vesicle recycle time and releasable pool size in motor nerve terminals of rat fast- and slow-twitch muscles **499.P**, 28*P*, 1997
Synapse-selective impairment of NMDA receptor functions in mice lacking NMDA receptor $\epsilon 1$ or $\epsilon 2$ subunit **500**, 401, 1997
Physiology and anatomy of synaptic connections between thick tufted pyramidal neurones in the developing rat neocortex **500**, 409, 1997
Excitatory synaptic site heterogeneity during paired pulse plasticity in CA1 pyramidal cells in rat hippocampus *in vitro* **500**, 441, 1997
Transmitter release and quantal size at cerebellar climbing fibre–Purkinje cell synapses of the rat **501.P**, 14*P*, 1997
Comparison of young and old animals with regard to synapse restructuring associated with hippocampal long-term potentiation **501.P**, 4*S*, 1997
Aminergic modulation of glycine release in a spinal network controlling swimming in *Xenopus laevis* **503**, 111, 1997
Regulation of quantal secretion by neurotrophic factors at developing motoneurons in *Xenopus* cell cultures **503**, 129, 1997
Cholinergic agonists decrease quantal output at the frog neuromuscular junction by targeting a calcium channel that can be blocked by ω-conotoxin GVIA **504.P**, 13*P*, 1997
Thrombin receptor activation and protein kinase C (PKC) are involved in selective activity-dependent synapse loss in mouse motoneuron and muscle co-culture **504.P**, 213*P*, 1997
Multiple peptide modulators in small neural networks **504.P**, 2*S*, 1997
The removal of acetylcholine by diffusion at nicotinic synapses in the rat otic ganglion **505**, 165, 1997
Electrical resonance and Ca^{2+} influx in the synaptic terminal of depolarizing bipolar cells from the goldfish retina **505**, 571, 1997

Synaptic current
Protein kinase A-mediated enhancement of miniature IPSC frequency by noradrenaline in rat cerebellar stellate cells **498**, 165, 1997
Modulation of $GABA_A$ receptor-mediated IPSCs by neuroactive steroids in a rat hypothalamo-hypophyseal coculture model **500**, 475, 1997
$GABA_B$ receptor-mediated inhibition of spontaneous inhibitory synaptic currents in rat midbrain culture **500**, 739, 1997
Inhibition of spontaneous EPSCs and IPSCs by presynaptic $GABA_B$ receptors on rat supraoptic magnocellular neurons **504**, 113, 1997

Synaptic integration
Synaptic origin and stimulus dependency of neuronal oscillatory activity in the primary visual cortex of the cat **500**, 751, 1997

Synaptic plasticity
Modulation of plateau properties in dorsal horn neurones in a slice preparation of the turtle spinal cord **499**, 459, 1997
Blockade of induction and expression of LTP in area CA1 of the rat hippocampal slice by inhibitors of arachidonic acid production **499.P**, 26*P*, 1997
Altered high frequency synaptic transmission and short-term potentiation in mice lacking $mGlu_7$ receptors: studies in the hippocampus *in vitro* **501.P**, 8*P*, 1997
Synaptic depression and long-term potentiation in the rat perirhinal cortex *in vitro* **501.P**, 8*P*, 1997
Long-lasting enhancement of mossy fibre–granule cell transmission induced by high frequency stimulation **501.P**, 91*P*, 1997
Synaptic plasticity in the medial perforant pathway is blocked by the selective nNOS inhibitor 1-(2-trifluoromethylphenyl) imidazole in the rat dentate gyrus *in vitro* **501.P**, 102*P*, 1997
Metabotropic synaptic regulation of intrinsic response properties of turtle spinal motoneurones **504**, 97, 1997
Quantal analysis of excitatory synapses in rat hippocampal CA1 *in vitro* during low-frequency depression **505**, 457, 1997

Synaptic transmission
Brain-derived neurotrophic factor and nerve growth factor potentiate excitatory synaptic transmission in the rat visual cortex **498**, 153, 1997
Role of ganglionic cotransmission in sympathetic control of the isolated bullfrog aorta **498**, 201, 1997
Molecular determinants of NMDA receptor function in GABAergic neurones of rat forebrain **499**, 47, 1997
Nitric oxide regulates NMDA-driven GABAergic inputs to type I neurones of the rat paraventricular nucleus **499**, 733, 1997
Postsynaptic $GABA_A$ receptor occupancy depends on receptor number at synapses on stellate cells in the rat cerebellum **501.P**, 10*P*, 1997
ATP is not a co-transmitter with glutamate at synapses of the rat medial habenula **501.P**, 11*P*, 1997
CNQX increases the frequency of $GABA_A$ receptor-mediated synaptic currents in granule cells of the rat cerebellum **501.P**, 11*P*, 1997
Spillover: a possible mechanism underlying differences between spontaneous and evoked IPSCs in granule cells in rat cerebellar slices **501.P**, 12*P*, 1997
Different roles of neuronal and glial GABA transporters in rat cerebellar slices **501.P**, 13*P*, 1997
Potentation of synaptic transmission in the rat dentate gyrus *in vitro* by the type I metabotropic glutamate receptor agonist (*S*)-3,5-dihydroxyphenylglycine (DHPG) **501.P**, 90*P*, 1997
Abnormal synaptic transmission in aged APP transgenic mice **501.P**, 95*P*, 1997

Activity-dependent properties of synaptic transmission at two classes of connections made by rat neocortical pyramidal axons *in vitro* **502**, 131, 1997
The electrogenic effects of Na^+–K^+-ATPase in rat auditory thalamus **502**, 375, 1997
Frequency-dependent actions of benzodiazepines on $GABA_A$ receptors in cultured murine cerebellar granule cells **503**, 353, 1997
Functional identification of the input–output transforms of motoneurones in the rat and cat **504**, 401, 1997
Alternative splicing in the fourth domain of the Ca^{2+} channel α_{1B}-subunit can account for the expression of kinetically distinct variants of the N-type Ca^{2+} channel in the nervous system of the rat **504.P**, 156*P*, 1997
Glutamate receptors mediate TTX-resistant synchronous activity in the rat hippocampus **504.P**, 171*P*, 1997
Post-tetanic depression of excitatory synaptic transmission by inactivation of the presynaptic calcium current **504.P**, 174*P*, 1997
Differential actions of ω-conotoxin GVIA on transmitter release at single excitatory and inhibitory synapses onto granule cells in adult rat cerebellum **504.P**, 175*P*, 1997
Calibration of an autocorrelation-based method for determining amplitude histogram reliability and quantal size **505**, 425, 1997
Assessment of the reliability of amplitude histograms from excitatory synapses in rat hippocampal CA1 *in vitro* **505**, 443, 1997
Orally projecting interneurones in the guinea-pig small intestine **505**, 473, 1997
Localized detection of action potential-induced presynaptic calcium transients at a *Xenopus* neuromuscular junction **505**, 585, 1997
Hypoxic response of hypoglossal motoneurones in the *in vivo* cat **505**, 785, 1997

Synaptic vesicle
Synaptic vesicle recycle time and releasable pool size in motor nerve terminals of rat fast- and slow-twitch muscles **499.P**, 28*P*, 1997

Synaptosome
The effect of hypoxia on 5′-nucleotidase activity in synaptosomes of the right and left rat brain hemispheres **499.P**, 41*P*, 1997

Synchronization
Oscillation of gap junction electrical coupling in the mouse pancreatic islets of Langerhans **498**, 753, 1997
Spatially synchronous fast oscillations following two-site tetanic stimulation in the CA1 subregion of the rat hippocampal slice *in vitro* **499.P**, 96*P*, 1997

Synergism
Do activators of Cl^- secretion show synergism in rat native distal colon *in vitro*? **504.P**, 149*P*, 1997

Synovial fluid
Hyaluronan secretion into the synovial cavity of rabbit knees and comparison with albumin turnover **503**, 645, 1997

Tachykinin
Tachykinin NK-2 receptor antagonist MEN 10,627 selectively inhibits fluid secretion induced by luminal enterotoxin *E. coli* STa in the rat intestine *in vivo* **499.P**, 100*P*, 1997
Stimulation of pulmonary C fibres by lactic acid in rats: contributions of H^+ and lactate ions **500**, 319, 1997
Nitric oxide contributes to substance P-induced increases in lung rapidly adapting receptor activity in guinea-pigs **503**, 635, 1997

Taste
Role of submandibular and sublingual saliva in maintenance of taste sensitivity recorded in the chorda tympani of rats **498**, 797, 1997

Taurine
Characterization of the volume-sensitive taurine transport pathway in trout red blood cells using protein kinase and phosphatase inhibitors **499.P**, 24*P*, 1997
Taurine efflux and cell volume regulation in superficial cerebral cortical slices prepared from chronically hyponatraemic rats **499.P**, 58*P*, 1997

Teaching
CAL programs for teaching practical and theoretical neuroscience **499.P**, 47*P*, 1997
Computer-assisted learning tutorial support for basic first year undergraduate physiology practicals, and its use by students **505.P**, 2*P*, 1997
UMDS Respiratory System Courseware: a computer-aided learning package for medical and dental undergraduate teaching **505.P**, 2*P*, 1997

Temperature
Temperature sensitivity of neurones in slices of the rat spinal cord **498**, 483, 1997
Influence of temperature on the effects of cADP-ribose analogues on contraction in guinea-pig isolated ventricular myocytes **499.P**, 32*P*, 1997
Effect of ambient temperature on the ventilatory response to hypoxia in chronically hypoxic and normoxic post-neonatal rats **499.P**, 70*P*, 1997
Human power output and the effect of acute heat stress during repeated bouts of sprint exercise **499.P**, 75*P*, 1997
The effects of substrate and fluid provision on exercise capacity in a hot environment **499.P**, 77*P*, 1997
A simple choice cage linked to an automated system for simultaneous collection of thermoregulatory and foraging behaviour in small mammals **501.P**, 2*P*, 1997
Stimulation of human ventilation by face immersion in cool water **501.P**, 58*P*, 1997
Perception and gut reflexes induced by stimulation of gastrointestinal thermoreceptors in humans **502**, 215, 1997
A versatile heated superfusion system suitable for whole-cell and excised patch-clamp experiments at mammalian temperatures **504.P**, 60*P*, 1997
Laser temperature jump experiments on mammalian (rat) cardiac muscle fibres **504.P**, 62*P*, 1997
Isolation of the hypothalamus raises the temperature at which warming restarts breathing during hypocapnic apnoea in the anaesthetized rat **504.P**, 203*P*, 1997

Tendon organ
Tendon organ sensitivity to steady-state isotonic contraction of in-series motor units in feline peroneus tertius muscle **500**, 227, 1997

Tension
The relationship between tension and slowly varying intracellular calcium concentration in intact frog skeletal muscle **500**, 177, 1997
Tendon organ sensitivity to steady-state isotonic contraction of in-series motor units in feline peroneus tertius muscle **500**, 227, 1997
Detachment of low-force bridges contributes to the rapid tension transients of skinned rabbit skeletal muscle fibres **501**, 149, 1997

Tetracaine
The effect of tetracaine on spontaneous Ca^{2+} release and sarcoplasmic reticulum calcium content in rat ventricular myocytes **502**, 471, 1997

Tetraethylammonium
Pore mutations in *Shaker* K^+ channels distinguish between the sites of tetraethylammonium blockade and C-type inactivation **499**, 361, 1997

Tetrodotoxin
The effects of tetrodotoxin-induced muscle paralysis on the physiological properties of muscle units and their innervating motoneurons in rat **499**, 207, 1997
Retinal activity is necessary for the rearrangement of the geniculo-cortical map in the Syrian hamster **501.P**, 96*P*, 1997
Reduced outward K^+ conductances generate depolarizing after-potentials in rat supraoptic nucleus neurones **505**, 95, 1997

Thalamus
Ethosuximide decreases Ca^{2+}-activated K^+ currents in rat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997
Physiological expression of the 'window' component of I_T in rat and cat thalamocortical neurones *in vitro* **501.P**, 25*P*, 1997
The effects of temporary inactivation of the cerebellar- and basal ganglia-receiving areas of the macaque monkey thalamus during goal-directed and internally generated limb movements **501.P**, 39*P*, 1997
Use-dependent modification of receptive fields of neurones in ventral posterior medial nucleus (VPm) in the adult rat **501.P**, 103*P*, 1997
$GABA_A$ receptor-mediated IPSCs in rat thalamic sensory nuclei: patterns of discharge and tonic modulation by $GABA_B$ autoreceptors **502**, 91, 1997
Differential Na^+–K^+-ATPase activity in rat lemniscal and non-lemniscal auditory thalami **502**, 387, 1997
Lack of regulation by intracellular Ca^{2+} of the hyperpolarization-activated cation current in rat thalamic neurones **503**, 79, 1997
Fast (mainly 30-100 Hz) oscillations in the cat cerebellothalamic pathway and their synchronization with cortical potentials **504**, 153, 1997
Novel circuits allowing intrathalamic interactions between modality-related nuclei in the rat dorsal thalamus **504.P**, 169*P*, 1997
The 'window' component of the low threshold Ca^{2+} current produces input signal amplification and bistability in cat and rat thalamocortical neurones **505**, 689, 1997
Morphology and membrane properties of neurones in the cat ventrobasal thalamus *in vitro* **505**, 707, 1997
On the nature of anomalous rectification in thalamocortical neurones of the cat ventrobasal thalamus *in vitro* **505**, 727, 1997

Thapsigargin
Ca^{2+} release from internal stores: role in generating depolarizing after-potentials in rat supraoptic neurones **498**, 339, 1997
Thrombin-dependent calcium signalling in single human erythroleukaemia cells **501**, 485, 1997
Emptying of intracellular Ca^{2+} stores stimulates Ca^{2+} entry in mouse pancreatic β-cells by both direct and indirect mechanisms **503**, 387, 1997

Thermoregulation
The effects of substrate and fluid provision on exercise capacity in a hot environment **499.P**, 77*P*, 1997
A simple choice cage linked to an automated system for simultaneous collection of thermoregulatory and foraging behaviour in small mammals **501.P**, 2*P*, 1997
Effect of midbrain stimulations on thermoregulatory vasomotor responses in rats **503**, 177, 1997

Thrombin
Thrombin-dependent calcium signalling in single human erythroleukaemia cells **501**, 485, 1997
Thrombin receptor activation and protein kinase C (PKC) are involved in selective activity-dependent synapse loss in mouse motoneuron and muscle co-culture **504.P**, 213*P*, 1997

Thymus
Intrinsic ionic mechanisms contribute to the control of thymulin release from thymic epithelia of rat *in vitro* **505.P**, 14*P*, 1997

Thyroid hormone
Thyroid hormone regulates postnatal expression of transient K^+ channel isoforms in rat ventricle **500**, 65, 1997
Effects of development and thyroid hormone on K^+ currents and K^+ channel gene expression in rat ventricle **504**, 271, 1997
Effects of triiodothyronine (T_3) on the expression of SERCA2a and phospholamban and on calcium transients in isolated adult rat cardiomyocytes **504.P**, 94*P*, 1997
Muscle fatigue with hyperthyroidism: the importance of Na^+ channel concentration relative to that of the Na^+–K^+ pump **504.P**, 230*P*, 1997
How the thyroid controls metabolism in the rat: different roles for triiodothyronine and diiodothyronines **505**, 529, 1997

Tooth
Effects of ATP on sensory receptors in the dental pulp of cats **504.P**, 128*P*, 1997
The effect of the incisor teeth in one jaw of rats on the relationship between the difference in intraoral lengths and the difference in eruption rates of the two incisors in the opposite jaw **505.P**, 72*P*, 1997

Toxin
Scorpion toxin block of the early K^+ current (I_{Kf}) in rat dorsal root ganglion neurones **503**, 285, 1997
Tetrahydrobiopterin regulates cyclic GMP-dependent electrogenic Cl^- secretion in mouse ileum *in vitro* **503**, 347, 1997

Trachea
Ion channels in fetal human trachealis **499.P**, 68*P*, 1997
Fluid transport across cultures of human tracheal glands is altered in cystic fibrosis **501**, 637, 1997

Training
Muscle length changes following strength training of the adductor pollicis muscle **499.P**, 83*P*, 1997
The use of dynamic training to transform the phenotypic properties of the rabbit latissimus dorsi muscle **499.P**, 114*P*, 1997
Sprint training enhances ionic regulation during intense exercise in men **501**, 687, 1997
Enhanced pulmonary and active skeletal muscle gas exchange during intense exercise after sprint training in men **501**, 703, 1997
Left ventricular filling as a determinant of gas exchange kinetics **501.P**, 68*P*, 1997

Transient outward current
3-Hydroxybutyrate blocks the transient K^+ outward current in myocardial mouse cells in a stereoselective fashion **500**, 85, 1997

Transmitter release
Effects of neurotrophic factors on spontaneous transmitter release at neonatal mouse neuromuscular junctions **504.P**, 216*P*, 1997

Transplantation
Functional improvement of damaged adult mouse muscle by implantation of primary myoblasts **500**, 775, 1997

Transport
Study of interrelations between haematological parameters, transport ATPase activity and deformability of erythrocytes from various mammals **499.P**, 24*P*, 1997
Purine transport in horse erythrocytes: evidence for a polymorphism in the transport of hypoxanthine via a sodium-dependent cotransporter **499.P**, 50*P*, 1997
Mechanistic studies of the D-galactose–H^+ symport protein (GalP) from *Escherichia coli* **499.P**, 52*P*, 1997
The structure–activity relationship of GalP, the bacterial homologue of the human glucose transport protein, GLUT1 **499.P**, 52*P*, 1997
Mitochondrial carrier proteins can reversibly change their transport mode: the cases of the aspartate/glutamate and the phosphate carrier **499.P**, 54*P*, 1997
A method of measuring amiloride-sensitive fluid transport *in vitro* in human endoscopic colonic biopsies using confocal microscopy **499.P**, 109*P*, 1997
The red cell glucose transporter – a functional approach **499.P**, 18*S*, 1997
System y^+L: the broad-scope and cation-modulated amino acid transporter **499.P**, 20*S*, 1997
Different roles of neuronal and glial GABA transporters in rat cerebellar slices **501.P**, 13*P*, 1997
Characterization of nucleoside transporters in RBE4 an immortalized rat brain endothelial cell line **501.P**, 31*P*, 1997
H^+ transporters in the main excretory duct of the mouse mandibular salivary gland **503**, 583, 1997
Electrophysiological analysis of the function of the mammalian renal peptide transporter expressed in *Xenopus laevis* oocytes **504**, 169, 1997
Characteristics of L-leucine transport into sarcolemmal vesicles and isolated cardiac myocytes prepared from rat heart **504.P**, 73*P*, 1997
Deoxygenation and amino acid transporters in sickle red blood cells **504.P**, 136*P*, 1997
Mammalian amino acid transport system y^+ revisited: specificity and cation dependence of the interaction with neutral amino acids **504.P**, 137*P*, 1997
Molecular characterization of two novel Elasmobranch urea transporters **504.P**, 139*P*, 1997
A novel GLYT1 glycine transporter in human small intestine **504.P**, 147*P*, 1997
Effect of mercuric chloride ($HgCl_2$) on hydraulic conductance of *in vivo* rabbit lung **505.P**, 23*P*, 1997
The transport of nucleosides across the perfused choroid plexus of the sheep **505.P**, 48*P*, 1997
Dipeptide transport by rat renal cortex BBMV is mediated by PepT1; functional analysis using ACE inhibitors **505.P**, 110*P*, 1997

Tremor
Coherence estimates between cortical activity and motor output in subjects with essential tremor **501.P**, 38*P*, 1997

Trigeminal system
Pressor effect mediated by bradykinin in the paratrigeminal nucleus of the rat **502**, 119, 1997
A simple technique for recording activity in primary afferent fibres in the anterior medullary velum of the anaesthetized cat **505.P**, 8*P*, 1997
Anatomical demonstration of a trigeminal motor innervation of digastricus pars occipitomandibularis (retractor mandibulae) muscle in the rabbit **505.P**, 77*P*, 1997

Tumour
Implication of Na^+ channels and $GABA_A$ receptors in growth and malignancy of glial tumours **501.P**, 21*P*, 1997

Urea
Molecular characterization of two novel Elasmobranch urea transporters **504.P**, 139*P*, 1997

Urinary bladder
ATP is released from rabbit urinary bladder epithelial cells by hydrostatic pressure changes – a possible sensory mechanism? **505**, 503, 1997

Urine
Effect of pulmonary lymphatic obstruction on rabbit urine flow **503**, 833, 1997

Uterus
Chronic hypoxia suppresses pharmacomechanical coupling of the uterine artery in near-term pregnant sheep **499**, 551, 1997
The role of the sarcolemmal Ca^{2+}-ATPase in the pH transients associated with contraction in rat smooth muscle **505**, 329, 1997

Depolarization-induced Ca^{2+} transients in single smooth muscle cells isolated from pregnant rat uterus **505.P**, 105*P*, 1997

Vagal afferent

Evidence that central 5-HT_{1A} receptors are involved in the vagal bradycardia evoked by carotid chemoreceptor stimulation in anaesthetized rabbits **501.P**, 72*P*, 1997

Involvement of $GABA_A$ receptors in the inhibition of dorsal vagal preganglionic neurones by vagal afferents in anaesthetized rats: an *in vivo* intracellular study **501.P**, 72*P*, 1997

Evidence for a role of tachykinin NK_1 receptors in mediating synaptic inputs from left ventricular vagal receptors to neurones within the nucleus of the solitary tract (NTS) of mice **501.P**, 75*P*, 1997

Vagal neurone

Effect of pancreatic polypeptide on rat dorsal vagal complex neurons **499**, 475, 1997

Involvement of $GABA_A$ receptors in the inhibition of dorsal vagal preganglionic neurones by vagal afferents in anaesthetized rats: an *in vivo* intracellular study **501.P**, 72*P*, 1997

Evidence that central 5-HT_{1A} receptors are involved in the vagal bradycardia evoked by carotid chemoreceptor stimulation in anaesthetized rabbits **501.P**, 72*P*, 1997

Catecholamine-synthesizing vagal preganglionic neurones in the dorsal motonucleus of the vagus nerve in rat **501.P**, 76*P*, 1997

The ionic mechanisms underlying the regulation of the excitability of identified rat vagal motoneurones *in vitro* **501.P**, 77*P*, 1997

The involvement of cholinergic inputs in mediating the effects of low pH on rat nucleus ambiguus neurones *in vitro* **501.P**, 77*P*, 1997

$GABA_A$ and $GABA_B$ receptors are involved in vagal afferent inhibitory input to neurones in the nucleus tractus solitarii (NTS) of anaesthetized rats **504.P**, 197*P*, 1997

The role of brainstem serotonin (5-HT) receptor subtypes in control of vagal motor activity **504.P**, 25*S*, 1997

Vagus nerve

Vagal branches involved in inhibition of bradykinin-induced synovial plasma extravasation by intrathecal nicotine and noxious stimulation in the rat **498**, 473, 1997

Activation of intestinal afferents by endogenous CCK in the proximal jejunum of the anaesthetized rat **499.P**, 102*P*, 1997

Modulation of vagally induced changes in cardiac atrioventricular conduction by nitric oxide in the anaesthetized ferret **501.P**, 70*P*, 1997

Further evidence for nitric oxide modulation of vagal bradycardia in the anaesthetized ferret **501.P**, 79*P*, 1997

Effect of nifedipine on the rate response to vagal stimulation following inhibition of nitric oxide in the isolated guinea-pig atria **501.P**, 126*P*, 1997

Nitric oxide contributes to substance P-induced increases in lung rapidly adapting receptor activity in guinea-pigs **503**, 635, 1997

Potentiation of vagally mediated tachycardia by atropine in the anaesthetized dog **504.P**, 194*P*, 1997

Selective vagal C-fibre efferent stimulation evokes both chronotropic and dromotropic responses in anaesthetized rabbits **504.P**, 208*P*, 1997

The neuronal NOS inhibitor, TRIM, attenuates vagal chronotropic and dromotropic actions on the heart of the anaesthetized ferret **505.P**, 31*P*, 1997

Vascular endothelium

Effects of elevated D-glucose on intracellular Ca^{2+} in human macro- and microvascular endothelium **499.P**, 40*P*, 1997

Vascular permeability

The effect of passive tilting on microvascular parameters in the human calf: a strain gauge plethysmography study **498**, 541, 1997

Vascular smooth muscle

Acetylcholine-induced K^+ currents in smooth muscle cells of intact rat small arteries **500**, 617, 1997

Evidence against the involvement of cytochrome P450 metabolites in endothelium-dependent hyperpolarization of the rat main mesenteric artery **501**, 331, 1997

Chloride channel blockers inhibit myogenic tone in rat cerebral arteries **502**, 259, 1997

Effects of extracellular pH on receptor-mediated Ca^{2+} influx in A7r5 rat smooth muscle cells: involvement of two different types of channel **503**, 237, 1997

Endothelium-dependent frequency modulation of Ca^{2+} signalling in individual vascular smooth muscle cells of the rat **504**, 349, 1997

Enhancement of the vasorelaxant potency of nicorandil by metabolic inhibition and adenosine in pig coronary arteries **504.P**, 190*P*, 1997

Vascular reactivity of the *in vitro* mesenteric arterial bed of spontaneously hypertensive and Wistar-Kyoto rat strains after cross-fostering **505.P**, 100*P*, 1997

Influence of inhibitors of phospholipase A_2 and cytochrome P450 on K^+ currents in freshly dissociated rat aortic smooth muscle cells **505.P**, 104*P*, 1997

Vasculature

Transport of radiolabelled [^{14}C]monomethyl-L-arginine and [^{3}H]nitro-L-arginine in the isolated perfused rat pancreas: role of nitric oxide synthase in the regulation of vascular tone and secretion **499.P**, 38*P*, 1997

Vas deferens

Calcium in sympathetic varicosities of mouse vas deferens during facilitation, augmentation and autoinhibition **502**, 521, 1997

Vasoconstriction

Pulmonary and systemic vascular resistance during 8 h of isocapnic hypoxia in humans **499.P**, 118*P*, 1997

Correlation of receptor mRNA expression with mechanisms of constriction in small arteries of the rat hepatic mesentery **504.P**, 189*P*, 1997

Electrically induced vasomotor responses and their propagation in rat renal vessels *in vivo* **505**, 493, 1997

Vasodilatation

Evidence for nitric oxide-mediated sympathetic forearm vasodilatation in humans **498**, 531, 1997

Acute vasodilator response to bacterial lipopolysaccharide in the rat isolated perfused heart: involvement of lipoxygenase but not cyclo-oxygenase metabolites **499.P**, 21*P*, 1997

A role for K_{ATP} channels in cerebral cortical dilatation induced in the anaesthetized rat by systemic hypoxia but not in the dilatation induced by exogenous adenosine **499.P**, 119*P*, 1997

Direct observations of sympathetic cholinergic vasodilatation of skeletal muscle small arteries in the cat **500**, 213, 1997

Effect of midbrain stimulations on thermoregulatory vasomotor responses in rats **503**, 177, 1997

Forearm sympathetic withdrawal and vasodilatation during mental stress in humans **504**, 211, 1997

Pathway-specific effects of calcitonin gene-related peptide on irideal arterioles of the rat **505**, 797, 1997

Vasopressin

Regulation of secretory granule recruitment and exocytosis at rat neurohypophysial nerve endings **498**, 735, 1997

Regulation of a non-capacitative bivalent cation entry pathway by vasopressin in A7r5 rat smooth muscle cells **499.P**, 3*P*, 1997

The effects of arginine vasopressin on $[Ca^{2+}]_i$ in a mouse cortical collecting duct cell line (M-1) **499.P**, 43*P*, 1997

Thirsting reverses both the diuresis and decreases in aquaporin-2 (AQP2) expression in rat kidney inner medulla produced by the specific V2 receptor antagonist OPC31260 **499.P**, 57*P*, 1997

Sustained outward rectification of oxytocinergic neurones in the rat supraoptic nucleus: ionic dependence and pharmacology **500**, 497, 1997

Anatomic evidence for a vasopressin input to sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **501.P**, 78*P*, 1997

Role of Q-type Ca^{2+} channels in vasopressin secretion from neurohypophysial terminals of the rat **502**, 351, 1997

Melanin-concentrating hormone and vasopressin release in the rat **504.P**, 223*P*, 1997

Central actions of oxytocin and vasopressin on behavioural and endocrine responses to stress in the rat **505.P**, 11*P*, 1997

Day/night variation in the firing of vasopressin and oxytocin cells in the rat **505.P**, 13*P*, 1997

Clinical and molecular insights into diabetes insipidus **505.P**, 3*S*, 1997

Vein

Endothelin-1 receptors and nitric oxide synthase in externally stented porcine venous–arterial grafts **501.P**, 107*P*, 1997

Ventilation

Individual differences in breathlessness during exercise, as related to ventilatory chemosensitivities in humans **499**, 843, 1997

Effect of ambient temperature on the ventilatory response to hypoxia in chronically hypoxic and normoxic post-neonatal rats **499.P**, 70*P*, 1997

Effects of chronic hypoxia from birth on ventilatory CO_2–O_2 interaction in the rat **501.P**, 57*P*, 1997

Pedal frequency and ventilation during cycle ergometer exercise in man **501.P**, 58*P*, 1997

Stimulation of human ventilation by face immersion in cool water **501.P**, 58*P*, 1997

Role of cerebral blood flow changes in hypoxic ventilatory decline in humans **501.P**, 66*P*, 1997

Oxygen transport and utilization during feeding in the young lamb **503**, 195, 1997

The effects of breathing He–O_2 mixtures on maximal oxygen consumption in normoxic and hypoxic men **503**, 215, 1997

Ventilatory responses to hypoxia and hypercapnia after passive hyperventilation in humans **505.P**, 27*P*, 1997

The ventilatory response to CO_2 in humans before and after 8 h of isocapnic/poikilocapnic hypoxia **505.P**, 28*P*, 1997

Ventilatory response to the imagination of exercise and altered perception of exercise load under hypnosis **505.P**, 29*P*, 1997

Ventricle

Shal-type channels contribute to the Ca^{2+}-independent transient outward K^+ current in rat ventricle **500**, 51, 1997

Left ventricular filling as a determinant of gas exchange kinetics **501.P**, 68*P*, 1997

Validation of the conductance catheter method for measuring volume changes in the human left ventricle **501.P**, 80*P*, 1997

Electrophysiological effects of regional sustained stretch in the ventricle of the pig heart *in situ* **501.P**, 128*P*, 1997

Tetrodotoxin-blockable calcium currents in rat ventricular myocytes; a third type of cardiac cell sodium current **505**, 353, 1997

Ventricular myocyte

Rebound stimulation of the cAMP-regulated Cl^- current by acetylcholine in guinea-pig ventricular myocytes **499**, 105, 1997

Characterization of the delayed rectifier potassium current in rat isolated ventricular myocytes **499.P**, 10*P*, 1997

A comparison of calcium transients derived from electrically stimulated, adult rat ventricular and atrial myocytes in the presence and absence of isoprenaline **499.P**, 31*P*, 1997

Differential responses of electrically stimulated, adult rat ventricular myocytes to isoprenaline following IGF-I or insulin incubation **499.P**, 32*P*, 1997

Influence of temperature on the effects of cADP-ribose analogues on contraction in guinea-pig isolated ventricular myocytes **499.P**, 32*P*, 1997

Measurement of sarcoplasmic reticulum Ca^{2+} content and sarcolemmal Ca^{2+} fluxes in isolated rat ventricular myocytes during spontaneous Ca^{2+} release **501**, 3, 1997

Voltage dependence of the Ca^{2+} transient during β-adrenergic stimulation is altered by reducing Ca^{2+} influx in voltage-clamped isolated rat ventricular myocytes **504.P**, 90*P*, 1997

Ventrolateral medulla

The roles of adenosine A_1 and A_{2a} receptors in modulating activity of neurones recorded extracellularly from the rostral ventrolateral medulla of the rat **501.P**, 73*P*, 1997

Evidence that vasomotor neurones of the RVLM receive an input from paraventricular neurones of the hypothalamus in the rat **501.P**, 81*P*, 1997

The organization of the PVN projection to the RVLM and sympathetic preganglionic neurones in the spinal cord of the rat **501.P**, 82*P*, 1997

Vestibular system

Dissociations between behavioural recovery and restoration of vestibular activity in the unilabyrinthectomized guinea-pig **500**, 509, 1997

Human body-segment tilts induced by galvanic stimulation: a vestibularly driven balance protection mechanism **501**, 661, 1997

Conditional immortalization of supporting cells from mammalian vestibular sensory epithelia **504.P**, 128*P*, 1997

Effects of opioid peptides on rat medial vestibular nucleus neurones *in vitro* **504.P**, 166*P*, 1997

Visual stabilization during dynamic head roll in avestibular human subjects **505.P**, 78*P*, 1997

Binocular response to roll-motion in man **505.P**, 78*P*, 1997

Visceral pain

Perception and gut reflexes induced by stimulation of gastrointestinal thermoreceptors in humans **502**, 215, 1997

Viscoelasticity

Dynamics of viscoelastic properties of rat cardiac sarcomeres during the diastolic interval: involvement of Ca^{2+} **502**, 661, 1997

Vision

Eye movement response to linear acceleration steps in humans: visual enhancement and suppression **499.P**, 87*P*, 1997

Spatial and temporal frequency selectivity of cells in area 21a of the cat **501**, 405, 1997

Different roles for $GABA_A$ and $GABA_B$ receptors in visual processing in the rat superior colliculus **504**, 629, 1997

Consequences of colour-blindness for cuttlefish camouflage **504.P**, 23*P*, 1997

Modelling the variation in the contrast of natural scenes, and the function of contrast normalization in the mammalian visual cortex **504.P**, 123*P*, 1997

Visual stabilization during dynamic head roll in avestibular human subjects **505.P**, 78*P*, 1997

Visual cortex

Brain-derived neurotrophic factor and nerve growth factor potentiate excitatory synaptic transmission in the rat visual cortex **498**, 153, 1997

The spatial frequency tuning of neurons in area 17 of the anaesthetized ferret **499.P**, 86*P*, 1997

Spatial and temporal frequency selectivity of cells in area 21a of the cat **501**, 405, 1997

Influence of interocular input on receptive field structure of complex neurones in cat striate cortex **501.P**, 120*P*, 1997

Actions of compounds manipulating the nitric oxide system in the cat primary visual cortex **504**, 467, 1997

Modelling the variation in the contrast of natural scenes, and the function of contrast normalization in the mammalian visual cortex **504.P**, 123*P*, 1997

Opposite direction preference between neighbouring neurones in striate cortex of the anaesthetized cat **504.P**, 123*P*, 1997

Voltage clamp

Outward potassium currents of supraoptic magnocellular neurosecretory cells isolated from the adult guinea-pig **502**, 61, 1997

Voltage dependence

Amino terminal-dependent gating of the potassium channel rat eag is compensated by a mutation in the S4 segment **502**, 537, 1997

Voltage gating

Analysis of a protein region involved in permeation and gating of the voltage-gated *Torpedo* chloride channel ClC-0 **498**, 691, 1997

Biophysical properties of heterotypic gap junctions newly formed between two types of insect cells **499**, 701, 1997

Volume

Chloride ion concentration in bovine ciliary epithelial cells and changes therein induced by cell swelling and regulatory volume decrease **499.P**, 58*P*, 1997

Validation of the conductance catheter method for measuring volume changes in the human left ventricle **501.P**, 80*P*, 1997

Volume regulation

Regulation of an outwardly rectifying Cl^- conductance in single proximal tubule cells isolated from frog kidney **498**, 409, 1997

Novel activation stimulus of chloride channels by potassium in human osteoblasts and human leukaemic T lymphocytes **500**, 653, 1997

Alanine uptake regulates a volume-sensitive, Ca^{2+}-permeable conductance in single proximal tubule cells isolated from frog kidney **504.P**, 138*P*, 1997

Nifedipine inhibits regulatory volume decrease in insulin-secreting cells **504.P**, 138*P*, 1997

Regulatory volume increase in β-cells isolated from the rat pancreas **504.P**, 142*P*, 1997

Changes in fibre water and Na^+, K^+ contents during hyposmotic treatment and excitation in rat soleus muscle **504.P**, 232*P*, 1997

Alanine-induced volume regulatory decrease in single proximal tubule cells isolated from frog kidney **505.P**, 108*P*, 1997

Water

Water permeability of sarcolemmal vesicles from mammalian skeletal muscle measured by pipette aspiration **504.P**, 40*P*, 1997

Perinatal changes in expression of aquaporin-4 and other water and ion transporters in rat lung **505**, 3, 1997

Effect of mercuric chloride ($HgCl_2$) on hydraulic conductance of *in vivo* rabbit lung **505.P**, 23*P*, 1997

Xenopus

Properties of cloned ATP-sensitive K^+ currents expressed in *Xenopus* oocytes **498**, 87, 1997

Modulation of the human cardiac sodium channel α-subunit by cAMP-dependent protein kinase and the responsible sequence domain **498**, 309, 1997

A quantitative analysis of the activation and inactivation kinetics of HERG expressed in *Xenopus* oocytes **502**, 45, 1997

Calcium dependence and distribution of calcium-activated chloride channels in *Xenopus* oocytes **502**, 569, 1997

Aminergic modulation of glycine release in a spinal network controlling swimming in *Xenopus* laevis **503**, 111, 1997
Regulation of quantal secretion by neurotrophic factors at developing motoneurons in *Xenopus* cell cultures **503**, 129, 1997
A simple model predicts the non-linearity in summation of postsynaptic potentials and the chemical synaptic and gap junction conductances in spinal motoneurons of young Xenopus tadpoles **504.P**, 182*P*, 1997
Non-linear summation of chemically mediated postsynaptic potentials in the motoneurons of young *Xenopus* tadpoles **504.P**, 182*P*, 1997
A C-terminal peptide of the GIRK1 subunit directly blocks the G protein-activated K^+ channel (GIRK) expressed in *Xenopus* oocytes **505**, 13, 1997

X-ray

Meridional X-ray diffraction intensity changes during sinusoidal length oscillations in skeletal muscle fibres of *Rana temporaria* **505.P**, 88*P*, 1997

Zinc

The effect of copper on zinc uptake into human erythyrocytes **499.P**, 26*P*, 1997
Identification of a Zn^{2+} binding site on the murine $GABA_A$ receptor complex: dependence on the second transmembrane domain of β subunits **505**, 633, 1997

THE JOURNAL OF PHYSIOLOGY

ANNUAL INDEX 1997

Annual Author and Subject Indexes

to Volumes 498 – 505 of

The Journal of Physiology
Proceedings of the Physiological Society

(January – December 1997)

CONTENTS

Author index: Papers	1
Author index: Proceedings	33
Subject index	83

CAMBRIDGE
UNIVERSITY PRESS

0022-3751(1997)505*;1-V